896

1072

Section A for the entry of

AIR MINISTRY

INFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIST 1931 .

1072

CAVERSHAM

ST. PETERS HILL

1931-32

78 02 08

Kept at St Peter's Hill, Ca

in the County of Oxon

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·12	–	·06	–	–	–	–	·52	–	–	–	1
2	·09	·09	–	·49	–	–	–	·01		–	–	·04	2
3	·07	–	·05	·14	·26	–	–	–	·50	–	·18	·22	3
4	–	·02	–	–	–	–	·25	·40	·04	·03	·13	–	4
5	–	–	–	·20	·05	·28		–	–	–	–	·17	5
6	–	·19	–	·19	–	–	–	–	–	·26	·33	–	6
7	–	–	–	–	·11	·07	·02	·67	–	·04	·16	·08	7
8	–	·06	–	·02	–	–	–	·12	·02	–	·09	–	8
9	–	·14	–	·04	–	–	·01	–	–	–	·78	·01	9
10	·02	·25	–	–	·01	·18	·07	·21	–	·01		–	10
11	·08		–	–	–	–	–	–	·04	–	·09	–	11
12	–	–	–	–	–	–	·04	·11	·35	–	–	–	12
13	–	–	–	–	–	–	–	·12	–	–	–	–	13
14	·01	·11	–	–	–	·02	1·64	·88	–	–	–	–	14
15	–	·03	–	·12	·08	–	·03	·27	–	–	–	·05	15
16	–		–	·09	·14	·08	–	·25	·14	–	–	–	16
17	–	·14	–	·18	·03	–	·27	·02	·07	–	·44	–	17
18	·02		·04	·17	–	·03	–	·85	–	–		–	18
19	·06	·04	–	·22	–	·08	·15	·02	–	–	–	–	19
20	–		–	·09	–	–	–	·30	–	–	·02	–	20
21	·01	–	–	–	·37	–	–	–	–	–	–	–	21
22	·41	–	–	–	–	–	–	·01	–	–	–	–	22
23		·05	–	·06	·34	–	–	–	–	–	·48	·05	23
24	–	–	–	·25	·17	·07	·03	–	–	–	–	·01	24
25	·03	·01	–	·24	·06	–	·50	–	–	–	·04	–	25
26	–	·01	–	·08	–	–	·66	–	–	–	·67	–	26
27	·16	·34	–	·08	·93	–	·02	–	–	–	·06	–	27
28	·02	·10	–	·06	·11	–	–	–	–	–	–	·09	28
29	·10	×	–	–	·22	–	·09	–	–	·19	·02	–	29
30	·03	×	–	–	–	–	–	·08	–	–	–	–	30
31	·14	×	–	×	·03	×	–	–	×	–	×	·02	31
TOTAL	1·25	1·70	0·09	2·78	2·91	0·81	3·78	4·32	1·68	0·53	3·19	0·74	YEAR'S TOTAL 23·78
*Days with ·01 in. or more.	16	20	2	19	15	8	15	16	9	5	15	10	150
*Days with ·04 in. or more.	9	13	2	18	12	6	9	12	8	3	13	7	112

40-9999

(Signed) George V. Proctor [P.T.O.

*See Instruction 2 (*f*) on other side.

896 1072

Section **A** for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at St Peter's Hill, Caversham

in the County of Oxon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·12	—	·06	—	—	—	—	·52	—	—	—	1
2	·09	·09	—	·49	—	—	—	·01		—	—	·04	2
3	·07	—	·05	·14	·26	—	—	—	·50	—	·18	·22	3
4	—	·02	—	—	—	—	·25	·40	·04	·03	·13	—	4
5	—	—	—	·20	·05	·28		—	—	—	—	·17	5
6	—	·19	—	·19	—	—	—	—	—	·26	·33	—	6
7	—	—	—	—	·11	·07	·02	·67	—	·04	·16	·08	7
8	—	·06	—	·02	—	—	—	·12	·02	—	·09	—	8
9	—	·14	—	·04	—	—	·01	—	—	—	·78	·01	9
10	·02	·25	—	—	·01	·18	·07	·21	—	·01		—	10
11	·08		—	—	—	—	—	—	·04	—	·09	—	11
12	—	—	—	—	—	—	·04	·11	·35	—	—	—	12
13	—	—	—	—	—	—	—	·12	—	—	—	—	13
14	·01	·11	—	—	—	·02	1·64	·88	—	—	—	—	14
15	—	·03	—	·12	·08	—	·03	·27	—	—	—	·05	15
16	—	·14	—	·09	·14	·08	—	·25	·14	—	—	—	16
17	—		—	·18	·03	—	·27	·02	·07	—	·44	—	17
18	·02		·04	·17	—	·03	—	·85	—	—		—	18
19	·06	·04	—	·22	—	·08	·15	·02	—	—	—	—	19
20	—		—	·09	—	—	—	·30	—	—	·02	—	20
21	·01	—	—	—	·37	—	—	—	—	—	—	—	21
22	·41	—	—	—	—	—	—	·01	—	—	—	—	22
23		·05	—	·06	·34	—	—	—	—	—	·18	·05	23
24	—	—	—	·25	·17	·07	·03	—	—	—	—	·01	24
25	·03	·01	—	·24	·06	—	·50	—	—	—	·04	—	25
26	—	·01	—	·08	—	—	·66	—	—	—	·67	—	26
27	·16	·34	—	·08	·93	—	·02	—	—	—	·06	—	27
28	·02	·10	—	·06	·11	—	—	—	—	—	—	·09	28
29	·10	×	—	—	·22	—	·09	—	—	·19	·02	—	29
30	·03	×	—	—	—	—	—	·08	—	—	—	—	30
31	·14	×	—	×	·03	×	—	—	×	—	×	·02	31
TOTAL	1·25	1·70	0·09	2·78	2·91	0·81	3·78	4·32	1·68	0·53	3·19	0·74	YEAR'S TOTAL 23·78
*Days with ·01 in. or more.	16	20	2	19	15	8	15	16	9	5	15	10	150
*Days with ·04 in. or more.	9	13	2	18	12	6	9	12	8	3	13	7	112

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) George V. Proctor [P.T.O.

1072

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.**

Station No. 1072

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at 20 St Peter's Hill, Caversham

in the County of Oxon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·01	—	·06	·99	·04	·02	·11	·05	·09	—	—	1
2	·01	—	—	·22	·08	—	—	·03	·19	·06	—	·12	2
3	—	—	—	·35	·16	—	—	—	·30	—	—	—	3
4	·01	—	—	—	—	·22	—	—	—	—	·08	—	4
5	·20	—	·02	—	·03	·04	·15	—	·25	·03	—	—	5
6	·46	—	—	·09	—	—	—	—	·12	—	—	—	6
7	—	—	—	·11	·07	—	—	—	·12	·07	—	—	7
8	—	—	·17	·07	·08	—	—	—	·40	·11	—	—	8
9	·24	—	—	·03	·32	—	—	—	—	·03	—	—	9
10	·28	—	—	·23	·10	·11	—	—	·03	·20	—	—	10
11	—	—	—	·03	·03	—	·61	—	—	·04	·10	·02	11
12	·15	·04	—	—	·10	—	—	—	—	·24	—	—	12
13	—	—	—	·15	—	—	·27	—	·03	·40	·07	—	13
14	·21	—	—	·04	·07	—	—	·10	—	·01	·14	·03	14
15	—	—	—	·01	·14	—	—	—	—	·10	—	—	15
16	·17	—	—	·16	·03	—	—	—	—	—	—	—	16
17	—	—	—	·01	—	—	·03	—	—	·05	—	—	17
18	—	—	—	—	—	—	—	—	—	—	·17	—	18
19	—	—	—	—	—	—	—	—	·22	·18	—	—	19
20	—	—	—	·09	·17	—	·04	1·84	·09	·70	·10	—	20
21	—	—	—	·25	1·35	—	—	·02	—	·22	—	·08	21
22	—	—	·21	—	·03	—	·23	—	·30	·11	·22	—	22
23	—	—	—	·03	·20	—	—	—	·03	·62	—	·08	23
24	—	·10	—	—	—	—	·56	—	·10	·07	·04	—	24
25	—	—	—	·01	—	·03	·29	—	·03	·14	—	—	25
26	—	—	·14	·02	—	—	·04	—	—	·07	—	—	26
27	—	—	·31	·13	·24	·02	·08	—	—	·15	·02	—	27
28	—	—	·03	·14	·05	·23	·08	—	—	·15	—	—	28
29	—	—	·33	—	·14	·07	·03	·02	·25	·23	—	—	29
30	—	×	·14	·36	·26	·53	—	—	·31	·02	·30	·20	30
31	—	×	·02	×	—	×	·09	—	×	—	×	—	31
													YEAR'S TOTAL
TOTAL	1·83	·15	1·37	2·59	4·58	1·29	2·52	2·12	2·82	4·09	1·24	·53	25·13
*Days with ·01 in. or more.	10	3	9	22	21	9	14	6	17	25	10	6	152
*Days with .04 in. or more.	8	2	6	15	17	7	11	3	13	21	9	4	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) George V. Proctor

P.T.O.

X SHIPLAKE X

1072/5

1072/5
SHIPLAKE
1932 - 1937

780208

Section **A** for the entry of

AIR MINISTR

AINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIS

1932.

Oxon/4.

Kept at Kingsley

in the County of Oxfor

Battle (Sussex/S)

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

OK print

THE MORNING MEASU **IS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
X

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	-	-	·08	·87	·06	·07	·20	·01	·13	·04	·03	1
2	·01	-	-	·20	·03	-	-	·05	·42	·11	·03	·11	2
3	·02	-	-	·23	·08	-	-	-	·15	·09	-	·01	3
4	-	·01	-	-	-	·25	-	-	-	-	·12	-	4
5	·20	-	·02	-	·01	·02	·21	-	·15	-	-	-	5
6	·42	-	·08	·09	·01	-	-	-	·14	-	-	-	6
7	·03	-	·10	·10	·04	·01	-	-	·10	·13	-	-	7
8	-	-	·09	·08	·30	-	·03	-	·35	·03	-	-	8
9	·19	-	-	·06	·14	-	-	-	·01	·04	·01	-	9
10	·24	·03	-	·20	·11	·07	-	-	·01	·23	·11	·03	10
11	·01	·01	·04	·06	·04	-	-	-	·02	·01	·03	-	11
12	·12	-	-	·01	·08	·01	-	·02	·03	·25	·01	-	12
13	-	-	-	·17	·01	-	·08	-	·02	·34	·16	·03	13
14	·18	-	-	·01	·05	-	-	·33	-	·02	·12	-	14
15	-	-	-	·02	·24	-	-	-	-	·12	·02	-	15
16	·15	-	-	·17	·07	-	-	-	-	-	-	·01	16
17	-	-	-	·01	-	-	·04	-	-	·08	-	·02	17
18	-	-	-	-	-	-	-	-	·28	-	·15	-	18
19	-	-	-	-	-	-	-	-	·04	·25	·01	-	19
20	·01	-	-	·27	·24	-	·01	2·25	·01	·73	·10	·01	20
21	·01	-	·14	·13	1·64	-	-	·03	·01	·26	·03	·05	21
22	-	·01	·15	·06	·07	-	·39	-	·27	·15	·25	-	22
23	-	·08	·02	-	·17	-	-	-	·04	·70	·02	·08	23
24	-	-	-	-	-	-	·54	-	·09	·05	·04	·01	24
25	-	-	-	-	-	-	·39	-	·03	·13	·05	-	25
26	-	-	·17	·04	·06	-	·09	-	·01	·14	-	-	26
27	-	-	·30	·14	·26	-	·10	-	·05	·06	·05	·02	27
28	-	-	·09	·07	·37	·10	·12	-	-	·10	·02	-	28
29	-	-	·31	·10	·35	·10	·02	·02	·15	·21	·06	·03	29
30	-	×	·16	·11	·06	·43	·03	-	·22	·02	·22	·16	30
31	-	×	·16	×	-	×	·09	-	×	-	×	·08	31 Print of
TOTAL	1·68	·14	1·83	2·41	5·30	1·05	2·21	2·90	2·61	4·38	1·65	·68	YEAR'S TOTAL 26·84
*Days with ·01 in. or more.	14	5	14	23	24	9	15	7	24	25	22	15	197
*Days with ·04 in. or more.	8	1	12	19	20	6	10	4	14	21	13	5	133

40-9999

(Signed) G. A. Yool [P.T.O.

NW X LT. COL. G. A. YOOL, DSO, X Lt Colonel

*See Instruction 2 (*f*) on other side.

X SHIPLAKE X

1072/5

Section **A** for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Oxon/4.

Kept at Kingsley, Shiplake

in the County of Oxfordshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 156 ft.

9 from Battle (Sussex/5)

OK print

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	-	-	·08	·87	·06	·07	·20	·01	·13	·04	·03	1
2	·01	-	-	·20	·03	-	-	·05	·42	·11	·03	·11	2
3	·02	-	-	·23	·08	-	-	-	·15	·09	-	·01	3
4	-	·01	-	-	-	·25	-	-	-	-	·12	-	4
5	·20	-	·02	-	·01	·02	·21	-	·15	-	-	-	5
6	·42	-	·08	·09	·01	-	-	-	·14	-	-	-	6
7	·03	-	·10	·10	·04	·01	-	-	·10	·13	-	-	7
8	-	-	·09	·08	·30	-	·03	-	·35	·03	-	-	8
9	·19	-	-	·06	·14	-	-	-	·01	·04	·01	-	9
10	·24	·03	-	·20	·11	·07	-	-	·01	·23	·11	·03	10
11	·01	·01	·04	·06	·04	-	-	-	·02	·01	·03	-	11
12	·12	-	-	·01	·08	·01	-	·02	·03	·25	·01	-	12
13	-	-	-	·17	·01	-	·08	-	·02	·34	·16	·03	13
14	·18	-	-	·01	·05	-	-	·33	-	·02	·12	-	14
15	-	-	-	·02	·24	-	-	-	-	·12	·02	-	15
16	·15	-	-	·17	·07	-	-	-	-	-	-	·01	16
17	-	-	-	·01	-	-	·04	-	-	·08	-	·02	17
18	-	-	-	-	-	-	-	-	·28	-	·15	-	18
19	-	-	-	-	-	-	-	-	·04	·25	·01	-	19
20	·01	-	-	·27	·24	-	·01	2·25	·01	·73	·10	·01	20
21	·01	-	·14	·13	1·64	-	-	·03	·01	·26	·03	·05	21
22	-	·01	·15	·06	·07	-	·39	-	·27	·15	·25	-	22
23	-	·08	·02	-	·17	-	-	-	·04	·70	·02	·08	23
24	-	-	-	-	-	-	·54	-	·09	·05	·04	·01	24
25	-	-	-	-	-	-	·39	-	·03	·13	·05	-	25
26	-	-	·17	·04	·06	-	·09	-	·01	·14	-	-	26
27	-	-	·30	·14	·26	-	·10	-	·05	·06	·05	·02	27
28	-	-	·09	·07	·37	·10	·12	-	-	·10	·02	-	28
29	-	-	·31	·10	·35	·10	·02	·02	·15	·21	·06	·03	29
30	-	×	·16	·11	·06	·43	·03	-	·22	·02	·22	·16	30
31	-	×	·16	×	-	×	·09	-	×	-	×	·08	31 Print f
TOTAL	1·68	·14	1·83	2·41	5·30	1·05	2·21	2·90	2·61	4·38	1·65	·68	YEAR'S TOTAL 26·84
*Days with ·01 in. or more.	14	5	14	23	24	9	15	7	24	25	22	15	197
*Days with ·04 in. or more.	8	1	12	19	20	6	10	4	14	21	13	5	133

40-9999

NW

(Signed) G. A. Yool [P.T.O.

LT. COL. G. A. YOOL, D.S.O., X Lt Colonel

*See Instruction 2 (*f*) on other side.

1072/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1072/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Kingsley. Shiplake

in the County of Oxon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

„ Ground „ Sea Level 156 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·21	·13	·08	–	·01	–	–	–	–	·01	·06	–	1
2	·23	–	·29	–	·83	–	–	–	–	–	·06	–	2
3	–	·19	·19	–	·05	–	–	–	–	–	–	–	3
4	·20	·02	·01	–	·35	–	–	–	–	–	·01	–	4
5	·03	·03	·26	–	·02	–	–	–	–	–	·02	–	5
6	·02	·17	·08	–	·12	–	–	–	–	·08	·06	–	6
7	·19	–	·03	–	·03	–	–	–	–	·06	–	–	7
8	·02	·01	–	–	·11	–	·25	–	–	·04	–	·04	8
9	–	–	–	–	·05	–	·20	–	–	·10	·04	–	9
10	·07	·04	–	–	·02	·01	·09	–	–	·15	·12	–	10
11	·18	–	–	–	·05	·04	·05	·08	·03	–	–	–	11
12	–	–	–	–	·04	·14	·06	–	·62	–	–	–	12
13	·03	–	–	–	·10	–	·31	–	·05	·05	·06	–	13
14	·02	–	–	–	·01	–	·04	·06	–	·04	·64	–	14
15	·34	–	·25	–	–	·36	·33	·03	–	·03	–	·01	15
16	·03	–	·54	–	–	·25	·59	–	–	·04	·04	–	16
17	·03	–	·52	–	–	·21	–	–	·08	–	–	–	17
18	·10	·12	·10	–	–	·17	–	–	–	–	–	–	18
19	–	–	·29	–	–	·19	–	–	·71	–	·04	–	19
20	–	·02	·12	·04	–	·18	–	–	·05	–	–	–	20
21	–	·01	–	–	–	·02	–	·11	·13	·01	·01	·01	21
22	–	–	–	–	·51	·07	–	·14	·10	·38	–	–	22
23	–	·01	–	·34	·01	·06	–	–	·39	·09	–	–	23
24	–	1·01	–	·11	·03	·69	–	–	·19	·02	·02	–	24
25	–	·93	–	·27	·03	·01	–	–	·10	–	·03	·10	25
26	–	·36	–	·07	·01	·09	–	–	·06	·28	~~[illegible]~~	·01	26
27	–	·04	–	–	·04	–	–	–	·02	·02	·01	·05	27
28	–	·01	–	·10	–	–	–	–	·01	·24	–	·02	28
29	·18	×	–	·20	–	–	·02	–	–	·05	–	·04	29
30	·06	×	·06	–	–	–	·03	–	·09	·01	–	·17	30
31	·28	×	·07	×	–	×	–	·05	×	·04	×	–	31
TOTAL	2·22	3·10	2·89	1·13	2·42	2·49	1·97	·47	2·63	1·74	1·22	·45	YEAR'S TOTAL 22·73
*Days with ·01 in. or more.	18	16	15	7	20	15	11	6	15	20	15	9	167
*Days with .04 in. or more.	11	9	13	7	1.	12	9	5	12	14	9	5	117

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) G. A. Gool.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. File No 15314/31 Station No. 1072/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Kingsley Shiplake
in the County of Oxfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 156 ft.

Totals
alf

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	-	-	-	-	-	-	·17	·05	·02	·01	-		1
2	·13	-	·08	-	·06	-	-	-	·54	·10	-	-		2
3	·01	·03	-	·10	-	-	-	-	-	·47	-	-		3
4	·05	-	·09	·19	·06	-	-	-	-	·19	·07	·05		4
5	-	-	·03	-	·01	-	-	·09	-	·03	·01	-		5
6	·01	-	·29	·02	·23	·05	-	·07	-	·26	-	-		6
7	·04	02	-	-	·01	-	-	·21	-	·08	-	·55		7
8	-	-	-	-	·08	-	-	·03	·15	-	·26	·18		8
9	·02	-	·05	·14	-	-	-	-	-	-	·89	·04		9
10	·03	·01	·23	·11	-	-	-	·09	-	-	·04	·30		10
11	·40	-	·31	-	-	-	·03	·07	-	-	·02	·41		11
12	·01	·01	·01	·01	-	-	·09	·72	-	-	-	·53		12
13	·31	-	·26	·04	-	-	·31	·19	-	-	·04	·26		13
14	·03	-	·35	·01	·01	·04	-	-	-	·03	·07	·06		14
15	·02	-	·04	-	·04	-	-	-	·03	·25	·11	·42		15
16	·19	-	·16	-	·01	-	-	-	·04	·07	-	-		16
17	·04	-	-	-	·01	-	-	-	·04	·07	-	·25		17
18	·17	-	-	·12	-	-	-	-	·18	-	-	·09		18
19	-	-	·18	-	-	·01	-	-	·04	-	-	·19		19
20	-	-	·08	·07	-	-	·23	-	·01	-	-	·04		20
21	-	-	-	·09	-	·15	·02	·06	-	·08	-	-		21
22	-	-	-	-	-	-	·01	·26	·18	-	-	·04		22
23	-	-	-	·20	-	·38	-	·04	-	-	-	-		23
24	-	·06	·08	·02	-	·11	·55	·01	14	-	-	·41		24
25	·19	-	-	·15	-	·43	-	-	·02	·05	·25	·28		25
26	·02	-	·01	·26	-	·03	-	-	·03	·01	-	·33		26
27	-	·02	-	·05	-	·19	-	-	-	·06	·14	·49		27
28	-	-	-	·08	-	·18	·02	·89	-	-	·07	·07		28
29	-	×	-	-	-	-	-	·01	·19	-	·14	·23		29
30	·03	×	-	-	-	-	-	·06	·04	-	·01	·15		30
31	-	×	-	×	-	×	-	-	×	·01	×	·62		31
TOTAL	1·73	·15	2·25	1·66	·52	1·57	1·26	2·97	1·68	1·78	2·13	5·99	Year's Total. 23·69	
* Days with .01 in. or more.	19	6	16	17	10	10	8	16	15	16	15	23	191	
* Days with .04 in. or more.	9	1	13	13	5	8	4	13	11	11	11	23	122	

40-9999

† Spare column; no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) M. Yool (Mrs G. A. Yool)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. File No 153141/31 ✓ Station No. 1072/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at KINGSLEY, SHIPLAKE

in the County of OXON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 156 ft.

906 sent. 21/2/36

Suggesting pencil figures

Obsr. agrees to corrections

f. 153141/31

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	†	
1	·12 ~~·62~~	–	–	–	–	–	–	–	·21	–	·30	–		1
2	~~·37~~	–	·03	–	–	·04	–	–	–	·12	–	–		2
3	–	–	–	–	–	·20	–	–	·43	·76	–	–		3
4	–	–	·05	·21	–	·05	–	–	·09	·13	·07	–		4
5	–	·24	–	·03	–	–	–	–	·28	–	–	–		5
6	–	–	–	·19	–	·02	–	–	–	–	–	–		6
7	–	–	–	·58	–	·58	–	–	–	·27	·50 ~~·28~~	·17		7
8	–	–	–	·45	–	–	–	–	–	·65	·10	–		8
9	–	–	–	·35	–	·81	–	–	–	–	·11	·05		9
10	–	–	–	·03	–	·04	–	–	–	–	·18	·03		10
11	·24	·02	–	–	–	·07	–	–	–	–	·28	–		11
12	–	·–	–	–	–	·29	–	·03	–	–	·08	–		12
13	·08	·12	–	·07	·11	·07	–	–	·06	·08	–	–		13
14	–	–	–	·11	·05	–	–	–	–	·05	·28	·13		14
15	–	·16	·05	·39	·03	·05	–	–	–	–	·28 ~~·28~~	·08		15
16	–	·13	–	·03	–	·09	–	–	·26	–	·10	–		16
17	–	–	–	·08	–	·22	–	–	·15	·23	·23	–		17
18	–	–	–	·28	·08	·07	·23	–	·31	–	·11	–		18
19	–	–	–	·03	·25	·04	·10	–	·05	–	–	–		19
20	–	·14	–	·12	·80	·07	·07	–	·05	–	·33	–		20
21	–	·20	·12	·08	–	–	–	–	·03	–	–	·14		21
22	–	·08	·08	·11	–	–	–	·03	·26	–	–	–		22
23	–	–	·12	–	–	–	–	·59	–	–	–	·15		23
24	·07	·46	–	–	–	–	–	·29	·56	–	–	·15		24
25	·09	·26	–	·20	–	·45	–	–	–	–	–	·05		25
26	–	·06	–	–	–	·04	–	·30	·11	–	–	·28		26
27	–	·30	–	–	–	–	–	–	·09	–	·14	·42		27
28	–	·12	–	–	·24	–	–	–	–	–	–	·08		28
29	–	×	–	–	·04	–	–	–	·56	–	–	·28		29
30	–	×	–	·03	–	–	–	·63	·06	·25	·27	·32		30
31	–	×	–	×	–	×	–	–	×	·56	×	·20	d.	31
TOTAL	·60 ~~1·47~~	2·29	·45	3·37	1·60	3·20	·40	1·87	3·56	3·10 ~~2·85~~	3·36 ~~2·54~~	2·53 ~~2·23~~	Year's Total. ~~25·83~~	26·33
* Days with .01 in. or more.	~~65~~	~~13~~	~~6~~	~~19~~	~~8~~	~~18~~	~~3~~	~~6~~	~~17~~	~~9~~	~~14~~	~~13~~	~~132~~	
* Days with .04 in. or more.	~~6~~5	12	5	14	7	17	2	4	16	9	14	12	118	1/8

28/4/36

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) M. Yool (Mrs. G. A. Yool)

P.T.O.

CAVERSHAM (RANMORE)

f.615365/

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1072/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

oxon/4

Kept at ~~Caversham, Reading~~

in the County of Oxfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6" in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.11	0.07	0.08	0.27	-	0.09	0.13	0.03	-	-	0.09	0.03		1
2	-	0.07	0.02	0.01	-	0.27	0.38	0.06	-	-	0.01	-		2
3	-	-	-	0.19	-	0.01	0.01	-	0.15	-	0.29	0.01		3
4	0.05	-	0.19	-	-	0.02	-	-	0.21	-	-	0.03		4
5	0.17	-	0.05	-	-	-	-	0.03	0.13	-	0.06	0.03		5
6	0.53	-	-	-	-	0.08	-	0.17	0.09	-	0.21	-		6
7	0.29	-	0.04	-	-	0.06	-	-	-	-	0.27	0.09		7
8	0.21	-	0.14	-	-	-	0.08	-	-	-	0.22	0.19		8
9	0.60	-	0.04	-	-	-	0.25	-	0.21	0.06	0.09	-		9
10	0.01	-	-	-	-	-	0.15	0.06	0.03	-	-	-		10
11	-	-	-	0.09	-	-	0.05	-	-	-	0.78	-		11
12	-	-	-	0.03	-	0.25	0.13	-	0.50	-	0.30	0.17		12
13	-	-	-	0.05		0.17	0.01	-	Trace		0.01	0.35		13
14	-	-	-	0.01	-	0.01	0.45	-	0.04	0.05	0.11	0.45		14
15	-	0.03	-	-	-	0.03	0.02	-	0.03	-	0.02	0.05		15
16	0.04	0.25	-	-	-	-	0.05	-	0.03	-	0.36	0.11		16
17	0.21	0.53	-	-	-	-	-	-	-	0.02	0.07	0.14		17
18	0.11	0.16	-	Trace	-	0.45	0.14	-	-	-	0.01	0.07		18
19	0.20	0.07	0.04	0.01	-	0.30	0.04	0.09	-	0.03	-	-		19
20	0.04	0.09	0.05	0.39	-	0.86	-	-	0.58	-	-	-		20
21	Trace	Trace	-	0.33	0.01	0.14	0.11	-	-	-	-	-		21
22	0.10	0.40	0.03	-	0.31	-	0.14	-		-	-	0.07		22
23	0.05	-	0.54	0.07	0.07	-	0.25	-	-	0.09	-	-		23
24	0.10	0.05	-	-	-	-	0.07	-	0.23	0.56	-	-		24
25	0.03	-	0.11	0.18	-	-	0.35	-	0.13	0.07	0.05	-		25
26	—	0.15	0.16	0.02	-	0.04	0.01	-	0.04	0.21	-	-		26
27	0.20	-	0.03	-	-	-	-	-	0.01	0.09	-	-		27
28	0.84	Trace	0.10	-	-	-	0.61	-	-	-	-	0.09		28
29	0.14	0.09	0.08	-	-	0.36	0.10	-	-	0.03	0.24	0.05		29
30	0.02	✕	0.15	-	0.08	0.36	-	-	-	0.14	-	Trace		30
31	0.29	✕	0.26	✕	0.07	✕	0.37	-	✕	0.44	✕	0.22		31
TOTAL	4.34	1.96	2.12	~~1.55~~ 1.65	0.54	3.50	3.90	0.44	2.41	1.77	3.19	2.15	Year's Total ~~27.77~~	27.97
* Days with .01 in. or more.	22	12	18	13	5	17	22	6	15	12	18	17	177	
* Days with .04 in. or more.	19	11	15	8	4	13	19	4	11	9	13	13	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. G. Sargent Esq [P.T.O.

X J.G. SARGENT Esq X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1072/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Caversham (Ranmore)

in the County of Oxon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.25	-	Trace	0.03	-	-	-	-	Trace	0.02	0.27	0.95		1
2	-	0.29	0.01	0.40	-	-	-	-	0.20	-	-	0.57		2
3	-	0.15	0.01	-	Trace	-	-	-	-	-	-	0.04		3
4	0.06	0.46	-	0.01	Trace	-	-	-	-	-	-	0.26		4
5	0.14	0.07	0.11	-	-	-	0.10	Trace	-	-	-	-		5
6	0.04	0.05	0.69	Trace	0.32	-	0.23	-	-	-	0.08	-		6
7	-	0.60	-	0.17	-	-	-	-	-	0.03	-	0.01		7
8	-	0.02	-	Trace	0.09	0.01	-	-	-	-	0.16	0.18		8
9	-	-	-	0.16	0.14	-	0.06	Trace	0.26	-	-	0.20		9
10	-	-	0.50	0.15	-	0.40	Trace	0.02	-	-	-	0.18		10
11	-	-	0.20	-	0.21	0.04	Trace	-	-	-	-	-		11
12	0.16	0.27	0.14	-	0.22	0.50	0.03	0.08	0.09	-	-	0.05		12
13	0.15	0.10	0.48	0.12	-	0.01	-	0.15	0.25	-	-	0.25		13
14	0.04	0.04	0.38	0.03	-	-	-	0.16	0.05	-	-	0.03		14
15	0.21	0.14	-	0.17	-	-	0.35	Trace	0.12	-	-	0.01		15
16	0.01	0.13	0.38	0.33	-	0.03	-	0.16	0.73	-	-	Trace		16
17	0.40	0.01	0.17	0.10	-	-	-	-	0.15	-	-	-		17
18	0.36	0.07	Trace	0.05	-	0.27	-	-	0.03	-	0.18	Trace		18
19	0.20	0.10	0.02	0.05	-	0.20	0.20	-	0.10	-	-	0.17		19
20	0.33	0.02	0.02	0.22	0.35	0.09	-	-	-	-	-	-		20
21	0.30	0.50	0.07	0.02	0.04	-	0.07	-	-	-	-	0.01		21
22	0.35	0.04	0.17	-	0.16	0.41	0.04	-	-	0.37	0.26	0.04		22
23	0.21	Trace	-	-	0.19	-	0.03	-	-	0.47	0.15	Trace		23
24	0.24	0.59	-	-	-	-	-	-	0.09	0.36	-	-		24
25	0.25	0.38	0.16	-	1.22	-	-	-	0.06	0.31	-	-		25
26	0.09	0.22	0.03	-	0.16	-	-	-	-	0.02	-	-		26
27	0.01	0.03	-	0.14	-	-	-	-	-	0.87	-	-		27
28	-	0.07	-	-	-	-	-	-	-	0.05	-	-		28
29	-		-	-	-	Trace	-	-	-	0.02	0.15	-		29
30	0.35	✕	-	-	-	Trace	-	-	-	0.04	0.24	-		30
31	0.37	✕	-	✕	-	✕	-	-	✕	0.07	✕	0.04	30.44	31
													Year's Total	
TOTAL	4.52	4.35	3.54	2.15	3.10	1.96	1.11	0.57	2.03	2.63	1.49	2.99	30.44	
* Days with .01 in. or more.	22	23	17	16	11	10	9	5	12	12	8	16	~~153~~	
* Days with .04 in. or more.	20	19	12	12	11	7	7	4	11	8	8	12	131	

~~38~~ stet

161

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. G. Sargent

[P.T.O.

1073

Section A **for the entry** [illegible] **COPY FOR OFFICIAL USE.**

AIR MINIST RAINFALL ORGANIZATION.

1073

GORING HEATH

1931 - 1938

78 02 08

FORM 1090. **REGI** **193/ .**

Kept at The Chaplaincy

in the County of Ox

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

allocated using new stations.

excellent.

Btush 23/2/32.

Aug & Sept

+ work days

THE MORNING MEA OUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.15	—	0.09	—	0.25	0.02	—	Rain +	—	—	—	1
2	0.12	0.10	—	0.72	—	Trace	—	—	Rain + 1.00	Trace	0.01	0.20	2
3	0.05	0.01	*0.06	0.25	0.12	—	Trace	0.34	Rain +	—	0.20	0.12	3
4	0.03	0.04	—	0.08	0.03	—	0.23	0.46	0.07	Trace	0.15	0.01	4
5	—	*0.01	—	0.15	—	0.33	0.06		0.06	—	0.06	0.25	5
6	0.02	0.17	—	0.20	—	—	0.01		Trace	0.20	0.29	0.01	6
7	—	—	—	0.01	0.24	0.06	—	+	—	0.07	0.20	0.10	7
8	×0.02	0.08	Trace	0.06	0.01	0.15	—	+	—	Trace	0.15	0.01	8
9	0.01	0.17	—	0.04	—	Trace	0.02		—	0.01	0.33	Trace	9
10	0.01	0.01	—	—	Trace	0.07	0.07	+	0.02	Trace	0.45	—	10
11	0.10	0.24	—	—	Trace	Trace	—		0.04	—	0.10	0.02	11
12	0.01	—	—	0.01	—	—	0.29	✓	0.32	—	0.01	0.01	12
13	—	—	—	—	—	—	0.15	+	—	—	0.01	—	13
14	0.02	*0.11	—	—	0.05	0.05	1.38	+	—	—	—	—	14
15	0.02	0.02	—	0.09	0.18	—	0.08	+	—	—	0.02	0.09	15
16	Trace	*0.12	—	0.08	0.14	0.15	—	+	0.20	Trace	Trace	—	16
17	—	*0.16	—	0.20	0.05	—	0.26		0.04	—	Trace	—	17
18	0.04	*0.03	0.02	0.18	Trace	0.28	0.01	+	—	—	0.40	—	18
19	0.08	Trace	—	0.19	—	0.05	0.31		—	—	0.01	—	19
20	0.01	0.04	0.01	0.10	—	—	Trace	+	—	0.01	0.01	—	20
21	0.08	—	—	0.01	0.38	—	—		—	—	—	—	21
22	0.21	—	—	0.03	0.04	—	—		0.03	—	Trace	—	22
23	0.22	0.06	—	0.06	0.30	0.04	—		—	—	0.09	0.10	23
24	0.02	—	—	0.35	0.21	0.06	0.05		Trace	—	0.02	0.01	24
25	0.04	—	—	0.23	0.05	—	0.45		—	—	0.10	0.01	25
26	—	0.04	—	0.18	Trace	—	0.55		—	—	0.27	—	26
27	0.19	0.40	—	0.10	*0.81	—	0.02		—	0.02	0.18	—	27
28	0.03	0.14	—	0.08	0.15	—	0.11		—	0.03	0.01	*0.11	28
29	0.09	×	—	—	0.27	—	—		—	0.19	0.03	—	29
30	*0.10	×	—	—	—	—	—	+	—	—	—	*0.01	30
31	0.15	×	—	×	0.02	×	—		×	—	×	0.03	31
TOTAL	1.67	2.10	0.09	3.49	3.05	1.49	4.17	~~[illegible]~~ 4.30.	~~0.78~~ 1.78	0.53	3.10	1.09	YEAR'S TOTAL 26.86
*Days with ·01 in. or more.	24	20	3	24	17	11	18	~~to Sep~~ 13	11	8	23	16	~~176~~ 186 *
*Days with ·04 in. or more.	12	15	1	20	14	11	13	~~3rd~~ 12	~~6~~ 9	3	14	7	131 ~~[illegible]~~

August (written down the column): Absent from home August 5th to Sept 3rd inclusive. Total amount for this period 4.50 inches.

Left margin: *Partly melted snow (3); × melted snow (8); *Partly melted snow (14); × melted snow (16); * Thunderstorm in the night (27); *Partly melted snow (30)

40-9999

*See Instruction 2 (*f*) on other side.

X Rev Canon Frederic T. Whitle (Signed) [P.T.O.

1073

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Chaplaincy, Goring Heath

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 400 (approx) ft.

August + September allocated using near stations. Monthly agreement excellent. BStewart 23/2/32.

Absent Aug + Sept + work days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.15	—	0.09	—	0.25	0.02	—	Rain	—	—	—	1
2	0.12	0.10	—	0.72	—	Trace	—	—	Rain 1.00	Trace	0.01	0.20	2
3	0.05	0.01	*0.06	0.25	0.12	—	Trace	0.34	Rain	—	0.20	0.12	3
4	0.03	0.04	—	0.08	0.03	—	0.23	0.46	0.07	Trace	0.15	0.01	4
5	—	*0.01	—	0.15	—	0.33	0.06		0.06	—	0.06	0.25	5
6	0.02	0.17	—	0.20	—	—	0.01		Trace	0.20	0.29	0.01	6
7	—	—	—	0.01	0.24	0.06	—		—	0.07	0.20	0.10	7
8	x0.02	0.08	Trace	0.06	0.01	0.15	—		—	Trace	0.15	0.01	8
9	0.01	0.17	—	0.04	—	Trace	0.02		—	0.01	0.33	Trace	9
10	0.01	0.01	—	—	Trace	0.07	0.07		0.02	Trace	0.45	—	10
11	0.10	0.24	—	—	Trace	Trace	—		0.04	—	0.10	0.02	11
12	0.01	—	—	0.01	—	—	0.29		0.32	—	0.01	0.01	12
13	—	—	—	—	—	—	0.15		—	—	0.01	—	13
14	0.02	*0.11	—	—	0.05	0.05	1.38		—	—	—	—	14
15	0.02	0.02	—	0.09	0.18	—	0.08		—	—	0.02	0.09	15
16	Trace	*0.12	—	0.08	0.14	0.15	—		0.20	Trace	Trace	—	16
17	—	*0.16	—	0.20	0.05	—	0.26		0.04	—	Trace	—	17
18	0.04	*0.03	0.02	0.18	Trace	0.28	0.01		—	—	0.40	—	18
19	0.08	Trace	—	0.19	—	0.05	0.31		—	—	0.01	—	19
20	0.01	0.04	0.01	0.10	—	—	Trace		—	0.01	0.01	—	20
21	0.08	—	—	0.01	0.38	—	—		—	—	—	—	21
22	0.21	—	—	0.03	0.04	—	—		0.03	—	Trace	—	22
23	0.22	0.06	—	0.06	0.30	0.04	—		—	—	0.09	0.10	23
24	0.02	—	—	0.35	0.21	0.06	0.05		Trace	—	0.02	0.01	24
25	0.04	—	—	0.23	0.05	—	0.45		—	—	0.10	0.01	25
26	—	0.04	—	0.18	Trace	—	0.55		—	—	0.27	—	26
27	0.19	0.40	—	0.10	*0.81	—	0.02		—	0.02	0.18	—	27
28	0.03	0.14	—	0.08	0.15	—	0.11		—	0.03	0.01	*0.11	28
29	0.09	~~×~~	—	—	0.27	—	—		—	0.19	0.03	—	29
30	*0.10	×	—	—	—	—	—		—	—	—	*0.01	30
31	0.15	×	—	×	0.02	×	—		×	—	×	0.03	31
TOTAL	1.67	2.10	0.09	3.49	3.05	1.49	4.17	~~[illegible]~~ 4.30.	~~0.78~~ 1.78	0.53	3.10	1.09	YEAR'S TOTAL 26.86
*Days with ·01 in. or more.	24	20	3	24	17	11	18	~~to Sept~~ 13	11	8	23	16	~~146~~ 186 #
*Days with ·04 in. or more.	12	15	1	20	14	11	13	~~3rd~~ 12	~~8~~ 9	3	14	7	131 ~~[illegible]~~

Absent from home August 5th to Sept 5th inclusive. Total amount for this period 4.50 inches.

*Partly melted snow

x melted snow

*Partly melted snow

x melted snow

*Thunder storm in the night

*Partly melted snow

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Rev Canon Frederic J. White [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1073

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Chaplaincy, Goring Heath

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 (approx) ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.10	0.01	—	0.06	0.78	0.03			0.05	0.10	0.04	0.01	1
2	Trace	—	—	0.17	0.11	0.01	0.27		0.20	0.06	0.01	0.18	2
3	—	—	—	0.35	0.07	—	—		0.32	0.02	—	—	3
4	—	—	—	—	Trace	0.12	0.01		—	—	0.20	—	4
5	0.27	—	0.01	—	0.03	—	Trace		0.19	—	—	—	5
6	0.40	—	0.01	0.08	—	—	0.14		0.20	—	—	—	6
7	—	—	0.08	0.09	0.08	—	—		0.09	0.09	—	—	7
8	—	—	0.15	0.12	0.10	—	0.03		0.68	0.07	—	—	8
* melted snow 9	0.17	*0.05	—	0.05	0.30	—	—		0.22	0.05	—	—	9
10	0.27	*0.02	0.01	0.25	0.10	0.09	—		0.03	0.18	0.05	—	10
11	0.02	—	—	0.05	0.04	—	—		0.02	—	0.03	0.02	11
12	0.15	—	—	—	0.16	—	x 0.18		0.03	0.38	0.01	—	12
13	0.05	—	—	0.20	0.03	—	—		0.01	0.35	0.11	0.06	13
14	0.26	—	—	Trace	0.01	—	0.27		—	0.01	0.19	Trace	14
15	0.01	—	—	0.03	0.13	—	0.01	From July 28th to August 30th	—	0.11	0.01	0.02	15
16	0.15	—	—	0.15	0.07	—	—		—	Trace	—	Trace	16
17	0.01	—	—	0.01	—	—	—		—	0.09	0.02	—	17
18	—	—	—	—	0.02	—	0.05		0.29	—	0.12	—	18
19	—	—	—	0.01	—	—	Trace		0.05	0.32	0.02	0.01	19
x Thunder Storm 20	—	—	—	0.13	x 0.13	—	—		0.04	0.75	0.07	0.01	20
21	—	—	0.04	0.16	1.50	—	0.01		—	0.29	0.01	0.05	21
22	0.02	0.01	0.20	0.05	0.04	—	—		0.31	0.15	0.14	—	22
23	—	0.10	0.01	0.01	0.16	—	0.20		0.05	0.61	0.23	0.09	23
24	—	0.05	—	—	—	—	0.03		0.07	0.08	0.03	0.01	24
25	—	0.01	—	0.03	—	0.05	0.58		0.03	0.13	0.03	0.01	25
26	—	—	0.15	0.05	0.05	—	0.23		—	0.13	Trace	—	26
27	—	—	0.30	0.21	0.22	0.02	0.04		—	0.06	0.02	Trace	27
28	—	—	0.28	0.07	0.24	x 0.43			—	0.12	Trace	—	28
29	—	—	0.30	0.14	0.17	0.14			0.16	0.19	0.06	0.02	29
30	—	×	0.17	0.45	0.20	0.53		1.42	0.25	0.02	0.30	0.25	26.80. 30
31	0.02	×	0.02	×	—	×		—	×	Trace	×	0.08	31 d
TOTAL	1.90	0.25	1.73	2.92	4.74	1.42	2.05	1.42	3.29	4.36	1.70	0.82	YEAR'S TOTAL ~~26.70~~
*Days with ·01 in. or more.	14	7	14	24	24	9			21	24	21	14	—
*Days with .04 in. or more.	9	3	9	19	20	6			16	21	11	6	—

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) F. T. Wintle

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1073

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Chaplaincy, Goring Heath
in the County of Oxford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 400 ft (approx.) ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.22	0.11	0.05	—	—	—	—	—	—	0.01	0.01	—		1
×Thunder at night 2	0.31	—	0.35	—	×0.64	—	—	—	—	—	0.03	—		2
3	0.01	0.14	0.18	—	0.02	—	—	—	—	—	0.01	—		3
4	—	0.02	0.01	—	0.40	—	—	—	—	—	0.01	—		4
5	0.15	0.01	0.30	—	0.01	—	—	—	—	Trace	0.03	—		5
6	0.03	0.14	0.07	—	0.12	—	—	—	—	0.42	0.06	—		6
7	0.01	0.05	0.02	—	0.02	—	0.06	—	—	0.04	0.03	—		7
8	0.08	—	0.06	—	0.12	—	0.22	—	—	0.02	—	—		8
9	0.04	—	—	—	0.03	—	0.28	—	—	0.13	0.05	—		9
10	0.04	0.04	—	—	—	0.08	0.20	—	—	0.23	0.23	—		10
11	0.26	—	—	—	0.06	0.01	0.14	0.09	Trace	0.02	0.01	—		11
12	0.04	—	—	0.15	0.06	0.07	0.07	—	0.55	—	—	*0.03		12 *Melted Snow
13	0.03	—	—	—	0.15	0.02	0.20	—	0.02	0.02	0.05	—		13
14	0.01	—	—	—	—	—	0.04	0.01	—	0.07	0.57	0.05		14
15	0.37	—	0.17	—	—	—	0.07	0.08	—	0.04	0.02	—		15
16	0.01	—	0.57	—	—	0.16	0.08	— *	0.03	0.01	Trace	—		16
*Melted Snow 17	*0.04	*0.01	0.64	—	—	0.21	—	—	0.07	—	0.02	Trace		17
18	*0.07	*0.10	0.14	—	—	0.12	—	From Aug. 18 to 31 0.24	—	—	0.01	—		18
19	0.21	*0.01	0.16	—	—	0.01	—		0.61	—	0.02	0.03		19
20	—	0.01	0.11	0.05	—	0.40	—		—	—	0.01	Trace		20
21	—	*0.05	—	—	—	0.09	—		0.15	0.01	0.01	—		21
+Thunder Storm 6.30pm.-7.30 22	—	0.01	—	—	+0.18	0.03	—		0.06	0.34	0.02	—		22
23	—	—	—	0.29	—	Trace	—		0.38	0.07	0.01	—		23
*Partly Melted Snow 24	—	*0.92	—	0.15	—	+0.80	—		0.23	0.01	0.04	—		24
25	—	*1.18	—	0.30	0.09	0.18	—		0.28	0.02	0.02	0.15		25
26	—	0.61	—	0.16	—	—	—		0.15	0.09	0.01	0.02		26
27	—	0.02	—	—	0.02	—	0.03		0.01	0.19	—	0.10		27
28	—	0.01	—	0.15	—	—	—		—	0.19	—	0.09		28
29	0.13	—	0.03	0.12	—	—	0.02		—	0.05	—	0.03		29
30	0.17	×	0.02	—	—	—	0.08		0.10	Trace	—	0.15		30
31	0.25	×	0.05	×	—	×	—		×	0.01	×	0.01		31
TOTAL	~~2.29~~ 2.48	3.44	2.93	1.37	1.92	2.18	1.49	0.40	2.64	1.99	1.28	0.66	Year's Total ~~22.80~~ 22.78	
*Days with ·01 in. or more.	~~21~~	~~16~~	~~17~~	~~8~~	~~14~~	~~13~~	~~13~~	~~57~~	~~13~~	~~21~~	~~23~~	~~10~~	~~176~~ ~~178~~	
*Days with .04 in. or more.	14	10	13	8	9	9	11	~~4~~ 6	10	11	6	5	~~110~~ 112	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) F.T. Wintle.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1073

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Chaplaincy, Goring Heath
in the County of Oxford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
,, Ground ,, Sea Level (approx) 400 ft.

File No: 896668/29

Allocate June, July & Aug.

July & Aug allocated by surr. stns — 3

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.04	Trace	—	—	—	—			Trace	—	0.04	0.48		1
2	0.14	—	0.06	—	0.07	—			0.76	0.19	0.02	0.16		2
3	0.01	0.06	—	0.24	—	—			—	0.16	0.01	0.10		3
4	0.05	0.01	0.10	—	0.06	—			—	0.10	0.04	0.29		4
5	0.01	—	0.05	—	0.05	—			—	0.05	0.03	0.42		5
6	0.03	—	0.27	0.02	0.30	0.16			—	0.25	—	0.65		6
7	0.05	0.02	0.07	—	—	0.02			—	0.09	Trace	0.30		7
8	—	—	—	—	0.12	—			0.06	—	0.20	0.07		8
9	—	—	0.07	—	—	—			—	—	1.05	0.45		9
10	0.04	—	0.28	0.17	—	—			—	—	0.06	0.08		10
11	0.44	—	0.30	0.19	—	—		From July 1st to August 23rd	—	—	0.01	0.20		11
12	Trace	—	0.03	Trace	—	—			—	—	0.01	0.36		12
13	0.28	—	0.23	0.06	—	—			—	—	0.08	0.63		13
14	0.02	—	0.30	0.01	—	0.02			—	0.03	0.10	0.42		14
15	0.02	—	0.07	—	0.11	—			0.04	0.15	0.12	0.15		15
16		0.02	0.19	—	—	—			0.01	0.02	0.02	0.03		16
17		0.01	0.01	0.03	Trace	—			0.05	0.09	0.04	0.27		17
18	0.33	—	0.02	0.10	—	—			0.13	—	—	0.11		18
19	—	—	0.19	—	—	0.02			0.06	0.02	—	0.16		19
20	—	—	0.09	0.07	—	0.01			0.01	0.02	Fog 0.02	0.01		20
21	—	—	0.03	0.05	—	0.15			—	0.11	Fog 0.02	0.01		21
22	—	—	—	0.17	—	—		(1.30)	0.20	—	—	0.10		22
23	—	0.02	—	—	—	0.40		~~2.45~~	0.03	—	0.01	0.05		23
24	—	0.05	0.13	0.01	—	0.12		—	0.19	—	—	0.01		24
25	0.27	0.03	0.01	0.14	—	0.18		—	—	0.06	—	0.43		25
*Melted Snow 26	0.19	*Trace	0.01	0.14	—	0.02		—	0.03	0.06	—	0.10		26
27	0.03	*0.01	—	0.10	—	0.24		—	—	0.05	—	0.39		27
28	—	—	—	0.01	—	0.25		0.73	—	—	0.05	0.31		28
29	—	—	—	—	—	—		0.02	0.22	—	0.01	0.01		29
30	0.07	×	—	—	—	—		0.06	0.07	0.02	—	0.15		30
31	0.06	×	—	×	—	×		—	×	0.08	×	0.08		31
TOTAL	2.08	0.23	2.45	1.51	0.71	1.59	(1.15)	(2.11) ~~3.26~~	1.86	1.55	1.94	6.98	Year's Total. 24.16	
* Days with .01 in. or more.	18	9	21	16	6				14	18	20	31	165	(approx.)
* Days with .04 in. or more.	12	2	13	11	6				10	13	10	26	110	"

40-9999

† Spare column, no entries required.

(Signed) F. T. Wintle

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1073

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Chaplaincy, Goring Heath

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 ft approx ~~ft~~.

[illegible] File Number 896668/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

✱: Snow

✱: Partly melted snow

✱: partly melted snow

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.15	—	0.01	0.13	0.03	0.03	0.06		0.03	0.08	0.19	—		1
2	0.03	—	—	—	—	0.10	—		0.29	0.14	0.03	Trace		2
3	—	0.04	0.02	✱ 0.03	—	0.21	—		1.03	0.80	0.17	Trace		3
4	—	—	0.01	✱ 0.25	—	0.01	—		0.11	0.33	Trace	—		4
5	—	✱ 0.28	0.09	0.02	—	—	—		0.33	0.05	0.04	0.03		5
6	—	0.02	0.01	0.26	—	0.57	—		—	—	0.11	0.03		6
7	—	—	—	0.63	—	0.08	—		—	0.17	0.38	0.14		7
8	—	—	—	0.42	—	—	—		—	0.15	0.15	0.02		8
9	—	—	—	0.27	—	0.70	—		—	0.64	0.36	—		9
10	0.03	—	—	0.07	—	0.01	—		—	—	0.14	0.02		10
11	✱ 0.26	—	—	—	—	0.09	0.14		—	—	0.24	Trace		11
12	Trace	0.04	—	—	—	0.20	—	+	0.04	—	0.07	—		12
13	0.08	0.12	—	0.05	0.13	0.10	—		Trace	—	Trace	—		13
14	0.01	0.01	—	0.16	0.07	0.02	—		—	—	0.22	✱ 0.14		14
15	—	0.10	—	0.43	0.02	0.55			0.18	—	0.38	0.05		15
16	—	0.08	0.05	0.10	0.01	0.09			0.27	0.03	0.53	0.05		16
17	—	Trace	0.01	0.03	—	0.28			0.14	—	0.22	0.02		17
18	—	—	—	0.31	0.02	0.01	+	✓	0.30	0.03	Trace	0.02		18
19	—	Trace	—	0.01	0.20	0.04	+		0.10	0.04	0.18	✱ 0.19		19
20	0.02	0.15	—	0.05	0.91	0.07	+ (·30)	(1.50)	0.05	—	0.32	—		20
21	0.01	0.26	0.02	0.02	—	Trace			0.02	0.07	0.02	—		21
22	—	✱ 0.08	0.10	0.08	—	—		+	0.19	—	—	—		22
23	—	0.03	0.10	—	—	—		+	0.14	0.35	—	✱ 0.20		23
24	0.03	0.30	—	—	0.01	—		+	0.53	—	—	0.25		24
25	✱ 0.09	✱ 0.19	0.06	0.23	—	0.51			—	—	Trace	0.25		25
26	✱ 0.01	✱ 0.15	Trace	—	—	Trace		+	0.13	0.01	—	0.45		26
27	✱ Trace	0.11	—	—	—	—		✓	0.11	0.01	0.09	0.45		27
28	—	0.15	—	—	0.10	—		✓	0.33	0.03	0.02	0.09		28
29	—	—	—	—	—	—			0.57	0.04	—	0.28		29
30	0.09	×	—	0.09	0.01	—		0.70	0.07	0.07	0.32	0.48		30
31	Trace	×	—	×	—	×		0.02	×	0.83	×	0.16		31
TOTAL	0.81	2.11	0.48	3.64	1.51	3.67	To 14th of month ~~0.20~~ (·50)	~~2.61~~ (2.31)	4.96	3.87	4.18	3.32	Year's Total. 31.36	✓ "A"
* Days with .01 in. or more.	12	17	11	21	11	19	~~4~~5	10	21	19	21	20	(187)	
* Days with .04 in. or more.	5	14	5	16	5	14	~~2~~5	6	18	14	18	14	(134)	

From July 14th & Aug: 29th 1.89 inches

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Frederic T. Winter

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1073

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at The Chaplaincy, Goring Heath, Reading

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 ft. approx:ly

File Number 896668/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
✱-Partly melted Snow	in.	in.	✱ in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.10	0.10	0.18	0.23	—	0.23	0.30	0.15	—	—	0.11	·03		1
2	0.01	0.03	Trace	0.03	—	0.10	0.55	0.04	—	—	0.10	—		2
3	—	—	—	✱ 0.20	—	—	0.05	From Aug: 3 to the End of the Month 0.25	0.30	—	0.27	0.01		3
4	0.02	—	0.18	—	—	0.02	—		0.30	—	0.11	0.04		4
5	0.25	—	0.04	—	0.08	—	—		0.12	—	0.01	0.03 ✱		✱ Partly melted Snow 5
6	0.57	—	—	—	—	0.12	—		0.13	—	0.24	—		6
7	0.18	—	0.07	—	—	0.06	0.03		0.03	—	0.28	0.09		7
8	0.20	—	0.13	—	Trace	—	0.05		—	—	0.39	0.13		8
9	0.30	—	0.08	—	—	—	0.23		0.15	Trace	0.01	0.01		9
10	0.04	From Feb: 10th to 27th 1.30 inches	—	—	0.01	—	0.09		0.01	—	—	0.01		10
11	—		—	0.13	—	—	0.07		0.17	—	0.95	Trace		11
✱·Partly melted Snow 12	—		—	✱ 0.07	—	0.47	0.20		0.42	—	0.24	0.17		12
13	—		—	✱ 0.11	—	0.15	—		—	0.04	0.13	0.43		13
14	—		—	—	—	0.05	0.60		0.08	0.02	0.01	0.40		14
15	—		—	—	—	0.01	0.01		Trace	—	0.02	0.10		15
✱ Melted Snow 16	✱ 0.14		—	0.02	—	—	0.05		0.04	—	0.40	0.07		16
⊕ Thunder Storms 17	✱ 0.18		—	—	—	0.10	0.03		—	0.02	0.08	0.25		17
18	✱ Trace		—	—	—	⊕ 0.34	0.13		—	0.03	0.02	0.10		18
5 Storms in 48 hours 19	0.30		0.06	0.06	—	⊕ 0.48	0.07		—	0.01	—	—		19
20	0.05		0.07	0.33	—	⊕ 0.68	—		0.90 ×	—	—	0.01		× In short 20 time during night
✱-Partly melted Snow 21	—		—	✱ 0.36	—	0.20	0.09		—	—	—	—		21
22	✱ 0.09	0.41	0.08	✱ 0.02	0.40	—	0.25		—	—	—	0.09		22
23	0.09	0.01	0.35	0.11	0.02	—	0.14		—	0.10	—	Trace		23
24	0.10	0.05	—	—	—	—	0.14		0.14	0.43	—	0.01		24
25	0.05	0.01	0.12	0.12	—	—	0.20		0.20	0.24	0.05	—		25
26	0.05	0.14	0.14	—	—	—	0.02		0.03	0.05	Trace	—		26
27	0.13	Trace	0.05	—	—	—	—		Trace	0.15	—	—		27
⊕ Thunder Storm 28	0.84	—	0.15	—	—	0.03	⊕ 0.41		0.05	—	—	0.15		28
✱ 29	0.08	✱ 0.21	0.08	—	0.03	0.20	0.15		—	0.02	0.28	0.07		29
30	0.12	✕	0.08	—	0.19	0.32	0.08		—	0.55	—	0.01		30
31	0.54	✕	0.35	✕	0.05	✕	0.38		✕	0.13	✕	0.40		31
TOTAL	4.43	2.26	2.21	1.79	0.78	3.56	4.32	0.44	3.07	1.79	3.70	2.61	Year's Total 30.96	✓
* Days with .01 in. or more.	23	~~16~~	17	13	7	17	25	7	16	13	19	22	195	✓
* Days with .04 in. or more.	21	~~12~~	17	10	4	14	21	~~5~~	13	8	14	14	153	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. T. Whitte

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1073

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Chaplaincy, Goring Heath
in the County of Oxford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 400.7 ft.

Oct 1937

File Number 896668/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

	Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
	1	0.07	—	—	0.05	—	—	July 1st to 21st 1.80 inches. Thunder Storm on 19th	—	—	0.03	0.30	⊕ 0.85	⊕ Thunder 4.20 p.m.	1
	2	0.01	0.40	0.03	0.37	—	—		—	0.20	—	0.02	0.37		2
	3	Trace	0.14	0.10	—	—	—		—	—	—	0.01	0.10		3
	4	0.09	0.37	—	Trace	0.02	—		—	—	—	Trace	* 0.27	* Melted Snow	4
* Partly melted snow	5	0.16	0.02	* 0.16	From April 5th to 13th	—	—	✓	—	Trace	—	—	—		5
* Melted snow	6	0.03	0.07	* 0.31	✓	0.32	—	✗	—	—	0.03	0.07	0.01		6
⊕ Thunder Storm April 7th	7	—	0.66	—	✗	0.08	—		—	0.04	—	—	—		7
& 16th 2.45 p.m.	8	—	0.03	—		—	—		—	—	—	0.05	* 0.34	* Melted Snow	8
	9	—	—	—	✓	0.18	0.02	✓	Trace	0.31	—	—	* 0.08		9
* Partly melted snow	10	—	—	* 0.78	✓	—	⊕ 0.34	✓	0.05	—	—	—	0.14		10
	11	—	—	0.07		0.21	⊕ 0.03	✓	—	—	—	—	0.01		11
	12	0.19	0.26	0.15	✗	0.37	0.36		0.07	0.12	—	—	0.10		12
	13	0.19	0.13	* 0.40	0.90	Trace	0.13		0.07	0.18	—	—	0.16		13
	14	0.01	0.04	* 0.36	0.10	—	0.01		—	0.06	—	—	* 0.07	* Melted Snow	14
	15	0.23	0.16	—	0.17	—	—		0.22	0.24	—	—	* 0.03		15
⊕ Short	16	0.01	0.13	0.41	⊕ 0.57	—	0.22		0.19	⊕ 0.72	—	—	0.01		16
Thunder Storm April Sep 16. 12.45 p.m.	17	0.45	0.03	0.31	0.05	—	0.02		—	⊕ 0.55	—	—	—		17
& Sep 17. p.m.	18	0.29	0.13	0.04	0.09	Trace	⊕ 0.39		—	0.30	—	0.19	* 0.17	Partly melted Snow	18
	19	0.12	0.06	0.04	0.07	—	0.21	✗	—	0.11	0.02	0.01	* 0.03		19
	20	0.37	0.04	0.02	0.25	0.44	0.01		Trace	Trace	0.02	—	0.01		20
	21	0.31	0.62	* 0.06	0.05	0.01	—	—	—	—	0.03	0.01	0.04		21
* Melted snow	22	0.42	* 0.03	* 0.18	—	0.08	0.25	0.09	—	—	0.80	0.18	0.07		22
	23	0.17	0.05	* 0.06	—	0.44	—	0.02	—	—	0.25	0.09	0.01		23
	24	0.38	0.54	0.01	—	Severe Thunder Storms Evening & night of 25th & afternoon 26th	—	—	—	0.15	0.45	—	0.02		24
	25	0.43	0.37	0.15	—		—	—	—	0.05	0.33	Trace	0.03		25
	26	Trace	0.23	* 0.04	—		—	—	—	—	0.20	0.01	—		26
	27	0.01	* 0.11	—	0.20		—	—	—	—	0.66	—	—		27
	28	Trace	0.02	—	Trace	1.62	0.01	—	—	—	0.05	Trace	0.01		28
* Melted snow	29	* 0.02	—	—	—	25th & 26th	0.03	—	—	Trace	0.05	0.08	0.01		29
* Partly melted snow	30	* 0.36	✕	—	—	—	0.01	—	—	—	0.03	0.23	Trace		30
	31	0.38	✕	—	✕	—	✕	—	0.02	✕	0.12	✕	0.06		31
	TOTAL	4.70	4.64	3.68	2.87	3.77	2.04	1.91	0.62	2.83	3.07	1.25	3.00	Year's Total 34.38 ✓	
	* Days with .01 in. or more.	23	24	20	~~14~~ 17	12 ✓	15	~~9~~	6	13	15	13	25	~~180~~ approx. 192	
	* Days with .04 in. or more.	17	19	17	~~14~~ 15	~~9~~ 10	7	~~6~~	5	13	9	8	14	~~132~~ " " 140	

⊕ June 10th Thunderstorm from SE. 8 to 10 p.m.
⊕ June 11th Slight Thunder Storm 12.30 a.m. to 1.30 a.m.
⊕ June 18th Ditto 7 p.m.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) F. T. Wintle [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1073

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at The Chaplaincy Goring Heath
in the County of Oxford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 400.7 ft.

AC
W.&R.

File number 896668/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	0.01	0.01	—	—	0.18	–	—	0.04	0.02	—	0.03		1
2	0.05	—	—	0.06	0.07	—	✓	–	—	0.34	—	0.08		2
3	0.01	—	—	—	0.37	Trace	–	–	—	0.63	0.01	Trace		3
4	0.10	—	—	—	—	0.01	–	✓	—	0.13	—	0.13		4
5	0.01	—	—	—	—	Trace	✓	–	0.02	0.15	—	0.01		5
6	0.05	—	—	—	—	—	✓	–	0.03	0.29	0.02	0.01		6
7	0.01	—	—	—	—	0.04	✓	✓	0.03	0.15	—	0.09		7
8	0.09	—	—	—	—	0.02	✓	✓	0.08	0.20	—	0.01		8
✱ Partly melted snow 9	0.10	—	—	—	—	—	–	✓	—	0.01	—	0.64		9
10	✱ 0.17	0.07	—	Summer Time	—	—	✓	3.10	—	—	—	0.11		10
11	0.24	—	—	—	—	—	—	0.01	—	—	0.13	0.08		11
✱ Melted snow 12	0.34	✱ 0.02	—	—	0.03	—	–	0.14	—	0.15	0.01	0.01		12
13	0.09	✱ 0.03	—	—	0.04	—	—	—	—	0.03	0.22	0.13		13
14	0.23	Trace	Trace	—	0.07	—	✓	—	0.04	—	0.02	0.01		14
15	0.09	0.01	—	—	0.01	—	✓	0.01	—	0.18	0.02	0.19		15
16	0.36	Trace	0.03	—	Trace	—	–	Trace	—	0.14	0.02	0.43		16
17	—	✱ 0.05	—	—	—	—	–	—	0.08	0.09	0.02	—		17
18	0.07	—	—	—	0.06	0.04	–	0.07	0.07	0.03	0.55	—		18
19	0.02	—	—	—	—	—	–	0.10	0.11	—	0.28	—		19 ✱ melted snow
20	Trace	Trace	—	—	—	—	–	—	0.03	Trace	0.42	✱ 0.06		20
21	0.03	—	—	—	—	—	–	0.03	0.05	—	0.04	0.50 ✱		21
22	0.01	—	—	0.01	—	0.03	–	0.03	—	—	0.22	0.38 ✱		22
23	—	—	—	—	—	—	–	—	—	—	0.03	—		23
24	—	Trace	0.10	—	Trace	—	–	—	0.14	—	0.03	—		24
25	0.09	0.03	0.10	0.02	0.20	—	–	0.29	0.02	—	0.64	0.44 ✱		25
26	0.20	0.30	0.06	—	0.04	—	–	—	0.23	0.19	—	—		26
27	0.08	0.04	—	Trace	0.21	0.24	✓	0.02	0.12	0.06	0.38	—		27
28	0.01	0.03	—	—	0.51	0.06	–	0.66	0.04	—	—	0.20		28
29	0.19	—	—	—	0.23	—	–	0.04	0.10	0.02	0.09	0.17		29
30	0.03	✕	—	0.02	0.12	0.12	–	—	0.06	0.05	0.18	—		30
31	0.16	✕	—	✕	0.19	✕	–	—	✕	0.10	✕	0.28		31 "λ"
TOTAL	2.85	0.59	0.30	0.11	2.15	0.74	(1.40)	(2.50) 3.90	1.29	2.96	3.33	3.96	Year's Total 22.18	
* Days with .01 in. or more.	27	10	5	4	14	9	9	16	18	20	20	22	(174) ~~149~~	approximately
* Days with .04 in. or more.	18	4	3	1	12	6	7	10	12	15	11	16	(115) ~~98~~	approximately

From July 1st to August 10th

† Spare column, no entries required.

(*Signed*) F.T. Wintle

[P.T.O.

* See Instruction 3 (f) on other side.

Section **A** for the entry of

AIR MINISTRY … AINFALL ORGANIZATION.

Station No. 1073/3

FORM 1090.

REGIST… 1933.

1073|3

SHIPLAKE

CRESCENT KEY.

1933 - 1940

780208

Oxon/4

Kept at (Crescent Key) Shi…

in the County of Oxford…

Diameter of Funnel of Gauge 5…

Height of top of Gauge above Groun…

,, Ground ,, Sea L…

2-3 miles S.W. on [illegible]

THE MORNING MEASU… …US DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·07	0·15	0·06								0·04			1
2	0·23		0·27		0·89						0·05			2
3	0·31	0·17	0·13		0·03									3
4		0·01	0·04		0·33									4
5	0·17	T	0·21½		0·01									5
6	~~0·10~~	0·10	0·09		0·13					0·07	0·06			6
7	0·10	0·10	0·01		0·02		T			0·05		0·03		7
8	0·08		0·02		0·10		0·24			0·04				8
9			T		0·04		0·18			0·08	0·03			9
10					T		0·10			0·14				10
11	0·23				0·08	0·03	0·05	0·09		0·01	0·10			11
12						0·12		T	0·56					12
13	0·02½				0·11		0·23		0·05		0·05			13
14							0·02	0·08		0·07	0·58	0·01		14
15	0·33		0·19			0·24	0·24	0·06			0·04			15
16			0·56			0·24	0·59		0·01	0·01	T			16
17	0·03		0·49			0·16			0·04		0·02			17
18	0·08	0·10	0·09			0·19								18
19		T	0·30½			0·17			0·78		0·02	0·01		19
20		T	0·08	0·04		0·17			0·04					20
21		T	T					0·11	0·13					21
22					0·40	0·07		0·12	T	0·34	0·01			22
23				0·23	T			T	0·38	0·07	T			23
24		0·66		0·18	0·02	0·56			0·20		0·03			24
25		1·04		0·23	0·01				0·05	T	0·01	0·10		25
26		0·39		0·05		0·11			0·07	0·17		0·01		26
27		T		T	0·02		T		0·01	0·13		0·03		27
28		0·02		0·05						0·23		0·02		28
29	0·10		0·02	0·23						0·02		T		29
30	0·13	×	0·05				0·03		0·07	0·02		0·20		30
31	0·21	×	0·04	×		×		0·05	×	0·07	×			31
TOTAL	2·~~94½~~ 80	2·74	2·66	1·01	2·19	2·06	1·68	0·51	2·39	1·52	1·04	0·41	Year's Total 20·30½	
*Days with ·01 in. or more.	14	10	17	7	14	11	9	6	13	16	13	8	138	
*Days with ·04 in. or more.	12	8	14	7	8	10	7	6	11	12	7	2	104	

40-9999

*See Instruction 2 (*f*) on other side.

D N

† Spare column, no entries required.

(*Signed*) Edward Hobbs Esq

[P.T.O.

COPY FOR OFFICIAL

Section **A** for the entry of Daily Observations. Station No. 1073/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at (Crescent Key) Shiplake

in the County of Oxford

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 13 in.

,, Ground ,, Sea Level 127 ft.

and at 1075

C 1933. c1072/5 1074

f824621/28 2-3 miles [illegible]

Oxon/4

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·07	0·15	0·06								0·04			1
2	0·23		0·27		0·89						0·05			2
3	0·31	0·17	0·13		0·03									3
4		0·01	0·04		0·33									4
5	0·17	T	0·21½		0·01									5
6	~~0·10~~	0·10	0·09		0·13					0·07	0·06			6
7	0·10	0·10	0·01		0·02		T			0·05		0·03		7
8	0·08		0·02		0·10		0·24			0·04				8
9			T		0·04		0·18			0·08	0·03			9
10					T		0·10			0·14				10
11	0·23				0·08	0·03	0·05	0·09		0·01	0·10			11
12						0·12		T	0·56					12
13	0·02½				0·11		0·23		0·05		0·05			13
14							0·02	0·08		0·07	0·58	0·01		14
15	0·33		0·19			0·24	0·24	0·06			0·04			15
16			0·56			0·24	0·59		0·01	0·01	T			16
17	0·03		0·49			0·16			0·04		0·02			17
18	0·08	0·10	0·09			0·19								18
19		T	0·30½			0·17			0·78		0·02	0·01		19
20		T	0·08	0·04		0·17			0·04					20
21		T	T					0·11	0·13					21
22					0·40	0·07		0·12	T	0·34	0·01			22
23				0·23	T			T	0·38	0·07	T			23
24		0·66		0·18	0·02	0·56			0·20		0·03			24
25		1·04		0·23	0·01				0·05	T	0·01	0·10		25
26		0·39		0·05		0·11			0·07	0·17		0·01		26
27		T		T	0·02		T		0·01	0·13		0·03		27
28		0·02		0·05						0·23		0·02		28
29	0·10		0·02	0·23						0·02		T		29
30	0·13	×	0·05				0·03		0·07	0·02		0·20		30
31	0·21	×	0·04	×		×		0·05	×	0·07	×	·		31
TOTAL	80 2·94½	2·74	2·66	1·01	2·19	2·06	1·68	0·51	2·39	1·52	1·04	0·41	Year's Total 20·30½	
*Days with ·01 in. or more.	14	10	17	7	14	11	9	6	13	16	13	8	138	
*Days with .04 In. or more.	12	8	14	7	8	10	7	6	11	12	7	2	104	

40-9999

*See Instruction 2 (*f*) on other side.

D N

† Spare column, no entries required.

(*Signed*) Edward Hobbs Esq

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1073/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090 ,,

REGISTER OF RAINFALL IN 1934.

Kept at Crescent Key Shiplake, Oxon.

in the County of Oxford

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

No change

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·03							0·17	0·02		0·03	0·50		1
2	0·12		0·06		0·05				0·54			0·22		2
3	0·01	0 01½		0·04						0·51		T		3
4	0·04		0··09	0·24	T					0·10	0·06	0·31		4
5			0·02		0·04			0·08		0·03	T	0·38		5
6	0·01		0·27	?	0·25	0·05		?				0·48		6
7	0·03							0·25	T	0·28		0·25		7
8		T			0·07			0·03	0·15	0·10	0·21	0·05		8
9	0·01		0·05								0·91	0·49		9
10	0·02		0·20	0·11				0·10			0·04	0·06		10
11	0·36		0·29	0·10			0·02	0·07			T	0·22		11
12	0·01		T	0·01			0·07	0·57				0·13		12
13	0·28		0·22	0·04			0·36	0·17			0·03	0·59		13
14	0·02		0·32		T	0·04					0·07	0·35		14
15	0·02		0·04		0·04				0·02	0·24	0·07	0·43		15
16	0·17		0·15						0·02	0·06		?		16
17	0·01			T					0·04	0·07	?	0·20		17
18	0·20		0·06	0·12			0·01		0·18			0·09		18
19			0·16			0·01			0·05			0·17		19
20			0·07	0·09			0·20	T	T		?	0·02		20
21			?	0·05		0·13	0·01	0·06		0·07				21
22				0·01				0·22	0·19		0 02	0·10		22
23				0·19		0·38		0·06				0·03		23
24		0·06	0·07	0·01		0·09	0·52		0·17			0·01		24
25	0·17			0·14		0·28			0·02	0·06		0·39		25
26	0·02			0·28		0·01				T		0·26		26
27	0·01			0·04		0·18				0 04½		0·23		27
28				0·07		0·14	T	0·86			0 04	0·30		28
29							T		0·20			0·02		29
30		×						0·04	0·04	?		0·14		30
31	0·05	×		×		×			×		×	0·05		31
TOTAL	1·59	0·07½	2·05	1·54	6·45	1·31	1·19	2·68	1·64	1·56½	1·48	6·45	Year's Total. 22·02	
* Days with .01 in. or more.	20	2	15	16	5	10	7	13	13	11	10	28	150	
* Days with .04 in. or more.	7	1	13	13	5	8	4	12	9	10	7	24	113	

40-9999

† Spare column, no entries required.

(*Signed*) Edward Hobbs

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1073/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Shiplake

in the County of Oxon

Diameter of Funnel of Gauge ....in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·13	0·02	·	0·02	T	0·06	0·10	·	0·03	0·09	0·31	0·01		1
2	T	·	0·02	·	·	0·03	·	·	0·15	0·11	0·10	T		2
3	·	T	0·03	0·01	·	0·18	·	·	0·20	0·69	0·12	0·02		3
4	·	0·02	·	0·17	·	0·05	·	·	0·29	0·12	·	0·01		4
5	·	0·16	0·04	0·02½	·	T	·	·	0·28	T	T	T		5
6	·	0·02	0·02	0·27	·	0·54	·	·	·	·	·	0·03		6
7	·	·	·	0·56	·	0·11	·	·	·	0·15	0·52	0·15		7
8	·	·	·	0·42	·	·	·	·	·	0·11	0·10½	0·03		8
9	·	·	·	0·36½	·	0·75	·	·	·	0·61	0·16	0·01		9
10	T	·	·	0·01	·	T	·	·	·	·	0·11	T		10
11	0·25	·	·	0·01	·	0·06	0·06	·	·	·	0·26	·		11
12	·	0·02	·	·	·	0·27	·	0·02	0·02	·	0·06	·		12
13	0·05	0·10	·	0·05	0·10	0·05	·	·	·	·	0·02	·		13
14	·	·	·	0·11	0·04	·	·	·	·	T	0·23	0·12		14
15	·	0·15	·	0·35	·	0·20	·	·	0·12	·	0·26	0·05		15
16	·	0·11	0·06	0·02	0·01	0·11	·	·	0·29	·	0·20	0·03		16
17	·	·	·	0·06	·	0·21	T	·	0·04	·	0·43	·		17
18	·	·	·	0·27	0·07	0·04	0·16	·	0·33	0·04	T	T		18
19	·	·	·	0·02	0·24	0·03	0·10	·	0·08	T	0·09	0·13		19
20	·	0·12	·	0·11	0·75	0·06	0·04	·	0·05	·	0·35	·		20
21	·	0·19	0·01	0·08	·	·	·	·	·	0·07	0·01	·		21
22	T	0·06	0·16	0·10	·	·	·	0·06	0·11	·	·	·		22
23	·	·	0·11	·	·	·	·	0·39	0·12	0·25	·	0·14		23
24	0·03	0·43	0·02	0·17	T	·	·	0·43	0·59	·	·	0·16		24
25	0·09	0·29	·	·	·	0·39	·	·	·	·	·	0·11		25
26	T	0·14	·	·	·	0·01½	·	0·30	0·11	·	·	0·26		26
27	T	0·21	·	·	T	·	·	·	0·09	·	0·14	0·49		27
28	·	0·14	·	·	0·21	·	·	·	0·20	0·03	0·01	0·07		28
29	·	·	·	·	·	·	·	·	0·47	·	T	0·25		29
30	·	✕	·	0·04	0·01	·	·	0·58	0·03	0·24	0·26	0·35		30
31	·	✕	·	✕	·	✕	·	·	✕	0·56	✕	0·15		31
TOTAL	0·55	2·18	0·47	3·24	1·43	3·15½	0·46	1·78	3·65	3·05	3·74½	2·58	Year's Total 26·29	
* Days with .01 in. or more.	5	16	9	22	8	18	5	6	20	13	20	20	162	
* Days with .04 in. or more.	4	12	4	15	6	15	5	5	17	12	17	13	125	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1073/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Totals

Kept at SHIPLAKE-ON-THAMES

in the County of OXFORDSHIRE

Diameter of Funnel of Gauge 3½ in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level ......ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·26	0·04	0·03	0·21	·	0·05	0·09	0·05	T	·	0·07	0·07		1
2	0·01	0·07	0·01	0·02	·	0·58	0·25	0·05	·	·	T	·		2
3	·	·	·	0·23	·	0·06	0·06	·	0·10	·	0·31	·		3
4	0·01	·	0·22	·	·	0·04	T	·	0·30	·	0·07	0·02		4
5	0·12	·	0·02	·	·	0·08	T	0·02	0·21	·	·	0·13		5
6	0·42	·	·	·	·	T	·	0·07	0·08	·	0·20	0·09		6
7	0·31	·	0·02	·	·	·	T	·	0·01	·	0·21	0·07		7
8	0·21½	·	0·06	·	·	·	0·05	·	0·02	·	0·36	0·01		8
9	0·38	·	0·07	·	·	·	0·24	·	0·36	0·06	0·02	·		9
10	T	·	·	·	·	·	0·07	·	0·02	·	·	·		10
11	·	·	·	0·07	·	·	0·03	T	T	·	0·77	0·21		11
12	·	·	·	0·04	·	0·27	0·15	·	0·54	·	0·40	·		12
13	·	·	·	0·06	·	0·14	T	·	·	0·03	0·12	0·34		13
14	·	0·07	·	0·01	·	0·02	0·48	·	0·03	T	T	0·37		14
15	·	0·04	·	·	·	·	·	·	0·10	·	0·01	0·12		15
16	0·05	0·15	·	·	·	·	0·04	·	0·03	·	0·53	0·11		16
17	0·30	0·47	·	·	0·33	·	0·02	·	·	0·01	0·09	0·13		17
18	·	0·12	·	·	·	0·57	0·12	0·01	·	0·03	0·06	·		18
19	0·18	0·04	0·04	0·01	·	0·42	0·01	0·08	·	·	·	·		19
20	0·04	0·06	0·11½	0·38	·	0·12	·	·	0·33	·	·	·		20
21	T	·	·	0·35	0·02	0·08	0·07	·	T	·	·	·		21
22	T	0·37	0·04	·	0·30	·	0·15	·	·	·	·	0·08		22
23	0·18	·	0·34	0·08	0·03	·	0·17	·	·	0·08	·	·		23
24	0·08	0·06	0·03	·	·	·	0·06	·	0·21	0·47	·	·		24
25	0·02	·	0·10	0·17	·	·	0·45	·	0·19	0·09	0·03	·		25
26	0·11	0·15	0·12	0·00½	·	0·01	·	·	0·02	0·18	·	0·02		26
27	0·15	0·01	0·03	·	·	·	T	·	0·02	0·11	·	0·01		27
28	0·30	·	0·11	·	·	·	0·42	·	·	·	·	0·09		28
29	0·35	0·05	0·03	·	·	0·35	0·08	·	·	0·04	0·20	0·08		29
30	0·11	✕	0·04	·	0·07	0·58	·	·	·	0·24	·	·		30
31	0·35	✕	0·41	✕	T	✕	0·27	·	✕	0·44	✕	0·45		31
													Year's Total	
TOTAL	3·94½	1·70	1·83½	1·63½	0·75	3·37	3·28	0·28	2·57	1·78	3·45	2·40	26·99½	✓
* Days with .01 in. or more.	21	14	19	12	5	15	21	6	17	12	16	18	176	✓
* Days with .04 in. or more.	18	13	12	9	3	13	18	4	10	9	13	14	136	✓

† Spare column, no entries required.

(*Signed*) G. Edward Hobbs.
P.P. G. E. H.

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1073/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Days

Kept at SHIPLAKE-ON-THAMES

in the County of OXON

Diameter of Funnel of Gauge As before in.

Height of top of Gauge above Ground As ft before in.

,, Ground ,, Sea Level As before ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	·10	·	·	·03	·	·	·	·	T	·	·28	·97		1
2	·	·31	·02	·39	·	·	·	·	·21	·	·	·44		2
3	·	·12	·	·	·	·	·	·	·	·	·	·06		3
4	·08	·44	·	·	·	·	·	·	·	·	·	·30		4
5	·16	·01	·17	·	·	·	·11	·	·	·04	·	·		5
6	·02	·02	·42	·01	·19	·	·24	·	·	·	·05	·		6
7	·	·61	·12	·40	·	·	·	·	·06	·	·	·		7
8	·	·06	·	T	·10	·	·	·	·	·	·28	·34		8
9	·	T	·	·15	·12	·	·09	·	·33	·	·	·05		9
10	·	·	·45	·30	·	·43	·	·02	·	·	·	·19		10
11	·	·	·15	·	·17	·	·02	·	·	·	·	·02		11
12	·14	·27	·11	·18	·35	·33	T	·04	·05	·	·	·08		12
13	·21	·14	·52	·01	·	·10	·	·10	·35	·	·	·30		13
14	·01	·06	·33	·06	·	·	·	·41	·08	·	·	·02		14
15	·22	·19	·01	·20	·	·	·30	·	·18	·	T	·		15
16	·02	·13	·35	·54	·	·	·	·24	·58	·	·	·01		16
17	·35	·02	·21	·17	·	·	·	·	·18	·	·	·		17
18	·36	·12	·	·03	·	·55	·	·	·	·	·19	·		18
19	·15	·10	·03	·09	·	·25	1·77	·	·17	·	·	·02		19
20	·45	·01	·	·26	·45	·	·	·	·	·	·	·09		20
21	·36	·71	·03	·06	·05	·	·10	·	·	·	·01	·10		21
22	·40	·02	·04	·	·13	·37	·06	·	·	·69	·28	·06		22
23	·14	·03	·01	·	·17	·	·03	·	·	·28	·15	·		23
24	·18	·53	·06	·	·	·	·	·	·13	·28	·	·05		24
25	·14	·37	·10	·	·86	·	·	·	·04	·22	·	·02		25
26	·13	·23	T	·	·25	·	·	·	·	·10	·	·		26
27	·04	·09	·	·17	·	·	·	·	·	·79	·	·		27
28	·01	·11	·	·	·	·	·	·	·	·07	·	·		28
29	·02	X	·	·	·	·08	·	·	·	·01	·08	·09		29
30	·33	X	·	·	·	·	·	·	·	·01	·28	·		30
31	·32	X	·	X	·	X	·	·	X	·06	X	·06		31
													Year's Total	
TOTAL	4·34	4·70	3·13	3·05	2·84	2·11	2·72	0·81	2·35	2·55	1·60	3·27	33·47	✓
* Days with 0.2 mm. or more.	24	24	18	17	11	7	9	5	12	11	9	20	167	✓
* Days with 1.0 mm. or more.	19	13	13	13	11	7	7	4	12	9	8	15	136	✓

(141w) * See Instruction 2 (f) on other side.

40-9999.

† Spare column, no entries required, except year's total.

(*Signed*) A. Edward Hobbs
pp. R. G. H.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1073/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at "Crescent Key" Hill Road, Shiplake-on-Thames

in the County of Oxfordshire

~~Diameter of Funnel of Gauge............in.~~

~~Height of top of Gauge above Ground.........ft..........in.~~

~~,, Ground ,, Sea Level ....ft.~~

unaltered

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.01	0.22	Trace	—	—	0.17	—	—	0.02	0.05	0.04	0.01		1
2	—	—	—	0.05	0.06	—	—	—	—	0.35	—	0.05		2
3	0.06		—	—	0.35	—	—	—	—	0.63	—	0.10		3
4	—	—	—	—	—	—	0.01	0.02	—	0.17	—	—		4
5	0.06	—	—	—	—	—	0.14	—	—	0.16	—	—		5
6	0.04	—	—	—	—	—	0.09	—	—	0.01	—	—		6
7	—	—	—	—	—	—	0.39	1.13	0.02	0.39	—	0.01		7
8	0.06	—	—	—	—	—	0.06	0.16	0.01	0.34	—	0.02		8
9	0.09	—	—	—	—	—	—	0.14	—	—	—	0.66		9
10	0.18	—	—	—	—	—	0.04	0.36	—	—	—	0.12		10
11	0.23	—	—	—	—	—	—	0.06	—	—	0.11	0.04		11
12	0.29	—	—	—	0.02	—	—	0.16	—	0.13	—	0.01		12
13	0.11	—	—	—	—	—	—	—	—	0.06	0.13	0.09		13
14	0.15	—	—	—	0.04	—	0.06	—	Trace	—	Trace	0.01		14
15	0.19	0.01	—	—	—	—	0.46	—	—	0.24	Trace	0.10		15
16	0.30	—	0.01	—	—	—	—	—	—	0.13	0.05	0.16		16
17	—	—	—	—	—	—	—	—	0.06	0.10	—	—		17
18	0.05	—	—	—	0.06	—	—	0.02	0.01	0.02	0.33	—		18
19	—	—	—	—	—	—	—	0.08	0.07	—	0.40	—		19
20	—	—	—	—	—	—	—	—	Trace	—	0.64	—		20
21	—	—	—	—	—	—	—	0.17	0.02	—	0.01	—		21
22	—	—	—	Trace	—	0.01	—	0.01	Trace	—	0.19	0.20		22
23	Trace	—	—	—	—	—	—	—	—	—	0.02	0.34		23
24	0.09	—	0.11	—	—	—	—	—	0.28	—	0.04	—		24
25	0.04	0.04	0.09	0.01	0.18	—	—	0.11	—	0.01	0.72	0.06		25
26	0.18	0.24	0.07	—	0.01	—	—	—	0.23	0.22	—	0.25		26
27	0.12	0.05	—	0.02	0.08	0.25	0.27	0.03	0.24	0.02	0.26	0.10		27
28	—	0.02	—	—	0.50	0.06	—	0.60	0.05	—	—	0.15		28
29	0.04	—	—	—	0.23	—	—	0.05	0.01	0.04	0.15	0.17		29
30	0.21		—	0.01	0.11	0.11	—	—	0.02	0.08	0.27	0.04		30
31	0.18		—		0.20		—	—		0.06		0.21		31
													Year's Total	
TOTAL	2.69	0.64	0.28	0.09	1.84	0.60	1.52	3.10	1.04	3.18	3.32	2.93	21.23 *	
* Days with .01 in. or more.	21	6	4	4	12	5	9	15	13	20	15	22	146 *	
* Days with .04 in. or more.	19	4	3	1	10	4	8	11	6	16	13	17	112 *	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Edward Kitts [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 10 7 3/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Shiplake

in the County of Oxon

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ......ft......in. No change

,, Ground ,, Sea Level ......ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	0.02	0.53	0.30	–	–	0.96	0.11	–	–	–		1
2	–	–	–	0.01	–	–	–	0.43	0.43	–	0.01	0.05		2
3	0.64	–	–	0.16	–	–	–	0.20	–	0.02	0.31	0.25		3
4	0.10	–	0.18	0.24	tr	–	0.05	0.04	0.17	0.43	0.05	tr		4
5	–	–	–	0.36	0.15	–	0.12	0.36	–	0.13	0.28	0.32		5
6	0.45	–	–	Tr	0.04	–	0.27	tr	–	Tr	0.47	–		6
7	0.02	0.14	–	–	–	–	–	0.01½	–	–	0.17	0.20		7
8	–	0.17	0.22	–	–	–	0.04	0.17	–	0.48	0.16	0.27		8
9	0.04	0.04	–	–	–	–	–	0.04	–	0.29	–	0.14		9
10	0.29	–	–	–	–	0.21	–	0.14	0.03	0.25	0.04	0.01		10
11	–	–	0.16	–	–	0.01	–	–	–	0.16	0.01	–		11
12	–	–	–	–	–	0.02	–	–	0.02	0.03	–	–		12
13	–	–	–	–	–	0.01	0.03	–	Tr	0.96	tr	–		13
14	0.45	–	–	0.02	0.16	0.08	0.24	–	–	0.13	0.26	–		14
15	0.12	–	0.05	–	0.39	0.37	0.03	–	0.06	0.71	0.06	–		15
16	0.30	–	0.07	0.03	0.01	0.21	0.08	–	–	0.07	0.49 ~~[illegible]~~	–		16
17	0.20	0.02	–	–	0.16	tr	0.01	–	–	1.05	0.09	–		17
18	0.19	0.01	0.04	–	–	0.10	0.23	–	–	Tr	0.23	–		18
19	0.20	–	–	–	–	–	0.27	–	–	0.09	tr	–		19
20	0.26	–	–	–	–	0.08	0.52	0.18	–	–	–	–		20
21	0.01	0.08	0.17	–	–	0.01	0.05	tr	0.01	–	–	–		21
22	0.15	0.27	0.04	0.03	–	tr	0.09	–	–	–	0.07	–		22
23	0.02	–	–	0.07	–	tr	0.02	–	–	tr	0.70	0.02		23
24	0.07	–	–	0.13	–	0.01	0.10	–	–	0.19	tr	–		24
25	1.21	0.11	0.01	–	–	–	0.11	–	–	0.02	0.27	–		25
26	0.15	–	tr	0.02	–	–	–	0.16	–	0.09	0.13	0.02		26
27	–	tr	0.03	Tr	–	–	–	–	–	0.03	0.15	–		27
28	0.01	0.25	0.07	0.39	–	tr	0.10	–	–	–	0.20	0.03		28
29	–		–	0.15	–	–	0.36	–	–	0.15	0.06	0.04		29
30	–	✕	–	0.92	–	0.27	–	–	–	–	0.14	0.06		30
31	–	✕	–	✕	–	✕	0.12	0.12	✕	0.01	✕	–		31
TOTAL	4.88	1.09	1.06	3.06	1.21	1.35	2.84	2.81½	0.83	5.29	4.35	1.41	Year's Total 30.18	✓
* Days with .01 in. or more.	~~16~~ 20	9	12	14	7	12	20	12	7	20	22	12	167	✓
* Days with .04 in. or more.	16	7	9	9	6	7	16	11	4	15	20	8	128	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Edward Hobbs. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1073/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1940

Kept at SHIPLAKE-ON-THAMES

in the County of OXFORDSHIRE

Diameter of Funnel of Gauge.............in.

Height of top of Gauge above Ground.........ft.........in.

„ Ground „ Sea Level ....ft.

No return

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0·03		Tr.							0·11			1
2		0·02		0·07			0·08			0·01	0·48			2
3		0·36		0·10						0·21	0·96	0·08		3
4		0·07		0·21						0·25	0·13	0·06		4
5		0·03								0·07	0·36	0·07		5
6	0·27	0·16			0·06		0·38			0·24	0·03	Tr.		6
7	0·17	0·26					0·29					Tr.		7
8									0·01	0·17	0·01	0·33		8
9									0·06	0·04	0·13	0·04		9
10			0·01				0·32	0·02			0·08	0·05		10
11			Tr.	0·04							0·74	0·03		11
12		0·03	0·08			0·24	0·03		0·08	0·05				12
13		0·05	0·53						0·06		1·27			13
14			0·11	0·13					0·01	0·26	0·03	0·30		14
15				0·01	0·04	0·06	0·24		0·02	0·08	0·38	Tr.		15
16		0·19	0·58	0·03		0·01	0·26		0·35	0·57	0·47			16
17			0·25				0·01				0·03			17
18		0·34	0·21	0·25			0·24	0·015		0·18	0·12	0·13		18
19		0·16		0·29			0·03		0·24		0·15	0·01		19
20		0·01	0·05	0·01				0·01		0·19	0·03			20
21		Tr.			0·27		0·13			0·06	0·50			21
22	0·03				0·50	0·33			0·37					22
23		0·05	0·11	0·13		0·40				0·01		0·01		23
24				0·08			0·27				0·02			24
25			0·30				0·05							25
26	1·02	0·12	0·09	0·50	0·22						0·01			26
27	0·49	0·17		0·01	0·05		0·24							27
28	0·15			0·18	0·12									28
29	0·14	0·11	0·06	0·03	0·16	0·01						0·36		29
30	0·21	✕		0·16						0·17		Tr.		30
31	0·01	✕		✕		✕			✕	0·49	✕			31
TOTAL	2·49	2·16	2·38	2·23	1·42	1·05	2·57	5 0·045	1·20	3·05	6·04	1·47	Year's Total 26·105	
* Days with .01 in. or more.	9	17	12	17	8	6	14	3	9	17	21	12	145	
* Days with .04 in. or more.	7	12	11	12	8	4	11	—	6	15	14	9	109	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Edward Potts

[P.T.O.

~~GORING~~

FORM 1090. **B** Monthl… Summa… …tion.

1073/5

1073/5

GORING

1931- 1938

780208

*** The following register of monthly to… &c., is NOT required if daily or we… values are given on the other side.

…section and also the space for …to this register should be sent:—

…msways",

…Thames, Oxfordshire.

…8 AM. in Summer 8 AM.

Distance ¼ mile Direction from gauge [illegible] E.

Distance ⅛ mile Direction from gauge [illegible] NW.

RAINFALL IN 1931

At Goring-on-Thames

In the County of Oxfordshire

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 *ft.* — *in.*
Height of Ground above Sea Level 159 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1.34	0.23	23	16	10
FEB.	1.95	0.38	27	20	15
MAR.	0.12	0.06	3	6	1
APRIL	3.27	0.61	2	19	17
MAY	2.95	0.63	27	15	11
JUNE	1.50	0.31	5	11	10
JULY	3.73	1.12	14	17	13
AUG.	4.43	0.89	4	17	14
SEPT.	1.78	0.57	2	10	9
OCT.	0.62	0.28	6	8	5
NOV.	3.01	0.42	18	18	13
DEC.	1.04	0.33	5	11	7
Total	25.74			168	125

Signature G. C. Turner.

*See Instruction 2 (*f*) below.

Nature of objects nearest to gauge	Hedge.	House.	Wall.	Hedge.
Heights of objects	8 ft.	40 ft.	10 ft.	6 ft.
Distances ..	65 ft.	60 ft.	80 ft.	60 ft.
Directions from gauge ..	N	E	S	W

If gauge has been moved during the year state—

Date of move………… Distance………… Direction…………

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

X GORING X

FORM 1090. **B** Monthl Summary. ation.

1073/5

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1931

At Goring-on-Thames

In the County of Oxfordshire.

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* — *in.*
- *Height of Ground above Sea Level* 159 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1·34	0·23	23	16	10
FEB.	1·95	0·38	27	20	15
MAR.	0·12	0·06	3	6	1
APRIL	3·27	0·61	2	19	17
MAY	2·95	0·63	27	15	11
JUNE	1·50	0·31	5	11	10
JULY	3·73	1·12	14	17	13
AUG.	4·43	0·89	4	17	14
SEPT.	1·78	0·57	2	10	9
OCT.	0·62	0·28	6	8	5
NOV.	3·01	0·42	18	18	13
DEC.	1·04	0·33	5	11	7
Total	25·74			168	125

Signature G. C. Turner.

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

G. C. Turner, "Crossways",
Goring-on-Thames, Oxfordshire.

Hour of observation by the clock—in Winter 8 AM. in Summer 8 AM.

Nearest Railway Station ~~¼ mile.~~ GORING Distance ¼ mile Direction from gauge E.

Nearest Parish Church at Goring. Distance ⅛ mile. Direction from gauge NW.

Nature of objects nearest to gauge	Hedge.	House.	Wall.	Hedge.
Heights of objects	8 ft.	40 ft.	10 ft.	6 ft.
Distances ..	65 ft.	60 ft.	80 ft.	60 ft.
Directions from gauge ..	N	E	S	W

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

OK

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 1073/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Goring-on-Thames.

in the County of Oxfordshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 222 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	—	—	·05	·85	·01	·26	·02	—	·07	·02	·01	1
2	·04	—	—	·13	·09	—	—	·03	·23	·06	·01	·20	2
3	—	—	—	·37	·11	—	·02	·05	·33	—	—	—	3
4	·01	—	—	—	—	·04	—	—	—	—	·20	—	4
5	·36	—	·01	—	—	—	·12	—	·14	—	—	—	5
6	·40	—	—	·08	—	—	—	—	·23	—	—	—	6
7	—	—	·06	·09	·08	—	·08	—	·09	·06	—	—	7
8	—	·03	·10	·12	·05	·01	—	—	1·43	·12	—	—	8
9	·09	·03	—	·05	·30	—	—	—	·01	·03	—	—	9
10	·32	·03	·01	·24	·09	·06	—	—	·03	·16	·03	—	10
11	—	·02	—	·05	·03	—	·38	—	·01	·04	·03	·03	11
12	·15	—	—	—	·16	—	—	—	·03	·27	·01	·01	12
13	·09	—	—	·16	·02	—	·28	—	·02	·29	·07	·05	13
14	·27	—	—	·04	—	—	—	·03	—	·03	·19	·02	14
15	·01	—	—	·02	·15	—	—	—	—	·09	—	—	15
16	·26	—	—	·20	·10	—	—	—	·01	—	—	—	16
17	—	—	—	·02	—	—	·04	—	—	·06	·02	—	17
18	—	—	—	·01	·01	—	·03	—	·38	—	·16	—	18
19	—	—	—	—	—	—	—	—	·03	·20	·01	—	19
20	—	—	—	·08	·13	—	·03	1·13	·05	·72	·06	—	20
21	·02	—	—	·15	1·24	—	—	·11	—	·37	—	·03	21
22	·02	·01	·19	—	·06	—	·18	—	·28	·11	·24	—	22
23	—	·02	—	·05	·31	—	—	—	·05	·51	·02	·07	23
24	—	·07	—	—	·01	—	·74	—	·04	·11	·03	·01	24
25	—	—	—	·02	—	·05	·22	—	·04	·15	·04	—	25
26	—	—	·14	·06	—	—	—	—	—	·02	·02	—	26
27	—	—	·39	·21	·20	—	·03	—	—	·18	·02	—	27
28	—	—	·13	·14	·10	·15	·05	—	—	·10	—	·02	28
29	—		·34	·13	·11	·05	·07	—	·16	·22	·07	·02	29
30	—	×	·14	·55	·15	·71	·01	·01	·24	·04	·35	·31	30
31	—	×	·06	×	—	×	—	—	×	—	×	·08	31
													YEAR'S TOTAL
TOTAL	2·14	0·21	1·57	3·02	4·35	1·08	2·54	1·38	3·83	4·01	1·60	0·86	26·59
*Days with ·01 in. or more.	14	7	11	24	22	8	16	7	21	24	20	13	187
*Days with .04 in. or more.	10	1	9	20	18	6	11	3	14	21	9	5	127

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. C. Turner.

P.T.O.

1073/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1073/5~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Goring-on-Thames

in the County of Oxfordshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

" Ground " Sea Level 159 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·16	·15	·05	—	—	—	—	—	—	·01	—	—		1
2	·37	—	·41	—	·43	—	—	—	—	—	·02	—		2
3	·02	·12	·19	—	·02	—	—	—	—	—	—	—		3
4	·11	·03	·01	—	·30	—	—	—	—	—	—	—		4
5	·02	·02	·25	—	·06	—	—	—	—	—	·02	—		5
6	—	·07	·07	—	·12	—	—	—	—	·30	·04	—		6
7	·04	·12	·02	—	·01	—	—	—	—	·06	·01	·03		7
8	·06	—	·07	—	·08	—	·26	—	—	·04	—	—		8
9	—	·01	—	—	·02	—	·26	—	—	·15	·07	—		9
10	—	·01	—	—	—	·03	·24	—	—	·32	·13	—		10
11	·21	—	—	—	·06	·02	·13	—	—	·05	—	—		11
12	—	—	—	—	·02	·04	—	·22	·49	—	—	·03		12
13	·07	—	—	—	·15	·06	·30	—	·05	—	·04	—		13
14	—	—	—	—	—	—	·02	—	—	·04	·40	·01		14
15	·38	—	·11	—	—	—	·29	·10	—	·03	·11	—		15
16	·01	—	·75	—	—	·13	·09	·09	·03	·03	·01	—		16
17	·03	·02	·55	—	—	·21	·01	—	·03	—	·03	—		17
18	·08	·02	·21	—	—	·12	—	—	—	—	·01	—		18
19	—	·07	·22	—	—	·02	—	—	·42	—	—	·03		19
20	—	·02	·10	·05	—	·29	—	—	—	—	·01	—		20
21	—	·04	—	—	—	—	—	·07	·14	·03	—	—		21
22	—	—	—	—	·06	·12	—	·10	·01	·26	—	—		22
23	—	·01	—	·21	—	—	—	—	·45	·07	—	—		23
24	—	1·44	—	·13	—	·42	—	—	·21	·07	·05	—		24
25	—	1·53	—	·30	·03	·01	—	—	·21	·01	·01	·09		25
26	—	·69	—	·10	—	·16	—	—	·23	·02	—	·01		26
27	—	·04	—	—	·03	—	·03	—	·01	·21	—	·08		27
28	·01	—	—	·09	·02	—	—	—	—	·14	—	·08		28
29	·13		·02	·27	—	—	—	—	—	·05	—	·02		29
30	·19	×	·08	—	—	—	·04	—	·11	·02	—	·22		30
31	·28	×	·01	×	—	×	—	·08	×	·01	×	—		31
TOTAL	2·17	4·41	3·12	1·15	1·41	1·63	1·67	0·66	2·39	1·92	0·96	0·60	Year's Total 22·09	
*Days with ·01 in. or more.	17	18	17	7	15	13	11	6	13	21	15	10	163	
*Days with .04 in. or more.	12	10	13	7	8	9	8	6	9	13	7	4	106	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G. C. Turner

[P.T.O.

1073/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1073/5~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Goring

in the County of Oxfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 159 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·01	—	—	—	—	—	·26	—	·03	·03	·40		1
2	·11	—	·05	—	—	—	—	·02	·80	·06	·01	·18		2
3	·01	·10	—	—	—	—	—	·01	—	·22	—	·02		3
4	·04	—	·08	·18	·04	—	—	—	—	·11	·05	·42		4
5	—	—	·05	—	·05	—	—	·13	—	·07	·11	·51		5
6	·02	—	·23	·02	·39	·15	—	·01	—	·18	·01	·65		6
7	·03	·03	·01	—	—	—	—	·29	—	·06	—	·36		7
8	—	—	—	—	·10	—	—	·01	·04	—	·29	·05		8
9	—	—	·07	—	—	—	—	—	—	—	·95	·27		9
10	·02	—	·28	·16	—	—	—	·05	—	—	·05	·10		10
11	·52	—	·25	·27	—	—	·02	·05	—	—	—	·23		11
12	—	—	·02	·03	—	—	·05	·21	—	—	—	·03		12
13	·37	—	·16	·06	—	—	·23	·07	—	—	·05	1·14		13
14	·03	—	·38	·02	·01	—	—	·01	—	·02	·16	·37		14
15	·03	—	·08	—	·16	—	—	—	·05	·17	·11	·12		15
16	·17	—	·22	—	—	—	—	—	·01	·01	·03	·02		16
17	·05	—	—	—	·03	—	—	·01	·08	·01	·04	·21		17
18	·22	—	—	·18	—	—	—	—	·08	—	—	·07		18
19	—	—	·21	—	—	—	—	—	·04	—	—	·10		19
20	—	—	·07	·02	—	—	·10	·01	·01	·02	—	·01		20
21	—	—	·02	·04	—	·15	·14	·11	—	·13	—	—		21
22	—	—	—	—	—	—	—	·14	·19	—	·02	·07		22
23	—	—	—	·17	—	·67	—	—	—	—	·01	·07		23
24	—	·04	·09	—	—	—	·54	·01	·16	—	—	—		24
25	·24	·02	—	·18	—	·21	—	—	—	·09	—	·51		25
26	·18	—	—	·21	—	·01	—	—	·03	·06	—	·10		26
27	·02	—	—	·03	—	·11	—	—	—	·03	—	·39		27
28	—	—	—	·03	—	·06	—	·55	—	—	·01	·37		28
29	—		—	—	—	—	·02	—	·17	—	·03	—		29
30	·05	×	—	—	—	—	—	·16	·02	·01	—	·12		30
31	·02	×	—	×	—	×	·04	—	×	·03	×	·03		31
TOTAL	2·16	0·20	2·27	1·60	0·78	1·36	1·14	2·11	1·68	1·31	1·96	6·92	Year's Total. 23·49	
* Days with .01 in. or more.	19	5	17	15	7	7	8	19	13	18	17	28	173	
* Days with .04 in. or more.	10	2	14	9	5	6	6	11	9	10	9	23	114	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. C. Turner.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1073/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Goring-on-Thames

in the County of Oxfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 159 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	—	·01	·02	·03	·06	·04	—	·02	·12	·24	—		1
2	—	—	—	—	—	·27	—	—	·20	·10	·07	·01		2
3		—	·02	·02	—	·23	—	—	·27	·67	·18	·01		3
4	—	·04	—	·17	—	·06	—	—	·38	·31	—	—		4
5	—	·31	·08	·02	—	·07		—	·31	·10	·01	—		5
6	—	·06	·02	·30	—	·63	—	—	—	·01	·01	·03		6
7	·01	—	—	·61	—	·04	—	—	—	·07	·37	·17		7
8	—	—	—	·38	—	—	—	·05	—	·21	·16	·01		8
9	—	—	—	·39	—	·66	—	—	—	·78	·56	—		9
10	—	—	—	·13	—	·02	—	—	—	·02	·11	—		10
11	·33	—	—	—	—	·07	·24	—	—	·01	·23	·01		11
12	—	·02	—	—	—	·24	—	·08	·02	—	·06	—		12
13	·07	·10	—	·12	·08	·08	—	—	—	—	·01	—		13
14	—	—	—	·09	·13	·04	—	—	·03	—	·24	·15		14
15	—	·09	—	·48	·01	·62	—	—	·18	—	·28	·05		15
16	—	·07	·05	·09	—	·03	—	—	·30	·03	·48	·06		16
17	—	—	—	·09	—	·30		—	·13	·02	·27	—		17
18	—	—	—	·33	·01	·02	·08	·01	·27	·03	·01	—		18
19	—	·01	—	·01	·18	·04	·11	—	·06	·05	·16	·18		19
20	—	·18	—	·03	·42	·07	·11	—	·06	—	·40	—		20
21	·01	·30	·01	·02	—	—	—	—	·03	·04	·01	—		21
22	—	·05	·11	·07	—	—	—	·13	·19	—	—	—		22
23	—	·05	·10	—	—	—	—	·42	·09	·30	—	·16		23
24	·03	·35	·04	—	—	—	—	·51	·69	·05	—	·27		24
25	·10	·12	—	·24	·01	·13	—	—	—	—	—	·25		25
26	—	·13	—	—	—	—	—	·37	·09	—	—	·50		26
27	—	·27	—	—	—	—	—	·01	·08	·01	·07	·43		27
28	—	·05	—	—	·06	—	—	·03	·50	·01	·02	·14		28
29	—	X	—		—	—	—		·44	·05	—	·26		29
30	·05	✕	—	·07	·01	—	—	·69	·04	·05	·40	·40		30
31	—	✕	—	✕	—	✕	—	—	✕	·78	✕	·15		31
TOTAL	·65	2·20	·44	3·68	·94	3·48	·58	2·30	4·38	3·82	4·35	3·24	Year's Total 30·06	
* Days with .01 in. or more.	8	17	9	21	10	20	5	10	22	23	23	19	187	
* Days with .04 in. or more.	5	15	5	15	5	17	5	7	18	15	17	14	138	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) P. C. Turner [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1073/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Goring-on-Thames

in the County of Oxfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 159 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·25	·08	·32		·07	·15	·08			·07	·02		1
2	·01		·01	·02		·22	·35	·04			·02			2
3				·31		·07	·03		·19		·34	·01		3
4			·18			·01			·27		·11	·05		4
5	·26		·05		·04			·02	·11			·02		5
6	·34					·07		·12	·12		·21	·01		6
7	·26		·07			·04			·01		·29	·05		7
8	·17		·17								·46	·08		8
9	·35		·06				·30		·19	·01	·01	·01		9
10	·02						·10	2·96	·03			·01		10
11		·01		·07			·06				·78			11
12				·08		·39	·18		·61		·64	·12		12
13				·27		·25				·02	·09	·55		13
14		·04				·04	·69		·05	·04		·50		14
15		·03				·01	·02				·01	·10		15
16	·15	·23		·01			·02		·05		·36	·04		16
17	·29	·70					·08			·02	·10	·20		17
18	·04	·11				·32	·08	·03			·02	·11		18
19	·31	·12	·05	·02		·34		·08						19
20	·05	·18	·13	·40		·94			·90					20
21				·37		·11	·09							21
22	·14	·43	·05	·01	·46		·19					·07		22
23	·06		·32	·11	·04		·21			·07				23
24	·09	·08					·14		·13	·35				24
25	·05		·11	·11			·19		·18	·07	·07			25
26		·09	·11			·11	·11		·04	·18				26
27	·15		·08							·10				27
28	·76		·23				·71					·20		28
29	·06	·14	·09		·25	·17	·38			·01	·24	·09		29
30	·10	✕	·04		·05	·19	·02			·45				30
31	·59	✕	·24	✕		✕	·32		✕	·52	✕	·28		31
TOTAL	4·36	2·41	2·07	2·10	0·84	3·35	4·42	3·33	2·88	1·84	3·82	2·52	Year's Total 33·94	
* Days with .01 in. or more.	22	13	18	13	5	17	22	7	14	12	17	20	180	
* Days with .04 in. or more.	20	11	17	9	5	15	18	5	12	8	13	14	147	

† Spare column, no entries required.

(*Signed*) G. C. Turner [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1073/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Goring-on-Thames

in the County of Oxfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 159 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	—	—	·04	—	—	—	—	—	·05	·21	·51		1
2	—	·40	·01	·26	—	—	—	—	·24	—	·01	·32		2
3	—	·11	·07	—	—	—	—	—	—	—	—	·06		3
4	·04	·35	—	—	·01	—	—	—	—	—	—	·27		4
5	·19	·01	·18	—	—	—	·11	—	—	—	—	—		5
6	·03	·18	·44	—	·24	—	·38	—	—	·01	·06	—		6
7	—	·51	—	·33	—	—	—	—	·01	—	—	—		7
8	—	·02	—	—	·06	—	—	—	—	—	·28	·25		8
9	—	—	—	·22	·20	·02	·06	—	·27	—	—	·12		9
10	—	—	·75	·32	—	·31	—	·03	—	—	—	·18		10
11	—	—	·11	—	·26	·02	·04	—	—	—	—	—		11
12	·19	·29	·12	—	·36	·15	·01	·04	·10	—	—	·06		12
13	·16	·05	·55	·05	—	·94	—	·03	·10	—	—	·21		13
14	·02	·01	·46	·16	—	—	—	·15	·05	—	—	·04		14
15	·24	·13	—	·18	—	—	·61	—	·36	—	—	·03		15
16	—	·12	·49	·50	—	·05	—	·15	·76	—	—	·01		16
17	·45	—	·38	·04	—	·04	—	—	·48	—	—	—		17
18	·47	·07	·07	·02	—	·41	—	—	·34	—	·17	·09		18
19	·10	·09	·02	·07	—	·25	·14	—	·06	—	—	·07		19
20	·56	·03	·03	·32	·40	·03	—	—	—	—	—	—		20
21	·36	·63	·04	·06	·03	—	·04	—	—	—	—	·04		21
22	·45	·05	·20	—	·19	·06	·06	—	—	·79	·22	·06		22
23	·30	·04	·05	—	·65	—	·02	—	—	·23	·04	—		23
24	·40	·46	—	—	·01	—	—	—	·12	·62	—	·01		24
25	·49	·34	·15	—	1.37	—	—	—	·04	·18	—	·01		25
26	·01	·37	·04	—	·21	—	—	—	—	·04	—	—		26
27	·01	·20	—	·14	—	—	—	—	—	1.05	—	—		27
28	—	·01	—	—	—	—	—	—	—	·03	—	·01		28
29	—	X	—	—	—	·05	—	—	—	·05	·05	·01		29
30	·36	✕	—	—	—	—	—	—	—	·03	·21	—		30
31	·33	✕	—	✕	—	✕	—	—	✕	·09	✕	·05		31
													Year's Total	
TOTAL	5.32	4·47	4·16	2.71	3.99	2.33	1·47	0·40	2·93	3·17	1·25	2·41	34·61	✓
* Days with .01 in. or more.	21	23	19	15	13	12	10	5	13	12	9	21	173	✓
* Days with .04 in. or more.	17	18	16	14	10	9	8	3	12	9	8	15	139	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. C. Turner [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1073/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at GORING

in the County of OXFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 159 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·02			·20	·02		·04	·03		·05		1
2	·06			·03	·05		·01			·39		·05		2
3					·32	·01				·84				3
4	·10							·05		·11		·12		4
5							·04			·17				5
6	·07						·04		·01	·02				6
7						·02	·40	·73	·11	·37		·03		7
8	·10					·01	·36	·29	·11	·28		·02		8
9	·12							·08		·01		·84		9
10	·15	·06					·03	·27				·11		10
11	·22										·12	·06		11
12	·38				·02			·02		·15	·01			12
13	·08	·01			·02					·03	·27	·19		13
14	·43				·04		·07		·03			·04		14
15	·05						·37			·16	·01	·22		15
16	·42	·01	·02							·14	·01	·15		16
17		·05			·06				·10	·05				17
18	·06							·06	·09	·01	·35			18
19								·15	·11		·18			19
20	·01										·58	·09		20
21	·02							·08	·08		·01	·55		21
22				·01		·01		·04			·19	·24		22
23											·05			23
24			·07						·11		·03			24
25	·09	·05	·07	·05	·22			·16		·02	·85	·08		25
26	·22	·31			·01				·19	·15		·21		26
27	·06	·02			·31	·26	·28	·01	·11	·06	·38			27
28	·01	·02			·70	·06		·56	·01			·12		28
29	·20	×			·26			·14	·03	·01	·04	·14		29
30	·02	×			·17	·09			·11	·03	·21			30
31	·18	×		×	·16	×			×	·11	×	·24		31
													Year's Total	
TOTAL	3.05	0.53	0.18	0.09	2.34	0.66	1.62	2.64	1.24	3.14	3.29	3.55	22.33	✓
* Days with .01 in. or more.	22	8	4	3	13	8	10	14	15	21	16	20	154	✓
* Days with .04 in. or more.	18	4	2	1	10	4	7	12	11	13	11	18	111	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. Turner

P.T.O.

1074

Section **A** for the entry of Daily

AIR MINISTRY.—ME

FORM 1090.

REGISTER

1074

HENLEY-ON-THAMES.

1931-1937

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

93/ .

Kept at Gray, Henley-on

in the County of Oxford

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground 1

" Ground " Sea Level

THE MORNING MEASUREME DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·12	–	·09	–	·28	·03	–	·11	–	–	–	1
2	·09	·07	–	·54	–	–	–	–	·36	–	–	·04	2
3	·04	·02	·05	·16	·28	–	–	·29	·46	–	·20	·23	3
4	·01	–	–	–	·03	–	·19	·09	·07	·01	·06	–	4
5	–	–	–	·28	·01	·40	·03	–	·03	–	·01	·23	5
6	–	·14	–	·22	–	·19	·01	–	–	·26	·30	–	6
7	–	–	–	–	·24	·04	–	·89	–	·07	·12	·07	7
8	–	·07	–	·03	·01	·15	–	·12	–	–	·11	–	8
9	–	·11	–	·02	–	–	–	–	–	–	·39	–	9
10	–	·04	–	–	–	·03	·06	·33	·01	–	·40	–	10
11	·08	·22	–	–	–	–	–	–	·04	–	·08	–	11
12	–	–	–	–	–	–	·02	·02	·40	–	–	–	12
13	–	–	–	–	–	–	·13	·53	–	–	–	–	13
14	–	·12	–	–	–	·01	1·93	·46	–	–	–	–	14
15	–	–	–	·13	·09	–	·20	·52	–	–	–	·02	15
16	–	·05	–	·15	·18	·08	–	·32	·15	–	–	–	16
17	–	·06	–	·24	·05	–	·25	–	·01	–	–	–	17
18	·03	–	·04	·22	–	·15	–	·79	–	–	·54	–	18
19	·05	–	–	·28	–	·06	·25	–	·07	–	–	–	19
20	–	·03	–	·08	–	–	–	·29	–	–	–	–	20
21	·01	–	–	–	·44	–	–	–	–	–	–	–	21
22	·19	–	–	·12	–	–	–	–	–	–	–	–	22
23	·19	·01	–	·02	·34	·03	–	–	–	–	·17	·03	23
24	–	–	–	·29	·19	·06	·05	–	–	–	–	·01	24
25	·04	–	–	·15	·08	–	·42	–	–	–	·04	–	25
26	–	·01	–	·11	–	–	·63	–	–	–	·79	–	26
27	·18	·40	–	·09	·80	–	·01	–	–	–	·12	–	27
28	·03	·10	–	·03	·03	–	–	–	–	·05	–	·24	28
29	·10	–	–	–	·28	–	·11	–	–	·23	·01	·01	29
30	·04	✕	–	–	–	–	–	·14	–	–	–	–	30
31	·17	✕	–	✕	·01	✕	–	–	✕	–	✕	–	31
TOTAL	1·25	1·57	0·09	3·25	3·06	1·48	4·32	4·79	1·71	0·62	3·34	0·88	YEAR'S TOTAL 26·36
*Days with ·01 in. or more.	15	16	2	20	16	12	16	13	11	5	15	9	150
*Days with ·04 in. or more.	11	12	2	16	11	9	11	12	8	4	13	5	114

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

[P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

1074

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Gray, Henley-on-Thames

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·12	—	·09	—	·28	·03	—	·11	—	—	—	1
2	·09	·07	—	·54	—	—	—	—	·36	—	—	·04	2
3	·04	·02	·05	·16	·28	—	—	·29	·46	—	·20	·23	3
4	·01	—	—	—	·03	—	·19	·09	·07	·01	·06	—	4
5	—	—	—	·28	·01	·40	·03	—	·03	—	·01	·23	5
6	—	·14	—	·22	—	·19	·01	—	—	·26	·30	—	6
7	—	—	—	—	·24	·04	—	·89	—	·07	·12	·07	7
8	—	·07	—	·03	·01	·15	—	·12	—	—	·11	—	8
9	—	·11	—	·02	—	—	—	—	—	—	·39	—	9
10	—	·04	—	—	—	·03	·06	·33	·01	—	·40	—	10
11	·08	·22	—	—	—	—	—	—	·04	—	·08	—	11
12	—	—	—	—	—	—	·02	·02	·40	—	—	—	12
13	—	—	—	—	—	—	·13	·53	—	—	—	—	13
14	—	·12	—	—	—	·01	1·93	·46	—	—	—	—	14
15	—	—	—	·13	·09	—	·20	·52	—	—	—	·02	15
16	—	·05	—	·15	·18	·08	—	·32	·15	—	—	—	16
17	—	·06	—	·24	·05	—	·25	—	·01	—	—	—	17
18	·03	—	·04	·22	—	·15	—	·79	—	—	·54	—	18
19	·05	—	—	·28	—	·06	·25	—	·07	—	—	—	19
20	—	·03	—	·08	—	—	—	·29	—	—	—	—	20
21	·01	—	—	—	·44	—	—	—	—	—	—	—	21
22	·19	—	—	·12	—	—	—	—	—	—	—	—	22
23	·19	·01	—	·02	·34	·03	—	—	—	—	·17	·03	23
24	—	—	—	·29	·19	·06	·05	—	—	—	—	·01	24
25	·04	—	—	·15	·08	—	·42	—	—	—	·04	—	25
26	—	·01	—	·11	—	—	·63	—	—	—	·79	—	26
27	·18	·40	—	·09	·80	—	·01	—	—	—	·12	—	27
28	·03	·10	—	·03	·03	—	—	—	—	·05	—	·24	28
29	·10	—	—	—	·28	—	·11	—	—	·23	·01	·01	29
30	·04	×	—	—	—	—	—	·14	—	—	—	—	30
31	·17	×	—	×	·01	×	—	—	×	—	×	—	31
TOTAL	1·25	1·57	0·09	3·25	3·06	1·48	4·32	4·79	1·71	0·62	3·34	0·88	YEAR'S TOTAL 26·36
*Days with ·01 in. or more.	15	16	2	20	16	12	16	13	11	5	15	9	150
*Days with ·04 in. or more.	11	12	2	16	11	9	11	12	8	4	13	5	114

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

1074

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1074

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Harpsden, Henley-on-Thames

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	–	–	·07	·93	·03	·11	·17	–	·10	·03	–	1
2	–	–	–	·21	·03	–	–	·02	·34	·10	·02	·13	2
3	–	–	–	·23	·06	–	–	–	·21	·10	–	–	3
4	·01	–	–	–	–	·24	–	–	–	–	·10	–	4
5	·21	–	·02	–	·01	·06	·20	–	·16	–	–	–	5
6	·47	–	·08	·09	–	–	–	–	·11	–	–	–	6
7	–	–	·07	·13	·04	–	·01	–	·09	·06	–	–	7
8	–	–	·12	·05	·16	–	–	–	·42	·08	–	–	8
9	·17	·01	–	·05	·24	–	–	–	–	·02	–	–	9
10	·22	·02	·03	·19	·11	·08	–	–	·01	·22	·10	–	10
11	–	–	–	·06	·03	–	·10	–	–	–	·02	·01	11
12	·09	–	–	–	·09	–	–	·01	·02	·21	–	–	12
13	·04	–	–	·15	–	–	·07	–	–	·34	·12	·02	13
14	·20	–	–	·01	·04	–	–	·27	–	·01	·18	–	14
15	–	–	–	·01	·24	–	–	–	–	·12	–	–	15
16	·13	–	–	·18	·06	–	·04	–	–	–	–	–	16
17	–	–	–	–	–	–	–	–	–	·08	·01	–	17
18	–	–	–	–	–	–	–	–	·26	–	·16	–	18
19	–	–	–	·01	–	–	–	–	·03	·24	–	–	19
20	–	–	–	·17	·20	–	–	2·02	·03	·72	·10	–	20
21	·01	–	·03	·27	1·62	–	–	·03	–	·27	–	·04	21
22	–	–	·26	·04	·03	–	·26	–	·31	·13	·25	–	22
23	–	·06	–	–	·06	–	–	–	·04	·64	–	·08	23
24	–	·04	–	–	–	–	·49	–	·09	·09	·02	–	24
25	–	–	–	·01	–	·01	·29	–	·01	·12	·03	–	25
26	–	–	·17	·03	·04	–	·03	–	–	·12	–	–	26
27	–	–	·30	·14	·26	·01	·12	–	·02	·11	·05	–	27
28	–	–	·10	·10	·60	·13	·11	–	–	·11	–	–	28
29	–	–	·33	·10	·19	·12	–	·01	·16	·20	·07	–	29
30	–	×	·18	·10	·01	·42	·01	–	·28	–	·24	·16	30
31	–	×	–	×	–	×	·06	–	×	–	×	·07	31
TOTAL	1·68	0·13	1·69	2·40	5·05	1·10	1·90	2·53	2·59	4·19	1·50	0·51	YEAR'S TOTAL 25·27
*Days with ·01 in. or more.	11	4	12	23	22	9	14	7	18	23	16	7	166
*Days with .04 in. or more.	9	2	9	19	17	6	11	3	12	21	10	5	124

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

1074

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** ~~1074~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Gray, Harpsden, Henley-on-Thames
in the County of Oxford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·15	·07	—	—	—	—	—	—	—	·06	—		**1**
2	·21	—	·31	—	·85	—	—	—	—	—	·06	—		**2**
3	—	·18	·19	—	·03	—	—	—	—	—	—	—		**3**
4	·17	·01	·02	—	·36	—	—	—	—	—	—	—		**4**
5	·01	·01	·23	—	—	—	—	—	—	—	—	—		**5**
6	—	·14	·11	—	·13	—	—	—	—	·11	·06	—		**6**
7	·17	·10	·02	—	·01	—	—	—	—	·05	—	·02		**7**
8	·04	—	·03	—	·11	—	·25	—	—	·03	—	—		**8**
9	—	—	—	—	·04	—	·20	—	—	·10	·04	—		**9**
10	—	·01	—	—	—	·01	·22	—	—	·18	·13	—		**10**
11	·21	—	—	—	·09	·01	·08	·10	·07	—	—	—		**11**
12	—	—	—	—	·03	·10	·08	—	·59	—	—	—		**12**
13	·02	—	—	—	·09	—	·23	—	·03	—	·04	—		**13**
14	—	—	—	—	—	—	·03	·10	—	·07	·62	·02		**14**
15	·34	—	·27	—	—	·42	·29	·06	—	·01	·06	—		**15**
16	—	—	·58	—	—	·26	·31	—	·01	·02	—	—		**16**
17	·03	—	·53	—	—	·19	—	—	·06	—	·02	—		**17**
18	·09	·09	·10	—	—	·21	—	—	—	—	—	—		**18**
19	—	—	·29	—	—	·26	—	—	·78	—	·04	·02		**19**
20	—	—	·07	·03	—	·25	—	—	·04	—	—	—		**20**
21	—	—	—	—	—	—	—	·15	·12	·01	—	—		**21**
22	—	—	—	—	·67	·09	—	·14	·15	·39	—	—		**22**
23	—	—	—	·32	—	—	—	—	·40	·07	—	—		**23**
24	—	·78	—	·13	·01	·47	—	—	·24	—	·02	—		**24**
25	—	·94	—	·26	·01	—	—	—	·10	·01	·02	·10		**25**
26	—	·45	—	·07	—	·11	—	—	·11	·12	—	—		**26**
27	—	·02	—	—	·03	—	—	—	—	·18	—	·06		**27**
28	—	—	—	·09	—	—	—	—	—	·24	—	·02		**28**
29	·12	—	·01	·18	—	—	·02	—	—	·04	—	—		**29**
30	·14	×	·07	—	—	—	·03	—	·08	—	—	·18		**30**
31	·22	×	·06	×	—	×	—	·05	×	·09	×	—		**31**
TOTAL	2·02	2·88	2·96	1·08	2·46	2·38	1·74	0·60	2·78	1·72	1·14	0·42	Year's Total 22·18 ✓	
*Days with ·01 in. or more.	14	12	17	7	14	12	11	6	14	17	12	7	143	
*Days with .04 in. or more.	11	8	13	6	8	10	8	6	12	12	9	3	106	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Dunbar Kilburn

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1074

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Gray, Harpsden, Henley-on-Thames

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	—	—	—	—	—	·19	·01	—	·01	·54		1
2	·14	—	·07	—	·05	—	—	·01	·58	·09	—	·20		2
3	—	·01	—	—	—	—	—	·01	—	·37	—	·04		3
4	·05	—	·10	·29	·06	—	—	—	—	·14	·06	·26		4
5	—	—	·02	—	—	—	—	·10	—	·02	—	·38		5
6	·01	—	·29	—	·26	·06	—	·14	—	·25	—	·50		6
7	·03	·01	—	—	—	—	—	·15	—	·09	—	·24		7
8	—	—	—	—	·08	—	—	·04	·15	—	·25	·06		8
9	—	—	·04	—	—	—	—	—	—	—	·95	·48		9
10	·01	—	·21	·13	—	—	—	·08	—	—	·03	·06		10
11	·35	—	·28	·11	—	—	·03	·08	—	—	—	·22		11
12	—	—	—	·01	—	—	·07	·56	—	—	—	·14		12
13	·29	—	·24	·03	—	—	·30	·16	—	—	·04	·70		13
14	·02	—	·31	—	·01	·05	—	—	—	·03	·09	·35		14
15	·01	—	·03	—	·07	—	—	—	·03	·22	·08	·40		15
16	·79	—	·15	—	—	—	—	—	·03	·06	·01	— tr		16
17	·01	—	—	—	—	—	—	—	·04	·07	—	·19		17
18	·18	—	—	·15	—	—	·06	—	·12	—	—	·09		18
19	—	—	·18	—	—	·01	—	—	·06	—	—	·30		19
20	—	—	·08	·07	—	—	·24	—	·01	—	—	·03		20
21	—	—	—	·09	—	·13	·01	·08	·01	·06	—	—		21
22	—	—	—	—	—	—	—	·20	·18	—	—	·08		22
23	—	—	—	·22	—	·35	·01	·04	·04	—	—	·04		23
24	—	·06	·08	·01	—	·08	·62	—	·15	—	—	— tr		24
25	·24	—	—	·13	—	·43	—	—	—	·04	—	·42		25
26	—	—	—	·31	—	·02	—	—	·02	·01	—	·19		26
27	—	—	—	·03	—	·18	—	—	—	·03	—	·29		27
28	—	—	—	·06	—	·19	·01	·89	—	—	·05	·26		28
29	—	—	—	—	—	—	—	—	·20	—	—	·01		29
30	·01	✕	—	—	—	—	—	·02	·04	—	—	·16		30
31	·03	✕	—	✕	—	✕	—	—	✕	—	✕	·06		31
													Year's Total.	
TOTAL	1·60	0·08	2·08	1·64	0·53	1·50	1·35	2·75	1·67	1·48	1·57	6·69	22·94	✓
* Days with .01 in. or more.	16	3	14	14	6	10	9	16	16	14	10	28	156	
* Days with .04 in. or more.	7	1	12	10	5	8	5	13	10	10	7	26	114	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) B. C. Dunbar Kilburn

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1074

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Gray, Harpsden, Henley on Thames

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 230 ft.

Duration

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	–	–	·02	– tr	·07	·14	–	·01	·09	·24	·02		1
2	– tr	–	·63	–	–	·04	–	–	·14	·12	·03	– tr		2
3	–	·02	·02	·01	–	·30	–	–	·72	·82	·12	·01		3
4	–	– tr	–	·18	–	·03	–	–	·02	·15	–	– tr		4
5	–	·18	·06	·02	–	·01	–	–	·28	– tr	·01	– tr		5
6	–	– tr	·01	·29	–	·56	–	–	–	–	·01	·03		6
7	–	–	–	·63	–	·11	–	–	–	·11	·50	·13		7
8	–	–	–	·44	–	–	–	–	–	·14	·10	·05		8
9	–	–	–	·32	–	·85	–	–	–	·62	·11	·02		9
10	–	–	–	– tr	–	–	–	–	–	–	·16	–		10
11	·26	–	–	·01	–	·06	·06	–	–	·01	·29	–		11
12	–	·01	–	–	–	·24	–	·02	·01	–	·08	–		12
13	·05	·12	–	·05	·10	·06	–	–	–	–	·01	–		13
14	–	–	–	·10	·04	–	–	–	– tr	–	·25	·13		14
15	–	·14	–	·38	·01	·39	–	–	·19	–	·24	·05		15
16	–	·09	·06	·05	–	·15	–	–	·24	–	·39	·04		16
17	–	–	–	·03	–	·24	·01	–	·11	–	·25	– tr		17
18	–	–	–	·29	·05	·03	·13	–	·33	·04	– tr	–		18
19	–	–	–	·03	·27	·03	·11	–	·05	·02	·10	·16		19
20	–	·12	–	·10	·82	·05	·04	–	·05	–	·33	–		20
21	–	·21	·02	·05	–	– tr	–	–	·01	·07	·01	–		21
22	–	·05	·18	·09	–	–	–	·13	·13	–	–	– tr		22
23	–	– tr	·10	–	–	–	–	·50	·12	·28	–	·12		23
24	·05	·42	·02	–	·01	–	–	·28	·57	·01	–	·22		24
25	·07	·28	–	·18	–	·33	–	–	–	–	–	·12		25
26	·01	·13	–	–	–	·02	–	·32	·11	–	–	·35		26
27	–	·20	–	–	·01	–	–	–	·10	–	·12	·47		27
28	–	·11	–	–	·26	–	–	–	·37	·03	– tr	·08		28
29	–	×	–	–	–	–	–	–	·44	– tr	–	·31		29
30	·02	×	–	·05	–	–	–	·60	·03	·20	·27	·32		30
31	–	×	–	×	–	×	–	–	×	·70	×	·14		31
													Year's Total	
TOTAL	0·62	2·08	0·50	3·32	1·57	3·57	0·49	1·85	4·03	3·41	3·62	2·77	27·83	
* Days with .01 in. or more.	7	14	9	21	9	19	6	6	21	16	21	19	168	
* Days with .04 in. or more.	5	12	4	15	6	14	5	5	16	12	16	15	125	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) B. G. Dunbar Kilburn

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1074

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936 D

Kept at Gray, Harpsden, Henley-on-Thames
in the County of Oxford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·26	·06	·04	·22	–	·40	·15	·04	–	–	·07	·06		1
2	·01	·07	·01	·01	–	·25	·29	·05	–	–	·03	–		2
3	–	–	–	·20	–	·06	·09	–	·34	–	·27	–		3
4	–	–	·23	–	–	·05	–	–	·13	–	·08	·02		4
5	·13	–	·02	–	–	–	–	·02	·22	–	– tr	·12		5
6	·57	–	–	–	–	·08	–	·11	·09	–	·21	–		6
7	·22	–	·02	–	–	– tr	·01	–	·02	–	·22	·06		7
8	·20	–	·09	–	– tr	–	·09	–	– tr	–	·36	·09		8
9	·37	–	·09	–	–	–	·20	–	·35	·10	– tr	·01		9
10	·01	–	–	–	–	–	·08	–	– tr	–	–	–		10
11	–	–	–	·06	–	–	·03	–	·09	–	·81	–		11
12	–	–	–	·04	–	·31	·17	–	·39	–	·31	·18		12
13	–	–	–	·04	–	·10	–	–	–	·03	·12	·36		13
14	–	·07	–	–	–	·02	·50	–	·06	·01	– tr	·40		14
15	–	·04	–	–	–	–	–	–	·09	–	·01	·09		15
16	·11	·16	–	–	–	–	·07	–	·04	–	·55	·03		16
17	·23	·49	–	–	·46	·24	– tr	–	–	·01	·07	·19		17
18	·02	·16	–	–	–	·40	·10	·01	–	·04	·05	·10		18
19	·21	·05	·05	·07	–	·52	·02	·08	–	–	–	–		19
20	·04	·09	·09	·32	–	– tr	–	–	·33	–	–	–		20
21	–	–	–	·33	·01	·20	·08	–	– tr	–	–	–		21
22	·11	·39	·08	– tr	·29	–	·24	–	–	–	–	·07		22
23	·07	– tr	·35	·08	– tr	–	·12	–	–	·10	–	–		23
24	·09	·05	–	–	–	–	·14	–	·27	·43	–	– tr		24
25	·03	–	·10	·17	–	–	·26	–	·22	·15	·04	–		25
26	·01	·15	·13	– tr	–	·01	–	–	·01	·14	–	– tr		26
27	·13	·01	·03	–	–	–	–	–	·01	·12	–	–		27
28	·77	–	·11	–	–	–	·39	–	–	–	–	·10		28
29	·16	·05	·05	–	·01	·28	·01	–	–	·04	·20	·07		29
30	·11		·08	–	·05	·51	·06	–	–	·20	–	–		30
31	·35		·32		– tr		·22	–		·52		·36		31
													Year's Total	
TOTAL	4·21	1·84	1·89	1·54	0·82	3·43	3·32	0·31	2·66	1·89	3·40	2·31	27·62	
* Days with .01 in. or more.	23	14	18	11	5	15	22	6	16	13	16	17	176	
* Days with .04 in. or more.	18	13	14	10	3	13	18	4	13	10	14	14	144	

† Spare column, no entries required.

(*Signed*) B. E. Dunbar Kilburn [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 1074

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Gray, Harpsden, Henley-on-Thames

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	–	–	·04	–	–	–	–	– tr	– tr	·27	·96		1
2	– tr	·31	·01	·45	–	–	–	–	·16	–	·01	·56		2
3	–	·13	– tr	–	–	–	–	–	–	–	– tr	·04		3
4	·08	·44	–	–	– tr	–	–	–	–	–	–	·31		4
5	·14	– tr	·17	–	–	–	·10	–	–	–	–	–		5
6	·03	·03	·45	·02	·18	–	·26	–	·03	·05	·05	– tr		6
7	–	·64	·03	·44	–	–	–	–	–	–	–	–		7
8	–	·04	–	– tr	·12	·01	–	–	·33	–	·24	·31		8
9	– tr	·02	–	·19	·10	–	·08	–	–	–	–	·10		9
10	–	–	·49	·26	·02	·41	·01	·06	–	–	–	·15		10
11	–	–	·13	–	·16	·01	·03	–	–	–	–	·01		11
12	·15	·26	·10	·27	·39	·38	–	·05	·11	–	–	·08		12
13	·19	·13	·48	·01	– tr	– tr	–	·09	·32	–	–	·26		13
14	·01	·04	·35	·05	–	·01	–	·41	·08	–	–	·02		14
15	·22	·19	–	·18	–	–	·29	–	·22	–	–	·01		15
16	·01	·14	·39	·59	–	·02	–	·24	·61	–	–	–		16
17	·36	·02	·13	·13	–	·02	–	–	·15	–	–	–		17
18	·38	·14	·02	·02	–	·47	–	–	– tr	·01	·17	·01		18
19	·13	·08	– tr	·09	–	·23	2·20	–	·15	– tr	–	·12		19
20	·46	·01	–	·28	·43	–	–	– tr	–	·01	–	– tr		20
21	·28	·73	·03	·04	·02	–	·12	–	–	– tr	– tr	·02		21
22	·38	·02	·04	–	·12	·37	·07	–	–	·71	·28	·03		22
23	·14	·04	·02	–	·17	–	·01	–	–	·25	·17	– tr		23
24	·19	·58	·05	–	–	–	–	–	·13	·30	–	– tr		24
25	·15	·39	·10	–	·95	–	–	–	·04	·32	–	– tr		25
26	·01	·19	·01	–	·25	–	–	–	–	·12	– tr	–		26
27	·04	·09	–	·17	–	–	–	–	–	·83	–	–		27
28	– tr	·06	–	–	–	–	–	–	–	·06	–	–		28
29	·03	–	–	–	–	·06	–	–	–	·02	·06	·01		29
30	·33	✕	–	–	–	–	–	–	–	·01	·27	–		30
31	·32	✕	–	✕	–	✕	–	–	✕	·07	✕	·03		31
													Year's Total	
TOTAL	4·13	4·72	3·00	3·23	2·91	1·99	3·17	0·85	2·33	2·76	1·52	3·03	33·64	✓ ✓
* Days with .01 in. or more.	23	24	18	17	12	11	10	5	12	13	9	18	172	✓ ✓
* Days with .04 in. or more.	18	19	12	14	10	6	7	5	11	9	8	10	129	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) B. E. Dunbar Kilburn [P.T.O.

X HENLEY (ST MARKS R

1074/5

Section **A** **for the entry of Dai**
AIR MINISTRY.—
INFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTE 1931.

Oxon 4

1074/5

HENLEY (ST. MARKS RD)

1931 ONLY

Kept at Henley-on-Tha

in the County of Oxon

to 1930

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM **DAY.**

78 0208

An observer who does not conform to this *of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	trace	·11	trace	·07	–	·12	trace	–	·11	–	rime trace	–	1
2	·08	·08	–	·52	–	–	·02	trace	·42	–	–	·06	2
3	·05	·02	·03	·16	·31	–	–	·27	·38	–	·20	·24	3
4	rime ·01	·01	–	trace	·02	–	·02	·11	·05	·01	·08	trace	4
5	rime ·01	trace	–	·26	·02	·40	·01	·01	·03	–	·01	·24	5
6	–	·14	–	·22	–	–	trace	–	–	·26	·20	–	6
7	–	trace	–	·01	·21	·12	–	·68	–	·09	·25	·09	7
8	·01	·08	·01	·03	·01	·14	–	·08	–	·01	·28	trace	8
9	–	·14	trace	·06	–	–	trace	–	–	–	·16	·01	9
10	trace	·03	trace	mist trace	trace	·04	·02	·24	–	·02	·25	–	10
11	·08	·26	–	–	trace	trace	·01	–	·05	trace	·10	–	11
12	–	–	–	trace	–	–	·43	–	·36	–	·15	–	12
13	–	–	–	–	–	trace	·02	·35	–	–	–	–	13
14	trace	·12	–	–	·01	·02	1·60	·59	–	–	trace	–	14
15	trace	trace	–	·13	·11	–	·23	·64	–	–	trace	·03	15
16	–	·05	–	·16	·18	·09	–	·25	·12	–	–	–	16
17	·02	·06	–	·24	·06	·02	·23	–	·03	–	–	–	17
18	·05	·01	·05	·22	–	·19	–	·72	–	–	·52	–	18
19	·05	trace	·01	·25	–	·02	·20	trace	–	–	·01	–	19
20	–	·05	–	·10	–	–	trace	·27	–	trace	trace	–	20
21	·02	–	trace	–	·43	–	–	–	–	–	–	–	21
22	·20	–	trace	·09	–	–	–	–	·02	rime trace	trace	–	22
23	·21	·01	–	·05	·34	·02	–	–	trace	–	·23	·03	23
24	–	–	–	·29	·20	·11	·05	–	–	–	–	·01	24
25	·04	trace	–	·22	·07	–	·50	–	–	–	·06	–	25
26	–	·02	–	·11	–	–	·57	–	–	–	·96	–	26
27	·19	·40	–	·07	·73	–	·04	–	–	·01	·13	–	27
28	·05	·13	–	·03	·14	–	–	–	–	·03	mist trace	·18	28
29	·10	×	–	trace	·25	–	·09	–	–	·23	mist ·01	–	29
30	·05	×	–	–	–	–	–	·06	–	–	–	–	30
31	·17	×	–	×	·04	×	–	trace	×	–	×	·04	31
TOTAL	1·39	1·72	·12	3·29	3·13	1·29	4·04	4·27	1·57	·66	3·60	·93	YEAR'S TOTAL 26·07
*Days with ·01 in. or more.	18	18	4	21	17	12	16	13	10	8	17	10	164
*Days with ·04 in. or more.	13	12	2	18	13	8	10	12	7	3	14	6	118

40-9999

*See Instruction 2 (*f*) on other side. * gauge over-sheltered

(Signed) Arthur A. Kidson [P.T.O.]

HENLEY (ST MARKS R

10745

Section A **for the entry of Daily Observations.** FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Oxon 4

Kept at Henley-on-Thames
in the County of Oxon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ... ft 10 in.
,, Ground ,, Sea Level 170 ft.

Comps 1930

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	trace	·11	trace	·07	—	·12	trace	—	·11	—	rime trace	—	1
2	·08	·08	—	·52	—	—	·02	trace	·42	—	—	·06	2
3	·05	·02	·04	·16	·31	—	—	·27	·38	—	·20	·24	3
4	rime ·01	·01	—	trace	·02	—	·02	·11	·05	·01	·08	trace	4
5	rime ·01	trace	—	·26	·02	·40	·01	·01	·03	—	·01	·24	5
6	—	·14	—	·22	—	—	trace	—	—	·26	·20	—	6
7	—	trace	—	·01	·21	·12	—	·68	—	·09	·25	·09	7
8	·01	·08	·01	·03	·01	·14	—	·08	—	·01	·28	trace	8
9	—	·14	trace	·06	—	—	trace	—	—	—	·16	·01	9
10	trace	·03	trace	mist trace	trace	·04	·02	·24	—	·02	·25	—	10
11	·08	·26	—	—	trace	trace	·01	—	·05	trace	·10	—	11
12	—	—	—	trace	—	—	·43	—	·36	—	·15	—	12
13	—	—	—	—	—	trace	·02	·35	—	—	—	—	13
14	trace	·12	—	—	·01	·02	1·60	·59	—	—	trace	—	14
15	trace	trace	—	·13	·11	—	·23	·64	—	—	trace	·03	15
16	—	·05	—	·16	·18	·09	—	·25	·12	—	—	—	16
17	·02	·06	—	·24	·06	·02	·23	—	·03	—	—	—	17
18	·05	·01	·05	·22	—	·19	—	·72	—	—	·52	—	18
19	·05	trace	·01	·25	—	·02	·20	trace	—	—	·01	—	19
20	—	·05	—	·10	—	—	trace	·27	—	trace	trace	—	20
21	·02	—	trace	—	·43	—	—	—	—	—	—	—	21
22	·20	—	trace	·09	—	—	—	—	·02	rime trace	trace	—	22
23	·21	·01	—	·05	·34	·02	—	—	trace	—	·23	·03	23
24	—	—	—	·29	·20	·11	·05	—	—	—	—	·01	24
25	·04	trace	—	·22	·07	—	·50	—	—	—	·06	—	25
26	—	·02	—	·11	—	—	·57	—	—	—	·96	—	26
27	·19	·40	—	·07	·73	—	·04	—	—	·01	·13	—	27
28	·05	·13	—	·03	·14	—	—	—	—	·03	mist trace	·18	28
29	·10	×	—	trace	·25	—	·09	—	—	·23	mist ·01	—	29
30	·05	×	—	—	—	—	—	·06	—	—	—	—	30
31	·17	×	—	×	·04	×	—	trace	×	—	×	·04	31
TOTAL	1·39	1·72	·12	3·29	3·13	1·29	4·04	4·27	1·57	·66	3·60	·93	YEAR'S TOTAL 26·07*
*Days with ·01 in. or more.	18	18	4	21	17	12	16	13	10	8	17	10	164
*Days with ·04 in. or more.	13	12	2	18	13	8	10	12	7	3	14	6	118

40-9999

*See Instruction 2 (*f*) on other side.

* gauge over-sheltered

(Signed) Arthur A. Kidson

[P.T.O.]

F.N 824621/28. 1075

Section **A** for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTR

RAINFALL ORGANIZATION.

1075

HENLEY-ON-THAMES

1931 - 40

78 0208

FORM 1090.

REGIS 193/.

Kept at Hart Street Ho

in the County of Oxford

Diameter of Funnel of Gauge No

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU OUS DAY.

An observer who does not conform to t insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Trace	0·10		0·06		0·10			0·09				1
2	0·09	0·07		0·50	0·01			Trace	0·44			0·05	2
3	0·03	0·02	0·06	0·16	0·31			0·36	0·37		0·17		3
4		Trace			0·01		0·17	0·20	0·05	Trace	0·08	0·26	4
5		Trace		0·19		0·38	0·03		0·02		Trace		5
6		0·15		0·25			0·03			0·25	0·28	0·23	6
7				0·01	0·19	0·09		0·60		0·09	0·10		7
8	0·01	0·07	Trace	0·04	Trace	0·12		0·17		Trace	0·13	0·06	8
9		0·10½	Trace	0·05			0·01				0·38	0·02	9
10		0·06			Trace	0·03	0·07	0·19			0·39		10
11	0·07	0·23							0·05		0·08		11
12							0·03		0·39				12
13							0·31	0·22					13
14	Trace	0·11				Trace	1·70	0·66					14
15		Trace		0·11	0·06		0·23	0·64					15
16		0·01		0·13	0·20	0·08		0·14	0·08			0·03	16
17	0·03	0·09		0·25	0·04		0·23		0·05				17
18	0·04	0·01	0·03	0·10		0·24		0·71			0·51		18
19	0·04			0·43		0·01	0·18	Trace	0·03				19
20		0·03½		0·12				0·26		Trace			20
21	0·03				0·45							0·01	21
22	0·02			0·10									22
23	0·36	Trace		0·02	0·37				Trace		0·22		23
24				0·22	0·20	0·11	0·04					0·02	24
25	0·03	Trace		0·23	0·07		0·79				0·05		25
26	0·01	0·01		0·10			0·60				0·98		26
27	0·18	0·40		0·07	0·66		0·04				0·13		27
28	0·05	0·10		0·02	0·15					0·04		0·15	28
29	0·10				0·22		0·08			0·22		0·01	29
30	0·06	×						0·06					30
31	0·16	×		×		×			×		×		31
TOTAL	1·29	1·57	0·09	3·16	2·94	1·16	4·54	4·21	1·57	0·60	3·50	0·84	YEAR'S TOTAL 25·47
*Days with ·01 in. or more.	17	16	2	21	14	9	16	12	10	4	13	10	144
*Days with ·04 in. or more.	10	11	1	18	12	7	12	12	8	4	13	5	113

40-9999

(Signed) A Edward Hobbs [P.T.O.

*See Instruction 2 (*f*) on other side.

F.N 824621/28. 1075

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hart Street Henley on Thames

in the County of Oxford

Diameter of Funnel of Gauge 9 in.

Height of top of Gauge above Ground ..... ft ..... in.

,, Ground ,, Sea Level ..... ft.

No average

Low gauge.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Trace	0·10		0·06		0·10			0·09				1
2	0·09	0·07		0·50	0·01			Trace	0·44			0·05	2
3	0·03	0·02	0·06	0·16	0·31			0·36	0·37		0·17		3
4		Trace			0·01		0·17	0·20	0·05	Trace	0·08	0·26	4
5		Trace		0·19		0·38	0·03		0·02		Trace		5
6		0·15		0·25			0·03			0·25	0·28	0·23	6
7				0·01	0·19	0·09		0·60		0·09	0·10		7
8	0·01	0·07	Trace	0·04	Trace	0·12		0·17		Trace	0·13	0·06	8
9		0·10½	Trace	0·05			0·01				0·38	0·02	9
10		0·06			Trace	0·03	0·07	0·19			0·39		10
11	0·07	0·23							0·05		0·08		11
12							0·03		0·39				12
13							0·31	0·22					13
14	Trace	0·11				Trace	1·70	0·66					14
15		Trace		0·11	0·06		0·23	0·64					15
16		0·01		0·13	0·20	0·08		0·14	0·08			0·03	16
17	0·08	0·09		0·25	0·04		0·23		0·05				17
18	0·04	0·01	0·03	0·10		0·24		0·71			0·51		18
19	0·04			0·43		0·01	0·18	Trace	0·03				19
20		0·03½		0·12				0·26		Trace			20
21	0·02				0·45							0·01	21
22	0·02			0·10									22
23	0·36	Trace		0·02	0·37				Trace		0·22		23
24				0·22	0·20	0·11	0·04					0·02	24
25	0·02	Trace		0·23	0·07		0·79				0·05		25
26	0·01	0·01		0·10			0·60				0·98		26
27	0·18	0·40		0·07	0·66		0·04				0·13		27
28	0·05	0·10		0·02	0·15					0·04		0·15	28
29	0·10				0·22		0·05			0·22		0·01	29
30	0·06	×						0·06					30
31	0·16	×		×		×			×		×		31
TOTAL	1·29	1·57	0·09	3·16	2·94	1·16	4·54	4·21	1·57	0·60	3·50	0·84	YEAR'S TOTAL 25·47
*Days with ·01 in. or more.	17	16	2	21	14	9	16	12	10	4	13	10	144
*Days with ·04 in. or more.	10	11	1	18	12	7	12	12	8	4	13	5	113

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Edward [illegible]

[P.T.O.

1075
1075

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1075

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932. F.b. 824621/28

Kept at Hart Street, Henley on Thames
in the County of Oxford
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

No Chart

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.15	.	.	0.07	0.80	.	0.35	0.24	0.01	0.05	0.02	.	1
2	.	.	.	0.26	0.03	.	.	0.02	0.25	0.06	0.04	0.15	2
3	.	.	.	0.14	0.04	.	.	.	0.33	0.12	.	.	3
4	Tr	.	.		.	0.25	.	.	.	.	0.11	.	4
5	0.25	.	.		0.02	.	0.18	.	0.11	.	.	.	5
6	0.41	.	0.04	0.14	0.01	.	.	.	0.15	.	.	.	6
7	.	.	0.09	0.04	0.04	.	0.04	.	0.03	0.05	.	.	7
8	.	.	0.10	0.01	0.04	.	.	.	0.43	0.08	.	.	8
9	0.04	.	.	0.04	0.30	.	.	.	.	.	.	.	9
10	0.40	0.04	0.02	0.20	0.10	0.06	.	.	0.02	0.21	0.09	.	10
11	.	.	.	0.05	0.03	.	0.05	Tr	.	0.04	0.03	0.01	11
12	0.10	.	.	.	0.09	.	.	.	.	0.23	.	.	12
13	0.06	.	.	0.18	Tr	.	0.03	.	0.02	0.27	0.13	0.02	13
14	0.19	.	.	0.02	0.02	.	.	0.12	.	0.02	0.11	.	14
15	.	.	.	0.02	0.27	.	.	.	.	0.10	.	0.01	15
16	0 09	.	.	0.15	0.03	.	.	.	.	.	.	.	16
17	.	.	.	0.01	.	.	Tr	.	.	0.06	.	.	17
18	.	.	.	.	.	.	0.02	.	0.23	.	0.16	.	18
19	.	.	.	.	.	.	.	.	.	0.29	.	.	19
20	.	.	.	0.15	0.16	.	.	2.00	0.08	0.69	0.08	.	20
21	0.05	.	0.01	0.23	1.59	.	.	0.19	.	0.28	.	.	21
22	.	.	0.23	.	Tr	.	0.16	.	0.20	.	0.26	0.03	22
23	.	Tr	.	0.02	0.05	.	.	.	0.11	0.70	Tr	.	23
24	.	0.08	.	.	.	.	0.40	.	0.11	0.06	0.02	0.08	24
25	.	.	.	0.02	.	.	0.28	.	.	0.15	0.02	.	25
26	.	.	0.12	0.05	.	.	0.02	.	.	0.08	.	.	26
27	.	.	0.28	0.16	0.28	.	0.02	.	.	0.10	0.04	.	27
28	.	.	0.19	0.07	0.27	0.24	0.10	.	.	0.11	.	.	28
29	.	.	0 35	0.12	0.28	0.05	Tr	.	0.14	0.16	0.06	.	29
30	.	×	0.05	0.05	.	0.48	.	.	0.19	0.07	0.29	0.01	30
31	.	×	.	×	.	×	0.07	.	×	.	×	0.16	31
TOTAL	1.74	0.12	1.48	2.20	4.45	1.08	1.72	2.57	2.41	3.98	1.46	0.47	YEAR'S TOTAL 23.68
*Days with ·01 in. or more.	10	2	11	23	20	5	13	5	16	23	15	8	151
*Days with .04 in. or more.	10	2	9	17	14	5	10	4	12	22	11	3	119

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) H. Edward Hobbs

P.T.O.

File No. 824631/28

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1075

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Henley-on-Thames

in the County of Oxford

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

No change

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·07	0·14	0·07								0·04			1
2	0·24		0·35		0·79						0·05			2
3	0·30	0·18	0·18		0·03									3
4		T	0·04		0·31									4
5	0·19	T	0·25		0·01									5
6		0·12	0·10		0·13					0·12	0·05			6
7	0·12	0·12	0·05		0·02		T			0·04		0·02		7
8	0·09		0·03		0·11		0·26			0·03				8
9			T		0·02		0·20			0·08	0·04			9
10		0·04			T		0·24			0·17				10
11	0·21				0·05	0·03	0·07½	0·08		0·01	0·11½			11
12						0·07		T	0·57					12
13	0·02½				0·11	0·01	0·24		0·05		0·03			13
14							0·02	0·06		0·08	0·73	0·03		14
15	0·39		0·21			0·30	0·24	0·10			0·04			15
16			0·61			0·26	0·37		0·01	0·01				16
17	0·03½	0·01	0·48			0·04			0·04		0·01			17
18	0·10	0·12	0·07			0·14								18
19		T	0·29			0·19			0·81		0·02	0·02		19
20		T	0·08	0·04		0·39			0·04					20
21		T	T					0·06	0·13					21
22					0·19	0·09		0·13	T	0·32	0·01			22
23				0·23	T			T	0·39	0·07	T			23
24		0·81		0·19	0·02	0·24			0·20		0·03½			24
25		1·12		0·27	0·01				0·14	T	0·02	0·11		25
26		0·37		0·07		0·09			0·08	0·17		0·01		26
27		T		T	0·03		T		0·01	0·13		0·05		27
28		0·02		0·09						0·22		0·04		28
29	0·11½		0·02	0·33						0·02		0·01		29
30	0·14	X	0·02				0·03		0·08	0·02		0·19		30
31	0·23	X	0·04	X		X		0·05	X	0·06	X			31
TOTAL	2·25½	3·05	2·89	1·22	1·83	1·85	1·67½	0·48	2·55	1·55	1·19	0·48	Year's Total 21·02	
*Days with ·01 in. or more.	14	11	17	7	14	12	9	6	13	16	13	9	141	
*Days with ·04 in. or more.	12	9	14	7	7	11	7	6	11	11	7	4	106	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entry required.

(Signed) Edward Hotts

[P.T.O.]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1075

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at Henley-on-Thames (Hart Street)

in the County of Oxford

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground ..... ft ..... in.

,, Ground ,, Sea Level ..... ft.

No details

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·03							0·18	0·04		0·02	0·50		1
2	0·15		0·08		0·04				0·61			0·22		2
3	0·01½	0·01½		0·04						0·45½		T		3
4	0·04		0·08	0·25	T					0·10	0·08	0·30		4
5			0·01		0·04			0·11		0·02	T	0·44		5
6	0·01		0·25	T	0·26	0·04		T				0·52		6
7	0·03							0·29	T	0·22½		0·28		7
8		T			0·08½			0·02	0·10	0·07	0·21	0·04		8
9	0·01		0·04								1·06½	0·40		9
10	0·02		0·23	0·15				0·04			0·04	0·05		10
11	0·34		0·28	0·10			0·04	0·08			T	0·24		11
12	T		T	0·01			0·05	0·05				0·09		12
13	0·35		0·20	0·04			0·49	0·33			0·03	0·67		13
14	0·03		0·35		0·01	0·03					0·10	0·43		14
15	0·04		0·03		0·14				0·02	0·25	0·07	0·35		15
16	0·19		0·17						0·02	0·06	0·01½	T		16
17	0·02			T					0·04	0·08	T	0·28		17
18	0·15		0·05	0·17			0·01½		0·07			0·09		18
19			0·16			0·02			0·09			0·14		19
20			0·10	0·09			0·15	T			T	0·03		20
21			T	0·02		0·12	0·02	0·06		0·07½				21
22				0·01				0·14	0·18		0·02	0·09		22
23				0·18		0·39						0·05		23
24		0·05	0·07	0·01		0·08	0·94		0·16			T		24
25	0·24			0·12		0·39			0·03	0·06		0·45		25
26	0·07			0·15		0·01				0·04		0·13		26
27	0·01	T		T		0·21				0·03½		0·29		27
28				0·03		0·15	T	0·91			0·03	0·29		28
29							T		0·21			0·02		29
30		×						0·02	0·04½	T		0·13		30
31	0·03	×		×		×			×		×	0·06		31
TOTAL	1·77½	0·06½	2·10	1·37	0·57½	1·44	1·70½	2·23	1·61½	1·47	1·68	6·58	Year's Total. 22·60½	
* Days with .01 in. or more.	19	2	15	15	6	10	7	12	13	12	11	27	149	
* Days with .04 in. or more.	9	1	13	10	5	7	5	10	10	10	6	25	111	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Edward Potts

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1075

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Henley-on-Thames

in the County of Oxon.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·17	0·05	·	0·03	T	0·10	0·14	·	0·01	0.05	0.22	0·03		1
2	T	·	0·02	·	·	0·04	·	·	0·06	0·12	0.10	T		2
3	·	0.02	0·04	0·01	·	0·13	·	·	0·33	0·07	0·13	0·02		3
4	·	0·02	·	0·22	·	0·05	·	·	0·39	0·19	·	0·01		4
5	·	0·21	0·05	0·02	·	0·01½	·	·	0·30	T	0·01	T		5
6	·	0·01	0·02	0·34	·	0·58	·	·	·	·	·	0·04½		6
7	·	·	·	0·62	·	0·10	·	·	·	0·16	0·45	0·15		7
8	·	·	·	0·38	·	·	·	·	·	0·13	0·11	0·03		8
9	·	·	·	0·25½	·	0·75	·	·	·	0·66	0·16	0·01		9
10	T	·	·	0·02	·	0·01	·	·	·	·	0·11	0·01		10
11	0·26	·	·	0·01	·	0·04	0·04	·	·	·	0·30	T		11
12	·	0·03	·	·	·	0·20	·	0·01	0·03	·	0·06	·		12
13	0·06	0·12½	·	0·05	0·11	0·06	·	·	·	·	0·01	·		13
14	·	·	·	0·11	0·04½	·	·	·	·	T	0·27	0·14		14
15	·	0·15	·	0·40	·	0·43	·	·	0·13½	·	0·34	0·05		15
16	·	0·05	0·06	0·01	0·04	0·12	·	·	0·31½	·	0·23	0·04		16
17	·	·	·	0·04½	·	0·26	T	·	0·10	·	0·46	·		17
18	·	·	·	0·27½	0·07	0·04	0·09	·	0·36	0·03	T	T		18
19	·	·	·	0·02	0·24	0·04	0·11	·	0·09	T	0·09	0·17		19
20	·	0·12	·	0·11	0·52	0·06	0·7½	·	0·06	·	0·32	·		20
21	T	0·28	0·01	0·05	·	·	·	·	·	0·08	0·01	·		21
22	·	0·07	0·13	0·11	·	·	·	0·07	0·13	·	·	·		22
23	·	T	0·10	·	·	·	·	0·56	0·13	0·28	·	0·18		23
24	0·04	0·46	0·02	0·20	T	·	·	0·20	0·60	·	·	0·21		24
25	0·12	0·32	·	·	·	0·55	·	·	·	·	·	0·15		25
26	T	0·14	·	·	·	0·02	·	0·30	0·11	·	·	0·31		26
27	T	0·19	·	·	T	·	·	·	0·15	·	0.14	0·53		27
28	·	0·11	·	·	0·30	·	·	·	0·23	0·03	T	0·09		28
29	·		·	·	·	·	·	·	0·50	·	T	0·29		29
30	·	✕	·	0·04	T	·	·	0·62	0·05	0·08	0·38	0·44½		30
31	·	✕	·	✕	T	✕	·	·	✕	0·64	✕	0·22		31
TOTAL	0·65	2·35½	0·45	3·32½	1·32½	3·59½	0·45½	1·76	4·08	3·12	3·90	3·10	Year's Total 28·11½	
* Days with .01 in. or more.	5	17	9	22	7	20	5	6	20	13	20	21	165	
* Days with .04 in. or more.	4	13	5	15	7	17	5	5	18	11	17	15	132	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. Edward Hobbs [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1075

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at HENLEY-ON-THAMES

in the County of OXFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

" Ground " Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·12½	0·06	0·05	0·26	·	0·08	0·17	0·03	T	·	0·06	0·06		1
2	0·02	0·08	·	0·01	·	0·57	0·23	0·03	·	·	T	·		2
3	·	·	·	0·19	·	0·09	0·02	·	0·19	·	0·29	·		3
4	0·01	·	0·22	·	·	0·05	T	·	0·30	·	0·09	0·02		4
5	0·12	·	0·03	·	·	0·08	T	0·01	0·05	·	0·01	·		5
6	0·47	·	·	·	·	T	·	0·15	0·13	·	0·21	·		6
7	0·29	·	0·03	·	·	·	T	·	0·02	·	0·23	0·20		7
8	0·21½	·	0·09	·	·	·	0·02	·	T	·	0·39	0·08		8
9	0·37	·	0·07	·	·	·	0·22	·	0·35	0·04	T	·		9
10	·	·	·	·	·	·	0·03	·	0·02	·	·	·		10
11	·	·	·	0·05	·	·	0·05	T	T	·	0·92	·		11
12	·	·	·	0·03	·	0·30	0·21	·	0·40	·	0·10	·		12
13	·	·	·	0·05	·	0·17	0·01	·	·	0·04	0·10	0·55		13
14	·	0·05	·	·	·	0·03	0·54	·	0·08	0·01	T	0·39		14
15	·	0·04	·	·	·	·	·	·	0·08	·	0·01	0·10		15
16	0·14	0·14	·	·	·	·	0·07	·	0·04	·	0·60	0·03		16
17	0·30	0·52	·	·	0·32	·	T	·	·	0·01	0·12	0·20		17
18	0·02	0·19½	·	·	·	0·54	0·10	0·01	·	0·05	0·03	0·18½		18
19	0·21	0·05	0·04	0·01	·	0·31	0·01	0·10	·	·	·	·		19
20	0·07½	0·09	0·08	0·33	·	0·13	·	·	0·36	·	·	·		20
21	·	·	·	0·36	0·03	0·07	0·14	·	T	· ·	·	·		21
22	0·10	0·39	0·04	·	0·29	·	0·15	·	·	·	·	0·07		22
23	0·05	·	0·43	0·09	0·03	·	0·22	·	·	0·09	·	·		23
24	0·10½	0·05	·	·	·	·	0·03	·	0·21	0·42	·	·		24
25	T	·	0·12	0·20	·	·	0·22	·	0·19	0·10	0·05	·		25
26	0·05	0·14	0·15	0·00½	·	0·01	T	·	0·02	0·18	·	·		26
27	0·13	0·02	0·03	·	·	·	·	·	0·03	0·11	·	0·01½		27
28	0·37½	·	0·14	·	·	·	0·29	·	·	·	·	0·12½		28
29	0·40	0·10	0·05	·	·	0·12	0·07	·	·	0·04	0·20	0·08½		29
30	0·36	✕	0·07	·	0·02	0·37	·	·	·	0·23	·	0·01		30
31	0·40	✕	0·32	✕	·	✕	0·27	·	✕	0·43	✕	0·37½		31
TOTAL	4·23½	1·92½	1·96	1·58½	0·69	2·92	3·07	0·33	2·37	1·75	3·41	2·49½	Year's Total 26·74	✓
* Days with .01 in. or more.	22	14	17	11	5	15	21	6	16	13	16	16	172	✓
* Days with .04 in. or more.	19	13	14	8	2	13	15	2	12	11	13	12	134	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. Edward Hobbs [P.T.O.

P.P. A. G. H.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1075

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at HENLEY-ON-THAMES.
in the County of OXON
Diameter of Funnel of Gauge As before in.
Height of top of Gauge above Ground As before in.
,, Ground ,, Sea Level As before ft.

Days estimated from surrounding stations J.G.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	·13	·	·	·04	·	·	·	·	T	·	·28	1·14		1
2	·	·31	·02½	·40	·	·	·	·	·23	·	·	·55½		2
3	·	·15	T	·	·	·	·	·	·	·	·	·		3
4	·10	·38	·	·	·	·	·	·	·	·	·	·45		4
5	·15	·	·14	·	·	·	·13	·	·	·	·	·		5
6	·02½	·03	·51	T	·19	·	·32	·	·	·05	·05	·		6
7	·	·72	·13	·56	·	·	·	·	·03	·	·	·		7
8	·	·04	·	T	·08	·	·	·	·	·	·19	·		8
9	·	·05	·	·19	·11	·	·06	·	·27	·	·	·34		9
10	T	·	·62	·19	·	·33	·	·36	·	·	·	·15½		10
11	T	·	·14	·	·16	·	·04	·	·	·	·	·		11
12	·17	·31	·10	·07	·32	·32	T	·02	·10	·	·	·08		12
13	·20½	·14	·51	T	·	·08	·	·21	·32	·	·	·22		13
14	·	·01	·32	·09	·	·	·	·32	·05	·	·	·02½		14
15	·25	·16	·	·16	·	·	·26	·	·30	·	T	·02½		15
16	·	·13	·41	·54	·	·02	·	·26	·55	·	·	·		16
17	·39	·01	·14½	·13	·	·	·	·	·14	·	·	·		17
18	·38	·13	·	·01½	·	·46	·	·	·	·	·17	·		18
19	·13	·11	·03	·08	·	·19	·67	·	·14	·	·	·		19
20	·47	·01	·	·31	·44	·	·	T	·	·	·	·17		20
21	·31	·71	·04	·06	·05	·	·11	·	·	·01	·01	·04½		21
22	x ·40	·02	·04	·	·17	·44	·07	·	·	·68	·26	·03½		22
23	·32	·03	·05	·	·17	·	·02	·	·	·26	·10	T		23
24	x	·54	·09	·	·	·	·	·	·13	·28	·	·		24
25	·16	·47	T	·	·94	·	·	·	·04	·45	·	·		25
26	·01	·27	·	·	·21	·	·	·	·	·10	·	·		26
27	·05	·06	·	·17	·	·	·	·	·	·80	·	·01		27
28	·	·08	·	·	·	·	·	·	·	·06	·	·		28
29	·01	✕	·	·	·	·09	·	·	·	·03	·09	·		29
30	·	✕	·	·	·	·	·	·	·	·03	·26	T		30
31	·68½	✕	·	✕	·	✕	·	·	✕	·09	✕	·04½		31
TOTAL	4·35 4·34½	4·87	3·30 ~~3·32~~	[illegible] ~~2·94~~ 3·00	2·84	1·93 ✓ ~~[illegible]~~	1·68	1·17	2·30	2·84	1·41	3·30 3·29½	Year's Total ~~33·01½~~	32·99
* Days with 0.2 mm. or more.	20	24	16	15	11	8	9	5	12	12	9	13	154	
* Days with 1.0 mm. or more.	17	18	14	14	11	7	8	4	11	9	8	9	130	

(141w) * See Instruction 2 (f) on other side.

40-9999.

† Spare column, no entries required, except year's total.

(Signed) A. Edward Hobbs
p.p. P. G. H.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1075

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at 30A, Hart Street, Henley-on-Thames

in the County of Oxfordshire

Diameter of Funnel of Gauge..............in.

Height of top of Gauge above Ground........ft.........in.

,, Ground ,, Sea Level ....ft.

Unaltered

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	Trace	—	—	0.14	—	—	0.04	0.04	—	0.01		1
2	0.03	—	—	0.03	0.05	—	—	—	—	0.35	—	0.03		2
3	—	—	—	—	0.31	—	—	—	—	0.74	—	0.13		3
4	0.04	—	—	—	—	—	0.10	0.01	—	0.10	—	—		4
5	—	—	—	—	—	—	0.01	—	—	0.16	—	—		5
6	0.04	—	—	—	—	—	0.04	—	0.01	0.01	—	Trace		6
7	—	—	—	—	—	—	0.35	1.08	Trace	0.43	—	0.05		7
8	0.07	—	—	—	—	—	0.06	0.12	0.07	0.34	—	0.01		8
9	0.10	Trace	—	—	—	—	—	0.14	—	—	—	0.72		9
10	0.19	0.025	—	—	—	—	0.05	0.15	—	—	—	0.11		10
11	0.23	—	—	—	—	—	—	0.06	—	—	0.12	0.07		11
12	0.29	—	—	—	0.02	—	—	0.03	—	0.15	—	0.02		12
13	0.09	Trace	—	—	—	—	—	—	—	0.01	0.11	0.10		13
14	0.19	Trace	—	—	0.04	—	0.08	—	0.01	—	Trace	0.01		14
15	0.22	—	—	—	—	—	0.41	—	—	0.20	Trace	0.13		15
16	0.30	Trace	0.01	—	—	—	—	Trace	—	0.11	0.02	0.26		16
17	—	0.05	—	—	—	—	—	—	0.04	0.12	Trace	Trace		17
18	0.085	—	—	—	0.06	—	—	0.02	0.02	0.02	0.47	0.01		18
19	Trace	—	—	—	—	—	—	0.10	0.08	—	0.42	—		19
20	—	—	—	—	—	—	—	—	Trace	—	0.72	0.01		20
21	0.02	—	—	—	—	—	—	0.07	0.03	—	0.02	0.02		21
22	—	—	—	Trace	—	0.02	—	0.01	—	—	0.21	0.23		22
23	Trace	—	—	—	—	—	—	—	—	—	0.02	0.20		23
24	—	—	0.14	—	—	—	—	—	0.23	—	0.02	—		24
25	—	0.03	0.08	—	0.14	—	—	0.05	—	0.01	0.63	0.10		25
26	0.30	0.23	0.07	—	0.01	—	—	—	0.24	0.19	—	0.24		26
27	0.11	0.04	—	—	0.15	0.20	0.29	0.04	0.27	0.03	0.35	0.09		27
28	—	0.01	—	—	0.48	0.05	—	0.61	0.02	—	—	0.17		28
29	0.015	—	—	—	0.18	—	—	0.05	0.02	0.02	0.16	0.18		29
30	0.18		—	Trace	0.17	0.12	—	—	0.04	0.06	0.28	0.03		30
31	0.19		—		0.20		—	—		0.09		0.26		31
		·39											Year's Total	20·49
TOTAL	2.66	~~0.385~~	0.30	0.03	1.81	0.53	1.39	2.54	1.12	3.18	3.35	3.19	~~20.485~~	
* Days with .01 in. or more.	19	6	4	1	12	5	9	15	14	20	14	25	144	
* Days with .04 in. or more.	~~14~~ 16	3	3	—	10	4	8	11	8	14	10	16	103	

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

* See Instruction 3 (f) on other side.

HENLEY ON THAMES (HART St.) **COPY FOR OFFICIAL USE**

Section A **for the entry of Daily Observations**

Station No. 1075

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Henley

in the County of Oxon

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ......ft......in.

,, Ground ,, Sea Level ......ft.

No change

by 1938

f 824621/28

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			0.02	0.53	0.36			0.18	0.10					1
2	0.03			0.01				0.44	0.48		0.01	0.05		2
3	0.48			0.16				0.20			0.32	0.24		3
4	0.04		0.18	0.34	Tr		0.05	0.09		0.44	0.07	Tr		4
5				0.44	0.22		0.07	0.32		0.14	0.30	0.50		5
6	0.49			0.05	0.06		0.30	Tr		0.07	0.40			6
7	0.03	0.12						0.02			0.17	0.22		7
8		0.17	0.24				0.04½	0.30		0.47	0.17	0.28		8
9	0.05	0.03						0.04		0.26		0.18		9
10	0.31					0.21		0.15	0.01	0.15	0.01	0.01		10
11			0.23			0.01				0.19	0.01			11
12						0.04			0.03	0.01				12
13							0.11			0.84	Tr			13
14	0.46			0.04	0.06	0.06	0.21			0.14	0.30			14
15	0.13		0.05		0.44	0.42			0.08	0.60	0.09			15
16	0.28		0.07	0.02	0.04	0.23	0.01			0.05	0.55			16
17	0.25	0.02	Tr		0.19	0.01	0.07			1.34	0.08			17
18	0.20	0.01	0.03			0.11	0.28			Tr	0.24			18
19	0.21						0.33			0.11	Tr	0.04		19
20	0.38						0.64	0.12						20
21	0.01	0.12	0.24		0.04	0.01	0.02	0.02	Tr					21
22	0.15	0.29	0.03	0.07		0.01 ~~Tr~~	0.05				0.10			22
23	0.03			0.17		Tr	0.03			0.01	0.71			23
24	0.42			0.06		0.01	0.13			0.14	0.01			24
25	3.98	0.09	0.03				0.37			0.02	0.37			25
26	0.15		Tr	0.01½				0.07		0.08	0.15	0.02		26
27		0.02	0.03	0.02						0.04	0.10			27
28		0.13	0.06	0.21		0.03	0.08				0.24	0.05		28
29				0.17			0.34			0.15	0.06	0.03		29
30		✕		1.03		0.25					0.15	0.03		30
31		✕		✕		✕	0.12	0.08	✕	0.01	✕			31
													Year's Total	
TOTAL	5.08	1.00	1.21	3.33½	1.41	1.40	3.2~~3~~6½	2.03	0.70	5.26	4.61	1.65	30.94	Print wh.
* Days with .01 in. or more.	~~19~~ 20	10	12	16	8	13	19	13	5	21	23	12	172	
* Days with .04 in. or more.	16	8	7	12	8	7	16	11	3	17	19	8	130	

A. E. HOBBS, ESQ.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Edward Hobbs

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1075

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 40

gauge corrected for audit

checked for audit

Kept at HENLEY-on-THAMES

in the County of OXFORDSHIRE

Diameter of Funnel of Gauge.........in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground Sea Level.................ft.

No charge

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0.04		0.01							0.095			1
2		0.02		0.16			0.09			0.01	0.52			2
3		0.45		0.06						0.23	1.00	0.07		3
4		0.11		0.21						0.29	0.10	0.10		4
5		0.03								0.06	0.45	0.09		5
6	0.26	0.11			0.08		0.31			0.23	0.03	Tr.		6
7	0.17	0.36					0.19					Tr.		7
8									0.02	0.23	0.01	0.33		8
9									0.04	0.03	0.18	0.03		9
10			0.01				0.41				0.10	0.07		10
11			Tr.	0.05			0.06				0.82	0.03		11
12			0.08			0.12	0.05		0.07					12
13		0.03	0.51						0.05		1.32			13
14			0.13	0.12					0.08	0.28	0.02	0.42		14
15				0.01	0.02	0.08	0.22		0.03	0.05	0.36	Tr.		15
16	0.10	0.24	0.56	0.04		0.01	0.32		0.35	0.54	0.60			16
17			0.24				Tr.				0.07			17
18		0.40	0.20	0.27			0.36	0.015		0.18	0.13	0.15		18
19		0.16		0.31			0.07		0.29		0.19	0.01		19
20		Tr.	0.05	0.01				0.01		0.20	0.04			20
21	0.03	0.01			0.34		0.03			0.08	0.51			21
22					0.51	0.32			0.52					22
23		0.02	0.11	0.13		0.40				0.01		0.01		23
24				0.07			0.35				0.02			24
25			0.29				0.08							25
26	1.11	0.12	0.10	0.60	0.17						0.01			26
27	0.69	0.18					0.07							27
28	0.25			0.02	0.09									28
29	0.09	0.10	0.10	0.03	0.09	0.01						0.36		29
30	0.04	✕		0.18						0.20		0.01		30
31		✕		✕		✕			✕	0.55	✕			31
TOTAL	2.74 ~~2.84~~	2.38	2.38	2.28	1.30	0.94	2.61	3 0.025	1.39	3.17	6.575	1.68	Year's Total ~~27.57~~	27.47
* Days with .01 in. or more.	9	16	12	17	7	6	14	2	9	16	21	13	142	
* Days with .04 in. or more.	8	11	11	12	6	4	13	—	6	13	16	8	108	

† Spare column, no entries required.

(*Signed*) Edward Hobbs [P.T.O.

* See Instruction 3 (f) on other side.

1076

Section **A** for the entry of Daily Obser

AIR MINISTRY.—METEOR

FORM 1090.

REGISTER O

1076

HENLEY - ON - THAMES

1931- 40

48 02 08

Y FOR OFFICIAL USE.

)RGANIZATION.

Kept at Waterworks Henley-on-

in the County of Oxford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft.

,, Ground ,, Sea Level 122

THE MORNING MEASUREMENT IS

An observer who does not conform to this rule shoul *ing*
year in the space on the right of this paragraph.

Jan. 1, following

Please read and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0·12		0·05		0·10			0·14				1
2	0·10	0·08		0·55					0·42			0·09	2
3	0·05		0·06	0·17	0·32			0·38	0·46		0·19	0·23	3
4		0·02			0·02		0·21	0·25	0·03		0·10		4
5				0·26	0·03	0·41	0·05		0·04			0·24	5
6		0·17		0·22						0·26	0·31		6
7				0·03	0·21	0·09		0·71		0·10	0·16	0·09	7
8		0·08		0·02		0·13		0·09		0·01	0·11		8
9		0·18		0·07							0·41		9
10							0·08	0·25			0·40		10
11	0·09	0·23							0·05		0·08		11
12							0·18		0·40				12
13							0·24	0·19					13
14		0·12				0·05	1·80	0·73					14
15				0·13	0·14		0·22	0·56				0·05	15
16		0·06		0·16	0·17	0·09		0·30	0·13				16
17	0·03	0·06		0·26	0·05		0·25		0·02				17
18	0·05		0·04	0·24		0·26		0·75			0·53		18
19	0·05			0·30		0·03	0·18						19
20		0·06		0·10				0·27					20
21	0·03				0·46								21
22	0·18			0·08									22
23	0·22	0·01		0·08	0·35						0·23	0·02	23
24				0·37	0·22	0·12	0·05						24
25				0·16	0·06		0·75				0·07		25
26		0·03		0·11			0·65				0·07		26
27	0·22	0·40		0·09	0·81		0·05				0·14		27
28	0·06	0·15		0·03	0·06								28
29	0·10				0·24		0·10			0·26		0·19	29
30	0·06	×			0·05			0·06					30
31	0·18	×		×		×			×		×	0·04	31
TOTAL	1·42	1·77	0·10	3·48	3·19	1·28	4·81	4·54	1·69	0·63	3·80	0·95	YEAR'S TOTAL 27·66
*Days with ·01 in. or more.	14	15	2	21	15	9	14	12	9	4	13	8	136
*Days with ·04 in. or more.	12	12	2	18	13	8	14	12	7	3	13	7	121

40-9999

M

*See Instruction 2 (*f*) on other side.

(Signed) G. F. Smith

[P.T.O.

1076

Section **A** for the entry of Daily Obser Y FOR OFFICIAL USE.

AIR MINISTRY.—METEOR OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Waterworks Henley-on-Thames

in the County of Oxford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level 123 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0·12		0·05		0·10			0·14				1
2	0·10	0·08		0·55					0·42			0·09	2
3	0·05		0·06	0·17	0·32			0·38	0·46		0·19	0·23	3
4		0·02			0·02		0·21	0·25	0·03		0·10		4
5				0·26	0·03	0·41	0·05		0·04			0·24	5
6		0·17		0·22						0·26	0·31		6
7				0·03	0·21	0·09		0·71		0·10	0·16	0·09	7
8		0·08		0·02		0·13		0·09		0·01	0·11		8
9		0·18		0·07							0·41		9
10							0·08	0·25			0·40		10
11	0·09	0·23							0·05		0·08		11
12							0·18		0·40				12
13							0·24	0·19					13
14		0·12				0·05	1·80	0·73					14
15				0·13	0·14		0·22	0·56				0·05	15
16		0·06		0·16	0·17	0·09		0·30	0·13				16
17	0·03	0·06		0·26	0·05		0·25		0·02				17
18	0·05		0·04	0·24		0·26		0·75			0·53		18
19	0·05			0·30		0·03	0·18						19
20		0·06		0·10				0·27					20
21	0·03				0·46								21
22	0·18			0·08									22
23	0·22	0·01		0·08	0·35						0·23	0·02	23
24				0·37	0·22	0·12	0.05						24
25				0·16	0·06		0·75				0·07		25
26		0·03		0:11			0·65				0·07		26
27	0·22	0·40		0·09	0·81		0·05				0·14		27
28	0·06	0·15		0·03	0·06								28
29	0·10				0·24		0·10			0·26		0·19	29
30	0·06	×			0·05			0·06					30
31	0·18	×		×		×			×		×	0·04	31
TOTAL	1·42	1·77	0·10	3·48	3·19	1·28	4·81	4·54	1·69	0·63	3·80	0·95	YEAR'S TOTAL 27·66
*Days with ·01 in. or more.	14	15	2	21	15	9	14	12	9	4	13	8	136
*Days with ·04 in. or more.	12	12	2	18	13	8	14	12	7	3	13	7	121

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) G. F. Smith

[P.T.O.

1076

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1076

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Waterworks Henley-on-Thames
in the County of Oxford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft 9 in.
,, Ground ,, Sea Level 123 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.12			0.08	0.88	0.02	0.32	0.24		0.06	0.02		1
2	0.01			0.21	0.02			0.02	0.42	0.08		0.16	2
3				0.21	0.05				0.18	0.12			3
4	0.01					0.15					0.14		4
5	0.20					0.11	0.19		0.10				5
6	0.49			0.14	0.02				0.17				6
7			0.04	0.08	0.05		0.06		0.03	0.05			7
8			0.19	0.02	0.04				0.47	0.10			8
9	0.20			0.07	0.30								9
10	0.22			0.18	0.11	0.07			0.01	0.22	0.10		10
11		0.05		0.09	0.04		0.07			0.04	0.03		11
12	0.13				0.10			0.01	0.03	0.24	0.04		12
13	0.06			0.20	0.02		0.05			0.29	0.10		13
14	0.22				0.04			0.15			0.13		14
15				0.04	0.23					0.12			15
16				0.17	0.04								16
17										0.06			17
18							0.02		0.25		0.16		18
19				0.02					0.03	0.30			19
20				0.13	0.16			2.22	0.04	0.73	0.06		20
21	0.15		0.05	0.25	1.74			0.22		0.29		0.07	21
22			0.22	0.05			0.09		0.29	0.09	0.27		22
23					0.06				0.06	0.61		0.07	23
24		0.09					0.43		0.04	0.06	0.03		24
25				0.02		0.02	0.30		0.05	0.16	0.04		25
26			0.13	0.06	0.03					0.06			26
27			0.31	0.18	0.26	0.01	0.05			0.08	0.05		27
28			0.19	0.09	0.32	0.27	0.09			0.13			28
29			0.37	0.13	0.27	0.10	0.02		0.14	0.26	0.04	0.02	29
30		×	0.08	0.08		0.51			0.21		0.34	0.16	30
31		×		×		×	0.07		×		×	0.07	31
TOTAL	1.81	0.14	1.58	2.50	4.78	1.26	1.76	2.86	2.52	4.15	1.55	0.55	YEAR'S TOTAL 25.46
*Days with ·01 in. or more.	11	2	9	22	21	9	13	6	17	22	15	6	153
*Days with .04 in. or more.	9	2	9	19	17	6	11	4	13	22	12	5	129

40-9999 M

*See Instruction 2 (f) on other side.

(Signed) G F Smith

P.T.O.

√ KJ. Examined by Cards for T.V.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1076

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Water Works, Henley-on-Thames.

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

,, Ground ,, Sea Level 123 ft.

T.V.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.22	0.12	0.09								0.05			1
2	0.32		0.36		0.88						0.05			2
3		0.19	0.24		0.04									3
4	0.14		~~0.21~~ ·03		0.33									4
5		0.01	·18											5
6		0.14	0.31		0.14					0.14	0.05			6
7	0.16	0.11	0.08		~~0.04~~									7
8	0.07				0.14		0.23			0.07				8
9			0.08		0.04		0.24			0.09	0.06			9
10						0.02	0.25			0.18	0.11			10
11	0.16					0.09		0.07						11
12	0.04				0.13		0.05		0.60					12
13					0.04		0.20		0.05	0.07	0.05			13
14	0.42						0.03	0.06			0.78			14
15			0.20			0.34	0.25	0.10		0.02	·02			15
16			0.66			0.27	0.25							16
17	0.05		0.52			0.09			0.05					17
18	0.07	0.09	0.13			0.14								18
19		0.03	0.25			0.31			0.82		·02			19
20			0.07	0.03		0.44			0.04			0.06		20
21								0.06	0.15	0.05				21
22					0.26	0.08		0.16		0.30		~~0.08~~		22
23				0.26					0.41	0.06				23
24		0.95		0.19	0.02	0.44			0.21		·04			24
25		1.00		0.29	0.01				0.09		~~0.10~~ ·02	·08		25
26		0.51		0.08		0.11			0.07	0.05				26
27		0.03			0.02					0.28		0.05		27
28				0.04						0.22		0.02		28
29	·10		0.04	0.40						0.03		0.04		29
30	~~0.25~~ ·15	×	0.03				0.03		0.07			0.16		30
31	0.26	×	0.01	×		×		0.04	×	0.06	×			31
TOTAL	2.16	3.18	3.28	1.29	2.05	2.33	1.53	0.49	2.56	1.62	1.25	0.41	Year's Total 22.15 ✓	
*Days with ·01 in. or more.	1~~8~~3 ✓	11 ✓	1~~6~~7 ✓	7 ✓	12 ✓	11 ✓	9 ✓	6 ✓	11 ✓	14 ✓	~~8~~ 11 ✓	6 ✓	~~123~~ ✓	128
*Days with ·04 in. or more.	1~~2~~3 ✓	8 ✓	14 ✓	6 ✓	9 ✓	10 ✓	7 ✓	6 ✓	11 ✓	12 ✓	8 ✓	5 ✓	~~108~~	109

40-9999

*See Instruction 2 (*f*) on other side.

M. Ø

† Spare column, no entries required.

(*Signed*) C. Smith

[P.T.O.

Jan. adjusted by cards & Surv. Stns. for T.V.

Exe DL

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1076

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Waterworks Henley-on-Thames

in the County of Oxford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 123 ft.

T.V.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in	in.	in.	in.	in.	in.	in.	in.	in	in.	†	
1	0·03							0·19				0·57		1
2	·15		0·09		0·03				0·68	0·13		0·18		2
3								0·02		0·30				3
4	0·05		0·10	0·28	0·05					0·11	0·10	0·36		4
5								0·09		0·03		0·45		5
6	·02 ~~0·05~~		0·29		0·25	0·03		0·19		0·23		0·09		6
7	·03							0·10		0·08		0·73		7
8		0·02			0·08			0·01	0·08		0·25	0·08		8
9			0·04								1·16	0·36		9
10	0·02		0·18	0·15				0·05			0·02			10
11	0·36		0·32	0·11			0·02	0·04				0·29		11
12							0·06	0·06				0·12		12
13	0·19		0·09	0·04			0·46	0·24			0·03	0·71		13
14	0·05		0·48			0·02					0·10	0·47		14
15	0·04		0·03		0·12				0·02	0·25	0·08	0·32		15
16	0·10		0·17						0·02	0·04				16
17	0·03									0·09		0·31		17
18	0·16			0·14			0·01		0·11			0·08		18
19			0·20			0·02			0·10			0·16		19
20			0·07	0·03			0·17							20
21				0·05		0·08	0·02	0·05		0·08				21
22								0·15	0·18			0·09		22
23				0·17		0·38			0·04			0·06		23
24		0·05	0·07	0·03		0·06	1·00		0·13					24
25	0·25			0·17		0·65				0·06		0·46		25
26	0·07			0·11		0·02				0·03		0·10		26
27						0·22						0·37		27
28				0·03		0·20		0·92			0·04	0·29		28
29									0.21					29
30		×										0·14		30
31	0·02	×		×		×			×		×	0·09		31
TOTAL	1·57	0·07	2·13	1·31	0·53	1·68	1·74	2·11	1·57	1·43	1·78	6·88	Year's Total. 22·80	
* Days with .01 in. or more.	15	2	13	12	5	10	7	13	10	12	8	24	132	
* Days with .04 in. or more.	10	1	12	9	4	6	4	11	8	10	6	24	105	

M

40-9999

† Spare column, no entries required.

(*Signed*) G. Smith

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1076

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at HENLEY-ON-THAMES ~~OXON~~

in the County of OXFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 125 ft.

June + July adjusted by cards.

TV

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·15	—	—	—	0·02	0·08	↑ (·08)	—	—	0·05	0·34	0·10		1
2	—	0·05	—	0·03	—	0·04		—	0·08	0·16	0·01	0·01		2
3	—	—	0·04	—	—	0·17		—	0·68	0·75	0·13	0·02		3
4	—	—	—	0·20	—	(·05)		—	0·12	0·12	—	0·02		4
5	—	0·21	0·08	0·03	—	—		—	0·34	0·27	—	0·02		5
6	—	—	—	0·32	—	0·64		—	—	—	—	0·03		6
7	—	—	—	0·62	—	0·09	NOT RECORDED	—	—	Tr	0·43	0·14		7
8	—	—	—	0·40	—	—		—	—	—	0·11	0·05		8
9	—	—	—	0·25	—	(·75)		—	—	0·67	0·18	0·01		9
10	—	—	—	0·03	—	—		—	—	0·01	0·08	—		10
11	0·28	—	—	—	—	0·08 (·12)		—	—	—	0·32	—		11
12	0·06	—	—	—	—	0·15		—	0·03	—	0·07	—		12
13	—	0·15	—	0·04	0·09	0·07		—	—	—	0·01	—		13
14	—	0·16	—	0·10	0·05	—		—	—	—	0·28	0·14		14
15	—	—	—	0·42	—	0·53		—	0·14	—	0·39	0·05		15
16	—	0·05	0·06	0·02	—	0·09		—	0·35	—	0·42	0·04		16
17	—	—	—	0·04	—	0·27	↓	—	0·10	—	0·27	—		17
18	—	—	—	0·27	—	0·02	0·08	—	—	—	—	—		18
19	—	—	—	0·01	0·28	0·03	0·11	—	—	—	0·09	0·15		19
20	—	0·15	—	0·10	0·54	0·06	0·06	—	0·07	—	0·33	0·02		20
21	—	—	—	0·06	—	—	—	—	0·05	0·10	0·01	—		21
22	—	0·25	0·13	0·10	—	—	—	—	0·08	—	—	—		22
23	—	0·04	0·10	—	—	—	—	0·46	0·15	0·24	—	0·09		23
24	0·05	0·54	—	—	—	—	—	0·38	0·60	0·05	—	0·30		24
25	0·10	0·32	—	0·19	—	0·59	—	—	—	Tr	—	0·21		25
26	0·01	0·06	—	—	—	—	—	0·30	0·11	Tr	—	0·32		26
27	—	0·26	—	—	—	—	—	—	0·16	Tr	0·14	0·52		27
28	—	0·12	—	—	0·22	—	—	—	0·52	0·15	—	0·08		28
29	—	—	—	—	—	—	—	—	0·23	—	—	0·30		29
30	—	✕	—	0·03	—	—	—	0·63	0·01	0·08	0·29	0·42		30
31	—	✕	—	✕	—	✕	—	0·02	✕	0·69	✕	0·14		31
TOTAL	0·65 ✓	2·36 ✓	0·41 ✓	3·26 ✓	1·20 ✓	3·71 ~~[illegible]~~ ✓	(·46)	1·79 ✓	3·82 ✓	3·34 ✓	3·90 ✓	3·18 ✓	Year's Total 28·07	✓
* Days with .01 in. or more.	6 ✓	13 ✓	5 ✓	20 ✓	6 ✓	17	(5)	5 ✓	18 ✓	13 ✓	19 ✓	23 ✓	150	✓
* Days with .04 in. or more.	5 ✓	13 ✓	5 ✓	14 ✓	5 ✓	15 ✓	(5)	4 ✓	16 ✓	12 ✓	16 ✓	16 ✓	126	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Arthur Earnshaw. [P.T.O.

M

COPY FOR OFFICIAL USE.

Sec[illegible]n **A** for the entry of Daily Observations.

Station No. 1076

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

T.V.

Copy by B.R.O.

Kept at Henley on Thames (Greys Lane)
in the County of Oxford
Diameter of Funnel of Gauge.................in.
Height of top of Gauge above Ground.........ft.........in.
,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·08	·05	·23		·20	·18	·04	—	—	·07	·06		1
2	·03	·08	tr	·01		·47	·24	·04	—	—	·05	tr		2
3	tr	tr		·19		·10	·02		·24	—	·27	—		3
4	tr		·21			·06	tr		·27	—	·10	·03		4
5	·12		·02			tr		·01	·08	—	·01	·13		5
6	·50		tr			·09		·14	·15	—	·21	·01		6
7	·26		·03				tr		·02	—	·20	·07		7
8	·21						·03		·01	—	·44	·11		8
9	·40		·07				·23		·36	·05	·01	·01		9
10	·08						·04		·02	—	—	—		10
11	tr			·06			·07		·03	—	·97	—		11
12				·05		·32	·23		·40	—	·11	·18		12
13				·01		·15	·02	tr	—	·03	·11	·37		13
14		·04				·03	·52		·10	·03	·01	·41		14
15							·01		·09	—	—	·10		15
16	·11	·16					·10		·05	—	·62	·03		16
17	·24	·56			·38		tr		—	·02	·12	·20		17
18	·08	·22				·58	·10	·01	tr	·07	·04	·20		18
19	·23	·06	·04	·02		·32	·03	·10	—	tr	—	—		19
20	·08	·10	·08	·33		tr			·37	—	—	tr		20
21		·01	tr	·34	·04	·20	·14		—	—	—	—		21
22	·10	·40	·05		·31		·12		—	—	—	·07		22
23	·05		·46	·10	·02		·23		—	·09	—	—		23
24	·10	·04	tr				·23		·21	·42	—	—		24
25	·03	tr	·11	·15			·27		·20	·10	·05	—		25
26	tr	·15	·16	·02		·02	tr		—	·14	—	—		26
27	·14	·02	·03						·03	·15	—	—		27
28	·75		·19				·30		—	·01	·03	·13		28
29	·16	·10	·08			·15	·07		—	·05	·19	·06		29
30	·13	✕			·03	·39	·05		—	·36	—	·03		30
31	·41	✕	31	✕	tr	✕	·24		✕	·30	✕	·42		31
TOTAL	4·41	2·02	1·89	1·51	·78	3·08	3·47	·34	2·63	1·82	3·61	2·62	Year's Total 28·18	
* Days with .01 in. or more.	22	14	15	12	5	14	23	6	17	14	19	19	180	
* Days with .04 in. or more.	20.	12	12.	8.	3.	12.	18.	4.	12	10	15	14	140	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

adjusted by surr. Stns for T.V.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1076

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Henley on Thames, Greys Lane
in the County of Oxford
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

March adj by surr Stns, also Dec.
[illegible] for Sept. 17th 18th. Obsr. says his record is correct see file

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·11	–		·04			–	–		–	·30	1·05		1
2	–	·32	·03	·44		·05	–	–	·23	–	–	·12		2
3	–	·15			·01		–	–		–	–	·07		3
4	·09	·40			·02		–	–		–	–	·38		4
5	·15	·02	·15		·01		·14	–		–	–	–		5
6	·03	·02	·65		·20		·33	–		·05	–	–		6
7	–	·75	·02	·54			–	–	·04	–	–	–		7
8	–	·66			·14	·01	–	–		–	–	·28		8
9	–	·06		·18	·07		– ·07	–	·29	–	·15	·07		9
10	–	–	·62	·23		·37	~~·12~~ ·02	·30		–	–	·16		10
11	–	–	·16		·17	·62	·03	–		–	–	–		11
12	·16	·33	·11		·44	·40	–	·03	·11	–	–	·08		12
13	·20	·15	·57	·01	·01	·06	–	·03	·34	–	–	·23		13
14	TR	·03	·30	·08		·01	–	·34	·06	–	–	·03		14
15	·25	·17	·01	·18			·31	–	·32	–	–	·02		15
16	·03	·14	(·30)	·55		·02	–	·26	·60	–	–	–		16
17	·38	·02	·55 (·25)	·18			–	–	✓	–	–	·15		17
18	·40	·13		·02		·45	–	–	✓	–	·18	–		18
19	·13	·11	·04	·08		·16	·84	–	·17	–	–	–		19
20	·47	–		·31	·46		–	–		–	–	–		20
21	·32	·74	·03		·07		·12	–		·01	–	·05		21
22	·39	·03	·05		·19	·55	·07	–		·69	·26	·04		22
23	·13	·04	·02		·20		·02	–		·28	·11	–		23
24	·15	·55	·05		·01		–	–	·15	·32	–	–		24
25	·15	·46	(·09)		·91		–	–	·04	·47	–	–		25
26	·02	·27	(·32)		·23		–	–		·15	–	–		26
27	·05	·12	~~·11~~	·19			–	–		·75	–	–		27
28	–	·05					–	–		·06	–	–		28
29	~~·72~~ ·03	–				·08	–	–		·04	·09	·01		29
30	·36	✕					–	–		·09	·27	–		30
31	·33	✕		✕		✕	–	–	✕	·04	✕	·04		31
TOTAL	4·33	5·12	3·47	3·03	3·14	2·78	1·95	·96	2·35	2·95	1·36	2·78	Year's Total 34·22	✓ ✓
* Days with .01 in. or more.	22	24	~~18~~ 19	14	16	12	~~8~~ 10	5	11	12	7	16	168	✓ ✓
* Days with .04 in. or more.	18	19	13	12	11	9	7	3	11	11	7	13	134	✓ ✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

Adjusted by [illegible] Stns. for T.V.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1076

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Henley-on-Thames, Greys Lane.

in the County of Oxford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 123 ft.

TV

Copy by B.R.O.

Enquiry sent for Sept. 6th. Obs. says correct, see file

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–				·14	–	–	·04	·10	–	–		1
2	·03	–	·01	·05	·05		–		–	·30	–	·04		2
3	–	–			·31		–	·01	–	·60	·01	–		3
4	·04	–					–	–	–	·12	–	·15		4
5	–	–					·01	–	·01	·18	–	–		5
6	·04	–					·04	–	·01	·22	–	tr		6
7	–	–					·34	1·08	·07	·24	–	·06		7
8	·07	–					·09	·16	–	·36	–	–		8
9	·10	–					·02	·15	–	–	–	·71		9
10	·20	·07				·01	·03	·15	–	–	–	·13		10
11	·25	–					–	·06	–	–	·12	·05		11
12	·30	–			·03		–	·06	–	·16	–	·01		12
13	·09	·01					–	–	–	·02	·12	·10		13
14	·20	–			·05		·06	–	·02	–	·01	·03		14
15	·18	–					·45	–	–	·22	–	·14		15
16	·38	–	·02				·01	–	–	·10	·02	·30		16
17	–	·04					tr	·06	·04	·14		–		17
18	·06	–			·05		–	·08	·02	·03	·47	–		18
19	–	–					–	–	·08	–	·65	–		19
20	–	–					–	·09	·01	–	·50	·20		20
21	·01	–					–	·01	·03	–	·03	·20		21
22	–	–				·02	–	–	–	–	·22	·16		22
23	–	–					–	–	–	–	·04	–		23
24	–	–	·15				–	·06	·24	–	·03	·		24
25	·09	·04	·09		·14		–	–	tr	–	·64	·15		25
26	·22	·25	·08		·01		–	·02	·24	·22	·02	·20	✓	26
27	·11	·06			·15	·20	·31	·63	·26	·04	·37	–		27
28	–	·02			·50	·06	–	·07	·02	–	·01	·18		28
29	·20	X			·21		–	–	·03	·02	·17	·19		29
30	·02	✕			·16	·15	–	–	·04	·05	·30	·03		30
31	·19	✕		✕	·21	✕	–	~~·04~~	✕	·11	✕	·26		31
TOTAL	2·78 ✓	·49 ✓	·35 ✓	·05 ✓	1·87 ✓	·58 ✓	1·36 ✓	2·~~73~~ 69	1·1~~2~~ 1·16	3·23 ✓	3·43	3·29	Year's Total 21·58	✓
* Days with .01 in. or more.	20 ✓	7 ✓	5 ✓	1 ✓	12 ✓	6 ✓	10 ✓	1~~6~~ 5 ✓	~~15~~ 16 ✓	19 ✓	18	20	149	✓
* Days with .04 in. or more.	17 ✓	5	3 ✓	1 ✓	10 ✓	4 ✓	6 ✓	1~~3~~ 2 ✓	~~7~~ 8 ✓	16 ✓	11	17	110	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Earnshaw

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1076

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

TV

Copy by B.R.O.

Sept. coord. for W.D. by surr. Stns

Oct. coord. for W.D. see file

Kept at Henley-on-Thames, Greys Lane.

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 123 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	.03	.55	.35	-	tr	.18	.06	—	—	.03		1
2	.03	—	-	.03	.01	-	-	.45	.11	-	.01	.09		2
3	.28	—	-	.17	—	-	-	.21	.45	-	.30	.20		3
4	.05	—	.19	.32	.03	-	.06	.10	tr	.47	.06	tr		4
5	—	—	.01	.40	.22	-	.06	.33	.01	.17	.31	.46		5
6	.51	—	—	.02	.04	-	.30	.01	-	.07	.42	tr		6
7	.03	.13	—	-	—	-	.01	.04	-	-	.17	.21		7
8	tr	.14	.26	-	—	-	.05	.31	-	.51	.17	.29		8
9	.05	.04	—	-	—	-	-	.06	-	.15	tr	.18		9
10	.30	—	—	-	—	.22	-	.16	-	.11	tr	tr		10
11	—	—	.23	-	—	—	-	-	.01	.16	.01	.01		11
12	—	—	—	-	—	.02	-	-	.03	.02	—	-		12
13	—	—	—	TR	—	.01	.10	-	-	.80	—	-		13
14	.46	—	—	.05	.07	.07	.23	-	-	.16	.30	-		14
15	.12	—	.06	-	.43	.42	.01	-	-	.61	.10	-		15
16	.28	—	.08	.03	.05	.23	tr	-	.07	.06	.55	-		16
17	.25	.03	—	-	.20	.02	.06	-	-	1.35	.08	-		17
18	.21	.03	—	-	—	.13	.30	-	-	.02	.25	-		18
19	.22	—	—	-	—	-	.42	-	-	.10	—	-		19
20	.37	-	.04	-	—	-	.66	.17	-	.01	—	.04		20
21	.03	.12	.25	.05	.07	.02	.03	.01	-	—	—	-		21
22	.13	.32	.03	.07	—	.01	.07	-	-	—	.09	-		22
23	.04	—	—	.17	—	.01	.05	-	-	.01	.72	-		23
24	.06	—	—	.06	—	.01	.08	-	-	.14	.01	-		24
25	.94	.10	.04	-	—	-	.45	-	-	—	.32	-		25
26	.13	—	—	.02	—	-	.01	-	-	.09	.20	.02		26
27	—	.03	.03	.03	—	-	tr	-	-	.05	.10	-		27
28	—	.14	.06	.21	—	.02	.08	.06	-	.01	.23	.03		28
29	—	—	—	.14	—	-	.37	-	-	.15	.05	-		29
30	—		—	1.03	—	.22	tr	-	-	.01	.15	.04		30
31	—		—		—		.15	-		—		-		31
TOTAL	4.51	1.08	1.31	3.35	1.47	1.41	3.55	2.09	.68 ~~.74~~	5.23	4.60	1.60	Year's Total 30.88	
* Days with .01 in. or more.	21	10	13	17	10	14	21	13	~~7~~6	23	22	12	182	
* Days with .04 in. or more.	17	7	9	12	8	6	17	11	~~4~~3	17	19	8	134	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1076

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

T.V.

Kept at Henley-on-Thames (Greys Lane)

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 123 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. ✓

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	.02	–	.01	TR	–	–	–	–	–	.10	–		1
2	–	tr	–	.13	–	–	.09	–	–	.01	.50	–		2
3	–	.46	–	.08	–	–	–	–	–	.21	.90	.06		3
4	–	.11	–	.13	–	–	tr	–	–	.30	.02	.09		4
5	–	.03	–	tr	–	–	–	–	–	.08	.50	.09		5
6	.20	.16	–	–	.05	–	.40	–	–	.21	.40	–		6
7	.16	.36	–	tr	.03	–	.17	–	.01	–	–	–		7
8	.01	tr	–	–	TR	–	–	–	.02	.23	tr	.31		8
9	–	–	–	–	–	–	tr	tr	.04	.02	.16	.03		9
10	–	–	tr	–	–	–	.42	tr	.01	–	.10	.07		10
11	–	.01	.01	.05	–	–	.09	–	tr	–	.80	.02		11
12	–	.02	.07	–	–	.08	.04	–	.06	–	–	–		12
13	–	.02	.50	–	–	–	.01	tr	.06	–	1.29	–		13
14	–	–	.12	.13	–	–	–	–	.02	.24	–	.41		14
15	–	–	.01	.01	.02	.12	.20	–	.02	.03	.35	tr		15
16	.01	.26	.63	.03	–	.14	.29	–	.35	.52	.64	–		16
17	–	–	.30	–	–	–	.01	–	tr	–	.02	–		17
18	–	.44	.20	.24	–	–	.40	.01	–	.18	.14	.15		18
19	–	.20	.01	.30	–	–	.08	–	.28	–	.17	–		19
20	–	.01	.03	.01	–	–	tr	tr	tr	.18	.06	–		20
21	.03	.01	.01	–	.28	–	.04	tr	–	.08	.50	–		21
22	.03	tr	.05	–	.54	.32	–	–	.46	–	–	–		22
23	–	.02	.02	.12	.02	.39	tr	–	–	–	–	–		23
24	–	tr	–	.05	–	–	.33	–	–	–	.02	–		24
25	–	–	.20	–	TR	tr	.06	–	–	–	–	–		25
26	1.00	.12	.11	.60	.17	–	.01	–	–	–	.01	–		26
210 27	.25	.19	tr	.02	.01	–	.08	–	–	–	–	–		27
28	.70	tr	–	.01	.10	–	–	–	–	–	–	–		28
29	.10	.09	.09	.02	.14	.02	–	–	–	–	–	.37		29
30	–	✕	–	.17	–	–	–	–	–	.18	–	tr		30
31	.05	✕	tr	✕	–	✕	–	–	✕	.56	✕	–		31
TOTAL	2.54	2.53	2.36	2.11	1.36	1.04	2.72	.01	1.33	3.03	6.68	1.60	Year's Total 27.34 ✓	
* Days with .01 in. or more.	11	18	16	18	10	6	17	1	11	15	19	10	152 ✓	
* Days with .04 in. or more.	7 ✓	10 ✓	10 ✓	10 ✓	6 ✓	5 ✓	14 ✓	– ✓	6 ✓	12 ✓	15	8	104 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. F. Smith Esq.

P.T.O.

1077

Section **A** for the entry of Daily
AIR MINISTRY.—ME

COPY FOR OFFICIAL USE.
FALL ORGANIZATION.

FORM 1090.

REGISTER

31. 5: 1077

1077
GREYS GREEN HSE
1931-1940
780208

Kept at Rotherfield Gr
in the County of Oxon
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground 1
,, Ground ,, Sea Level

THE MORNING MEASUREME **AY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		14		12		17			·10			—	1
2	12	13		57		1			46		Trace	·15	2
3	3	1	12	18	18			30	54		·13	·16	3
4	4			1	2		23	56	4		9	1	4
5		7		32	1	29	4	2	4		4	32	5
6		13		22		Trace	2			31	31	1	6
7				3	18	8		92	Trace	12	15	9	7
8		9		4	1	14		15		1	16		8
9		12		10		1	2			1	43	2	9
10	2	5				4	5	38		1	35	Trace	10
11	8	24				1			7		9		11
12	1	1		Trace		7	4	3	48			Trace	12
13	Trace						20	22		1			13
14	1	13			2	3	192	88			1		14
15	1	2		16	15		36	20					15
16		7		15	16	11	1	24	5				16
17	1	15		25	7		25		11		Trace		17
18	4	2	3	31		20	2	69	1		49		18
19	7	1		23		6	26	10	Trace		1		19
20	Trace	5	1	15		Trace	1	25			1		20
21	3		Trace	Trace	44		Trace	1	2				21
22	21	Trace		12	1			Trace	2		Trace		22
23	21	3		11	34	1					22	·10	23
24	1	1		25	22	10	4	2	Trace		1		24
25		1		32			72				10	1	25
26		2		15			61				57	1	26
27	21	43		7	75		5				18		27
28	6	8		6	11	2				8		7	5 28
29	11				32		10			24	2	14	8 29
30	7	×			1		1	7			Trace	1	30
31	19	×		×	2	×			×		×	Trace	31
TOTAL	1·54	2·02	·16	3·92	3·02	135	496	504	194	79	337	1·10	YEAR'S TOTAL 29·21
*Days with ·01 in. or more.	20	23	3	22	18	16	20	17	12	8	19	18	191
*Days with ·04 in. or more.	12	14	1	20	11	10	14	13	9	4	14	7	129

40-9999

(Mrs.) (Signed) H. M. Wolferstan [P.T.O.

*See Instruction 2 (*f*) on other side.

1077

Section **A** for the entry of Daily

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931. S: 1077.

Kept at Rotherfield Greys

in the County of Oxon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		14		12		17			10			–	1
2	12	13		57		1			46		Trace	15	2
3	3	1	12	18	18			30	54		13	16	3
4	4			1	2		23	56	4		9	1	4
5		7		32	1	29	4	2	4		4	32	5
6		13		22		Trace	2			31	31	1	6
7				3	18	8		92	Trace	12	15	9	7
8		9		4	1	14		15		1	16	–	8
9		12		10		1	2			1	43	2	9
10	2	5				4	5	38		1	35	Trace	10
11	8	24				1			7		9	–	11
12	1	1		Trace		7	4	3	48			Trace	12
13	Trace						20	22		1			13
14	1	13			2	3	192	88			1		14
15	1	2		16	15		36	20					15
16		7		15	16	11	1	24	5				16
17	1	15		25	7		25		11		Trace		17
18	4	2	3	31		20	2	69	1		49		18
19	7	1		23		6	26	10	Trace		1		19
20	Trace	5	1	15		Trace	1	25			1		20
21	3		Trace	Trace	44		Trace	1	2				21
22	21	Trace		12	1			Trace	2		Trace		22
23	21	3		11	34	1					22	10	23
24	1	1		25	22	10	4	2	Trace		1		24
25		1		32			72				10	1	25
26		2		15			61				57	1	26
27	21	43		7	75		5				18		27
28	6	8		6	11	2				8		7 5	28
29	11				32		10			24	2	14 5	29
30	7	×			1		1	7			Trace	1	30
31	19	×		×	2	×			×		×	Trace	31
TOTAL	1·54	2·02	·16	3·92	3·02	1 35	4 96	5 04	1 94	79	3 37	1·10	YEAR'S TOTAL 29·21
*Days with ·01 in. or more.	20	23	3	22	18	16	20	17	12	8	19	18	19 1
*Days with ·04 in. or more.	12	14	1	20	11	10	14	13	9	4	14	7	129

40-9999

(Mrs.) (Signed) H. M. Wolferstan [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1077

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at ROTHERFIELD GREYS
in the County of OXON (1077)
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13			..8	.81	..3	.42	.23	..3	..7	..2	–	1
2	..1			.19	..5			..3	.25	.14	..4	.15	2
3	–			.30	..7		trace		.25	.14	..2	.20	3
4	..2			..1		.11			.40		.16		4
5	.30	..1	..2			..2	.16		.10				5
6	.39		..5	.12		..1			.19				6
7	–		.10	.15			..5		.11	..9			7
8	–		.10	.10	.12				.44	..7			8
9	.17	..9		..5	.29					..9	trace		9
10	.18	..3		.22	.10	..8			..4	.26	..9		10
11	–			–	..4	trace	.10			..3	..5	..2	11
12	.15			trace	.14			..1	..2	.33	..1	..1	12
13	–			.24	..3		..8			.30	.13	..3	13
14	.25	trace		..2	..3		trace	.48			.14	..1	14
15	..1			..3	.14					.12		..1	15
16	.14			.16	..2							–	16
17	..1			..1			..2			..5		–	17
18	–				..2		..3		.41		.17	–	18
19	trace								..4	.24		–	19
20	..1			.14	.14			1.75	..9	.74	..9	–	20
21	..5		..9	.19	1.70					.33	..1	..3	21
22	..2		.20	–	2		.12		.25	.14	.22	..1	22
23	–	..7	..1	..3	5		..1		..6	.62	..1	..7	23
24	–	..8		–	1		.54		..5	..8	..3	–	24
25	–	..1		..4	trace	..3	.16			.15	..5	–	25
26	–		.14	..8	..3		..1		..2	.18	..1	–	26
27	–		.38	.18	.27	.16	..6		..1	..3	..7	–	27
28	–		.34	.11	.17		.11			.16	..1	–	28
29	–		.36	.15	.14	..8	..2		.19	.20	..7	..8	29
30	–	×	.15	.11	..1	.56		..1	.21	..3	.34	.20	30
31	–	×	..3	×	–	×	.11		×		×	..2	31
TOTAL	1.84	.27	1.97	2.72	4.40	1.08	2.--	2.51	3.16	4.56	1.77	.64	YEAR'S TOTAL 26.92
*Days with .01 in. or more.	15	6	13	23	23	9	16	6	20	24	21	13	185
*Days with .04 in. or more.	9	3	10	18	15	5	11	3	16	21	13	5	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Hilda M. Wolfaston

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No 1077

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Greys Green Farm

in the County of Oxon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·35	13	6								8			1
2	30	-	40		93					trace	trace			2
3	18	17	19		1						5			3
4	·2	2	2		37						trace			4
5	-	-	27		trace						1			5
6	-	15	10		16					29	5			6
7	14	8	7							3	1			7
8	5	-	6		15		·19			1				8
9	-	-	-		5		21			14	7			9
10	3	4	-			3	22			24	15			10
11	20				5	7	2	6			1			11
12	1			trace	2	8	15		61					12
13	3				11		25			3	3			13
14	-				1		4	4		6	73			14
15	40		22			8	12	15			6			15
16	3		58			24		1	2	2	2			16
17	4		67			16		1	6	1				17
18	11		19			19								18
19	2	2	18			24			67		1			19
20	-	-	13	7		27			1	trace	1			20
21		-	1					1	15	4				21
22		-			62	3		15	3	39				22
23		-		27		1			40	9	1			23
24		102		18	2	50			20	2	5			24
25		122		36	4				18	1	2	21		25
26		26		9	1	18	1		8	10				26
27		2			4	trace	trace		1	25	trace	8		27
28		x		6						24		6		28
29	18	x	2	21			4			5		3		29
30	14	X	2	1					8	1		21		30
31	24	X	1	X		X		6	X	10	X		23·05	31
TOTAL	247	313	320	125	259	208	125	·49	250	213	137	59	Year's Total 23.~~4~~5	23.0~~4~~5
*Days with ·01 in. or more.	18	11	18	8	15	13	10	8	13	20	17	5		156
*Days with ·04 in. or more.	12	8	13	7	10	10	8	5	9	12	7	4		115

† Spare column, no entries required.

(Signed) H M Wolferstan

40-9999

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1077

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rotherfield Greys

in the County of Oxon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·4	-						27		2	2	49		1
2	·11	-	9		·3			trace	66	19	1	21		2
3	·17	4		trace	-					21		7		3
4	·6		·10	29	·5					7	9	33		4
5	–		2		3			10		5	2	49		5
6	·3		27	·2	·29	·9		2		24		64		6
7	4	·3	·	·	·1			28	6	7		27		7
8	2		·	·	·9			2			27	8		8
9	–		7	/	trace						98	42		9
10	2		22	17				9			3	5		10
11	39		26	13			6	5				25		11
12	1		1	3			7	9				22		12
13	32			5			43	36			4	65		13
14	4		46	trace	·2	3					14	54		14
15	3		9		·14		trace		2	26	9	25		15
16	23		20		trace				3	7	2	2		16
17	5		trace	3	trace				6	10	2	25		17
18	20		1	10					9		trace	9		18
19	-		20	·		3			11	2		17		19
20	-		10	6					trace	1		1		20
21	–		1	6		11	18	9		11	2	1		21
22	-						6	13	20	trace		11		22
23	–			22		34					1	7		23
24	-	8	7	3		·5	72		20	7	trace	1		24
25	27	trace	1	16		53			3			49		25
26	18			19		·2			1	7		11		26
27	-	2	2	6		27				7		35		27
28	-	trace	·	4		14	2	78			4	37		28
29	-	-	-	-		trace	trace	1	22			2		29
30	4	×	–	–		×		7	5			15		30
31	1	×	-	×			trace		×	4	×	8		31
TOTAL	2·27	·17	2·21	1·64	·66	1·61	1·54	2·36	1·74	1·67	1·80	7·37	Year's Total. 25·04.	
* Days with .01 in. or more.	20	4	18	16	8	10	7	14	13	17	15	31	173	
* Days with .04 in. or more.	14	2	12	12	4	7	6	11	9	14	7	26	114	

40-9999 verleaf. pare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) H. M. Wolferstan. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1077

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Rotherfield Greys

in the County of Oxon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	21	trace	1	4	1	9	9		6	4	18	3		1
2	2		7			12			15	16	4	1		2
3		4	2	trace		22			62	76	16	1		3
4				26		4			27	5				4
5		23	7	2		3			32	5	3	2		5
6	trace	2	2	33		56			1		4	3		6
7				64		17				16	45	14		7
8		1		42						10	17	5		8
9				23		71				65	32	trace		9
10	2			7		1					21	2		10
11	28					9	20				28	1		11
12	1	3				21		5	3		6			12
13	6	14		6	12	13					2			13
14				13	7	trace				trace	20	13		14
15		11		52	3	·83			17		39	12		15
16		7	7	6		3			31		56			16
17			trace	4		34			10		33			17
18				32	6	10	14		35		1	5		18
19		1		2	26	5	16		9	7	15			19
20	1	13		11	72	7	9		5		50			20
21	1	26	2	4		1	trace		1	9	1			21
22		6	15	5				14	23	32				22
23		4	8	1				77	15	4		63	24	23
24	6	36	4	22	trace			25	62			19	25	24
25	10	28			trace	118			trace			43	26	25
26	2	11		trace		1		31	10	trace		49	27	26
27		23			trace			trace	14	trace	12	7	28	27
28		14			35				16	3	2	36	29	28
29	trace								71		1	49	30	29
30	4	×		7	3			71	10	6	37	21	31.	30
31*		×		×	1	×		1	×	61	×			31
TOTAL	·84	227	·55	366	166	5·00	·68	224	475	319	463	349	Year's Total. 3296.	
* Days with .01 in. or more.	12	18	10	20	10	21	5	7	22	15	24	20	181	
* Days with .04 in. or more.	6	14	6	17	6	16	5	6	19	14	18	13	140	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Wolferstan

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1077

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Greys Green Farm ([illegible])

in the County of Oxon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·18	12	14	31		29	21	3	trace		11	7		1
2	2	10	1	4		25	34	6	trace		6			2
3				18		7	3		31		30			3
4	-·1		25	1		3	trace		36		16	1		4
5	16		3			trace		3	14		trace	5		5
6	58					10		14	18		23	10		6
7	25		5				trace		3		27	2		7
8	24		11				1		1		39	2		8
9	34		8				27		26	4		10		9
10	4				trace		3		1			3		10
11				5			10		4	trace	85	1		11
12				7		38	26	1	51		17	17		12
13				2		20	1	trace		3	12	37		13
14						5	57		4	2	1	42		14
15							trace		1		2	10		15
16	9	24					7		5		47	4		16
17	33	49			·23	trace	1		trace		18	24		17
18		33				54	11	2		7	2	11		18
19	28	9	5	3		44	4	4		1		1		19
20	4	16	6	30		9			38					20
21		3	1	42	3	21	28		7					21
22		36	7	3	30		23		trace			10		22
23	15	1	42	10	3		16			14				23
24	10	5		1			15		16	44				24
25	4		11	15		trace	18		22	14	6			25
26	2	13	18						4	16	1			26
27	13	1	4			2				14				27
28	88	trace	11				24					15		28
29	16	16	10			10	7			6	31	8		29
30	13	✕	5		9	28	8			25	trace			30
31	58	✕	30	✕		✕	24		✕	30	✕	39		31
TOTAL	475	228	217	172	·68	305	369	·33	282	180	374	259	Year's Total 29	·62
* Days with .01 in. or more.	22	14	19	14	5	15	23	7	18	13	18	21	189	
* Days with .04 in. or more.	17	11	16	9	3	13	18	3	14	10	14	15	143	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. W. P. Wolferstan

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1077

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Greys Green House (FARM)

in the County of Oxon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 350 ft.

T. L. B. A not verified ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	1	3	4					3	1	29	1.10		1
2	·1	42	3	45	Trace				31		8	64		2
3	Trace	17	2	·1					2		1	8		3
4	·13	34		1								36		4
5	·15		14				11				1			5
6	·4		18	2	23		44			3	6			6
7		85	40	36					4	Trace				7
8		7	1		6						14	21		8
9		3		24	19	Trace	9	1	26			16		9
10	·1		65	32	Trace		2	55				16		10
11			15			49	4							11
12	·21	33	18	10	20	42	trace	9	15			7		12
13	20	18	47	3	38	53		93	26			18		13
14	2	5	28	14	1	5		34	6			3		14
15	28	20	2	18		1	30		31			3		15
16	7	13	38	72		2		28	61			1		16
17	45	3	33	10			1		50					17
18	33	18	1	1		53			40		24			18
19	11	10	3	9		12	53		14					19
20	43	2		31	41						1			20
21	20	75	4	6	9	1	14			3		21		21
22	55	3	13		14	44	9			64	24			22
23	17	6	3		29		3			32	10			23
24	34	62	5						13	36		9		24
25	22	43	11		1·25				6	29				25
26	Trace	30			22					24		2		26
27	6	9		21						67	11			27
28		8								6				28
29	5	×				Trace				5				29
30	37	×				5				4	29			30
31	40	×		×		×			×	9	×		36·87 ~~36·77~~	31
TOTAL	497	547	367	339	347	2·27 ~~228~~	180	160	3·47 ~~366~~	283	1·58 ~~138~~	3·35 ~~295~~	Year's Total ~~36·77~~	
* Days with .01 in. or more.	24	24	22	19	12	10	11	6	15	13	12	15	183	
* Days with .04 in. or more.	21	19	14	14	11	6	8	5	13	10	9	11	141	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. M. P. Wolfersten [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1077

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Greys Green House

in the County of Oxon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 350 ft.

T. L.

Total ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.	..2	-					.5	2		4		1
2		.		..6	..6	26				38		5		2
3	·10	trace			·32				2	79				3
4	·1		..1				..7	trace		7		15		4
5	7						4			15				5
6	7						3		2	14				6
7	·10					·2	73	66		35		14		7
8	·10						15	27	9	8		1		8
9	·6	trace					2	16	trace	33		75		9
10	·28	..5					5	17		trace		18		10
11	·18	..1						9			16	9		11
12	41	..1			.2			14		16	2	1		12
13	·10	..2			3					3	18	10		13
14	·21	..1			6				3					14
15	·12	..1					10			18	2	18		15
16	·52	..1	..3		trace		46			19	1	36		16
17	·40	..6					trace		9	5	1			17
18	..9	.			..7	trace		5	2	11	59			18
19		.						17	10		48			19
20		..1						-	2		44	4		20
21	..3							8	3		4	4		21
22	trace			..1		3		4			21	4		22
23											9			23
24			·18		..2				22		4			24
25	·10	..3	·12	..1	·16			17	trace		66	4		25
26	·28	·28	·18		3		2	trace	28	24		4		26
27	..9	..6	trace		10	·22	28	2	22	7	44	87	✓	27
28	..1	..2	~~2~~		66	..8		70	2					28
29	·20	✕	✕		28			5	..6		12	22		29
30	..3	✕	—	..2	21	..7		trace	7	6	20	3		30
31	·18	✕	—	✕	25	✕			✕	10	✕	27		31
TOTAL	3·74	·58	·47	·10	227	·68	189	276	136	350	371	345	Year's Total 24·51	✓
* Days with .01 in. or more.	24	13	6	4	13	6	11	15	16	19	17	20 ~~16~~	~~160~~	✓164
* Days with .04 in. or more.	20	4	3	1	10	3	8	13	9	16	13	17 ~~13~~	~~113~~	✓ 117

† Spare column, no entries required

(Signed) H. M. P. Wolferstan

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1077

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Greys Green House

in the County of Oxon

Diameter of Funnel of Gauge 5½ in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 350 ft.

March July August October a November totals ~~only on Mar 17th~~ adjusted by reference to nearby stations

T. L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	3			50	37			20	9		trace	5		1
2	30			6	2			46	39		3	6		2
3				5				27			32	26		3
4			25	48	2	~~7~~	7	18	4	52	6	1		4
5	66			35	33	~~10~~	10	32		11	32	45		5
6			1	12	3	~~31~~	31	1		25	34			6
7	14	14			trace	~~2~~	2	4		trace	21	29		7
8	1	17	28			~~6~~		35		50	12	31		8
9	7	4						6		26		18		9
10	30	trace				21		16		9				10
11			30						5	13		2		11
12						5				2	1			12
13			2	trace		2				80	1			13
14	54			4	15	11	11		5	68	27			14
15	14		4	trace	47	52	3		5	4	10	trace		15
16	28		18	3	8	19	12			136	53	trace		16
17	36	3	3		20		2			1	7			17
18	28	2			trace	16	41			11	25			18
19	19	trace	6				87			trace	1			19
20	32		2		3	4	64	50				4		20
21	4	17	23				15	1						21
22	8	26	3	5	trace		09				10			22
23	5			21		trace	12				76			23
24				10		4	25			19	14			24
25	66	12	4				60			[illegible]	–			25
26	32		3	2				20		11	22	10		26
27		3	5	5				1		3	19			27
28	2	13	6	9		5	06			1	12			28
29				12			51			13	21			29
30	trace	✗	trace	115		22				.	5			30
31		✗		✗		✗	10	17	✗	1	✗			31
TOTAL	479	111	16~~0~~ 3	342	170	161 ~~262~~	58 47~~2~~	294 ~~303~~	67	36 5~~44~~	44 4~~32~~	177	Year's Total 92 341~~0~~ ✓	
* Days with .01 in. or more.	20	10	16	16	10	11	19	15	6	20	23	11	174 ✓	
* Days with .04 in. or more.	18	7	11	14	6	10	16	12	6	15	19	9	143 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) H.M. Wolferstan

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1077

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~34~~40

TL

Kept at Greys Green House

in the County of Oxon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 350 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.14 7 903	~~106~~		..2			.14				.12			1
2				.21				trace			.60			2
3		1.06		..6						.2	105	..5		3
4		.53		.27	.3					.20	.13	.12		4
5		.04								.33	.59	12		5
6		.27			..3		.26			.23	trace			6
7	.30	.31			..4									7
8	.18	.01			..1		.13		...2		..1	.31		8
9				trace	trace			..2		.10	.17	..4		9
10			trace				.63	..5	..6	.21	.11			10
11				..9			trace				.90	..5		11
12			.11			.13	.10		12		..2			12
13			.55			trace		..1	.5	..5	143			13
14			.06	.12					..3	.24	.90	38		14
15				..2	..3	..2	.24			.13	.44			15
16			.67	..4		..2	.49		.11	.58	.65	..4		16
17			.27				..4		..2	trace	..4			17
18		.63	.26	.33			.28			.23	..3	.19		18
19			trace	.22			.11		26		.30			19
20		.25		..2			trace		trace	.15	..7			20
21					.17		..6	trace		..9	.63			21
22		.02	.04	..1	.50	.35			.38	..2				22
23		trace	.08	.10	..1	.34			..1					23
24			trace	..2		trace	.35							24
25			.25	trace			..7				..3			25
26		.12	.02	.50	.12		trace							26
27	117	.16		..5	..3		..4	..1		..2		..2		27
28	.16			..2	..5									28
29		.11	.10	..4	.47	..4						.36		29
30		✕		.20	trace					.24				30
31		✕	trace	✕		✕			✕	.73	✕			31
TOTAL	195 ~~191~~	351	241	234	149	.90	2.94 ~~296~~	.4	106	3.57 ~~[illegible]~~	822	168	Year's Total ~~2977~~	30.11
* Days with .01 in. or more.	~~4~~5	~~13~~12	11	19	~~11~~12	6	14	3	10	~~18~~17	20	11	140	
* Days with .04 in. or more.	~~4~~5	10	10	13	6	~~3~~4	14	–	~~7~~6	14	16	10	108	

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

107 **Section** **A** **for the entry of Dai** — AIR MINISTRY.— — NFALL ORGANIZATION. **FOR OFFICIAL USE.** 1079

FORM 1090. **REGISTE** 1931 .

1079

NETTLEBED

JOYCE GROVE No 1

1931 - 1940

78 02 08

Kept at Nettlebed, Joyce

in the County of Oxfordshire

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASURE — **S DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·19	·00	·09						–			1
2		·12		·62					·62		·03	·20	2
3	·09			·34	·20			·20	·44		·28	·12	3
4	·03	·04					·24	1·80	·10		·24		4
5				·40		·38	·03		·08		·03	·40	5
6		·20					·18				·34		6
7				·03		·17		·60			·16	·10	7
8		·10		·03		·15		·26			·21		8
9		·14									·38	·03	9
10	·05					·07	·07	·22			·50		10
11	·14	·25									·01		11
12							·17		·48				12
13	·03						·27	·34					13
14	·02					·02	1·99	·72					14
15	·02			·16	·28		·55	·16				·15	15
16		·24		·16	·19	·16	·01	·54	·10				16
17		·26		·26	·23		·28		·15				17
18	·09					·30	·02	·58			·58		18
19	·10			·46		·28	·01	·15					19
20		·08		·12				·24		·02			20
21	·01				·46				·06				21
22	·22			·02						·03			22
23	·20	·02		·14	·30						·24	·06	23
24				·26	·22		·06						24
25	·02			·32	·06		·86				·09		25
26		·06		·18			·76				·50		26
27	·10	·29		·09	·68						·10		27
28	·11	·09		·10	·36					·08		·11	28
29							·09			·27			29
30	·21	X					·04	·24					30
31	·25	X		X		X		·10	X		X		31
TOTAL	1·69	2·08	·00	3·78	2·98	1·53	5·63	6·15	2·03	·40	3·69	1·17	YEAR'S TOTAL 31·13
*Days with ·01 in. or more.	17	14	0	18	10	8	17	14	8	4	15	8	133
*Days with ·04 in. or more.	11	13	0	15	10	7	13	14	8	2	12	7	112

40-9999 M

(*Signed*) F. Morby

[P.T.O.

*See Instruction 2 ( ) on other side.

107

1079

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Nettlebed, Joyce Grove No 1

in the County of Oxfordshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·19	·00	·09						–			1
2		·12		·62					·62		·03	·20	2
3	·09			·34	·20			·20	·44		·28	·12	3
4	·03	04					·24	1·80	·10		·24		4
5				·40		·38	03		·02		·03	·40	5
6		·20					·18				·34		6
7				03		·17		·60			·16	·10	7
8		·10		·03		·15		·26			·21		8
9		·14									·38	·03	9
10	05					·07	07	·22			·50		10
11	·14	·25									·01		11
12							·17		·48				12
13	·03						·27	·34					13
14	·02					·02	1·99	·72					14
15	·02			·16	·28		·55	·16				·15	15
16		·24		·16	·19	·16	·01	·54	·10				16
17		·26		·26	·23		·28		·15				17
18	·09					·30	·02	·58			·58		18
19	·10			·46		·28	·01	·15					19
20		·08		·12				·24		·02			20
21	·01				·46				·06				21
22	·22			·02						·03			22
23	·20	·02		·14	·30						·24	·06	23
24				·26	·22		·06						24
25	·02			·32	·06		·86				·09		25
26		·06		·18			·76				·50		26
27	·10	·29		·09	·68						·10		27
28	·11	·09		·10	·36					·08		·11	28
29		✕					·09			·27			29
30	·21						·04	·24					30
31	25	✕		✕		✕		·10	✕		✕		31
													YEAR'S TOTAL
TOTAL	1·69	2·08	·00	3·78	2·98	1·53	5·63	6·15	2·03	·40	3·69	1·17	31·13
*Days with ·01 in. or more.	17	14	0	18	10	8	17	14	8	4	15	8	133
*Days with ·04 in. or more.	11	13	0	15	10	7	13	14	8	2	12	7	112

40-9999

M

*See Instruction 2 (b) on other side.

(Signed) F. Morby

P.T.O.

1079

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Nettlebed, Joyce Grove No. 1

in the County of Oxford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09			·03	·74	·02	·06	·06	·02	·12	·02		1
2				·15	·12			·05	·30	·12	·01	·24	2
3				·42	·10				·66	·18			3
4						·06					·23		4
5	·30						·20		·22				5
6	·45		·02	·15					·25			·03	6
7			·14	·08			·02		·14	·06			7
8			·18	·05	·10				·85	·15			8
9	·27			·10	·30				·04	·06			9
10	·29			·19	·09	·10			·06	·25	·10		10
11		·06	·01	·06	·08		·10		·03	·18	·07		11
12	·20				·25				·02	·40	·03	·03	12
13	·05			·30	·02				·02	·29	·10	·05	13
14	·18			·03	·03			·40			·08		14
15				·07	·07					·12			15
16	·26			·25	·16							·03	16
17				·08			·06			·09	·03		17
18					·03		·05		·24		·15		18
19									·01	·27			19
20				·25	·07		·02	1·95	·09	·70	·07		20
21	·05		·02	·20	2·16			·95		·50	·03	·05	21
22			·34	·07	·02		·09		·34	·18	·22		22
23		·12			·09				·04	·66	·02	·10	23
24		·07					·85		·10	·06	·03		24
25				·03		·06	·24			·24	·21		25
26			·12	·25			·03		·07	·10	·09		26
27			·46	·23	·49	·03	·08			·10	·04		27
28			·14	·14	·25	·05	·10			·14	·03		28
29			·38	·14	·39	·12	·03		·22	·40	·09		29
30		×	·20	·09		·84			·25	·03	·55	·36	30
31		×	·05	×		×	·06		×		×	·10	31
TOTAL	2·14	·25	2·06	3·31	5·56	1·28	1·99	3·41	3·97	5·40	2·20	·99	YEAR'S TOTAL 32·56
*Days with ·01 in. or more.	10	3	12	23	20	8	15	5	21	24	21	9	171
*Days with ·04 in. or more.	10	3	9	19	16	6	11	5	16	23	13	6	137

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F. Morby

[P.T.O.

1079

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Nettlebed, Joyce Grove Nº1

in the County of Oxford

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24	·20	·07	–					·10		·10		1
2	·42	·10	·45		·80						·03		2
3		·22	·27								·01		3
4	·10	·03	·04		·30						·02		4
5			·35								·04		5
6	·02	·16	·10		·17					·48	·04		6
7	·20	·16	·07		·10		·03			·03		·03	7
8	·06		·08		·10		·20			·04			8
9					·07		·24			·22	·10		9
10	·02	·10			·08	·07	·54			·37	·20		10
11	·37				·10	·07	·10	·36					11
12	·01			·01		·12			·62			·02	12
13	·05				·27	·02	·36		·03		·02		13
14							·02	·01		·06	·80	·06	14
15	·45		·15				·06	·12		·01	·04		15
16	·03	·01	·79			·25	·09			·04			16
17			·69			·06			·10				17
18	·06	·14	·25			·12					·03		18
19	·10		·27			·10			·66				19
20			·06	·06		·18							20
21		·03						·17	·24	·05	·02		21
22	·02				·20	·17		·15	·14	·50	·02		22
23				·26					·54	·10			23
24		·83		·16	·03	·37			·20	·02	·07		24
25		1·52		·34	·03				·30	·01	·03	·15	25
26		·67		·12		·14			·06	·12		·01	26
27		·03			·09		·03			·20		·05	27
28				·06	·05					·30		·07	28
29	·20		·02	·30			·02			·05		·02	29
30	·15	×	·10				·03		·08			·16	30
31	·10	×		×		×			×	·05	×		31
TOTAL	2·60	4·20	3·76	1·31	2·39	1·67	1·72	·81	3·07	2·65	1·57	·57	YEAR'S TOTAL 26·32
*Days with ·01 in. or more.	18	14	16	8	14	12	12	5	12	18	16	9	154
*Days with ·04 in. or more.	13	10	15	7	12	11	7	4	11	14	8	5	117

40-9999

*See Instruction 2 (*f*) on other side.

MD

(*Signed*) F Morley

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1079

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Nettlebed, Joyce Grove No I

in the County of Oxford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02							·33		·03	·02	·52		1
2	·20		·06		·02				·84	·10		·12		2
3	01	·08								·40		·16		3
4	·04		10	·30	·06					·17	10	·42		4
5			·04		·06			·10		·12	·07	·50		5
6	·03		·25	·03	·47	·15				·20		·80		6
7	·04	·01						·26		·06		·40		7
8					·14			·03	·06		·30	10		8
9	02		·10								1·08	·46		9
10	·02		·32	·21				·06			·02	·10		10
11	·60		·35	·18			·06	·07				·30		11
12		·02		·02			·10	·06				·27		12
13	·40		·22	·05			·60	·24			·07	·77		13
14	·07		·36			·01					·24	·50		14
15	·07		·10		·08				·02	·40	·14	·20		15
16	·25		·26						·03	·04		·02		16
17	·03				03			·02	·06	·14	·06	·24		17
18	·25		·02	·10					·25			·12		18
19			·22			·02			·16	·02		·13		19
20			·13	·10			·18		·02					20
21			·07	06		·15	·04	·19		·10				21
22								·18	·23		·03	·14		22
23				·20		·39						·07		23
24		·12	·14	·03		·04	·96		·18		·01			24
25	·34	·03		·35		·22				·04		·70		25
26	·07		·14	·21		·03			·07	·03		·10		26
27		·01		·10		·12				·05		·50		27
28						·17	·07	·83			·03	·37		28
29									·29			·02		29
30	·07	×						·02	·06			·10		30
31	·06	×		×		×			×	·10	×	·10		31
													Year's Total	
TOTAL	2·59	·27	2·88	1·94	·86	1·30	2·01	2·39	2·27	2·00	2·17	8·23	28·91	
*Days with ·01 in. or more.	19	6	17	14	7	10	7	13	13	16	13	28	163	
*Days with ·04 in. or more.	13	2	15	11	5	7	7	10	10	13	8	26	127	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) F. Morley

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1079

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Nettlebed, Joyce Grove No I

in the County of Oxford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·26			·04	·02	·16	·08		·01	·04	·24	·01		1
2	·01	{·08}	·04			·16			·12	·20	·06	·03		2
3						·24			·50	·70	·16	·02		3
4				·35		·11			·10	·04				4
5		·36	·10			·04			·40		·02	·01		5
6		·05		·40		·70					·03	·03		6
7		·01		·62		·06				·10	·50	·14		7
8				·30						·23	·30	·06		8
9				·40		·77				·80	·34			9
10				·21							·15	·03		10
11	·25					·10	·10				·25			11
12		·02				·25		·01	·06		·06			12
13	·10	·13		·09	·18	·10								13
14				·10	·12	·02					·26	·16		14
15		·10		·55	·04	·50			·20		·42	·07		15
16		·10	·08	·15		·07			·37		·66	·06		16
17				·06		·30			·06		·22	·05		17
18				·36		·10	·07		·31		·03			18
19				·01	·20	·09	·20		·09	·08	·15	·14		19
20	·03	·14		·12	·62	·08	·12		·09		·45			20
21	·01	·30		·02					·01	·12				21
22		·04	·12	·01				·75	·22					22
23		·08	·07					1·05	·15	·40		·16		23
24	·06	·32	·06					·24	·60	·04		·22		24
25	·16	·20		·29		1·90						·30		25
26		·07						·31	·09			·54		26
27		·18							·10		·10	·55		27
28		·13			·52				·30	·04		·09		28
29									·50			·29		29
30	·09	✕		·08	·03			·80	·07	·07	·50	·56		30
31		✕		✕		✕			✕	1·02	✕	·17		31
TOTAL	·97	2·31	·47	4·16	1·7~~2~~3	5·75	·57	3·16	4·3~~3~~5	3·88	4·90	3·69	Year's Total 35·94	
*Days with ·01 in. or more.	9	17	6	19	8	19	5	6	21	14	20	22	166	
*Days with ·04 in. or more.	6	15	6	16	6	18	5	5	19	14	17	16	143	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) F. Morley

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1079

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Nettlebed, Joyce Grove No. 1

in the County of Oxford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·20	·10	·36		·22	·18	·07	—	-	·12	·05		1
2	·03	·07		·09		·24	·40	·03	—	-	·10	—		2
3				·10		·26	·09		·20	-	·25	—		3
4			·25			·01			·30	-	·12	·08		4
5	·23		·06					·03	·12	-	-	·17	✓	5
6	·63					·24		·14	·22	-	·28	—		6
7	·24		·10			·01			·01	-	·24	·10		7
8	·26		·10						·01	-	·30	·18		8
9	·29		·04				·30		·29	-	-	—		9
10	·02						·10		·01	-	-	—		10
11				·05			·11		·03	-	·82	—		11
12				·18		·50	·28		·56	-	·77	·16		12
13				·20		·28			—	·06	·18	·52		13
14		·02				·08	✓		·16	·02	-	·30		14
15		·05					·85		—	-	-	·15		15
16	·30	·16					·05		·06	-	·50	·05		16
17	·24	·90			·11		·01		—	-	·13	·20		17
18		·12				·50	·11		—	·04	·01	·06		18
19	·36	·22	·06	·02		·40		·10	—	-	-	—		19
20	·04	·21	·05	·24		·02			·70	-	-	—		20
21		{·46}		·40		·20	·32		—	-	-	—		21
22	·24		·06	·01	·46		·20		—	-	-	·15		22
23	·04		·30	·14	·01		·20		—	·10	-	—		23
24	·10	·15					·10		·10	·40	-	—		24
25	·03		·12	·16			·46		·30	·11	·08	—		25
26	·04	·07	·16	·18		·02	·06		·02	·15	-	—		26
27	·10		·01						·03	·10	-	—		27
28	1·00		·17				·15		—	-	-	·18		28
29	·20	·10	·10			·30	·12		—	·12	·28	·14		29
30	·18	×	·01		·17	·26	·09		—	·20	-	—		30
31	·50	×	·25	×		×	·21		×	·55	×	·30		31
TOTAL	5·25	2·73	1·94	2·13	·75	3·54	4·39	·37	3·07	1·85	4·18	2·79	Year's Total. 32·99	✓
* Days with .01 in. or more.	22	13	17	13	4	16	~~21~~ 22	5	17	11	15	16	171	✓
* Days with .04 in. or more.	19	12	15	11	3	12	20	3	11	10	14	16	146	✓

40-9999

† Spare column, no entries required.

(*Signed*) F. Morley

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1079

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Fo 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Nettlebed, Joyce Grove No. 1.

in the County of Oxford

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	–		.06	–	–	–	–	–	.01	.34	.64		1
2	–	.40	.02	.50	–	–	–	–	.16	.02	.02	.70		2
3	–	.12	.04		–	–	–	–	–	–	–	–		3
4	.10	.45		.01	–	–	–	–	–	–	–	.40		4
5	.15	.03	.21		–	–	.10	–	–	–	–	–		5
6	.06	.02	.52	.02	.25	–	.40	–	–	–	.05	–		6
7	–	.80		.30	–	–	–	–	.10	–	–	–		7
8	–	.06			.09	–	–	–	–	–	.05	.30		8
9	–	.07		.28	.20	–	.09	–	.30	–	–	.23		9
10	–	–	.77	.35	–	.40	.10	.32	–	–	–	.02		10
11	–	–	.22		.25	–	.04	–	–	–	–	–		11
12	.24	.28	.18	.07	.54	.37	–	.08	.08	–	–	.08		12
13	.18	.15	.46	.03	–	.28	–	.14	.58	–	–	.18		13
14	.02	.04	.32	.15	–	–	–	.30	.10	–	–	.08		14
15	.30	.14		.23	–	–	.45	–	.30	–	.02	.07		15
16	.03	.10	.40	.65	–	.04	–	.33	.70	–	–	–		16
17	.48	.04	.34	.02	–	–	–	–	.45	–	–	–		17
18	.35	.15	.03	.02	–	.60	–	–	.25	–	.21	.14		18
19	.07	.10	.03	.07	–	.20	.50	–	.20	–	–	–		19
20	.40	.03	.03	.43	.50	.06	–	–	–	–	–	–		20
21	.31	.68		.07	–	–	.10	–	–	–	–	.03		21
22	.42	.05	.15		.25	.47	.10	–	–	.80	.23	.06		22
23	.20	.07	.10		.37	–	.03	–	–	.30	.11	–		23
24	.30	.60	.07		–	–	–	–	.16	.50	–	–		24
25	.32	.40	.10		1.50	–	–	–	.03	.50	–	–		25
26	–	.47	.02		.25	–	–	–	–	.10	–	–		26
27	.10	.13		.30	–	–	–	–	–	.78	–	–		27
28	–	.02			–	–	–	–	–	.10	–	.03		28
29	.03	–			–	.13	–	–	–	.08	.10	.02		29
30	.49	✕			–	–	–	–	–	.04	.26	–		30
31	.42	✕		✕	–	✕	–	–	✕	.10	✕	.08		31
													Year's Total	
TOTAL	5.07	5.40	4.01	3.56	4.20	2.55	1.91	1.17	3.41	3.33	1.39	3.06	39.06	✓
* Days with .01 in. or more.	22	25	19	18	10	9	10	5	13	12	10	16	169	✓
* Days with .04 in. or more.	19	21	14	13	10	9	9	45	12	10	8	12	142	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 1079

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Nettlebed, Joyce Grove No.1

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 590 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	·03			·25	–	–	·07	·05	·01	–		1
2	·08	–		·05	·08		–	–	–	·33	–	·07		2
3	–	–			·30		–	–	–	·90	–	–		3
4	·15	–					–	–	–	·06	–	·12		4
5	–	–					·06	–	–	·16	–	–		5
6	·03	–					·07	–	·24	·10	·02	–		6
7	–	–				·02	·70	1·57	·04	·27	–	·10		7
8	·10	–				·02	·40	·25	·10	·30	–	–		8
9	·10	–					·10	·16	–	–	–	·70		9
10	·16	·07					·09	·20	–	–	–	·20		10
11	·22	–					–	·07	–	–	·16	·08		11
12	·34	·01			·07		–	·03	–	·18	·04	–		12
13	·06	·03					–	–	–	·03	·30	·20		13
14	·27	–			·08		·10	–	·06	–	–	·06		14
15	·03	–					·40	–	–	·20	·04	·26		15
16	·40	·01	·02				·05	·07	–	·10	·03	·40		16
17	–	·06					–	–	·10	·09	·04	–		17
18	·06	–			·10		–	·01	·10	–	·50	–		18
19	–	–			·03		–	·14	·20	–	·28	–		19
20	–	–					–	–	·05	–	·50	·03		20
21	–	–					–	·10	·06	–	·03	·40		21
22	·02	–		·02		·07	–	·10	–	–	·26	·40		22
23	–	–					–	–	–	–	·09	–		23
24	–	–	·20		·06		–	–	·15	–	·04	–		24
25	·10	·07	·15	·04	·12		–	·24	[illegible]	·02	·80	·10		25
26	·30	·32	·10				–	–	·25	·23	–	·40		26
27	·06	·07			·18	·30	·30	·02	·26	·09	–	–		27
28	·10	·02			84	·07	–	·82	·03	–	·38	·20		28
29	·22	X			·32		–	·06	·08	·04	·18	·20		29
30	·10	✕		·04	·12	·05	–	–	·08	·03	·20	·01		30
31	·30	✕		✕	·20	✕	–	–	✕	·08	✕	·25		31
TOTAL	3·22	·66	·50	·15	2·50	·78	2·27	3·84	1·87	3·26	3·90	4·18	Year's Total 27·13	✓
* Days with .01 in. or more.	22	9	5	4	13	7	10	15	16	19	19	19	158	✓
* Days with .04 in. or more.	18	5	3	3	12	5	10	12	15	16	15	17	131	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) F. Morley

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1079

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Copy by B.R.O.

Kept at Nettlebed, Joyce Grove No. 1

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 590 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	–	·04	·55	·46	–	–	·07	·10	–	–	·07		1
2	·03	–	–	·06	–	–	–	·52	·53	–	·03	·08		2
3	·50	–	–	·18	–	–	–	·30	–	·02	·30	·10		3
4	·10	–	·30	·28	·02	–	·07	·22	–	·70	·10	–		4
5	–	–	·01	30	·48	–	·10	·35	–	·18	·45	·52		5
6	·40	·03	–	·02	·06	–	·40	·03	–	–	·30	–		6
7	·02	·12	–	–	–	–	·10	·05	–	–	·25	·45		7
8	–	·14	·28	–	–	–	·08	·24	–	·50	·35	·40		8
9	·07	·02	–	–	–	–	–	·07	–	·28	–	22		9
10	·30	–	–	–	–	·25	–	20	–	–	–	–		10
11	–	–	·37	–	–	–	–	–	·12	·03	·01	·02		11
12	–	–	–	–	·01	·10	–	·	–	–	·01	–		12
13	–	–	–	–	–	–	·20	·	·03	·96	·07	–		13
14	·60	–	–	·10	·22	·10	·10	·	–	·15	·28	–		14
15	·38	–	·04	–	·50	·50	·07	·	·06	·80	·12	–		15
16	·28	–	·30	·02	·16	·25	·18	·	–	·10	·54	–		16
17	·40	–	·03	–	·15	·05	·05	·	–	1·70	·12	–		17
18	·33	·03	·10	–	–	·25	·46	·	–	·03	·30	–		18
19	·30	–	–	–	–	–	1·10	·	–	·16	–	–		19
20	·35	–	–	–	–	–	·46	·36	–	–	–	·01		20
21	·04	24	·25	–	–	·01	·20	·10	·03	–	–	–		21
22	·20	26	·01	·04	–	·03	·05	·	–	–	·15	–		22
23	·04	–	–	·20	–	–	·10	·	–	·04	66	–		23
24	·10	–	·01	·11	–	·04	·10	·	–	·24	–	–		24
25	1·40	·10	·05	–	–	–	·35	·	–	·02	·30	–		25
26	·40	–	·04	–	–	–	–	·20	–	·20	·20	·06		26
27	–	·07	·10	·01	–	–	·10	·30	–	·02	·10	·10		27
28	·02	·15	·07	·20	–	04	·07	·	–	·06	·25	–		28
29	–		–	23	–	–	·70	·	–	·15	·10	–		29
30	–	✕	–	1·30	–	·07	04	–	–	–	·20	·05		30
31	–	✕	–	✕	–	✕	·10	04	✕	·01	✕	–		31
TOTAL	6·30	1·16	2·00	3·60	2·00	1·69	5·18	3·05	·87	6·35	5·19	2·08	Year's Total 39·47	
* Days with .01 in. or more.	22	10	16	15	9	12	23	15	6	21	23	12	184	
* Days with .04 in. or more.	19	7	12	12	7	10	23	14	4	15	20	10	153	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1079

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Nettlebed (Joyce Grove) No.1

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 590 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·02	–	·03	–	–	–	–	–	–	·15	–		1
2	–	·40	–	·20	–	–	·20	–	–	·03	·80	–		2
3	–	·20	–	·04	–	–	–	–	–	·20	1·14	·10		3
4	–	·09	–	·21	–	–	–	–	–	·40	·05	·04		4
5	–	–	–	–	–	–	–	–	–	·09	·75	·12		5
6	·24	·20	–	–	·04	–	·27	–	–	·21	·02	–		6
7	·20	·45	–	–	·02	–	·04	–	–	–	–	–		7
8	·20	–	–	–	–	–	–	–	–	·33	–	·25		8
9	–	–	–	–	–	–	–	·10	·06	·01	·25	·05		9
10	–	–	–	–	–	·10	·45	–	–	–	·15	·09		10
11	–	–	–	·10	–	–	–	–	–	–	·65	·03		11
12	–	·02	·12	–	–	–	·15	–	·10	–	·04	–		12
13	–	–	·50	–	–	–	–	–	·09	–	1·40	–		13
14	–	–	·10	·10	–	·04	–	–	·03	·28	·01	·38		14
15	–	–	–	·03	·02	·04	·25	–	·08	·04	·62	–		15
16	·03	·20	·60	–	–	·02	·35	–	·39	·50	·65	·02		16
17	–	–	·30	–	–	–	·01	·06	–	–	·10	·03		17
18	–	·40	·30	·40	–	–	·15	–	–	·25	·25	·25		18
19	–	·25	·01	·20	–	–	·09	–	·28	–	·22	·01		19
20	–	–	·04	·02	–	–	–	–	–	·20	·05	–		20
21	·08	–	·02	–	·30	–	·04	–	–	·10	·50	–		21
22	–	–	·10	–	·50	·50	–	–	·40	–	–	–		22
23	–	–	·07	·08	–	·35	–	–	–	–	–	·02		23
24	–	–	–	·02	–	–	·30	–	–	–	–	–		24
25	–	–	·20	–	–	–	·07	–	–	–	–	–		25
26	1·30	·14	·04	·70	·22	–	·10	–	–	–	–	–		26
18·0 27	·21	·30	–	–	·08	–	–	–	–	–	–	–		27
28	·10	·06	–	·10	·40	–	–	–	–	–	–	–		28
29	·10	·07	·12	·03	·18	·07	–	–	–	–	–	·36		29
30	·04	✕	–	·20	–	–	–	–	–	·30	–	·04		30
31	·05	✕	–	✕	–	✕	–	–	✕	·84	✕	–		31
TOTAL	2·55	2·80	2·52	2·46	1·76	1·12	2·80	·16	1·43	3·78	7·80	1·79	Year's Total 30·97	✓
* Days with .01 in. or more.	11	14	14	16	9	7	14	2	8	15	19	15	144	✓
* Days with .04 in. or more.	10 ✓	12 ✓	12 ✓	11 ✓	7 ✓	6 ✓	13 ✓	2 ✓	7 ✓	13 ~~14~~ ✓	17	10	120	✓

† Spare column, no entries required.

(*Signed*) Mr. F. Morby

* See Instruction 3 (f) on other side.

[P.T.O.

Section **A** for the entry of D
AIR MINISTRY.— INFALL ORGANIZATION.

Station No. 1080/5

FORM 1090.

REGISTE 1933

(Aug. 22 - Dec. 31 only).

Oxon /4

1080/5
SWYNCOMBE
COOKLEY HSE
1933 - 1940

780208

Kept at (Cookley House) Swync

in the County of Oxford

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

approx. ,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1									–	–	·07	–		1
2									–	–	·03	–		2
3									–	–	·02	–		3
4									–	–	–	–		4
5									–	–	·02	–		5
6									–	·39	·03	–		6
7									–	·04	–	–		7
8									–	·01	–	–		8
9									–	·18	·11	–		9
10									–	·39	·17	–		10
11									–	–	–	–		11
12									·66	–	–	–		12
13									·01	·03	·04	–		13
14									–	·03	·68	–		14
15									–	·04	·09	–		15
16									·01	·01	–	·05		16
17									·08	–	·02	–		17
18									–	–	–	–		18
19									·51	–	·02	·02		19
20									·01	–	·01	–		20
21									·22	·03	–	–		21
22								·10	–	·43	·03	–		22
23								–	·36	·07	–	–		23
24								–	·21	·01	·08	–		24
25								–	·15	–	·02	·13		25
26								–	·33	·08	–	·01		26
27								–	·01	·14	–	·05		27
28								–	–	·22	–	·06		28
29								–	–	·03	–	·01		29
30		X						–	·10	–	–	·16		30
31		X		X		X		·13	X	·09	X	–		31
													Year's Total	
TOTAL								~~nil~~	2·66	2·22	1·44	·49	~~nil~~	
*Days with ·01 in. or more.								–	13	18	16	8	–	
*Days with ·04 in. or more.								–	9	11	7	5	–	

40-9999
*See Instruction 2 (*f*) on other side.

D N

† Spare column, no entries required.

(*Signed*) X John S. C. Bridge. Esq. X

P.T.O.

Section **A** for the entry of Daily Observations. Station No. 1080/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933

(Aug. 22 - Dec. 31 only).

Oxon/4

cf 1080 1079.

t 1933

Kept at (Cookley House) Swyncombe

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – ~~in.~~

Approx. ,, Ground ,, Sea Level 730 ~~ft.~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									-	-	·07	-		1
2									-	-	·03	-		2
3									-	-	·02	-		3
4									-	-	-	-		4
5									-	-	·02	-		5
6									-	·39	·03	-		6
7									-	·04	-	-		7
8									-	·01	-	-		8
9									-	·18	·11	-		9
10									-	·39	·17	-		10
11									-	-	-	-		11
12									·66	-	-	-		12
13									·01	·03	·04	-		13
14									-	·03	·68	-		14
15									-	·04	·09	-		15
16									·01	·01	-	·05		16
17									·08	-	·02	-		17
18									-	-	-	-		18
19									·51	-	·02	·02		19
20									·01	-	·01	-		20
21									·22	·03	-	-		21
22								·10	-	·43	·03	-		22
23								-	·36	·07	-	-		23
24								-	·21	·01	·08	-		24
25								-	·15	-	·02	·13		25
26								-	·33	·08	-	·01		26
27								-	·01	·14	-	·05		27
28								-	-	·22	-	·06		28
29								-	-	·03	-	·01		29
30		X						-	·10	-	-	·16		30
31		X		X		X		·13	X	·09	X	-		31
TOTAL								[illegible]	2·66	2·22	1·44	·49	Year's Total [illegible]	
*Days with ·01 in. or more.								-	13	18	16	8	-	
*Days with ·04 in. or more.								-	9	11	7	5	-	

† Spare column, no entries required.

(Signed) John S. C. Bridge. Esq.

D N

40-9999

*See Instruction 2 (*f*) on other side.

P. T. O.

+ 304454/34

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1080/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

111/Oxon 4

Kept at Cookley House ~~Cookley Green~~, Swyncombe

in the County of Oxon

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground One ft — in.

,, Ground ,, Sea Level approx. 730 ft.

Comp 1933

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	tr.	-	-	.	.	.	·28	tr.	·03	·01	·60		1
2	·15	-	·10	.	·02	.	.	tr.	·88	·08	·01	·25		2
3	·02	·12	-	tr.	-	.	.	-	-	·23	-	·03		3
4	·07	-	·10	·37	·08	.	.	-	.	·12	·12	·45		4
5	-	-	·01	.	·01	.	-	·12	-	·02	·12	·38		5
6	·03	-	·21	·02	·43	·13	-	-	-	·17	·01	·75		6
7	·04	·01	tr.	-	-	tr.	-	·32	-	·11	-	·36		7
8	-	-	-	-	·16	-	-	·05	·06	.	·23	·05		8
9	·01	-	·09	-	-	-	-	-	-	-	1·10	·42		9
10	·04	×tr.	·25	·18	-	-	-	·01	×tr.	-	·04	·08		10
11	·60	×·01	·26	·17	-	-	·04	·04	-	-	-	·26		11
12	-	×tr.	·03	·06	-	-	·08	·12	-	-	-	·14		12
13	·37	×tr.	·23	·08	-	-	·28	·30	-	·01	·09	·90		13
14	·12	-	·36	·01	·02	·01	-	·01	-	-	·18	·41		14
15	·04	-	·09	-	·09	-	-	-	·02	·23	·08	·17		15
16	·15	×tr.	·26	-	-	-	-	-	·02	·05	·02	·01		16
17	·02	-	tr.	tr.	·01	-	-	tr.	·05	·11	·07	·20		17
18	·20	.	tr.	·18	-	-	·01	-	·17	tr.	-	·09		18
19	tr.	-	·25	.	-	-	-	.	·16	·02	tr.	·08		19
20	-	-	·12	·08	-	tr.	·10	·03	·04	-	-	·02		20
21	-	×tr.	·05	·08	-	·13	·07	·12	-	·16	tr.	.		21
22	-	-	-	-	-	-	.	·16	·19	-	·01	·11		22
23	-	×·01	-	·23	-	·37	.	·01	-	-	·02	·07		23
24	-	·07	·10	·06	-	·03	·49	-	·17	.	tr.	tr.		24
25	·30	·09	tr.	·27	tr.	·09	-	-	-	·11	-	·54		25
26	·07	-	·13	·29	-	tr.	-	-	·08	·01	-	·10		26
27	·01	·01	-	·10	-	·15	-	-	-	·10	-	·45		27
28	-	-	-	tr.	-	·17	·07	·64	-	-	·01	·36		28
29	-	×	-	-	-	tr	-	·05	·26	-	tr	·02		29
30	·10	×	-	-	-	-	-	tr.	·02	×tr.	-	·08		30
31	·07	×	-	×	-	×	·04	-	×	·08	×	·08	Year's Total	31
TOTAL	2·45	·32	2·64	2·18	·82	1·08	1·18	2·26	2·12	1·64	2·12	7·46	26·27	
*Days with ·01 in. or more.	20	7	17	15	8	8	9	15	13	17	16	29	174	
*Days with .04 in. or more.	15	3	15	13	4	6	8	11	10	12	9	25	131	

× all from damp mist

V.G. print

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ~~John S. C. Bris~~

[P.T.O.

J S C BRIDGE

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 1080/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Cookley House Swyncombe

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level approx. 730 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	-	-	·04	·02	·08	·09	-	tr.	·04	·40	·02		1
2	·02	-	·04	-	-	·08	-	-	·06	·17	·10	tr.		2
3	-	·05	·01	-	-	·29	-	-	·56	·68	·20	tr.		3
4	-	·01	-	·28	-	·04	-	-	·21	·12	tr.	·02		4
5	-	·23	·10	·03	-	·14	-	-	·35	tr	·01	·01		5
6	-	·08	·01	·34	-	·72	-	-	-	tr.×	tr.	·03		6
7	tr.	tr.	-	·63	-	·04	-	-	-	·05	·50	·15		7
8	-	tr	-	·25	-	-	-	·05	-	·27	·15	·06		8
9	·01	-	-	·37	-	·60	-	-	·02	·94	·43	·01		9
10	tr.	-	-	·37	-	·02	-	-	-	·01	·14	·01		10
11	·26	-	-	·01	-	·06	·24	-	-	-	·32	tr.		11
12	·03	-	-	-	-	·25	-	·02	·02	-	·04	-		12
13	·07	·13	-	·08	·17	·10	-	-	-	tr.	·01	-		13
14	-	-	-	·11	·07	·02	-	-	tr.	tr.	·27	·19		14
15	-	·15	-	·54	·03	·40	-	-	·26	-	·41	·08		15
16	-	·23	·05	·20	-	·13	-	-	·50	·02	·52	·06		16
17	tr.	-	tr.	·06	-	·25	tr.	tr.	·07	-	·24	·01		17
18	tr.	-	-	·32	·02	·03	·12	tr	·22	·03	·01	·01		18
19	-	tr.	-	·10	·17	·11	·09	-	·08	·02	·16	·17		19
20	·02	·11	-	·13	·29	·12	·10	-	·12	-	36	-		20
21	·02	·32	·02	·02	tr.	·01	-	-	·07	·04	·01	-		21
22	-	·06	·06	·04	-	-	-	·01	·22	tr	-	-		22
23	-	·17	·07	tr.	-	-	-	·89	·11	·28	-	·02		23
24	·03	·38	·06	-	-	-	-	·28	·60	·05	-	·44		24
25	·15	·14	-	·30	-	1·70	-	·01	-	tr.	-	·28		25
26	tr	·03	tr.×	-	-	·01	-	·32	·10	tr.	-	·54		26
27	-	·23	-	-	·04	tr.	-	tr.	·08	tr.	·10	·71		27
28	-	·15	-	-	·23	-	tr	-	·38	·05	·01	·12		28
29	-	×	-	tr×	-	-	-	-	·46	-	·04	·33		29
30	·06		-	·08	·21	-	-	·77	·07	·08	·31	·51		30
31	-		-		·01		-	tr.		·83		·25		31
													Year's Total	
TOTAL	·87	2·47	·42	4·30	1·26	5·20	·64	2·35	4·56	3·68	4·74	3·93	34·42	
* Days with .01 in. or more.	11	16	9	21	11	22	5	8	21	17	23	23	187	
* Days with .04 in. or more.	5	14	6	18	7	17	5	5	19	13	18	14	141	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) John S. C. Bridge.

[P.T.O.

× damp mist.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1080/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Cookley House, Swyncombe

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level approx. 730 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	·22	·09	·45	-	·11	·36	·07	-	-	·09	·08		1
2	·09	·10	·01	·01	-	·32	·44	·05	Tr	-	·06	-		2
3	-	-	-	·18	-	·39	·14	-	·19	-	·30	·01		3
4	-	-	·24	Tr	-	·03	-	-	·27	-	·12	·05		4
5	·25	-	·03	Tr	-	Tr	Tr	·01	·11	-	Tr.	·03		5
6	·44	-	-	-	·01	·15	-	·12	·20	-	·25	·11		6
7	·38	-	·09	-	-	·08	-	-	·01	-	·11	·07		7
8	·25	-	·12	-	Tr.	-	Tr.	-	-	-	·36	·14		8
9	·35	-	·04	-	Tr.	-	·48	-	·16	·02	Tr.	·01		9
10	·01	-	-	-	-	Tr.	·19	·30	·06	-	-	-		10
11	-	-	-	·07	-	-	·10	Tr.	·01	-	·63	-		11
12	-	-	-	·10	-	·42	·37	Tr.	·45	-	·65	·19		12
13	-	-	-	·47	-	·37	Tr.	-	·01	·03	·10	·52		13
14	-	·06	-	-	-	·07	·64	-	·10	·06	·03	·50		14
15	-	·03	-	-	-	-	·01	-	·01	-	Tr.	·17		15
16	·17	·18	Tr.	·01	-	-	·03	-	·05	-	·53	·03		16
17	·32	·72	-	-	·10	-	·03	-	-	·02	·10	·18		17
18	-	·22	-	-	-	·48	·11	·01	-	Tr.	·01	·14		18
19	·37	·18	·03	·02	-	·27	Tr	·12	-	·02	-	·01		19
20	·02	·23	·07	·30	-	·01	Tr.	-	·96	-	-	-		20
21	-	-	Tr.	·30	Tr	·17	·09	-	·02	-	-	-		21
22	·14	·46	·05	Tr	·31	-	·18	-	·01	-	-	·10		22
23	·06	·01	·25	·07	·03	-	·30	-	-	·10	-	-		23
24	·07	·17	-	-	-	-	·02	-	·13	·38	-	Tr.		24
25	·04	·09	·11	·16	-	-	·28	-	·37	·18	·06	Tr.		25
26	·01	·01	·20	·04	-	·02	·05	-	·03	·13	Tr.	Tr.		26
27	·12	-	·04	-	-	-	·01	-	·01	·10	-	-		27
28	·91	-	·15	-	-	-	·18	-	-	-	Tr.	·15		28
29	·17	·26	·17	-	-	·40	·11	-	-	·04	·27	·09		29
30	·15	✕	Tr.	-	·14	·24	·04	-	-	·19	-	Tr		30
31	·41	✕	·19	✕	·03	✕	·16	-	✕	·60	✕	·21		31
TOTAL	4·89	2·94	1·88	2·18	·62	3·53	4·32	·68	3·16	1·87	3·67	2·79	Year's Total 32·53	
* Days with .01 in. or more.	22	15	17	13	6	16	23	7	20	13	16	20	188	
* Days with .04 in. or more.	19	12	14	10	3	13	18	5	12	9	14	15	144	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) John S. C. Bridge.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1080/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Cookley House, Swyncombe

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level approx. 730 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	Tr.	-	·03	·01	-	-	-	·05	·03	·38	·62		1
2	·01	·23	Tr.	·45	-	-	-	-	·11	-	·02	·60		2
3	Tr.	·14	·02	·01	·01	-	·01	-	-	-	·01	·15		3
4	·07	·44	-	·10	·01	-	-	-	-	-	-	·36		4
5	·14	·03	·28	Tr.	-	-	·08	-	-	-	-	-		5
6	·07	·01	·29	·03	·29	-	·34	-	-	·01	·05	-		6
7	-	·85	-	·21	-	-	Tr	-	·10	-	-	-		7
8	-	·07	-	-	·06	Tr.	-	-	-	-	·15	·10		8
9	-	·07	-	·16	·21	·02	·08	-	·26	-	-	·18		9
10	Tr.	-	·67	·65	-	·30	·03	·12	-	-	-	·18		10
11	Tr.	-	·23	Tr.	·21	·03	·04	-	-	-	-	Tr		11
12	·22	·22	·17	·01	·63	·24	·01	·06	·12	-	-	·08		12
13	·16	·10	·37	·06	-	1·18	-	·01	·28	-	-	·24		13
14	·02	·03	·35	·10	Tr	Tr.	-	·39	·04	-	-	·05		14
15	·33	·14	-	·24	-	-	·44	-	·22	-	-	·04		15
16	·02	·08	·51	·52	-	·05	-	·25	·61	-	-	-		16
17	·50	·01	·36	·03	-	-	-	-	·48	-	-	-		17
18	·43	·11	·08	·02	-	·53	-	-	·36	Tr.	·15	·13		18
19	·14	·10	·04	·10	-	·19	·01	-	·10	Tr.	-	·03		19
20	·50	·01	-	·37	·59	Tr.	-	-	-	·03	-	·02		20
21	·34	·65	·05	·07	·03	-	·09	-	-	·02	·01	·05		21
22	·38	·03	·22	-	·23	·23	·08	-	-	·60	·25	·04		22
23	·25	·03	·05	-	·43	-	·08	-	-	·62	·08	·01		23
24	·33	·45	·08	-	·01	-	-	-	·18	·57	-	·01		24
25	·22	·39	·14	-	1·37	-	-	-	·05	·65	Tr.	·02		25
26	·01	·48	-	-	·23	-	-	-	Tr.	·07	-	Tr.		26
27	·04	·15	-	·27	-	-	-	-	-	·83	-	-		27
28	-	Tr	Tr.	-	-	·01	-	-	-	·07	-	·03		28
29	·01	-	-	-	-	·10	-	-	-	·05	·06	·01		29
30	·44	X	-	-	-	-	-	-	-	·07	·31	Tr.		30
31	·40	X	-	X	-	X	-	-	X	·08	X	·09		31
TOTAL	5·20	4·82	3·91	3·43	4·32	2·88	1·29	·83	2·96	3·70	1·47	3·04	Year's Total 37·85	✓
*Days with ·01 in. or more.	24	24	17	19	15	11	12	5	14	14	11	22	188	✓
*Days with ·04 in. or more.	19	17	16	13	10	8	8	4	14	10	8	15	142	✓

† Spare column, no entries required.

(Signed) John S. C. Bridge.

40-9999

*See Instruction 2 (*f*) on other side.

[P. T. O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1080/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Cookley House, Swyncombe

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level approx. 730 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr	-	·02	-	Tr.	·27	-	-	·07	·02	-	·01		1
2	·09	-	-	·03	·08	-	-	-	-	·44	·01	·05		2
3	-	-	-	-	·28	Tr	-	-	·03	·80	·02	-		3
4	·12	-	-	-	-	-	·02	·04	-	·08	Tr.	·12		4
5	-	-	-	-	-	-	·18	Tr.	Tr.	·18	-	-		5
6	·05	-	Tr.	-	-	-	·05	-	·27	·05	·03	Tr.		6
7	·02	-	-	-	-	·03	·65	1·30	·08	·31	-	·08		7
8	·13	-	Tr	-	-	-	·30	·08	·16	·23	·01	·04		8
9	·14	·01	-	-	-	-	·03	·14	Tr.	Tr.	-	·90		9
10	·20	·01	Tr	-	-	-	·10	·28	Tr.	-	Tr.	·20		10
11	·24	-	-	-	-	-	Tr.	·18	-	-	·15	·07		11
12	·29	-	-	-	·04	-	-	·02	-	·25	·04	-		12
13	·04	·02	-	-	·04	-	-	·01	-	·02	·25	·25		13
14	·45	·01	Tr	-	·08	-	·12	·01	·08	-	·02	·07		14
15	·02	-	-	-	Tr.	-	·42	-	-	·17	·02	·32		15
16	·40	·02	·03	-	·03	-	·08	-	-	·11	·03	·30		16
17	-	·07	Tr.	-	·02	-	-	·09	·05	·06	-	-		17
18	·09	-	-	-	·06	·01	-	-	·08	-	·43	-		18
19	-	-	-	-	-	-	-	-	·11	Tr.	·20	-		19
20	Tr.	Tr.	-	-	-	-	-	·15	·11	Tr.	·60	·04		20
21	·03	-	-	-	-	-	-	·06	·03	Tr	·05	·63		21
22	Tr.	-	-	·03	-	·03	-	·24	Tr.	-	·20	·22		22
23	-	-	-	Tr.	-	-	-	·09	Tr.	Tr.	·05	-		23
24	-	Tr.	·21	-	·02	-	-	-	·15	-	·04	-		24
25	·09	·07	·09	·07	·13	-	-	-	Tr.	·02	·65	·13		25
26	·20	·37	·10	-	·03	Tr.	-	·19	·26	·18	-	·25		26
27	·12	·10	-	-	·24	·30	·38	·05	·33	·09	·40	-		27
28	·20	·03	-	-	1·17	·09	-	·80	·03	-	-	·20		28
29	·18	-	-	-	·34	-	-	·18	·07	·04	·10	·21		29
30	·06	✗	-	·04	·12	·11	-	-	·10	·04	·25	·02		30
31	·17	✗	-	✗	·24	✗	-	-	✗	·10	✗	·25		31
													Year's Total	
TOTAL	3·33	·71	·45	·17	2·92	·84	2·33	3·91	2·01	3·19	3·55	4·36	27·77	✓
* Days with .01 in. or more.	22	10	5	4	16	7	11	18	17	19	21	21	171	✓
* Days with .04 in. or more.	19	4	3	2	12	4	9	15	14	16	14	19	131	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) John S. C. Bridge

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1080/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Cookley House, Swyncombe

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level approx. 730 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	-	·05	·50	·45	-	-	·03	·11	-	Tr.	·05		1
2	·04	-	-	·05	·01	-	-	·45	·53	-	·02	·04		2
3	·35	·01	-	·15	-	-	-	·28	·01	-	·30	·27		3
4	·10	-	·35	·15	-	-	·08	·41	-	·58	·07	·01		4
5	·04	-	·02	·35	·40	-	·12	·24	-	·25	·41	·35		5
6	·42	·02	-	·07	·11	-	·35	·01	-	·01	·21	·02		6
7	·04	·27	-	-	Tr	-	·01	·02	-	Tr.	·33	·20		7
8	Tr.	·12	·16	-	-	-	·05	·03	-	·45	·26	·37		8
9	·08	·04	·01	-	-	-	-	·05	-	·30	·06	·26		9
10	·38	-	-	-	-	·30	-	·20	·03	·02	·02	·01		10
11	-	-	·27	-	-	Tr.	-	-	·12	·04	·02	·02		11
12	-	·04	·02	-	Tr.	·05	-	-	Tr.	·01	·01	-		12
13	-	-	Tr.	Tr	-	·01	·04	-	·10	·81	·03	-		13
14	·65	-	·01	·02	·15	·05	·12	-	·01	·05	·24	-		14
15	·43	-	·07	-	·53	·25	·03	-	·05	·82	·06	Tr.		15
16	·35	-	·18	Tr.	·20	·35	·12	-	Tr.	·05	·58	-		16
17	·43	·03	·02	Tr.	·14	Tr.	·12	-	-	1·55	·05	-		17
18	·37	-	·10	-	·01	·28	·46	-	-	·03	·33	-		18
19	·27	·02	·01	-	-	·01	·70	-	-	·20	·02	-		19
20	·25	-	Tr.	-	-	-	·41	-	-	-	-	·02		20
21	·12	·20	·25	-	-	·01	·49	·12	·07	Tr.	-	-		21
22	·20	·36	·04	·07	-	Tr.	·10	·37	·05	Tr	·17	-		22
23	·04	·02	-	·10	-	·02	·12	·01	-	·01	·55	-		23
24	·30	-	·03	·10	-	·04	·15	-	-	·22	·01	-		24
25	·75	·04	·08	-	-	-	·39	·01	-	·01	·27	·01		25
26	·28	Tr.	·02	·02	-	-	-	·30	-	·15	·15	-		26
27	Tr.	·04	·15	·01	-	-	·03	·08	-	·04	·13	-		27
28	-	·21	·14	·27	-	Tr.	·05	Tr.	-	·01	·29	·10		28
29	-	×	Tr.	·20	-	-	·58	Tr.	-	·26	·13	-		29
30	-	×	-	1·36	-	·11	·01	Tr.	-	Tr.	·21	·07	1·80	30
31	-	×	-	×		×	·08	·04	×	·02	×	·02		31
TOTAL	5·96	1·42	1·98	3·42	2·00	1·48	4·61	2·65	1·08	5·89	4·93	1·82	Year's Total 37·24	
* Days with .01 in. or more.	22	14	20	15	9	12	23	17	10	23	27	16	208	
* Days with .04 in. or more.	22	9	12	12	7	8	19	11	7	15	20	9	151	

† Spare column, no entries required.

(*Signed*) John S. C. Bridge

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1080/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Cookley House, Swyncombe

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level approx. 730 ft.

corr. from nearby stns on Nov. 16 & July 10. letter Ref. 30… 54/34.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	·02	tr	·02	tr.	-	-	-	tr.	-	·16	·01		1
2	-	·10	-	·25	tr.	-	·21	-	-	·02	·84	-		2
3	-	·33	-	·06	tr	-	·01	-	-	·18	1·05	·07		3
4	-	·12	-	·16	tr	-	·02	-	-	·31	·19	·03		4
5	-	·01	-	-	tr.	-	-	-	-	·06	·60	·11		5
6	·23	·20	-	-	·05	-	·25	-	-	·20	·06	·01		6
7	·16	·31	-	·01	·05	-	·05	-	tr.	-	·02	-		7
8	·01	·02	-	-	·01	-	-	-	-	·38	·01	·30		8
9	-	·01	-	·01	-	tr.	-	·28	·03	·02	·26	·06		9
10	-	-	·01	-	-	tr.	~~·50~~ ·75	·06	·03	·03	·15	·06		10
11	-	x ·01	·02	·08	-	·17	·02	-	-	-	·60	·01		11
12	-	x tr.	·10	·01	-	·07	·12	-	·06	·01	·02	·01		12
13	-	x ·02	·50	-	-	-	-	-	·13	tr.	1·23	·12		13
14	-	-	·13	·16	-	-	-	-	·06	·27	·01	·35		14
15	-	-	·01	·03	·02	·07	·25	-	·02	·12	·50	·02		15
16	·01	x 21	·38	·04	tr.	·04	·32	-	·35	·50	~~·42~~ ·72	·01		16
17	-	-	·50	-	-	-	·02	-	tr.	·02	·02	·01		17
18	-	·40	·25	·41	-	-	·04	·03	-	·18	·25	·20		18
19	-	·16	·03	·24	-	-	·05	-	·23	·02	·15	·03		19
20	-	·01	·05	-	-	-	·03	·02	·02	·13	·05	tr.		20
21	x ·09	tr.	·03	-	·20	-	·14	-	tr.	·13	·53	-		21
22	x ·03	-	·16	·02	·60	·38	tr	-	·28	·01	·01	-		22
23	-	·03	·04	·13	·02	·48	-	-	-	·01	·01	·03		23
24	-	tr.	·01	·02	-	tr	·23	-	-	-	tr	tr.		24
25	-	·01	·26	tr.	-	-	·09	-	-	-	·01	-		25
26	⊙ 1·16	·15	·15	·55	·08	·02	·20	-	-	-	-	-		26
27	⊙ ·80	·29	tr	·07	·05	-	·04	-	-	-	-	·01		27
28	⊙ ·45	·16	tr.	·14	·28	-	-	-	-	-	-	·01		28
29	⊙ ·08	·08	·13	·04	·08	·08	-	-	-	-	-	·41		29
30	⊙ ·03	✕	-	·17	-	-	-	-	-	·20	-	·02		30
31	⊙ ·01	✕	-	✕	·02	✕	-	-	✕	·85	✕	·02		31
TOTAL	3·06	2·65	2·76	2·62	1·46	1·31	2·~~59~~ 84	·39	1·21	3·65	~~6·05~~ 7·45	1·91	Year's Total ~~30·46~~ 31·31	
* Days with .01 in. or more.	12	21	18	21	12	8	19	4	10	21	24	23	193	
* Days with .04 in. or more.	7	12	12	14	8	7	14	2	6	13	16	9	120	

x snow

⊙ snow and rain

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) John S. C. Bre

[P.T.O.

1078

Section **A** for the entry of

AIR MINISTRY

BRITISH RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIST L IN 193/ .

1078

IPSDEN

1931-40

780208

780208

Kept at Hailey tion No. 1078

in the County of Oxf

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea l

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	.06	–	.08	.02	.03	.02	–	.07	–	–	–	1
2	.14	.07	–	.54	–	–	–	–	.51	–	.01	.07	2
3	.03	.02	.08	.22	.13	–	.01	.15	.47	–	.24	.17	3
4	–	.02	–	.01	.01	–	.20	1.52	.08	–	.20	–	4
5	–	.02	–	.26	.02	.31	.03	.01	.05	–	.05	.31	5
6	–	.13	–	.13	–	–	.07	–	–	.27	.31	–	6
7	–	.01	–	–	.19	.08	.01	.27	–	.09	.22	.09	7
8	–	.06	–	.07	–	.14	–	.22	–	.02	.14	.01	8
9	–	.10	–	.06	–	–	–	–	–	–	.42	.01	9
10	.03	.02	.02	–	–	.05	.02	.18	.01	.01	.32	–	10
11	.09	.17	–	–	–	.01	–	–	.05	–	.02	.01	11
12	–	–	–	.01	–	–	.17	.10	.27	–	–	–	12
13	–	–	–	–	–	–	.11	.11	–	–	–	–	13
14	.01	.10	–	–	.03	.17	1.15	.29	–	–	–	–	14
15	.01	–	–	.04	.15	–	.10	.08	–	–	.01	.10	15
16	–	.06	–	.11	.14	.15	–	.67	.14	–	–	–	16
17	–	.23	–	.14	.13	–	.21	–	.05	.01	–	–	17
18	.03	.09	.01	.17	–	.11	.02	.52	–	–	.41	–	18
19	.08	–	–	.48	–	.22	.30	.02	–	–	.01	–	19
20	–	.04	.01	.15	–	–	–	.20	–	.01	.01	.01	20
21	.02	–	–	–	.34	–	–	–	–	–	–	–	21
22	.20	–	–	.03	–	–	–	.02	.01	–	–	–	22
23	.16	.03	.01	.07	.28	.03	–	–	.01	–	.19	.07	23
24	–	–	.02	.27	.23	.10	.02	–	–	–	–	.01	24
25	.03	.02	–	.28	.06	–	.52	–	–	–	.08	–	25
26	–	.02	–	.11	–	–	.86	–	–	–	.23	–	26
27	.10	.28	–	.09	.64	–	.01	–	–	–	.12	–	27
28	.06	.10	–	.05	.13	–	–	–	–	.05	.01	.06	28
29	.07	×	–	–	.26	–	.08	–	–	.20	.02	.08	29
30	.05	×	–	–	–	–	–	.28	–	–	–	–	30
31	.25	×	–	×	.03	×	–	.06	×	–	×	.03	31
TOTAL	1.36	1.65	.15	3.37	2.79	1.40	3.91	4.70	1.72	.66	3.02	1.03	YEAR'S TOTAL 25.76
*Days with ·01 in. or more.	17	21	6	22	17	12	19	17	12	8	20	14	185
*Days with ·04 in. or more.	10	13	1	19	12	9	11	14	9	4	13	8	123

40-9999

(Signed) Williams

P.T.O.

*See Instruction 2 (*f*) on other side.

1078

Section **A** **for the entry of**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hailey, Ipsden,
in the County of Oxfordshire

Station No 1078

780208

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	.06	–	.08	.02	.03	.02	–	.07	–	–	–	1
2	.14	.07	–	.54	–	–	–	–	.51	–	.01	.07	2
3	.03	.02	.08	.22	.13	–	.01	.15	.47	–	.24	.17	3
4	–	.02	–	.01	.01	–	.20	1.52	.08	–	.20	–	4
5	–	.02	–	.26	.02	.31	.03	.01	.05	–	.05	.31	5
6	–	.13	–	.13	–	–	.07	–	–	.27	.31	–	6
7	–	.01	–	–	.19	.08	.01	.27	–	.09	.22	.09	7
8	–	.06	–	.07	–	.14	–	.22	–	.02	.14	.01	8
9	–	.10	–	.06	–	–	–	–	–	–	.42	.01	9
10	.03	.02	.02	–	–	.05	.02	.18	.01	.01	.32	–	10
11	.09	.17	–	–	–	.01	–	–	.05	–	.02	.01	11
12	–	–	–	.01	–	–	.17	.10	.27	–	–	–	12
13	–	–	–	–	–	–	.11	.11	–	–	–	–	13
14	.01	.10	–	–	.03	.17	1.15	.29	–	–	–	–	14
15	.01	–	–	.04	.15	–	.10	.08	–	–	.01	.10	15
16	–	.06	–	.11	.14	.15	–	.67	.14	–	–	–	16
17	–	.23	–	.14	.13	–	.21	–	.05	.01	–	–	17
18	.03	.09	.01	.17	–	.11	.02	.52	–	–	.41	–	18
19	.08	–	–	.48	–	.22	.30	.02	–	–	.01	–	19
20	–	.04	.01	.15	–	–	–	.20	–	.01	.01	.01	20
21	.02	–	–	–	.34	–	–	–	–	–	–	–	21
22	.20	–	–	.03	–	–	–	.02	.01	–	–	–	22
23	.16	.03	.01	.07	.28	.03	–	–	.01	–	.19	.07	23
24	–	–	.02	.27	.23	.10	.02	–	–	–	–	.01	24
25	.03	.02	–	.28	.06	–	.52	–	–	–	.08	–	25
26	–	.02	–	.11	–	–	.86	–	–	–	.23	–	26
27	.10	.28	–	.09	.64	–	.01	–	–	–	.12	–	27
28	.06	.10	–	.05	.13	–	–	–	–	.05	.01	.06	28
29	.07	×	–	–	.26	–	.08	–	–	.20	.02	.08	29
30	.05	×	–	–	–	–	–	.28	–	–	–	–	30
31	.25	×	–	×	.03	×	–	.06	×	–	×	.03	31
TOTAL	1.36	1.65	.15	3.37	2.79	1.40	3.91	4.70	1.72	.66	3.02	1.03	YEAR'S TOTAL 25.76
*Days with ·01 in. or more.	17	21	6	22	17	12	19	17	12	8	20	14	185
*Days with ·04 in. or more.	10	13	1	19	12	9	11	14	9	4	13	8	123

40-9999

(Signed) Williams

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1078

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hailey, Ipsden,

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.01	–	.04	.77	.02	.09	.27	.03	.12	.01	.01	1
2	–	–	–	.10	.10	–	–	.06	.22	.07	.02	.15	2
3	–	–	–	.25	.12	–	.01	–	.45	.17	–	–	3
4	.01	–	–	–	–	.02	–	–	–	–	.19	.01	4
5	.25	–	.03	–	.02	–	.11	–	.10	–	–	–	5
6	.33	–	.03	.12	–	–	–	–	.22	–	–	–	6
7	–	–	.09	.14	.07	–	.09	–	.10	.06	–	–	7
8	–	.02	.10	.11	.05	–	–	–	1.54	.10	–	–	8
9	.20	.01	–	.05	.28	–	–	–	–	.04	–	–	9
10	.25	.02	–	.09	.07	.05	–	–	.03	.14	.05	–	10
11	–	.08	–	.05	.03	–	.15	–	.01	.01	.05	.02	11
12	.11	–	–	–	.13	–	–	–	.02	.28	.02	.02	12
13	.03	.01	–	.16	.02	–	.24	–	.01	.26	.14	.03	13
14	.18	.01	–	.04	–	–	–	.44	–	.01	.10	.01	14
15	–	–	–	.04	.14	–	–	–	–	.08	–	.01	15
16	.27	–	–	.21	.07	–	.02	–	–	–	–	–	16
17	–	–	–	.02	–	–	.05	–	–	.03	.01	–	17
18	–	–	–	.01	.01	–	.04	–	.27	–	.18	–	18
19	–	–	–	–	–	–	–	–	.02	.19	.01	.01	19
20	–	–	–	.18	.13	–	.01	1.41	.06	.62	.08	.01	20
21	.03	–	.04	.16	1.40	–	–	.47	–	.36	.02	.03	21
22	.01	.01	.20	.02	.04	–	.06	–	.28	.13	.19	–	22
23	.01	.05	.01	.01	.27	–	.01	–	.05	.48	.01	.05	23
24	–	.09	–	–	–	–	.88	–	.05	.05	.02	.01	24
25	–	.02	–	.02	–	.08	.17	–	.02	.14	.07	.01	25
26	–	–	.09	.10	.04	–	–	–	–	.08	.05	–	26
27	–	–	.31	.18	.22	–	.03	–	–	.07	.03	–	27
28	–	–	.10	.10	.12	.10	.04	–	–	.08	.01	–	28
29	–	–	.24	.16	.13	.06	.02	–	.18	.29	.03	.01	29
30	.01	✕	.21	.17	.03	.61	.01	.01	.21	.02	.34	.32	30
31	–	✕	.04	✕	–	✕	.11	–	✕	–	✕	.06	31
TOTAL	1.73	.33	1.49	2.53	4.26	.94	2.14	2.66	3.87	3.88	1.63	(.77) .77	YEAR'S TOTAL 26.23
*Days with ·01 in. or more.	14	11	13	25	23	7	19	6	20	25	22	17	202
*Days with .04 in. or more.	8	3	10	20	18	5	12	5	13	21	11	4	130

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Hume Williams

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1078

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hailey, Ipsden

in the County of Oxfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 350 ft.

Total

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.11	.06	–	–	–	–	–	–	.01	.04	–	1
2	31	.01	.34	–	.54	–	–	–	–	–	.02	–	2
3	.05	.14	.14	–	.02	–	–	–	–	–	.02	–	3
4	.08	–	.03	–	.34	–	–	–	–	–	–	–	4
5	.01	.01	.20	–	.01	–	–	–	–	–	.04	–	5
6	–	.09	.03	–	.10	–	–	–	–	.37	.04	–	6
7	.09	.07	.06	–	.03	–	.05	–	–	.06	.01	.03	7
8	.05	.01	.07	–	.09	–	.21	–	–	.02	–	–	8
9		–	–	–	.02	–	.16	–	–	.17	.07	–	9
10	.03	.02	–	–	.01	.07	.37	–	–	.30	.22	–	10
11	.24	–	–	–	.03	.03	.09	.37	–	–	.01	–	11
12	–	.01	–	–	.01	.12	.03	–	.62	–	–	.02	12
13	.08	–	–	–	.12	.02	.25	–	.02	.01	.02	–	13
14	.01	–	–	–	.01	–	.02	.28	–	.04	.52	.03	14
15	.36	–	.09	–	–	–	.02	.08	–	.02	.05	–	15
16	–	.01	.61	–	–	.12	.01	–	.02	.03	.01	–	16
17	.05	–	.45	–	–	.13	.01	.01	.03	–	.02	–	17
18	.09	.01	.22	–	–	.12	–	–	–	–	.01	–	18
19	–	.10	.19	–	–	.18	–	–	.41	–	.01	.03	19
20	–	.01	.12	.06	–	.28	–	–	.03	–	.01	.01	20
21	–	.02	–	–	–	–	–	.11	.16	.02	–	–	21
22	–	–	–	–	.38	.01	–	.05	.01	.49	.01	–	22
23	–	–	–	.23	–	–	–	–	.55	.08	.01	–	23
24	–	1.34	–	.08	–	.66	–	–	.26	.01	.06	–	24
25	–	1.52	–	.29	.36	–	–	–	.21	.01	.01	.10	25
26	–	.71	–	.10	–	.22	–	–	.14	.05	–	.01	26
27	–	.02	–	–	.04	–	.03	–	.02	.14	–	.11	27
28	–	–	–	.05	.01	–	–	–	–	.17	–	.07	28
29	.15		.03	.21	–	–	.05	–	–	.03	–	.04	29
30	.17	✕	.04	–	–	–	.03	–	.07	–	–	.12	30
31	.21	✕		✕	–	✕	–	.08	✕	.02	✕	–	31
TOTAL	2.13	4.21	2.68	1.02	2.12	1.96	1.33	0.98	2.55	1.96	1.21	0.57	YEAR'S TOTAL 22·72
*Days with ·01 in. or more.	17	18	16	7	17	12	14	7	14	20	21	11	174
*Days with .04 in. or more.	14	8	13	7	8	9	7	6	8	10	8	5	103

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Hume Williams

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1078

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hailey, Ipsden,
in the County of Oxfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03	-	-	-	-	-	-	.23	-	.01	.03	.35		1
2	.13	-	.06	-	.04	-	-	-	.72	.11	-	.12		2
3	.02	.13	-	-	-	-	-	-	-	.19	-	.07		3
4	.03	-	.06	.24	.07	-	-	-	-	.10	.06	.32		4
5	.01	-	.03	-	.01	-	-	.11	-	.06	.12	.47		5
6	.03	-	.21	.02	.34	.13	-	.02	-	.15	.01	.55		6
7	.03	.03	-	-	-	.01	-	.28	-	.08	.01	.27		7
8	-	-	-	-	.12	-	-	.03	.05	-	.22	.07		8
9	.01	-	.09	-	-	-	-	-	-	-	.97	.26		9
10	.01	.01	.31	.19	-	-	-	.03	-	-	.03	.07		10
11	.46	-	.25	.22	-	-	.04	.05	-	-	-	.22		11
12	-	.02	.01	.02	-	-	.06	.04	-	-	-	.24		12
13	31	-	.11	.05	-	-	.45	.12	-	.01	.09	.97		13
14	.03	.01	.38	-	.01	.02	-	-	-	.01	.14	.43		14
15	.03	-	.04	-	.06	-	-	-	.03	.18	.10	.12		15
16	.13	-	.22	-	-	-	-	-	.01	.03	.02	.02		16
17	.02	.02	-	.03	.01	-	-	-	.06	.08	.06	.17		17
18	.21	.01	.02	.13	-	-	-	-	.14	-	-	.07		18
19	-	-	.22	-	-	-	-	.01	.06	.02	-	.11		19
20	-	-	.07	.03	-	-	.14	.01	.01	.01	.01	-		20
21	-	-	.02	.03	-	.14	.08	.07	-	.14	-	-		21
22	.01	-	-	-	-	-	-	.12	.15	-	.02	.09		22
23	-	.01	-	.15	-	.46	-	-	-	-	.02	.02		23
24	-	.04	.09	.03	-	.11	.29	-	.14	-	-	-		24
25	.26	.05	-	.36	-	.08	-	-	-	.08	-	.46		25
26	.05	-	.01	.17	-	.01	-	-	.03	.01	-	.10		26
27	.04	.01	-	.22	-	.09	-	-	-	.08	-	.37		27
28	.01	.01	-	.01	-	.50	.02	.57	-	.01	.02	.30		28
29	-		-	-	-	-	-	-	.21	-	-	.01		29
30	.07	×	-	-	-	-	-	-	.03	.01	-	.09		30
31	.05	×	-	×	-	×	.05	-	×	.04	×	.05		31
TOTAL	1.98	.35	2.20	1.90	.66	1.55	1.13	1.69	1.64	1.41	1.93	6.39	Year's Total 22.83 ✓	
*Days with ·01 in. or more.	23	12	18	16	8	10	8	14	13	21	17	28	188	
*Days with ·04 in. or more.	10	3	13	9	5	7	7	9	8	12	8	25	116	

† Spare column, no entries required.

(*Signed*) MacWilliams

40-9999

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1078

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hailey Ipsden,

in the County of Oxfordshire

File No. 158029/32

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11	-	-	.09	-	.03	.07	-	.01	.05	.17	.02		1
2	.02	-	.04	-	-	.06	-	-	.05	.13	.03	.01		2
3	-	.04	.02	.03	-	.20	-	-	.43	.71	.18	.02		3
4	-	-	-	.28	-	.11	-	-	.13	.22	.01	-		4
5	-	.28	.10	.02	-	.53	.02	-	.34	.01	.02	.02		5
6	.02	.01	.01	.33	-	.62	-	-	-	.02	.04	.03		6
7	-	.03	-	.54	-	.04	-	-	-	.13	.45	.12		7
8	-	-	-	.27	-	-	-	.03	-	.18	.08	.02		8
9	.01	-	.01	.34	-	.67	-	-	-	.84	.56	.01		9
10	.01	-	-	.31	-	.01	-	-	-	.01	.13	.01		10
11	.26	-	.01	-	-	.07	.14	-	-	-	.25	.01		11
12	.03	-	-	-	-	.20	-	.03	.02	-	.04	-		12
13	.08	.09	-	.10	.14	.07	-	-	-	-	.01	-		13
14	-	-	-	.09	.08	.02	-	-	.01	.01	.20	.12		14
15	-	.06	-	.50	.03	.79	-	-	.24	-	.28	.06		15
16	-	.08	.05	.16	-	-	-	-	.35	.02	.58	.04		16
17	.01	-	-	.03	-	.20	.01	.01	.07	-	.20	-		17
18	-	-	-	.31	.05	.11	.09	.01	.25	.03	.01	.03		18
19	-	.01	-	.02	.13	.05	.09	-	.08	.02	.17	.10		19
20	.02	.13	-	.08	.52	.05	.07	-	.08	-	.38	.09		20
21	.02	.30	.01	.05	-	-	-	-	.05	.06	.02	-		21
22	-	.04	.07	.09	-	-	-	.11	.21	-	-	-		22
23	-	.11	.06	.01	-	-	-	.82	.13	.29	-	.01		23
24	.03	.45	.05	-	-	-	-	.20	.49	.03	-	.47		24
25	.11	.18	-	.27	-	1.28	-	.01	-	-	.02	.29		25
26	.01	.13	-	-	-	-	-	.28	.07	.02	.01	.46		26
27	-	.31	-	-	-	-	-	-	.07	.01	.09	.48		27
28	-	.13	-	-	.56	-	-	.01	.41	.02	.02	.18		28
29	-	×	-	-	-	-	-	-	.39	.01	.02	.31		29
30	.04	×	-	.09	.01	-	-	.69	.06	.06	.41	.41		30
31	-	×		×	-	×		-	×	.81	×	.16		31
													Year's Total.	
TOTAL	0.78	2.38	0.43	4.01	1.52	5.11	0.49	2.20	3.94	3.69	4.38	3.48	32.41	
* Days with .01 in. or more.	15	17	11	22	8	19	7	11	22	23	27	25	207	
* Days with .04 in. or more.	5	14	6	17	6	16	5	5	19	11	17	14	135	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Williams

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1078

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

File No. 158029/32

Kept at Hailey Ipsden,

in the County of Oxfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.22	.16	.32	-	.22	.26	.05	-	-	.12	.03		1
2	.05	.03	-	.02	-	.10	.25	.02	.01	-	.09	-		2
3	.01	-	-	.30	-	.42	.02	-	.23	-	.26	.02		3
4	.01	-	.17	.01	-	.02	-	-	.15	-	.09	.06		4
5	.30	.01	.03	-	.01	-	.01	.01	.27	-	.01	.08		5
6	.39	-	-	-	.01	.15	-	.13	.12	-	.19	.07		6
7	.20	-	.05	-	-	.02	.02	-	.03	-	.20	.06		7
8	.20	-	.11	-	-	-	.02	-	-	.01	.38	.10		8
9	.29	-	.02	-	-	-	.28	-	.18	.03	-	.02		9
10	.01	-	-	-	.01	-	.05	1.23	.01	-	-	-		10
11	-	-	-	.05	-	-	.09	~~1.23~~	.18	-	.61	.01		11
12	-	-	-	.06	-	.44	.18	.01	.33	-	.49	.15		12
13	-	-	-	.05	-	.24	-	~~.04~~	-	.04	.08	.47		13
14	-	.04	-	-	-	.04	.66	-	.27	.01	.01	.39		14
15	-	.04	-	-	-	-	.02	-	.02	-	-	.10		15
16	.21	.21	-	.03	-	-	.02	-	.05	-	.38	.05		16
17	.16	.69	-	-	-	.01	.11	-	-	.01	.07	.13		17
18	.14	.10	-	-	-	.38	.07	.02	-	.08	.02	.05		18
19	.34	.09	.04	.03	-	.52	-	.09	-	-	-	.01		19
20	.04	.17	.08	.23	-	.53	-	-	.52	-	-	-		20
21	-	.01	-	.49	.01	.22	.06	-	-	-	-	-		21
22	.06	.42	.05	.02	.22	-	.20	-	-	-	.01	.09		22
23	.18	.01	.33	.09	.02	-	.16	-	-	.08	-	.01		23
24	.11	.14	-	-	-	-	.04	-	.10	.31	-	.01		24
25	.04	.01	.13	.11	-	-	.28	-	.17	.15	.09	-		25
26	.03	.04	.16	.13	-	.03	.05	-	.03	.05	.01	.01		26
27	.11	-	.05	-	-	-	-	-	.02	.13	-	-		27
28	.79	-	.18	-	-	-	.18	-	-	-	.01	.13		28
29	.12	.15	.06	-	-	.59	.22	-	-	.02	.25	.08		29
30	.09	✕	.01	-	.16	.31	.07	-	-	.36	-	.01		30
31	.41	✕	.22	✕	.03	✕	.16	-	✕	.42	✕	.28		31
TOTAL	4.39	2.38	1.85	1.94	.47	4.24	3.48	1.56	2.69	1.70	3.37	2.42	Year's Total 30.49	
* Days with .01 in. or more.	25	17	17	15	8	17	25	8	18	14	20	25	209	
* Days with .04 in. or more.	20	12	14	10	2	13	19	4	12	9	14	16	145	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Williams

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1078

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Hailey, Ipsden
in the County of Oxon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	-	·01	·04	-	-	-	-	·02	·03	·28	·61		1
2	·02	·32	·02	·37	-	-	-	-	·11	-	·02	·36		2
3	-	·11	·09	·01	-	-	·01	-	-	-	·01	·07		3
4	·04	·40	-	·02	-	-	-	-	-	-	·01	·28		4
5	·15	·02	·09	-	-	-	·12	-	-	-	·02	-		5
6	·05	·07	·28	·04	·29	-	·38	-	-	·02	·05	-		6
7	-	·69	·35	·26	-	-	-	-	·04	-	-	-		7
8	·02	·03	-	-	·07	-	-	-	-	-	·21	·26		8
9	-	·06	-	·18	·14	·02	·04	-	·29	·01	-	·12		9
10	-	-	·89	·39	-	·31	-	·63	-	-	-	·18		10
11	·01	-	·09	-	·19	·02	·02	-	-	-	-	·01		11
12	·19	·29	·25	·05	·42	·36	-	·04	·13	-	-	·12		12
13	·17	·08	·57	·03	-	1·45	-	·10	·18	-	-	·17		13
14	·02	·05	·39	·14	-	·01	-	·38	·03	-	·01	·05		14
15	·29	·11	-	·17	-	-	·54	·01	·24	-	·02	·06		15
16	·01	·09	·54	·48	-	·05	-	·20	·65	-	-	-		16
17	·49	·03	·32	·03	-	[illegible]	·01	-	·84	-	-	-		17
18	·39	·11	·07	·03	-	·52	-	-	·32	·01	·15	·14		18
19	·11	·05	·04	·07	-	(·21) ·21	·09	-	·10	·01	·01	·02		19
20	·48	·03	·01	·33	·37	·01	-	-	·01	·01	-	·02		20
21	·28	·66	·07	·04	·01	-	·06	-	·01	·02	·02	·03		21
22	·46	·03	·19	-	·17	·23	·04	-	-	·88	·16	·03		22
23	·22	·06	·07	-	·59	-	·01	-	-	·28	·11	·01		23
24	·37	·37	·03	-	·04	-	-	-	·17	·66	·01	·02		24
25	·38	·35	·15	-	1·38	-	-	-	·03	·15	-	·02		25
26	-	·33	·03	-	·18	-	-	-	-	·12	·02	-		26
27	·05	·09	-	·17	-	-	-	-	-	·76	-	-		27
28	-	·04	-	-	-	-	-	-	-	·03	-	·05		28
29	-		-	-	-	·02	-	-	-	·04	·06	·01		29
30	·38	✕	-	-	-	-	-	-	-	·03	·17	-		30
31	·37	✕	-	✕	-	✕	-	-	✕	·12	✕	·07		31
TOTAL	5·04	4·47	4·55	2·85	3·85	3·21	1·32	1·36	3·17	3·18	1·34	2·71	Year's Total 37·05 ✓	
* Days with .01 in. or more.	24	25	22	19	12	12	11	6	16	17	18	23	205 ✓	
* Days with .04 in. or more.	19	20	17	14	11	7	7	5	11	8	8	14 ~~20~~	141 ~~[illegible]~~ ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Williams

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1078

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

File No 158029/32

Kept at Hailey Ipsden

in the County of Oxfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	-	·01	-	·01	·25	-	-	·06	·02	-	·03		1
2	·06	-	-	·05	·06	-	-	-	-	·37	-	·05		2
3	-	-	-	-	·31	·01	-	-	·01	·72	-	-		3
4	·11	-	-	-	-	-	·02	·05	-	·10	-	·11		4
5	·01	-	-	-	-	-	·02	-	·01	·13	-	-		5
6	·03	-	-	-	-	-	·03	-	·08	·18	·02	-		6
7	·01	-	-	-	-	·02	·53	1·15	·07	·14	-	-		7
8	·09	-	-	-	-	·03	·16	·16	·10	·20	-	-		8
9	·08	-	-	-	-	-	·02	·15	-	-	-	·80		9
10	·11	·03	-	-	-	-	·07	·22	-	-	-	·13		10
11	·17	-	-	-	-	-	-	-	-	-	·12	·07		11
12	·31	-	-	-	·03	-	-	·17	-	·15	-	-		12
13	·05	·02	-	-	-	-	-	-	-	·02	·21	·19		13
14	·38	·01	-	-	·04	-	·08	-	·05	-	-	-		14
15	·09	-	-	-	-	-	·35	-	-	·13	-	·23		15
16	·37	·02	·02	-	-	-	·02	·04	-	·09	·03	·36		16
17	·01	·08	-	-	-	-	-	-	·05	·05	-	-		17
18	·06	-	-	-	·06	·04	-	·02	·08	-	·34	-		18
19	·01	-	-	-	-	-	-	·15	·12	-	·23	-		19
20	-	-	-	-	-	-	-	-	·05	-	·45	·02		20
21	·02	-	-	-	-	-	-	·09	·04	-	·03	·47		21
22	-	-	-	·02	-	·02	-	·06	-	-	·17	-		22
23	-	-	-	-	-	-	-	-	-	-	·05	-		23
24	-	·02	·13	-	·01	-	-	-	·14	-	·03	·07		24
25	·12	·06	·10	·04	·13	-	-	·17	-	·02	·70	·03		25
26	·17	·33	·07	-	·05	·01	-	-	·20	·14	-	-		26
27	·05	·04	-	-	·26	·30	·27	·02	·28	·07	·36	·45		27
28	·02	·02	-	-	·81	·06	-	·81	-	-	-	·34		28
29	·13		-	-	·27	-	-	·10	·10	-	·11	·15		29
30	·02	✕	-	·02	·12	·07	-	-	·07	·03	·21	-		30
31	·18	✕	-	✕	·15	✕	-	-	✕	·08	✕	·26		31
TOTAL	2·69	·63	·33	·13	2·31	·81	1·57	3·36	1·51	2·64	3·06	3·76	Year's Total 22·80	✓
* Days with .01 in. or more.	26	10	5	4	14	10	11	15	17	18	15	17	162	✓
* Days with .04 in. or more.	17	4	3	2	11	5	6	13	15	14	11	14	115	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ...... Williams

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 1078

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hailey Ipsden,

in the County of Oxfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	·04	·62	·45	–	–	·07	·01	–	–	·03		1
2	–	–	–	·04	–	–	–	·39	·42	–	·03	·06		2
3	·40	–	–	·15	–	–	–	·24	–	–	·32	·24		3
4	–	–	·32	·10	·03	–	·08	·54	·03	·48	·07	·01		4
5	–	–	·01	·25	·33	–	·10	·19	–	·15	·43	·27		5
6	·65	–	–	·03	·05	–	·30	–	–	·03	·29	·01		6
7	–	·10	–	–	–	–	–	·01	–	–	·31	·17		7
8	–	·09	·19	–	–	–	·07	·11	–	·39	·30	·21		8
9	–	·03	–	–	–	–	–	·05	–	·17	·02	·15		9
10	·33	–	–	–	–	·27	–	·14	–	–	·03	·01		10
11	–	–	·29	–	–	–	–	–	·03	·02	·02	·02		11
12	–	–	·04	–	–	·02	–	–	–	·01	·01	–		12
13	–	–	–	·02	–	–	·06	–	·04	·82	·05	–		13
14	·49	–	–	·01	·25	·05	·10	–	–	·10	·24	–		14
15	·44	–	·03	–	·44	·38	·27	–	·16	·74	·13	–		15
16	·46	–	·09	·03	·13	·28	–	–	–	–	·42	–		16
17	·04	·02	·01	–	·15	–	·08	–	–	1·39	·06	·01		17
18	·20	·01	·08	–	–	·27	·55	–	–	·03	·26	–		18
19	·15	·01	·01	–	–	–	·69	–	–	·11	·02	–		19
20	·32	–	–	–	–	·01	·39	·05	–	–	–	·03		20
21	–	·23	·21	–	–	·02	·16	·04	·08	·01	–	–		21
22	·16	·33	·02	·03	–	·01	·10	–	·04	–	·08	–		22
23	·05	–	·03	·16	–	·03	·08	–	–	·02	·67	–		23
24	–	–	·02	·08	–	·08	·20	–	–	·21	–	·04		24
25	·98	·06	·06	–	–	–	·54	–	–	·02	·22	–		25
26	·69	·01	·03	–	–	–	–	·30	–	·08	·14	·05		26
27	·02	·09	·12	–	–	–	·03	·10	–	·07	·12	–		27
28	·03	·15	·12	·07	–	·02	·06	–	–	–	·13	·06		28
29	–		–	·25	–	–	·56	–	–	·22	·06	–		29
30	–	✕	–	1·30	–	·07	·05	–	–	–	·07	·03		30
31	–	✕	–	✕	–	✕	·09	·01	✕	·02	✕	·02		31
TOTAL	5·43	1·13	1·72	3·14	1·83	1·51	4·56	2·24	·81	5·09	4·50	1·42	Year's Total 33,38	✓
* Days with .01 in. or more.	17	12	19	15	8	13	21	14	8	21	26	18	192	✓
* Days with .04 in. or more.	14	7	11	10	7	7	20	12	5	13	20	9	135	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) [illegible] Williams

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No. 1078

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Hailey, Ipsden,
in the County of Oxfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" Ground " Sea Level 350 ft.

File Number 158029/32

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. ✓

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	.02	–	–	–	–	–	–	–	–	.08	.04		1
2	–	.01	–	.22	–	–	.15	–	–	.02	.57	–		2
3	.01	.28	–	.04	–	–	–	–	–	.16	.95	.03		3
4	–	.09	–	.23	–	–	–	–	–	.25	.09	.04		4
5	–	–	–	–	–	–	–	–	–	.07	.59	.09		5
6	.11	.12	–	–	.05	–	.40	–	–	.22	.02	–		6
7	.12	.27	–	–	.03	–	.04	–	–	–	–	–		7
8	.02		–	–	–	.03	–	–	.03	.26	.03	.22		8
9	–	–	–	–	–	.02	–	.16	.05	.02	.20	.04		9
10	–	–	–	–	–	–	.87	–	–	.01	.11	.08		10
11	–	–	.02	.05	–	–	.02	–	–	–	.63	.02		11
12	–	–	.11	–	–	.03	.10	–	.05	–	.01	–		12
13		–	.52	.02	–		–	–	.07	–	1.43	.02		13
14	–	.03	.09	.08	.04	–	–	–	.06	.26	–	.24		14
15	–	–	.03	.02	.05	–	.24	–	.04	.12	.49	–		15
16	.05	.20	.36	–	–	.03	.52	–	.23	.43	.76	–		16
17	–	–	.29	–	–	–	.03	–	–	–	.03	–		17
18	–	.33	.21	.25	–	–	.17	.09	–	.16	.18	.15		18
19	–	.11	.02	.18	–	–	.03	–	.21	–	.16	.02		19
20	–	–	.05	.01	–	–	.02	–	.02	.16	.04	–		20
21	.07	.02	–	–	.10	–	.09	.02	–	.10	.57	–		21
22	–	–	.07	–	.47	.43	–	–	.21	.01	–	–		22
23	–	.03	.04	.07	–	.32	–	–	–	–	.01	.04		23
24	.02	–	–	–	–	–	.29	–	–	–	–	–		24
25	.03	–	.27	–	–	.01	.07	–	–	–	–	–		25
26	1.05	.09	.09	.40	.09	–	.11	–	–	–	–	–		26
27	.49	.16	–	–	.08	–	.01	–	–	–	.01	–		27
28	.45	.03	–	.03	.18	–	–	–	–	–	–	.02		28
29	.11	.12	.10	.04	.04	.04	–	–	–	–	–	.26		29
30	–	✕	–	.17	.03	–	–	–	–	.14	–	–		30
31	.04	✕	–	✕		✕	–	–	✕	.61	✕	.03		31
TOTAL	2.57	1.91	2.27	1.81	1.16	0.91	3.16	0.27	0.97	3.00	6.96	1.34	Year's Total 26.33	
* Days with .01 in. or more.	13	16	15	15	11	8	17	3	10	17	21	16	162	
* Days with .04 in. or more.	9	10	12	11	9	3	12	2	8	13	15	10	114	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Anne Williams [P.T.O.

1080

—

1080

SWYNCOMBE HSE

1931- 40

Section **A** for the entry of

AIR MINISTR AINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGIS 19~~2~~31.

Kept at Swyncombe

in the County of Oxford

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

" Ground " Sea

WD

480208 for WD.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		08		9	08				07				1
2	09	10		53	06	05	02	27	58				2
3	03		08	27	14			2.20	47			05	3
4		06					22		08		27	20	4
5				33			05		05		28		5
6		16		15		27	05	30			06	34	6
7					23		51	24		30	37		7
8		12		04		13				11	24	07	8
9		12	05	04		17	02	19			15	01	9
10		04									56		10
11	04	19				04		02	06		29		11
12	15						10	38	40		02		12
13							32	36				02	13
14		11			03		1.56	08					14
15	02	04		12	15	03	47	72					15
16		07		10	16				06			13	16
17		27		17	24	19	21	54	12				17
18	02	05		17				03					18
19	07			57		15	57	14			43		19
20	10	06		19		09							20
21	03				37					02	02		21
22	25			06					02				22
23	18	03		05	30	09							23
24			03	30	26		07				24	05	24
25	02	02		34	05	09	80						25
26		03		27	50		1.05				08		26
27	12	35		10	28		07				37		27
28	10	10		04							11		28
29	05				19		11			05	01	22	29
30	31	✕					04	12		27			30
31	34	✕		✕	03	✕		07	✕		✕	05	31
TOTAL	1.92	2.00	.16	3.93	3.07	1.30	6.24	5.66	1.91	.75	3.50	1.14	YEAR'S TOTAL 31.58
Days with ·01 in. or more.	17	19	3	20	16	11	18	15	10	5	16	10	160
Days with ·04 in. or more.	12	16	2	20	14	10	16	13	9	4	13	8	137

40-9999

(Signed) C.A. Christie-Miller

[P.T.O.

1080

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Swyncombe House

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 515 ft.

3 WD

Oct - Dec corr. for W.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		08		9	08				07				1
2	09	10		53	06	05	02	27	58				2
3	03		08	27	14			2.20	47			05	3
4		06					22		08		27	20	4
5				33			05		05		28		5
6		16		15		27	05	30			06	34	6
7					23		51	24		30	37		7
8		12		04		13				11	24	07	8
9		12	05	04		17	02	19			15	01	9
10		04									56		10
11	04	19				04		02	06		29		11
12	15						10	38	40		02		12
13							32	36				02	13
14		11			03		1.56	08					14
15	02	04		12	15	03	47	72					15
16		07		10	16				06			13	16
17		27		17	24	19	21	54	12				17
18	02	05		17				03					18
19	07			57		15	57	14			43		19
20	10	06		19		09							20
21	03				37					02	02		21
22	25			06					02				22
23	18	03		05	30	09							23
24			03	30	26		07				24	05	24
25	02	02		34	05	09	80						25
26		03		27	50		1.05				08		26
27	12	35		10	28		07				37		27
28	10	10		04							11		28
29	05				19		11			05	01	22	29
30	31	X					04	12		27			30
31	34	X		X	03	X		07	X		X	05	31
													YEAR'S TOTAL
TOTAL	1.92	2.00	.16	3.93	3.07	1.30	6.24	5.66	1.91	.75	3.50	1.14	31.58
Days with ·01 in. or more.	17	19	3	20	16	11	18	15	10	5	16	10	160
Days with ·04 in. or more.	12	16	2	20	14	10	16	13	9	4	13	8	157

40-9999

(Signed) C.A. Christie-Miller

[P.T.O.

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No 1080

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932..

Kept at Swyncombe House,

in the County of OXFORD.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ..... in.

,, Ground ,, Sea Level 515 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following f

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	-	.82	-	.12	-	.03	-	.02	-	1
2	.06	-	-	.02	.15	-	-	.28	.35	.13	-	.16	2
3	-	-	-	.11	-	-	-	.14	.25	.07	-	-	3
4	-	-	-	.27	-	-	-	-	-	.16	.25	-	4
5	.01	-	-	-	-	.03	.19	-	.12	-	-	-	5
6	.32	.01	-	-	-	-	-	-	.22	-	-	-	6
7	.37	-	-	.07	.07	-	-	-	.14	-	-	-	7
8	-	-	-	.08	.06	-	-	-	1.26	.08	-	-	8
9	-	-	.15	.06	.21	-	-	-	.11	.14	-	-	9
10	.34	-	.14	.05	.08	-	-	-	.05	.04	.04	-	10
11	.26	.10	-	.14	.03	.05	.10	-	-	.18	.05	-	11
12	-	-	-	.04	.15	-	-	-	-	.58	.03	-	12
13	.17	-	-	.23	.02	-	.08	-	.03	.39	.10	-	13
14	.07	-	-	.04	-	-	-	-	-	.20	.04	-	14
15	.22	-	-	.04	.15	-	-	.20	-	-	-	-	15
16	-	-	-	.22	.02	-	-	-	-	.10	-	-	16
17	.21	-	-	-	-	-	.04	-	-	-	-	-	17
18	-	-	-	-	.02	-	.04	-	.27	.06	.14	-	18
19	-	-	-	-	-	-	-	-	-	-	-	-	19
20	-	-	-	-	.12	-	.03	-	.08	.26	.07	.06	20
21	-	-	-	.14	1.89	-	-	1.07	-	.67	-	.05	21
22	.05	-	-	.17	.02	-	.08	.26	.29	.40	.27	-	22
23	.01	-	.24	.02	.10	-	-	-	.05	.13	-	.04	23
24	-	.07	-	-	-	-	1.08	-	-	.59	-	-	24
25	-	.09	-	-	-	-	.18	-	.10	.02	.05	-	25
26	-	-	-	.01	.06	-	-	-	-	.19	.04	-	26
27	-	-	.08	.30	.22	-	.45	-	-	.10	-	-	27
28	-	-	.41	.25	.18	.05	.10	-	-	.04	-	-	28
29	-	-	.15	.16	.25	.08	.03	-	.19	.08	.05	.02	29
30	-	X	.27	.24	-	.83	-	-	.23	.40	.44	.29	30
31	-	X	.21	X	-	X	.10	-	X	-	X	.07	31
TOTAL	2.09	.27	1.65	2.66	4.62	1.04	2.62	1.95	3.77	5.01	1.59	.69	YEAR'S TOTAL 27.96
*Days with ·01 in. or more.	12	4	8	21	20	5	14	5	17	23	14	7	150
*Days with .04 in. or more.	10	3	8	18	15	4	12	5	15	22	12	6	130.
	~~7th~~	~~11th~~	~~28th~~	~~27th~~	~~21st~~		~~24th~~	~~21st~~	~~8th~~	~~21st~~	~~30th~~	~~30th~~	

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C.M. Christie-Miller

P.T.O.

400 1080

~~COPY FOR OFFICIAL USE~~

Section **A** **for the entry of Daily Observations.** Station No. 1080

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Swyncombe House

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 515 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	·13	·08								·14		1
2	·40 ~~[illegible]~~		·42		·57						·02		2
3	·06	·23	·21										3
4	·10		·04		·34								4
5		·02	·28										5
6		·12	·04		·16					·41	·08		6
7	·16	·10	·08				·02			·04			7
8	·04		·10		·08		·18			·04			8
9					·10		·19			·18	·10		9
10		·08				·06	·46			·36	·16		10
11	·28					·11	·08	·43					11
12						·14			·67				12
13	·04				·21	·03	·28				·03		13
14								·31		·06	·69		14
15	·44		·14				·26	·10			·05		15
16			·70			·31				·04			16
17	·10		·51			·02			·08				17
18	·06	·14	·29			·07					·02		18
19			·21			·28			·51				19
20			·08	·07		·11			·03				20
21								·27	·20	·05			21
22					·10	·02		·09		·43			22
23				·22					·43	·08	·03		23
24		1·10		·10		·25			·19		·06		24
25		1·48		·29					·22			·07	25
26		·75		·14		·11			·35	·07		·02	26
27					·12	·02			·02	·13		·06	27
28				·10	·05		·02			·21		·06	28
29	·15		·02	·22			·02					·03	29
30	·18	×	·05				·04		·10			·15	30
31	·16	×		×		×		·12	×		×		31
TOTAL	2·37	4·15	3·25	1·14	1·73	1·53	1·55	1·32	2·80	2·10	1·38	·39	YEAR'S TOTAL 23·71
*Days with ·01 in. or more.	~~14~~	~~10~~	~~16~~	~~7~~	~~9~~	~~13~~	~~10~~	~~6~~	~~11~~	~~13~~	~~11~~	~~6~~	~~126~~
*Days with ·04 in. or more.	14	9	15.	7	9.	9	7	6.	9	13	7	4	109

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE:

Section **A** for the entry of Daily Observations. Station No. 1080

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Swyncombe House, Swyncombe

in the County of Oxfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 11 in.

,, Ground ,, Sea Level 515 ft.

Dupl

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04							·27				·59		1
2	·16		·10		·05				·88	·12		·18		2
3	~~·06~~	·15								·19		·06		3
4	·06		·07	·32	·07					·10	·13	·40		4
5	·00							·12		·02	·13	35		5
6	·04		·22		·49	·07						·69		6
7	·03							·32		·10		·33		7
8					·13			·05	·05		·22	·07		8
9			·10								1·05	29		9
10	·02		·33	·18							·02	·08		10
11	·64		·28	·14			·04	·05				25		11
12			~~·27~~	·07			·07	·08				20		12
13	·43		·27 ~~·38~~	·07			·20	·11		·17	·08	1·01		13
14	10		·38							·10	·20	·43		14
15	·05		·09			·07			·02	·21	·08	·14		15
16	·16		·25		·07				·01	·03	·02			16
17	·02				·02				·05	·10	·07	·20		17
18	25			14					·13			·10		18
19			·26						·14	·02		·09		19
20			·13	·06			·11		·03					20
21			·04	·09		·13		·13		·14				21
22								·14	·22		·02	·11		22
23				·20		·43					·02			23
24		·08		·04		·02	·48		·14					24
25	30	·07	·09	·25		·12				·10		·54		25
26	·04		·04	·25					·06			10		26
27				·18		·12				·09		47		27
28						·16	·07	·65				30		28
29								·06	·26			·02		29
30	09	×							03			·08		30
31	09	×		×		×	·05		×	·07	×	·08		31
TOTAL	2·52	·30	2·65	1·99	·83	1·06	1·02	1·98	2·02	1·56	2·04	7·16	Year's Total 25·13	
*Days with ·01 in. or more.	17	3	15	13	6	8	7	11	13	15	12	26	146	
*Days with ·04 in. or more.	14	3	15	13	5	6	7	11	9	12	8	25	128	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 1080

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Totals

Kept at Swyncombe House Swyncombe

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 515 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·00	·00	·04	·04	·09	·09	–	–	·05	·23	·02		1
2	0·01	·00	·07	·00	·00	·08	–	–	·05	·16	·07	–		2
3	·00	·06	·00	·00	·00	·21	–	–	·65	·73	·24	·02		3
4	·00	·00	·00	·29	·00	·05	–	–	·18	·14	–	–		4
5	·00	·32	·10	·02	·00	·26	–	–	·36	–	·02	–		5
6	·00	·04	·00	·35	·00	·70	–	–	–	–	–	·02		6
7	·00	·00	·00	·63	·00	·03	–	–	–	–	·47	·16		7
8	·00	·00	·00	·27	·00	·00	–	·04	–	·30	·16	·06		8
9	0·01	·00	·00	·41	·00	·64	–	–	–	·80	·49	–		9
10	·00	·00	·00	·37	·00	·01	–	–	–	·05	·10	–		10
11	·29	·00	·00	·00	·00	·06	·03	–	–	–	·35	–		11
12	·00	·00	·00	·00	·00	·24	–	·01	–	–	·03	–		12
13	·07	·04	·00	·18	·14	·08	–	–	–	–	–	–		13
14	·00	·00	·00	·10	·05	·02	–	–	·02	–	·23	·22		14
15	·00	·04	·00	·60	·03	·53	–	–	·32	–	·42	·06		15
16	·00	·09	·05	·27	·10	·07	–	–	·42	·01	·57	·05		16
17	·00	·13	·00	·13	·00	·25	–	–	·05	–	·21	–		17
18	·00	·00	·00	·34	·00	·14	·14	–	·20	·03	·01	–		18
19	·00	·00	·00	·11	·21	·12	·07	–	·09	–	·17	·19		19
20	·00	·14	·00	·14	·34	·12	·10	–	·10	·03	·39	–		20
21	·04	·39	·00	·02	·00	–	–	–	·11	–	–	–		21
22	·00	·05	·07	·07	·00	–	–	·09	·18	–	–	–		22
23	·00	·14	·06	·00	·00	–	–	·86	·10	30	–	–		23
24	·00	·47	·05	·00	·00	–	–	·20	·52	·07	–	·45		24
25	·20	·14	·00	·28	·00	1·53	–	–	–	–	–	·30		25
26	·01	·22	·00	·00	·00	–	–	·30	·09	–	–	·57		26
27	·00	·21	·00	·00	·04	–	–	–	·08	–	·11	·66		27
28	·00	·10	·00	·00	·49	–	–	–	·44	·04	–	·15		28
29	·00	·00	·00	·00	·00	–	–	–	·43	–	·06	·33		29
30	·06	×	·00	·07	·17	–	–	·84	·06	·06	·33	·46		30
31	·00	×		×	·00	×	–	–	×	1·05	×	·20		31
TOTAL	·87	2·75	·40	4·49	1·71	5·11	·43	2·34	4·45	3·82	4·66	3·92	Year's Total. 34·95	
* Days with .01 in. or more.	9	15	6	20	10	20	5	7	20	15	20	17	164	
* Days with .04 in. or more.	6	15	6	18	9	17	4	6	19	12	17	14.	143	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) E.M. Christie-Miller

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1080

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Swyncombe Hse Henley on Thames

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 515 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·26	–	·42	–	·07	·41	·04	–	–	·10	·04		1
2	·09	·07	·11	–	–	·32	·35	·05	–		·07	~~·07~~ –		2
3	–	–	–	·25	–	·16	·12	–	·21	–	·28	~~·28~~ ·01		3
4	–	–	·24	–	–	·02	–	–	·20	–	·13	~~·13~~ ·05		4
5	·28	–	·01	–	–	–	–	–	·15	–	–	·15		5
6	·45	–	–	–	–	·20	–	·14	·18	–	·26	~~·26~~ –		6
7	·24	–	·07	–	–	·02	–	–	·01	–	·10	·08		7
8	·23	–	·10	–	–	–	–	–	–	–	·37	~~·37~~ ·13		8
9	·34	–	·04	–	–	–	·33	·93	·22	·01	·13	~~·13~~ ·01		9
10	·01	–	–	–	–	–	·08	–	–	–	–	–		10
11	–	–	–	·10	–	–	·10	–	·03	–	·60	–		11
12	–	–	–	·10	–	·50	·32	–	·34	–	·47	·20		12
13	–	–	–	·30	–	·36	–	–		·05	·10	·60		13
14	–	·05	–	–	–	·06	·70	–	·05	·01	–	·48		14
15	–	·02	–	–	–	–	·01	–	–	–	–	·15		15
16	·22	·20	–	–	–	–	–	–	·03	–	·53	·03		16
17	·31	·80	–	–	·05	–	·03	–	–	–	10	·16		17
18	–	·19	–	–	–	·40	·09	–	–	·03	·02	·13		18
19	·36	·14	·02	·05	–	·32	–	·12	–	–	–	–		19
20	–	·20	·06	·28	–	–	–	–	1·04	–	–	–		20
21	–	–	–	·45	–	·18	·09	–	–	–	–	–		21
22	·15	·45	·07	·07	·34	–	·23	–	–	–	–	·10		22
23	·07	–	·36	–	·06	–	·25	–	–	·10	–	–		23
24	·10	·19	–	–	–	–	·02	–	·13	·36	–	–		24
25	·03	–	·11	·17	–	–	·27	–	·34	·11	·07	–		25
26	–	·09	·21	–	–	–	·05	–	·03	·09	–	–		26
27	·13	–	·05	–	–	–	·01	–	·01	·10	–	–		27
28	·86	–	·21	–	–	–	·16	–	–	–	–	·16		28
29	·16	·18	·10	–	–	·53	·07	–	–	·05	·28	·10		29
30	·12	✕	·05	–	·17	·26	·06	–	–	·27	–	–		30
31	·38	✕	·22	✕	–	✕	·13	–	✕	·56	✕	·23		31
TOTAL	4·67	2·84	2·03	2·19	·62	3·40	3·88	1·28	2·97	1·74	3·61	2·81	Year's Total ✓ 32·04	
* Days with .01 in. or more.	20	13	17	10	4	14	22	5	15	12	16	18	168 ✓	
* Days with .04 in. or more.	18	12	14	10	4	12	18	5	10	9	15	15	142 ✓	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) C.M. Christie-Miller [P.T.O.

COPY FOR OFFICIAL USE

1080

Section **A** **for the entry of Daily Observations**

Station No. ~~899896/29~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Swyncombe House

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. : in.

,, Ground ,, Sea Level 515 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	..	..	·02	..	..	..	..	·06	·01	·37	·76		1
2	..	·21	..	·51	..	..	..	..	·10	..	·01	·59		2
3	..	·11	·05	..	..	..	..	..	..	..	..	·11		3
4	·06	·40	..	·09	..	..	..	..	..	..	..	·38		4
5	·14	·02	·25	..	..	..	·09	..	..	..	..	..		5
6	·06	·06	·51	·03	·30	..	·32	..	..	·01	·04	..		6
7	..	·74	..	·20	..	..	..	..	·07	..	..	..		7
8	..	·05	..	..	·10	..	..	..	..	..	·14	·27		8
9	..	·04	..	·16	·17	..	·07	..	·25	..	..	·13		9
10	..	..	·77	·70	..	·25	·08	·11	..	..	..	·18		10
11	..	..	·17	..	·22	·02	·03	..	..	..	..	..		11
12	·20	·25	·20	..	·56	·36	..	·05	·12	..	..	·07		12
13	·16	·10	·49	·05	..	·75	..	..	·21	..	..	·27		13
14	·01	·04	·40	·11	..	..	..	·27	·02	..	..	·06		14
15	·36	·12	..	·22	..	..	·46	..	·24	..	·02	·03		15
16	·01	·05	·65	·56	..	·06	..	·24	·67	..	..	·01		16
17	·52	·01	·33	·03	..	..	..	..	·76	..	..	..		17
18	·46	·12	·16	·02	..	·45	..	..	·26	..	·15	·16		18
19	·14	·07	·02	·09	..	·20	..	..	·05	..	..	..		19
20	·54	..	..	·41	·51	·04	..	..	..	..	..	..		20
21	·33	·66	·08	·07	·01	..	·08	..	..	·02	..	·11		21
22	·42	·03	·17	..	·22	·22	·06	..	..	·76	·25	·05		22
23	·25	·06	·07	..	·52	..	·05	..	..	·46	·10	..		23
24	·35	·41	·06	..	·01	..	..	..	·19	·68	..	..		24
25	·18	·33	·17	..	1·33	..	..	..	·05	·78	..	·02		25
26	..	·40	..	..	·21	..	..	..	..	·08	..	..		26
27	·05	·12	..	·26	..	..	..	..	..	·87	..	..		27
28	..	·03	..	..	..	..	..	..	..	·06	..	·04		28
29	·01	X	..	..	..	..	..	..	..	·03	·06	·01		29
30	·39	✕	..	..	..	·06	..	..	..	·06	·28	..		30
31	·40	✕	..	✕	..	✕	..	..	✕	·08	✕	·08		31
TOTAL	5·19	4·43	4·55	3·53	4·10	2·41	1·22	·67	3·05	3·90	1·42	3·27	Year's Total 37·74	✓
* Days with .01 in. or more.	22	24	17	17	12	10	9	4	14	13	10	19	171	✓
* Days with .04 in. or more.	19	20	16	13	10	9	8	4	13	9	8	15	144	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1080

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Swyncombe House

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 515 ft.

All notified 27/2/39.

corr. for Dec. 19–26 snow, [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	..	·01	..	..	·23	..	..	·07	·03	..	·01	·39	1
2	·09	..	..	·02	·08	..	..	..	..	·42	·01	·04	·66	2
3	..	..	..	..	·29	·01	..	-	·02	·82	·01	..	1·15	3
4	·13	..	..	·01	..	..	..	·02	..	·08	-	·12	·36	4
5	..	..	..	..	..	·02	·15	..	·01	·16	..	..	·34	5
6	·02	..	..	..	..	·01	·05	-	·22	·14	·02	·01	·47	6
7	·01	..	..	..	..	..	·51	1·06	·05	·22	-	·07	1·92	7
8	·11	..	..	..	..	·03	·31	·08	·12	·20	·01	..	·86	8
9	·12	..	..	..	..	..	·04	·17	..	·01	..	·87	1·21	9
10	·20	·04	..	..	..	..	·10	·27	..	..	..	·15	·76	10
11	·23	..	..	..	..	..	·05	·05	-	..	·15	·07	·55	11
12	·30	·01	..	~~·02~~	·02	..	·01	·03	..	·23	·07	·01	·68	12
13	·03	·02	..	..	·06	..	..	..	..	·02	·15	·23	·51	13
14	·46	..	..	..	..	..	·09	..	·06	..	..	·03	·64	14
15	·02	..	..	..	..	..	·38	·01	..	·14	-	·57 4	1·06	15
16	·42	·02	·01	..	..	..	·04	·07	..	·08	·03	.. 4	·67	16
17	..	·06	..	-	·01	..	·01	..	·05	·05	..	..	·18	17
18	·07	..	..	..	·06	..	..	·14	·09	..	·40	..	·76	18
19	..	..	..	..	..	·01	..	·09	..	..	..	-	·03	19
20	..	..	..	..	..	..	..	·20	·03	..	·53	.. 4	·76	20
21	..	..	..	..	..	..	..	·11	·21	..	·05	[illegible] 4	·37	21
22	·02	..	..	..	..	·02	..	..	-	..	·20	4 (1·30)	·24	22
23	..	..	..	·02	..	..	..	..	·01	-	·04		·07	23
24	..	..	·19	..	·02	..	..	·20	·13	-	·03	[illegible]	·57	24
25	·08	·06	·08	·05	·11	..	..	..	..	·02	·63	= 4	1·03	25
26	·18	·35	·10	..	..	..	..	..	..	·15	..	~~·61~~ 4	1·39	26
27	·10	·08	..	..	·42	·29	·36	·02	·24	·08	·39	..	1·98	27
28	·27	·01	..	..	1·09	·09	..	·86	·01	..	..	·29	2·62	28
29	·17	..	..	..	·34	-	..	·22	·06	·02	·15	·19	1·15	29
30	·01	✕	..	·03	·12	·13	..	..	·12	·01	·23	·03	·68	30
31	·16	✕	..	✕	·20	✕	..	..	✕	·09	✕	·22	·67	31
TOTAL	3·24	·65	·39	·13	2·82	·84	2·10	3·53	1·50	2·97	3·10	(4·15) ~~3·46~~	Year's Total ~~24·73~~	25·62
* Days with ·01 in. or more.	23	9	5	5	13	10	13	17	17	20	18	~~17~~ 22	~~167~~	172
* Days with ·04 in. or more.	17	5	3	1	10	4	11	12	12	14	12	~~12~~ 17	~~113~~	118

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) E. N. Crichton Miller

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1080

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at [illegible]
in the County of [illegible]
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
,, Ground ,, Sea Level 515 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	· ·	·03	·49	·47	· ·	TRACE.	02	·03	· ·	· ·	·04		1
2	·04	· ·	· ·	·03	· ·	· ·	TRACE.	50	·56	· ·	·02	·04		2
3	·49	· ·	· ·	·14	· ·	· ·		·36	· ·	·01	·32	·24		3
4	·14	· ·	34	·13	·03	· ·	·10	·47	TRACE.	·61	·10	· ·		4
5	· ·	· ·	·02	·39	·38	· ·	·11	· ·	· ·	·19	·39	·34 SNOW.		5
6	·45	· ·	TRACE	·04	·10	· ·	·31	·35	· ·	·	·22	·01		6
7	·03	·16	· ·	· ·	· ·	· ·	·01	·01	· ·	· ·	·34	·21		7
8	· ·	·12	·19	· ·	· ·	· ·	·04	·02	· ·	·44	·28	·25		8
9	·07	·04	· ·	· ·	· ·	· ·	· ·	·03	· ·	·28	·02	·25		9
10	·34	·01	· ·	· ·	· ·	·31	· ·	·18	·01	·01	· ·	· ·		10
11	· ·	· ·	28	· ·	· ·	·01	· ·	· ·	07	·03	·02	· ·		11
12	·01	·02	03	· ·	TRACE	·06	· ·	· ·	· ·	· ·	·01	· ·		12
13	–	· ·	·01	·01	–	·01	·05	· ·	·05	·91	·05	–		13
14	·56	· ·	· ·	TRACE	·12	·04	·09	· ·	TRACE.	·42	·20	· ·		14
15	·49	· ·	·03	· ·	·54	·38	·06	· ·	07	·51	·07	· ·		15
16	·29	· ·	·12	TRACE	·17	·35	·14	· ·	· ·	·03	·56	· ·		16
17	·36	·01	·02	·01	·09	·01		· ·	· ·	1·67	·07	· ·		17
18	·33	· ·	·09	· ·	TRACE	31	·46	· ·	· ·	·02	·33	· ·		18
19	·15	01	· ·	· ·	· ·	· ·	1·07	· ·	· ·	·16	·01	· ·		19
20	·33	· ·	·01	· ·	· ·	TRACE.	·38	· ·	· ·	· ·	· ·	·04		20
21	·05	·25	·23	· ·	· ·		·30	·09	·13	· ·	· ·	· ·		21
22	·19	·39	·03	·02	· ·	· ·	·07	·15	·04	·01	·14	· ·		22
23	03	TRACE.	· ·	·03	· ·	·02	·14	· ·	· ·	·03	·59	· ·		23
24		· ·	·01	·15	· ·	·05	·12	· ·	· ·	·17	· ·			24
25		·06	·08	· ·	· ·	· ·	1·00	· ·	· ·	·01	·25	· ·		25
26	1·93 ← 1½' SNOW →	·01	·04	·02	· ·	TRACE.	· ·	·28	· ·	·10	·17	·05		26
27	· ·	·08	·15	· ·	· ·	TRACE.	10	·05	· ·	·04	·13	· ·		27
28	·01	·20	·13	·22	· ·	·01	·40	· ·	· ·	· ·	·29	·08 SNOW		28
29	· ·	X	·01	·23	· ·	· ·	·62	· ·	· ·	·23	·13	· ·		29
30	· ·		· ·	1·48	· ·	·09	TRACE	· ·	· ·	· ·	·17	SNOW ·06		30
31	· ·		· ·		· ·		·08	·07		·02		TRACE.		31
													Year's Total	
TOTAL	6·32	1·36	1·85	3·39	1·40	1·65	5·65	2·58	·96	5·90	4·88	1·61	38·05	✓
* Days with .01 in. or more.	21	13	20	15	8	13	21	14	8	22	25	12	192	✓
* Days with .04 in. or more.	16	8	10	9	7	8	20	10	6	13	20	11	138	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. Wells

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1080

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1940.

Kept at Swyncombe
in the County of Oxfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
,, Ground ,, Sea Level 515 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf. ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	..	·04 SNOW	..	·01	..	..	..	..	..	..	·13	..		1
2	..	·08	..	·23	..	..	·21	..	..	..	·74	..		2
3	..	·27	..	·01	..	..	..	..	..	·24	1·09	·06		3
4	..	·11	..	·11	..	..	..	..	..	·26	·12	·02		4
5	..	..	..	..	TRACE	..	..	..	..	·05	·85	·10		5
6	·22	·15	..	..	·05	..	·34	..	..	·20	·03	·01		6
7	·16	·32	..	·01	·04	..	·04	..	..	·37	..	..		7
8	..	..	..	..	..	TRACE	..	..	..	·01	·03	·29		8
9	..	..	..	..	..	·01	TRACE	·21	·04	·01	·26	·05		9
10	..	..	·01	..	..	..	·78	·03	·01	·02	·11	·05		10
11	..	..	TRACE	·07	..	·25	·01		..	..	·64	..		11
12	..	..	·08	..	..	·07	·09	..	·05	..	·01	..		12
13	..	·03 SNOW	·50 SOME SNOW		..	..	..	..	·12	..	SNOW 1·41	..		13
14	..	·02 SNOW	·15 SNOW	·15	..		..	·01	·07	·26	..	·32		14
15	..	..	·01	·02	·01	·02	·19	..	·02	·15	·53	·01		15
16	·04 SNOW	·29 SNOW	·31	·02	..	·04	·36	..	·29	·50	·73	..		16
17	..	..	·44	..	..	..	·02	..	..	..	·02	..		17
18	..	·39	·23	·40	..	..	·03	·02	·01	·16	·23	·18		18
19	..	·14	·01	·20	..	..	·02	..	·19	..	·16	·02		19
20	..	·01	·05	·02	..	..	·02	TRACE	..	·15	·04	..		20
21	SNOW ·09	·02	..	..	·18	..	·12	·01	..	·09	·61	..		21
22	SNOW ·04	..	·16	·01	·57	·42	TRACE	TRACE	·25	..	..	..		22
23	..	·02	·01	·11	·01	·41	·01	..	..	·01	·02	·04		23
24	TRACE	..	·01	·02	..	..	·23	..	..	..	..	..		24
25	..	..	·30	..	..	..	·08	..	..	..	..	..		25
26	SNOW 1·13	·12	·09	·67	·05	·01	·25	..	..	..	..	..		26
27	SNOW & RAIN ·54	·20	..	·17	·03	..	·05	..	..	..	..	TRACE		27
28	SNOW ·66	·07		·12	·20	..	..	..	..	..	..	..		28
29	SNOW ·14	·09	·10	·03	·07	·05	..	..	..	..	..	·39		29
30	SNOW. ·02	☒	..	·17	·01	..	..	..	..	·17	..	·02		30
31	..	☒	TRACE	☒		☒	..	..	☒	·72	☒	·02		31
TOTAL	3·04	2·37	2·46	2·55	1·22	1·28	2·85	·28	1·05	3·37	7·76	1·58	Year's Total 29·81	
* Days with .01 in. or more.	10	18	16	20	11	9	18	5	10	17	20	15	169	
* Days with .04 in. or more.	9	13	11	11	7	6	12	1	7	13	15	9	114	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. Wells [P.T.O.

1081

Section **A** for the entry of

AIR MINISTRY

COPY FOR OFFICIAL USE.

AINFALL ORGANIZATION.

FORM 1090.

REGIST

1931.

Kept at 51. Culham. Al

in the County of Ox

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

1081
ABINGDON
CULHAM RD
1931 - 1937

78 0208

THE MORNING MEASUR

S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·08		·02	·01		·13				1
2	·07	·08		·66					·85			·08	2
3			·13	·19	·04			·12	·77		·36	·03	3
4		·04		·07			·29	1·18	·36		·13		4
5		·02		·14		·86					·08	·12	5
6				·18		·04	·03			·25	·20		6
7					·17	·10	·16	·20		·13	·11	·06	7
8		·05	·02	·06		·08		·13			·21		8
9		·10		·01		·25	·03				·12		9
10						·04	·21	·12	·02		·24		10
11	·13	·05				·02	·03		·06		·03		11
12							·12	·05	·29				12
13							·16	·18					13
14					·03	·21	·69	·21					14
15	·01			·04	·12		·10	·06				·05	15
16		·16		·09	·15	·20		·13	·12				16
17		·17		·15	·13		·15		·04				17
18	·03	·03	·06	·17		·16	·24	·55			·29		18
19	·02			·27		·13	·07	·01					19
20		·02	·02	·03				·08			·02		20
21					·36								21
22	·06			·03									22
23	·07	·05		·03	·45	·20			·04		·09	·10	23
24				·19	·24	·06					·01		24
25	·04			·14	·07		·58				·04		25
26		·02		·06			·48				·22		26
27	·08	·30		·09	·95		·16			·04	·16		27
28	·14	·06		·06	·13							·09	28
29	·05				·19		·08				·05		29
30	·07	×						·04					30
31	·13	×		×	·10	×			×		×	·03	31
TOTAL	·90	1·18	·23	2·74	3·13	2·37	3·59	3·06	2·68	·42	2·36	·56	YEAR'S TOTAL 23·22
*Days with ·01 in. or more.	13	15	4	21	14	14	18	14	10	3	17	8	151
*Days with ·04 in. or more.	10	10	2	17	13	12	14	13	9	3	14	6	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Fred. Mitchell

P.T.O.

1081

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at 51 Culham. Abingdon. Berks.

in the County of Oxon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9½ in.

,, Ground ,, Sea Level 180 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·08		·02	·01		·13				1
2	·07	·08		·66					·85			·08	2
3			·13	·19	·04			·12	·77		·36	·03	3
4		·04		·07			·29	1·18	·36		·13		4
5		·02		·14		·86					·08	·12	5
6				·18		·04	·03			·25	·20		6
7					·17	·10	·16	·20		·13	·11	·06	7
8		·05	·02	·06		·08		·13			·21		8
9		·10		·01		·25	·03				·12		9
10						·04	·21	·12	·02		·24		10
11	·13	·05				·02	·03		·06		·03		11
12							·12	·05	·29				12
13							·16	·18					13
14					·03	·21	·69	·21					14
15	·01			·04	·12		·10	·06				·05	15
16		·16		·09	·15	·20		·13	·12				16
17		·17		·15	·13		·15		·04				17
18	·03	·03	·06	·17		·16	·24	·55			·29		18
19	·02			·27		·13	·07	·01					19
20		·02	·02	·03				·08			·02		20
21					·36								21
22	·06			·03									22
23	·07	·05		·03	·45	·20			·04		·09	·10	23
24				·19	·24	·06					·01		24
25	·04			·14	·07		·58				·04		25
26		·02		·06			·48				·22		26
27	·08	·30		·09	·95		·16			·04	·16		27
28	·14	·06		·06	·13							·09	28
29	·05				·19		·08				·05		29
30	·07	✕						·04					30
31	·13	✕		✕	·10	✕			✕		✕	·03	31
TOTAL	·90	1·18	·23	2·74	3·13	2·37	3·59	3·06	2·68	·42	2·36	·56	YEAR'S TOTAL 23·22
*Days with ·01 in. or more.	13	15	4	21	14	14	18	14	10	3	17	8	151
*Days with ·04 in. or more.	10	10	2	17	13	12	14	13	9	3	14	6	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Fred. Mitchell

[P.T.O.

1081

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1081

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at 51 · Culham · Abingdon · Berks

in the County of Oxon.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft 9½ in.

,, Ground ,, Sea Level 180' ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05				1·55		·04	1·27	·03	·08			1
2				·12	·10			·06	·45	·07		·08	2
3				·28	·09		·02		·20	·04			3
4											·11		4
5	·08		·02			·05	·04		·06				5
6	·58			·10			·03		·12				6
7			·12	·07	·03		·01		·03	·05			7
8		·03	·10	·09	·04				·18	·04			8
9	·08	·01		·04	·12				·20				9
10	·10	·01		·13	·08	·03			·02	·09	·02		10
11				·05	·02		·71			·20	·06		11
12	·12	·01		·02	·16				·04	·16	·03		12
13				·13			·13			·14	·06	·05	13
14	·15			·02	·02			·10			·02		14
15	·01			·03	·22		·04	~~·04~~		·05			15
16	·20			·18	·27		·04						16
17	·01						·10			·07	·02		17
18					·02				·30		·16		18
19									·03	·13	·02		19
20				·05	·48		~~1·09~~	1·09	·04	·73		·01	20
21	·02		·13	·18	1·24			·26		·51	·07		21
22	·01		·13				·07		·33	·18	·16		22
23		·04			·41				·05	·61	·02	·04	23
24					·02		1·97			·02	·03		24
25		·02		·01	·02	·08	·08		·08	·13			25
26			·12	·20	·11		·12			·08			26
27			·21	·10	·22		·21			·05			27
28			·08	·03	·20		·04			·09		·01	28
29			·15	·07	·35	·10	·01	·02	·12	·16	·01	·01	29
30		X	·23	·31	·12	·17			·15	·02	·15	·25	30
31		X	·02	X	·02	X	·05		X		X	·05	31
TOTAL	1·41	·12	1·31	2·21	5·91	·43	3·71	2·80	2·43	3·70	·94	·50	YEAR'S TOTAL 25·47
*Days with ·01 in. or more.	12	6	11	21	24	5	18	6	18	23	15	8	167
*Days with .04 in. or more.	8	1	9	16	17	4	14	5	14	21	7	5	121

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Fred: Mitchell

P.T.O.

1081

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1081~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at 51. Culham, abingdon Berks:

in the County of Oxon:

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft 9½" in.

„ Ground „ Sea Level 180 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·12	·04		·03		·02				·02			1
2	·14		·24		·25						·02			2
3		·17	·19		·03									3
4	·15	·02			·32									4
5	·02	·03	·07							·45	·03			5
6		·11	·16		·11					·10	·02			6
7	·09	·07	·07		·08						·01			7
8	·03		·06		·08		·25							8
9					·02		·12			·04	·10			9
10		·03				·01	·49			·15	·24			10
11	·23				·02		·18	·13						11
12	·02				·06	·08	·08		·53			·04		12
13	·03				·11	·01	·30							13
14							·01			·05	·35			14
15	·22		·17				·05	·18		·01				15
16	·01		·35			·08	·05		·10		·02			16
17		·07	·37			·02			·03					17
18		·04	·18			·06								18
19			·15	·03		·06			·11			·02		19
20			·09			·04		·04	·06		·01			20
21		·02			·14	·39		·26	·12	·01				21
22					·37	·03		·10		·19				22
23				·13					·46	·14				23
24		1·20		·13		·07			·23					24
25		1·20		·27	·01	·19			·23	·01		·08		25
26		·56		·11		·10			·11	·07				26
27				·03	·38		·03		·02	·06		·04		27
28				·19						·07		·10		28
29	·20		·01	·22			·04			·03		·05		29
30	·17	X	·04				·02		·09			·11		30
31	·05	X	·04	X		X		·09	X	·05	X			31
TOTAL	1·44	3·64	2·23	1·11	2·01	1·14	1·64	·80	2·09	1·43	·82	·44	Year's Total 18·79	
*Days with ·01 in. or more.	14	13	16	8	15	13	13	6	12	15	10	7	142	
*Days with ·04 in. or more.	9	9	15	6	10	9	9	6	10	11	3	5	102	

40-9999

*See Instruction 2 (*f*) on other side.

9

† Spare column, no entries required.

(*Signed*) Fred: mitchell.

[P.T.O.

1081

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No. 1081

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at No. 51. Culham, Abingdon, Berks.

in the County of Oxon:

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 9½ in.

,, Ground ,, Sea Level 180 ft.

956 sent 18/4

suggesting ·60 for 2 Sept

Obs^r sent value for Sep 2.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY. Sep ½ low.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03							·17	·01		·04	·32		1
2	·23		·04		·02			~~·17~~	·51 ~~·01~~	·05		·16		2
3		·04		·05						·19		·03		3
4	·03	·01	·02	·28	·04				·06	·24	·04	·20		4
5					·02			·13		·03	·05	·30		5
6		·02	·17	·02	·23	·03				·13		·27		6
7	·01							·38		·08		·17		7
8					·09			·03	·02		·11	·03		8
9	·01		·03								·77	·30		9
10	·02		·13	·11							·03	·02		10
11	·22		·24	·46			·02	·04				·12		11
12			·02	·02			·02	·03				·06		12
13	·17		·15	·02			·05	·03			·10	·34		13
14	·04		·14		·02						·22	·18		14
15	·02		·07		·03				·04	·13	·13	·02		15
16	·08		·13							·02		·05		16
17	·02			·02					·14	·02	·05	·12		17
18	·20		·03	·14								·07		18
19			·21						·15			·05		19
20			·06				·05		·03	·01				20
21						·05	·09	·07		·07				21
22				·02	·04			·09	·18		·02	·10		22
23				·16		·38					·01	·04		23
24		·04	·10	·05		·03	·45		·05					24
25	·20			·09	·01	·13				·04		·31		25
26	·01			·60		·03			·02	·02		·14		26
27						·05				·04		·30		27
28				·14		·09	·05	·30				·21		28
29								·03	·29					29
30	·07	×							·03	·03		·04		30
31		×		×		×	·06	·27	×	·06	×	·02		31
TOTAL	1·36	·11	1·54	2·18	·50	·79	·79	1·57	1·53 ~~1·02~~	1·16	1·57	3·97	Year's Total. ~~16·56~~	17·07
* Days with .01 in. or more.	16	4	15	15	9	8	8	12	13	16	12	27	~~151~~	155
* Days with .04 in. or more.	8	2	11	10	3	5	6	8	8	10	9	22	~~101~~	102

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Fred: Mitchell

[P.T.O.

COPY FOR OFFICIAL USE ✓

Section **A** for the entry of Daily Observations. Station No. 1081

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at 51 Culham.

in the County of Oxon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9½ in.

,, Ground ,, Sea Level 180 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·03			·02	·02	·17		·02	·06	·11	·02		1
2						·02			·10	·06	·05	·01		2
3		·05	·02			·13			·82	·48	·14	·02		3
4				·21		·03			·06	·33	·04	·02		4
5		·33	·12			·13			·40	·03				5
6				·24		·31				·07		·02		6
7		·02		·47		·07				·05	·31	·09		7
8				·21	·01					·19	·17	·01		8
9				·16		·57				·62	·43			9
10				·12		·03				·02	·12	·02		10
11	·19					·09	·32				·10			11
12		·02				·24					·02			12
13	·07	·03		·07	·18	·04								13
14				·06	·08						·18	·15		14
15		·08		·32	·03	·59			·19		·26	·06		15
16		·05	·10	·11		·10	·06		·10		·51	·06		16
17				·16		·16			·09		·13			17
18				·26	·02	·05	·14		·11			·08		18
19				·04	·14	·05	·04		·10	·02	·24	·40		19
20		·10		·04	·46	·09	·11				·33			20
21		·18	·02						·17	·03	·03			21
22			·08	·12				·16	·13					22
23		·02	·02					·33	·14	·32				23
24	·03							·27	·32	·03		·22		24
25	·10	·23		·23		·66		·02				·20		25
26		·20						·08	·07	·02		·31		26
27		·06			·10				·03		·06	·66		27
28		·04			·09				·30					28
29			·02		·02				·24		·05	·10		29
30		✕		·15	·08			·71	·04		·19	·21		30
31		✕		✕	·03	✕		·06	✕	·78	✕	·05		31
TOTAL	·42	1·44	·38	2·97	1·26	3·38	·84	1·63	3·43	3·11	3·47	2·71	Year's Total. 25·04	
* Days with .01 in. or more.	5	15	7	17	13	19	6	7	19	16	20	20	164	
* Days with .04 in. or more.	3	10	3	17	9	14	6	6	17	10	18	13	124	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) F. Mitchell

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1081

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at 51. Culham

in the County of Oxon:

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9½ in.

,, Ground ,, Sea Level 180 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·09	·06	·18		·03	·18	·04			·09	·04		1
2	·10					·43	·74	·08			·12			2
3				·12		·13	·09		·20		·26	·03		3
4	·01		·26						·10		·09	·06		4
5	·13		·04		·05			·01	·07			·06		5
6	·17					·17		·09	·03		·10			6
7	·21		·04			·01	·15		·03		·07	·04		7
8	·09		·22								·53	·08		8
9	·16		·03				·23		·07	·02		·02		9
10	·02						·07	·53	·03	·02				10
11				·09			·05		·27		·34	·02		11
12				·03		·31	·21		·07		·11	·10		12
13				·02		·32				·04	·03	·23		13
14		·03		·02		·03	·75		·15	·06		·19		14
15		·02		·02			·01		·04			·03		15
16	·12	·23							·02		·40	·10		16
17	·20	·41					·02			·02	·07	·06		17
18		·05				·16	·05	·02		·03	·02	·02		18
19	·23	·04	·03	·09		·26		·04						19
20	·04	·07	·07	·19		·39			1·25					20
21				·32		·17	·05		·03					21
22	·08	·52	·04	·01	·30		·21					·11		22
23	·09		·70	·03	·09		·02			·03		·02		23
24	·07	·07					·06		·15	·16				24
25	·03		·15	·06			·12		·45	·18	·10			25
26	·03	·06	·10			·05				·03				26
27	·05		·03						·02	·08				27
28	·58		·13				·76					·13		28
29	·03	·08	·03			·22	·16			·02	·24	·02		29
30	·10	✕			·16	·08	·06			·34				30
31	·40	✕	·25	✕		✕	·11		✕	·38	✕	·17		31
TOTAL	2·99	1·67	2·18	1·18	·60	2·76	4·10	·81	2·98	1·41	2·57	1·53	Year's Total 24·78 ✓	
* Days with .01 in. or more.	23	12	16	13	4	15	21	7	17	14	15	20	177 ✓	
* Days with .04 in. or more.	18	10	13	7	4	12	18	5	11	7	13	13	131 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Fred. Mitchell: [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1081

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at 51 Culham, Abingdon, Berks:
in the County of Oxon:
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft 9½ in.
,, Ground ,, Sea Level 180 ft.

Shall be glad to receive free 'General Table'
F. M.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·01		·04					·04	·04	·22	·36	1
2		·10		·31					·07			·25	2
3		·27										·03	3
4	·04	·37		·01								·24	4
5	·08		·20	·04			·10						5
6	·08	·02	·22	·02	·17		·28			·02	·04		6
7		·67		·11					·02				7
8		·09			·06		·06				·17	·10	8
9				·15	·24				·25			·05	9
10	·02		·60	·33		·20						·11	10
11			·04		·24	·02							11
12	·10	·31	·05		·15	·32		·12	·09			·07	12
13	·15	·07	·33	·05		1·47*			·03				13
14			·37	·25				·45				·07	14
15		·08		·08			·49		·20				15
16	·01	·04	·46	·61		·02		·07	·37				16
17	·24	·03	·29	·04			·03		·34				17
18	·32	·04		·03		·20					·30	·15	18
19		·06	·09	·03	·04	·21					·03		19
20	·12	·02	·02	·45	·41	·02							20
21	·14	·54	·08	·07	·08		·03				·02	·02	21
22	·20	·03	·09		·05	·23	·05			·70	·21		22
23	·28	·03			·20		·05			·23	·18		23
24	·19	·48	·04		·07				·18	·25			24
25	·18	·16	·15		·88				·02	·13			25
26		·32	·02		·09					·11			26
27	·03	·04		·13						·91			27
28		·03								·05		·04	28
29	·03					·08				·09	·06	·03	29
30	·33	✕								·04	·15	·03	30
31	·27	✕		✕		✕			✕	·07	✕	·02	31
Total	2·87	3·81	3·05	2·75	2·68	2·77	1·09	·64	1·61	2·64	1·38	1·57	Year's Total 26·86
*Days with ·01 in. or more.	20	23	16	18	13	10	8	3	11	12	10	15	159
*Days with .04 in. or more.	16	16	14	14	13	7	6	3	8	11	8	10	126

40-9999 * Took out ·32 at 9 a.m. 1·47 fell in less than one hour between 1.30 & 2.30

*See Instruction 2 (*f*) on other side,

(Signed) Fred: Mitchell

P.T.O.

1082

1082

CULHAM ZOUCH FARM

1931 - 1937

780208

FORM 1090. **B** M S Station.

*** The following register of mon &c., is NOT required if daily values are given on the other

this section and also the space for ating to this register should be sent:—

RAINFALL IN 193

abingdon-on-Thames

r in Summer

At Culham

In the County of Oxon

Distance ¼ mile Direction from gauge N E

Diameter of Funnel

Distance 1½ miles Direction from gauge W.

Rain Gauge

Height of Top above Ground 3 *ft.* " *in.*

Height of Ground above Sea Level 186 *ft.*

Nature of objects nearest to gauge	Wallnut Tree	Elm Tree	
Heights of objects	26 feet	34 feet	
Distances ..	40 "	50 "	
Directions from gauge ..	E	N. E	

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1·25				
FEB.	1·49				
MAR.	·09				
APRIL	2·75				
MAY	3·15	1·13	25th		
JUNE	2·05	·55	6th		
JULY	3·74	~~1·15~~	~~5th~~		
AUG.	3·51	1·18	5th		
SEPT.	2·76	·95	4th		
OCT.	·35				
NOV.	2·52	·69	4th		
DEC.	·41				
Total	24·07				

Signature Philip E. Saunders.

*See Instruction 2 (*f*) below.

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* *9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace"* *The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

1082

FORM 1090.

B Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Culham

In the County of Oxon

Rain Gauge
Diameter of Funnel 6 in.
Height of Top above Ground 3 *ft* " *in.*
Height of Ground above Sea Level 186 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1·25				
FEB.	1·49				
MAR.	·09				
APRIL	2·75				
MAY	3·15	1·13	28th		
JUNE	2·05	·55	6th		
JULY	3·74	~~1·15~~	~~5th~~		
AUG.	3·51	1·18	5th		
SEPT.	2·76	·95	4th		
OCT.	·35				
NOV.	2·52	·69	4th		
DEC.	·41				
Total	24·07				

Signature Philip E. Saunder

*See Instruction 2 (*f*) below.

Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
P. E. Saunder
Culham near Abingdon-on-Thames

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Culham Distance ¼ mile Direction from gauge N E

Nearest Parish Church at Culham Distance 1½ miles Direction from gauge W.

Nature of objects nearest to gauge	Wallnut Tree	Elm Tree		
Heights of objects	26 feet	34 feet		
Distances ..	40 "	50 "		
Directions from gauge ..	E	N. E		

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

1082

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932.

At De la Zouch Farm Culham

In the County of Oxon

Rain Gauge
- Diameter of Funnel 6 [illegible] in.
- *Height of Top above Ground* [illegible] *ft* 6' *in*.
- *Height of Ground above Sea Level* 1[illegible]6 *ft*.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·28				
FEB.	·30				
MAR.	1·11				
APRIL	2·16				
MAY	5·44				
JUNE	·43				
JULY	3·96				
AUG.	2·28				
SEPT.	3·47				
OCT.	3·89				
NOV.	·74				
DEC.	·54				
Total	25·60				

Signature Philip E. Saunder

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

P. E. Saunder
Zouch Farm Culham Abingdon

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Culham Distance ¼ mile Direction from gauge N E

Nearest Parish Church at do Distance 1½ Direction from gauge W

Nature of objects nearest to gauge	Wallnut Tree		Elm Tree	
Heights of objects	36 feet		34 feet	
Distances ..	40 ..		50 ..	
Directions from gauge ..	E		N E	

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

1082

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1933

At Zouch Farm Culham

In the County of Oxfordshire

Rain Gauge
Diameter of Funnel 6 in.
Height of Top above Ground 3 *ft.* — *in.*
Height of Ground above Sea Level 186 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1.23				
FEB.	3.40				
MAR.	1·91				
APRIL	·80				
MAY	2.67				
JUNE	1·10				
JULY	2·70				
AUG.	·51				
SEPT.	2·09				
OCT.	1·31				
NOV.	·75				
DEC.	·11				
Total	18·58				

Signature P. E. Saunder

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
P. E. Saunder
Zouch Farm Culham Abingdon

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Culham Distance ¼ mile Direction from gauge N E

Nearest Parish Church at do. Distance 1¼ mile Direction from gauge W

Nature of objects nearest to gauge	Walnut Tree	—	Elm Tree	
Heights of objects	36 feet		34 feet	
Distances ..	40 "		50 "	
Directions from gauge ..	E	—	N E	

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

1082

FORM 1090. **B** Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Culham (Zouch Farm)

In the County of Oxfordshire

Rain Gauge
Diameter of Funnel .... in.
Height of Top above Ground .... *ft* .... *in.*
Height of Ground above Sea Level .... *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·37				
FEB.	·08				
MAR.	1·45				
APRIL	1·70				
MAY	·45				
JUNE	·81				
JULY	·89				
AUG.	1·70				
SEPT.	1·45				
OCT.	1·37				
NOV.	1·46	·95	9th		
DEC.	4·32				
Total	17·05				

Signature P. E. Saunder

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
P. E. Saunder.
Zouch Farm Culham Abingdon on Thames

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Culham Distance ¼ mile Direction from gauge N. E

Nearest Parish Church at Do. Distance 1¼ Direction from gauge W.

Nature of objects nearest to gauge	Wallnut Tree		Elm Tree	
Heights of objects	36 feet		34 feet	
Distances ..	40 "		50 "	
Directions from gauge ..	E		N E	

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
2 - JAN 1935

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

FORM 1090. **B** Monthly Summary.

1082

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1935.

At Culham (Zouch Farm)

In the County of

Rain Gauge
Diameter of Funnel 4" in.
Height of Top above Ground 3 *ft.* 6 *in.*
Height of Ground above Sea Level *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·37				
FEB.	1·36				
MAR.	·53				
APRIL	2·81				
MAY	1·58				
JUNE	3·95	1·13	25		
JULY	·80				
AUG.	1·74				
SEPT.	3·54				
OCT.	2·33				
NOV.	4·04				
DEC.	2·63				
Total	25·68				

Signature P.E. Saunder

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

P.E. Saunder
Zouch Farm Culham Abingdon-on-Thames

Hour of observation by the clock—in Winter in Summer

Nearest Railway Station Culham Distance ¼ mile Direction from gauge N.E

Nearest Parish Church at do Distance 1¼ .. Direction from gauge W

Nature of objects nearest to gauge	Wallnut Tree		Elm Tree	
Height of objects	36 ft		34 ft	
Distances	40 ..		50 ..	
Directions from gauge	E		N.E	

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
3 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

6

1082

Form 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Zouch Farm Culham

In the County of Oxon

Rain Gauge
Diameter of Funnel..........in.
Height of Top above Ground.........ft............in.
Height of Ground above Sea Level.............ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
Jan.	2·64				
Feb.	1·75				
Mar.	1·56				
April	·94				
May	·60				
June	2·80				
July	3·46				
Aug.	1·17				
Sept.	3·21	1·35	20-21		
Oct.	1·02				
Nov.	2·23				
Dec.	1·24				
Total	22·62 ✓				

Signature P. E. Saunder

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
P. E. Saunder
Culham Abingdon

Hour of observation by the clock—in Winter.......... in Summer..........

Nearest Railway Station Culham Distance ¼ mile Direction from gauge N E

Nearest Parish Church at do Distance 1¼ Direction from gauge W

Nature of objects nearest to gauge	Wallnut Tree		Elm Tree	
Height of objects	36 ft		32 ft	
Distances ...	40		50	
Directions from gauge ...	E		N E	

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

5 JAN

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

FORM 1090.

1082

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

1082

At Zouch Farm Culham and 355 Banbury Rd. Oxford

In the County of Oxfordshire

Rain Gauge
- Diameter of Funnel 4 in.
- *Height of Top above Ground* 4 *ft.* ...... *in.*
- *Height of Ground above Sea Level* ...... *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with 01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·63	x			
FEB.	2·57	x			
MAR.	2·49	x			
APRIL	2·38	x			
MAY	2·53	x			
JUNE	1·62	x			
JULY	1·40	x			
AUG.	·81	x			
SEPT.	1·56	x			
OCT.	~~2·84~~	~~⊙~~			
NOV.	~~1·36~~	~~⊙~~			
DEC.	~~1·76~~	~~⊙~~			
TOTAL	23·95				

Signature Philip E. Saunders

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

P. E. Saunders
355 Banbury Rd. Oxford

Hour of observation by the clock—in Winter ...... in Summer ......

Nearest Railway Station Culham Distance ¼ mile Direction from gauge N.E.

Nearest Parish Church at Culham Distance 1¼ miles Direction from gauge W.

Nature of objects nearest to gauge	Wallnut Tree	Elm Tree	Elm Tree	House
Height of objects	36 ft.	40 ft. ⊙	34 ft. X	30 ft.
Distances ...	X 40.	100 ft.	50 ft.	20 ft.
Directions from gauge ...	E	N W	N E.	⊙ E.

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

......

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

355 Banbury Rd Oxford.
nearest Parish Church, Summertown ⅔ mile S.
" Railway Station Oxford 2¼ " S.W.

X Culham

⊙ Banbury Rd Oxford

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

I now intend taking daily record from 355 Banbury Rd Oxford.

Unfortunately, you … Station number if any, on this form

1083 —

CULHAM COLLEGE

1931 - 1932

78 02 08

Section **A** for the entry … COPY FOR OFFICIAL USE.

AIR MINIST… RAINFALL ORGANIZATION.

FORM 1090.

REGIS… 1931.

1083

Kept at Culham

in the County of Ox

Diameter of Funnel of Gauge

Height of top of Gauge above Grou…

,, Ground ,, Sea

THE MORNING MEAS… …OUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr	·11	Tr	·08	·04	·03	·01	–	·10	Tr	–	–	1
2	·07	·05	Tr	·63	Tr	–	Tr	–	·86	–	Tr	·05	2
3	·02	Tr	·08	·21	·01	–	–	·16	·94	Tr	·38	·10 ~~·04~~	3
4	–	Snow ·05	Tr	·01	–	–	·27	1·21	·34	Tr	·31	–	4
5	–	·02	–	·20	·03	·75	Tr	·01	·02	Tr	·08	·16	5
6	–	·11	–	·17	–	Tr	·03	Tr	Tr		·18	Tr	6
7	–	Tr	–	Tr	·14	·12	·11	·21	–	·37	·11	·06	7
8	–	·08	·01	·05	Tr	·10 ~~·04~~	–	·13	–	Tr	·24	Tr	8
9	Snow ·02	·11	–	·03	–	·24	·02	Tr	–	·01	·26	·01	9
10	·03	·02	Tr	Tr	–	·03	·23	·11	·01	·01	·28	–	10
11	·11	·10	–	–	Tr	~~10~~ ~~·04~~ ·01	–	·01	·06	Tr	·03	Tr	11
12	Tr	–	–	–	–	–	·05	·04	·33	Tr	Tr	–	12
13	Tr	–	–	Tr	–	–	·24	·19	Tr	–	–	–	13
14	Tr	·08	–	–	·03	·19	·78	·22	–	–	Tr	–	14
15	Tr	·02	–	·06	·13	–	·12	–	–	–	Tr	·04	15
16	Tr	Snow ·13	–	·11	·14	·21	Tr	·07	·11	–	Tr	·01	16
17	Tr	·21	–	·16	·19	–	·15	Tr	·04	–	–	–	17
18	·04	·02	·06	·17	Tr	·19	Tr	·54	Tr	–	·31	–	18
19	·02	Tr	–	·27	Tr	·25	·38	·05	–	–	Tr	–	19
20	Tr	·01	·01	·04	–	–	·01	·10	–	–	·01	·01	20
21	Tr	Tr	–	–	·40	–	–	·01	–	–	Tr	–	21
22	·09	Tr	–	·02	–	–	–	–	–	–	Tr	–	22
23	·12	·04	Tr	·05	·05	[illegible]	–	Tr	·01	–	·14	·08	23
24	–	Tr	Tr	·10	·16	·28	–	Tr	Tr	–	Tr	·02	24
25	·04	·05	–	·28	·07	–	·65	Tr	Tr	–	·04	–	25
26	Tr	·03	–	·04	Tr	–	·50	–	–	–	·28	Tr	26
27	·10	·33	–	·07	·86	–	·16	–	–	Tr	·16	–	27
28	·16	·10	–	·07	·22	–	·01	–	–	·05	Tr	Snow ·07	28
29	·05		–	–	·20	–	·07	–	–	·15	·05	Snow ·06	29
30	Snow ·11	×	–	–	–	–	·01	·04	–	Tr	Tr	–	30
31	Snow ·07	×	–	×	·13	×	–	·01	×	Tr	×	·01	31
TOTAL	1·05	1·67	·16	2·82	2·80	2·40	3·80	3·11	2·82	·59	2·83	·68	YEAR'S TOTAL 24·73
*Days with ·01 in. or more.	15	20	4	21	16	12	19	17	11	5	16	13	169
*Days with ·04 in. or more.	11	14	2	18	13	9	13	13	8	3	14	8	126

40-9999

(Signed) E. H. Metcalf

[P.T.O.

*See Instruction 2 (*f*) on other side.

Unfortunately, you [redacted] station number, if any, on this form

Section **A** for the entry [redacted] COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

1083

Kept at Culham College
in the County of Oxfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 212·6 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr	·11	Tr	·08	·04	·03	·01	–	·10	Tr	–	–	1
2	·07	·05	Tr	·63	Tr	–	Tr	–	·86	–	Tr	·05	2
3	·02	Tr	·08	·21	·01	–	–	·16	·94	Tr	·38	~~·04~~ ·10	3
4	–	Snow ·05	Tr	·01	–	–	·27	1·21	·34	Tr	·31	–	4
5	–	·02	–	·20	·03	·75	Tr	·01	·02	Tr	·08	·16	5
6	–	·11	–	·17	–	Tr	·03	Tr	Tr		·18	Tr	6
7	–	Tr	–	Tr	·14	·12	·11	·21	–	·37	·11	·06	7
8	–	·08	·01	·05	Tr	~~·04~~ ·10	–	·13	–	Tr	·24	Tr	8
9	Snow ·02	·11	–	·03	–	·24	·02	Tr	–	·01	·26	·01	9
10	·03	·02	Tr	Tr	–	·03	·23	·11	·01	·01	·28	–	10
11	·11	~~·04~~ ·10	–	–	Tr	~~10~~ ~~·04~~ ·01	–	·01	·06	Tr	·03	Tr	11
12	Tr	–	–	–	–	–	·05	·04	·33	Tr	Tr	–	12
13	Tr	–	–	Tr	–	–	·24	·19	Tr	–	–	–	13
14	Tr	·08	–	–	·03	·19	·78	·22	–	–	Tr	–	14
15	Tr	·02	–	·06	·18	–	·12	–	–	–	Tr	·04	15
16	Tr	Snow ·13	–	·11	·14	·21	Tr	·07	·11	–	Tr	·01	16
17	Tr	·21	–	·16	·19	–	·15	Tr	·04	–	–	–	17
18	·04	·02	·06	·17	Tr	·19	Tr	·54	Tr	–	·31	–	18
19	·02	Tr	–	·27	Tr	·25	·38	·05	–	–	Tr	–	19
20	Tr	·01	·01	·04	–	–	·01	·10	–	–	·01	·01	20
21	Tr	Tr	–	–	·40	–	–	·01	–	–	Tr	–	21
22	·09	Tr	–	·02	–	–	–	–	–	–	Tr	–	22
23	·12	·04	Tr	·05	·05	~~·05~~	–	Tr	·01	–	·14	·08	23
24	–	Tr	Tr	·10	·16	·28	–	Tr	Tr	–	Tr	·02	24
25	·04	·05	–	·28	·07	–	·65	Tr	Tr	–	·04	–	25
26	Tr	·03	–	·04	Tr	–	·50	–	–	–	·28	Tr	26
27	·10	·33	–	·07	·86	–	·16	–	–	Tr	·16	–	27
28	·16	·10	–	·07	·22	–	·01	–	–	·05	Tr	Snow ·07	28
29	·05		–	–	·20	–	·07	–	–	·15	·05	Snow ·06	29
30	Snow ·11	×	–	–	–	–	·01	·04	–	Tr	Tr	–	30
31	Snow ·07	×	–	×	·13	×	–	·01	×	Tr	×	·01	31
TOTAL	1·05	1·67	·16	2·82	2·80	~~2·31~~ 2·40	3·80	3·11	2·82	·59	2·83	·68	YEAR'S TOTAL 24·73
*Days with ·01 in. or more.	15	20	4	21	16	12	19	17	11	5	16	13	169
*Days with ·04 in. or more.	11	14	2	18	13	9	13	13	8	3	14	8	126

40-9999

(Signed) E. H. Metcalf [P.T.O.

*See Instruction 2 (*f*) on other side.

1083

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Culham

in the County of Oxford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 216 ft.

damp

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in. WD	
1	·05	·01	–	Tr	1·59	·01	·04	1·39	[illegible]	·13	Tr	·23	1
2	·01	Tr	–	·10	·10	–	–	·07	·36	·04	Tr	–	2
3	Tr	–	–	·28	·11	–	·01	Tr	[illegible]	·28	–	·12	3
4	·01	Tr	–	·01	Tr	–	Tr	–	–	Tr	·13	–	4
5	·16	Tr	·01	Tr	–	·05	·05	–	·07	–	–	–	5
6	·75	–	Tr	·09	–	Tr	·06	–	·19	–	·01	–	6
7	·04	–	·10	·15	·02	Tr	Tr	–	·03	·04	–	–	7
8	Tr	·01	·13	·06	·02	–	–	–	·30	·13	–	–	8
9	·11	Tr Sn	·01	·04	·17	–	–	–	·47	Tr	–	–	9
10	·17	Tr Sn	·01 Sn	·14	·07	·04	–	–	·01	·09	·02	–	10
11	·01	Tr Sn	–	·06	[illegible]	·01	·80	Tr	Tr	·18	·04	–	11
12	·09	Tr Sn	–	·01	·10	–	Tr	Tr	·04	·16	·04	·02	12
13	·09	·01	–	·13	·01	–	·14	–	·17	·13	·07	TR	13
14	·19	–	–	·03	·02	–	Tr	·08	Tr	·01	·02	–	14
15	·01	–	–	·02	·18	–	·02	–	–	·05	·01	–	15
16	·21	–	–	·19	·17	–	·04	–	Tr	·01	–	–	16
17	·01	–	–	·01	Tr	–	·09	–	–	·07	·05	02	17
18	Tr	–	–	–	·01	–	Tr	–	·30	–	·15	–	18
19	–	–	–	–	–	–	Tr	–	·02	·15	·01	01	19
20	·01	–	–	·05	·48	–	–	1·17	·02	·76	–	–	20
21	·01	–	·06	·18	1·28	–	Tr	·30	–	·59	20	–	21
22	–	Tr	·20	Tr	Tr	Tr	·90	Tr	·35	·16	·01	·03	22
23	~~Tr~~	·03	·01	Tr	·46	–	·03	–	·06	·61	Tr	·05	23
24	·01	·01	–	–	·02	Tr	1·93	–	·03	·03	Tr.	–	24
25	–	·01	–	·01	·01	·09	·15	Tr	·09	·14	–	–	25
26	–	Tr	·12	·22	·06	–	·12	Tr	Tr	Tr	·02	–	26
27	–	–	·26	·12	·27	–	·17	–	·01	·13	–	TR	27
28	–	–	·07	·02	·20	Tr	·06	–	–	·11	·01	–	28
29	–	–	·19	·09	·32	·09	·01	·02	·13	·19	~~[illegible]~~	·02	29
30	Tr.	✕	·24	·32	·15	·42	Tr	Tr	·15	·03	–	·30	30
31	–	✕	·01	✕	·02	✕	·06	–	✕	Tr	✕ +·2[illegible]	·06	31 28·13 YEAR'S TOTAL
TOTAL	1·94	·08	1·42	2·33	5·94	·71	3·88	3·03	3·08	4·07	1·02 ~~[illegible]~~	·63 ~~1·36~~	~~29·19~~
*Days with ·01 in. or more.	18	6	14	23	25	6	18	6	20	24	16	9	185
*Days with ·04 in. or more.	10	0	9	16	16	5	14	5	13	20	8	4	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G P Philes.

[P.T.O.

1083/5

WATLINGTON

(CUXHAM)

1939 - 40

780208

FORM 1090. **B** M S TON (CUXHAM) f Station. 1083/5

, The following register of mo &c., is NOT required if dai values are given on the oth this section and also the space for elating to this register should be sent:—

RAINFALL IN 19

LINGTON OXFORD

At CUXHAM

er 9.0. a.m. in Summer 9.0. a.m.

In the County of OXF

Distance 2½ m. Direction from gauge E

Rain Gauge
- Diameter of Funnel
- *Height of Top above Ground* ft. 10 in.
- *Height of Ground above Sea Level* 200 ft.

Distance 200 yds Direction from gauge E

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·87				
FEB.	1·63				
MAR.	1·88				
APRIL	1·47				
MAY	2·22				
JUNE	1·62				
JULY	4·61				
AUG.	1·73				
SEPT.	·69				
OCT.	5·14				
NOV.	4·12				
DEC.	1·16				
TOTAL	31·04				

Printed

Nature of objects nearest to gauge [illegible] both

Height of objects No trees near

Distances Wall ~~ft~~ 40 ft away

Directions from gauge

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Signature A. Skinner

A 200124/40

print

P. J. Edward Esq

* See Instruction 3 (*f*) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W.H.&S. 668/91 S.O. Code No. 40-9999

N

FORM 1090. **B** Summary. **C** Particulars of Station.

TON (CUXHAM) 1083/5

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At CUXHAM

In the County of OXFORD

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* ft. 10 in.
- *Height of Ground above Sea Level* 200 ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·87				
FEB.	1·63				
MAR.	1·88				
APRIL	1·47				
MAY	2·22				
JUNE	1·62				
JULY	4·61				
AUG.	1·73				
SEPT.	·69				
OCT.	5·14				
NOV.	4·12				
DEC.	1·16				
TOTAL	31·04				

Print it

Signature A. Skinner

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

P. J. EDWARDS
CUXHAM WATLINGTON OXFORD

Hour of observation by the clock—in Winter 9.0 a.m. in Summer 9.0 a.m.

Nearest Railway Station Watlington Distance 2½ m. Direction from gauge E

Nearest Parish Church at CUXHAM Distance 200 yds Direction from gauge E

Nature of objects nearest to gauge	Herbaceous border
Height of objects	No trees near
Distances ...	Wall ~~10 ft~~ 40 ft away
Directions from gauge ...	

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

A 200124/40

print P. J. Edward Esq

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91
S.O. Code No. 40-9999

Y ~~WAILINGTON~~ (CUXHAM)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1083/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~39~~40

Kept at Cuxham

in the County of Oxfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" Ground " Sea Level 260 ft.

Jan + Feb. apportioned.

f200124/40

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	— x	.06	—	.14	—	—	—	—	—	.50	—		1
2	—	— x	—	—	—	—	—	—	—	—	.11	—		2
3	—	— x	—	.18	—	—	.24	—	—	—	.61	—		3
4	—	— x	—	.07	—	—	—	—	—	.17	.86	.02		4
5	—	~~1.31~~ (.31)	—	.07	—	—	.01	—	—	.23	.12	.03		5
6	—	— x	—	—	—	—	—	—	—	.01	.66	.06		6
7	.33	.11	—	—	.04	—	.42	—	—	.12	.04	—		7
8	.20	.33	—	—	.04	—	.14	—	—	—	—	—		8
9	—	—	—	—	—	—	—	—	.05	.23	.03	.29		9
10	—	—	—	—	—	—	—	—	.04	—	.14	.04		10
11	—	—	—	—	—	—	.80	—	—	.15	.13	.04		11
12	—	—	—	—	—	.09	—	—	—	—	.45	—		12
13	—	—	.04	—	—	.06	.14	—	.06	—	—	—		13
14	—	—	.51	—	—	—	—	—	.09	—	1.43	—		14
15	—	—	.13	.11	—	—	—	—	.08	.13	—	.25		15
16	—	—	—	—	.02	.04	.11	—	—	.08	.39	.01		16
17	—	—	.16	—	—	—	.33	—	.22	45	.68	—		17
18	—	—	.39	—	—	—	—	—	—	—	.02	—		18
19	—	.51	.19	.70	—	—	—	—	—	.12	.20	.14		19
20	—	.18	—	.15	—	—	.03	—	.12	—	.09	.01		20
21	—	—	—	.01	—	—	.09	—	—	.12	.02	—		21
22	—	—	—	—	.34	—	.14	—	—	—	.56	—		22
23	.11	—	.21	—	.55	.37	—	—	.10	—	—	—		23
24	—	.12	—	.11	—	.32	—	—	—	—	.02	.03		24
25	—	—	—	—	—	—	.16	—	—	—	—	—		25
26	—	—	.26	—	—	.02	.05	—	—	—	—	—		26
27	.98	.05	.07	.50	.12	—	.27	—	—	—	—	—		27
28	— x (1.00)	.10	—	.09	—	—	.11	—	—	—	—	—		28
29	— x	.09	—	—	.22	—	—	—	—	—	—	—		29
30	—	×	—	.03	.09	.04	—	—	—	—	—	.34		30
31	— x	×	—	×	.01	×	—	—	×	.21	×	.02		31
TOTAL	2 ~~1~~.62	1 2.70	2.02	2.02	1.57	.94	3.04	NiL	.76	2.02	7.06	1.27	Year's Total 25.02	
* Days with .01 in. or more.	~~4~~ 8	~~9~~ 13	10	11	10	7	13	NiL	8	12	20	13	126	"d"
* Days with .04 in. or more.	~~4~~ 7	~~9~~ 12	10	9	8	6	13	NiL	8	11	16	7	107	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. Skinner

GARDINER TO P. J. EDWARDS

[P.T.O.

The envelope was … about Station number 1084

Section **A** for the entry … 7. COPY FOR OFFICIAL USE.

AIR MINIS… …H RAINFALL ORGANIZATION.

FORM 1090.

REGI… …N 1931.

1084

CLIFTON HAMPDEN

1931 - 40

78 02 08

Kept at The Manor House…

in the County of Oxf…

Diameter of Funnel of Gauge…

Height of top of Gauge above Gro…

,, Ground ,, Sea…

THE MORNING MEA… …VIOUS DAY.

An observer who does not conform … should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	03	–	09	04	10	–	–	15	–	–	–	1
2	05	05	–	65	–	–	–	–	91	–	–	08	2
3	02	–	08	22	05	–	–	13	54	–	42	10	3
4	–	03	–	65	–	–	35	1·08	50	–	30	–	4
5	–	01	–	18	–	73	03	–	04	–	04	16	5
6	–	14	–	14	–	03	04	–	–	23	22	–	6
7	–	–	–	–	14	05	23	24	–	13	07	06	7
8	02	09	–	04	–	12	–	14	–	–	24	–	8
9	–	15	–	02	–	05	03	–	–	–	23	01	9
10	–	–	–	–	–	04	16	15	03	–	13	–	10
11	13	13	–	–	–	–	04	–	07	–	07	–	11
12	03	–	–	–	–	–	14	01	40	–	–	–	12
13	–	–	–	–	–	–	02	1·60	–	–	–	–	13
14	–	08	–	–	05	08	1·11	28	–	–	–	–	14
15	–	01	–	05	14	–	15	10	–	–	–	07	15
16	–	07	–	12	15	24	–	14	14	–	–	–	16
17	–	21	–	23	24	–	18	–	04	–	–	–	17
18	05	03	03	24	–	14	25	61	–	–	31	–	18
19	03	–	–	30	–	38	18	–	–	–	–	–	19
20	–	01	–	03	–	–	–	10	–	–	01	–	20
21	01	–	–	–	43	–	–	–	–	–	–	–	21
22	13	–	–	05	–	–	–	–	–	–	–	–	22
23	13	01	–	07	44	25	–	–	02	–	15	08	23
24	–	–	–	18	22	01	–	–	01	–	–	–	24
25	04	01	–	07	06	–	60	–	–	–	06	–	25
26	–	03	–	05	–	–	52	–	–	–	27	03	26
27	08	35	–	06	90	–	25	–	–	–	20	–	27
28	15	10	–	04	–	–	–	–	–	05	–	20	28
29	04	–	–		22	–	08	–	–	18	05	–	29
30	09	×	–		–	–	–	08	–	–	–	–	30
31	10	×	–	×	04	×	–	–	×	–	×	–	31
TOTAL	1·10	1·51	·11	2·98	3·12	2·22	4·36	4·63	2·55	·58	2·87	·78	YEAR'S TOTAL 27·11
*Days with ·01 in. or more.	16	19	2	21	14	13	18	13	12	4	16	9	157
*Days with ·04 in. or more.	11	10	1	19	14	11	15	12	9	4	15	7	138

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Aldenham [P.T.O.

The average fall for 23 years is 24·97

The envelope was [redacted] about Station number 108

Section **A** for the entry 7. COPY FOR OFFICIAL USE.
AIR MINIS H RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Manor House Clifton Hampden
in the County of Oxford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	03	—	09	04	10	—	—	15	—	—	—	1
2	05	05	—	65	—	—	—	—	91	—	—	08	2
3	02	—	08	22	05	—	—	13	54	—	42	10	3
4	—	03	—	65	—	—	35	1·08	50	—	30	—	4
5	—	01	—	18	—	73	03	—	04	—	02	16	5
6	—	11	—	14	—	03	04	—	—	23	22	—	6
7	—	—	—	—	14	05	23	24	—	13	07	06	7
8	02	09	—	04	—	12	—	14	—	—	24	—	8
9	—	15	—	02	—	05	03	—	—	—	23	01	9
10	—	—	—	—	—	04	16	15	03	—	13	—	10
11	13	13	—	—	—	—	04	—	07	—	07	—	11
12	03	—	—	—	—	—	14	01	40	—	—	—	12
13	—	—	—	—	—	—	02	1·60	—	—	—	—	13
14	—	08	—	—	05	08	1·11	28	—	—	—	—	14
15	—	01	—	05	14	—	15	10	—	—	—	07	15
16	—	07	—	12	15	24	—	14	14	—	—	—	16
17	—	21	—	23	24	—	18	—	04	—	—	—	17
18	05	03	03	24	—	14	25	61	—	—	31	—	18
19	03	—	—	30	—	38	18	—	—	—	—	—	19
20	—	01	—	03	—	—	—	10	—	—	01	—	20
21	01	—	—	—	43	—	—	—	—	—	—	—	21
22	13	—	—	05	—	—	—	—	—	—	—	—	22
23	13	01	—	07	44	25	—	—	02	—	15	08	23
24	—	—	—	18	22	01	—	—	01	—	—	—	24
25	04	01	—	07	06	—	60	—	—	—	06	—	25
26	—	03	—	05	—	—	52	—	—	—	27	02	26
27	08	35	—	06	90	—	25	—	—	—	20	—	27
28	15	10	—	04	—	—	—	—	—	05	—	20	28
29	04	—	—		22	—	08	—	—	18	05	—	29
30	09	×	—		—	—	—	05	—	—	—	—	30
31	10	×	—	×	04	×	—	—	×	—	×	—	31
TOTAL	1·10	1·51	·11	2·98	3·12	2·22	4·36	4·63	2·55	55	2·87	·78	YEAR'S TOTAL 27·11
*Days with ·01 in. or more.	16	19	2	21	14	13	18	13	12	4	16	9	157
*Days with ·04 in. or more.	11	10	1	19	14	11	15	12	9	4	15	7	138

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Aldenham [P.T.O.

The average fall for 23 years is 24·97

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1084

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at Clifton Hampden

in the County of Oxford

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	—	—		1·67	—	·08	80	·03	11	—	—	1
2	—	—	—	·12	·08	—	—	04	·57	08	—	·12	2
3	—	—	—	·30	·10	—	—	—	·11	10	—	—	3
4	·01	—	—	—	—	—	·01	—	—	—	·18	—	4
5	·17	—	·01	—	—	·02	·07	—	·08	—	—	—	5
6	·61	—	—	·10	—	—	·03	—	·20	—	—	—	6
7	04	—	·11	·12	·03	—	—	—	·03	·08	—	—	7
8	—	—	·13	·09	·05	—	—	—	·70	·09	—	—	8
9	11	—		·05	·22	—	—	—	·30	·10	·04	—	9
10	13	02		·15	·08	·04	—	—	·02	·09	·04	—	10
11	01	—	—	·07	·02	—	·44	—	—	·13	·05	03	11
12	13	—	—	—	·17	—	—	—	·05	·15	·04	—	12
13	01	—	—	·17	—	—	·17	—	—	·15	·07	·02	13
14	19	—	—	—	—	—	—	·15	—	·01	02	—	14
15	—	—	—	03	·17	—	—	—	—	·05	—	—	15
16	29	—	—	18	·15	—	·17	—	—	—	—	—	16
17	—	—	—	—	—	—	·09	—	—	·08	·01	—	17
18	—	—	—	—	—	—	·01	—	·30	—	·15	—	18
19	—	—	—	—	—	—	—	—	—	75	·01	—	19
20	—	—	—	·09	·46	—	—	·90	·04	·76	·06	·01	20
21	·02	—	·10	·20	1·44	—	·02	·04	·41	·61	—	·01	21
22	·01	—	·17	—	·02	—	·12	—	·16	·15	·23	—	22
23	—	·04	—	—	·34	—	—	—	·03	·62	·04	·05	23
24	—	—	—	—	·02	—	2·05	—	·07	·03	·01	—	24
25	—	—	—	—	—	·04	·15	—	—	·14	—	—	25
26	—	02	·11	·24	·10	—	·12	—	—	·10	—	—	26
27	—	—	·27	·09	·18	—	·26	—	—	·04	·03	—	27
28	—	—	·09	·02	·28	—	·06	—	—	·11	—	—	28
29	—	—	·21	·09	·18	·11	·03	02	·11	·22	·01	·03	29
30	—	✕	·34	·28	—	·40	—	—	·15	·03	·28	·36	30
31	—	✕	·01	✕	·03	✕	·08	—	✕	—	✕	06	31
TOTAL	1·79	·05	1·55	2·39	5·79	·61	3·94	1·95	3·36	4·19	1·27	69	YEAR'S TOTAL 27·60
*Days with ·01 in. or more.	14	3	11	18	21	5	18	6	18	25	17	9	165
*Days with ·04 in. or more.	9	1	9	16	16	4	13	5	14	22	11	4	124

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Aldenham

P.T.O.

1084

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1084~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933

File number 741392/27

Kept at Clifton Hampden

in the County of Oxon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08	·15	05	–	–	–	–	–	–	–	08	–		1
2	·23	–	25	–	57	–	–	–	–	–	02	–		2
3	–	22	19	–	02	–	–	–	–	–	–	–		3
4	·20	01	–	–	37	–	–	–	–	–	–	–		4
5	·02	03	12	–	01	–	–	–	–	–	02	–		5
6	–	15	14	–	14	–	–	–	–	39	04	–		6
7	·10	06	05	–	07	–	–	–	–	07	01	–		7
8	·05	–	07	–	07	–	27	–	–	–	–	–		8
9	–	–	–	–	05	–	13	–	–	07	11	–		9
10	·02	–	–	–	–	–	47	–	–	25	22	–		10
11	·21	–	–	–	02	·03	10	12	–	–	–	–		11
12	·03	–	–	–	04	10	13	–	58	–	–	02		12
13	04	–	–	–	14	02	27	–	–	–	05	02		13
14	–	–	–	–	–	–	02	03	–	08	43	–		14
15	·33	–	06	–	–	–	13	22	–	–	05	–		15
16	·03	–	54	–	–	12	01	–	08	–	–	–		16
17	·04	04	29	–	–	02	–	–	04	–	–	–		17
18	·06	05	15	–	–	05	–	–	–	–	02	–		18
19	–	–	14	02	–	11	–	–	19	–	–	–		19
20	–	–	07	03	–	10	–	05	03	–	–	–		20
21	–	05	–	–	–	09	–	18	12	01	–	02		21
22	–	~~77~~	–	–	1·01	03	–	10	–	26	–	–		22
23	–	~~1·17~~	–	15	–	–	–	–	77	13	–	–		23
24	–	77	–	12	02	13	–	–	24	–	–	–		24
25	–	1·17	–	28	06	12	–	–	17	01	03	10		25
26	–	48	–	07	–	09	–	–	12	06	–	01		26
27	–	01	–	–	45	–	02	–	02	10	–	02		27
28	–	–	–	14	–	–	–	–	–	14	–	04		28
29	·36	–	–	29	–	–	11	–	–	02	–	05		29
30	·10	X	·05		–	–	–	–	08	–	–	14		30
31	·14	X	·04	X	–	X	–	11	X	05	X	–		31
TOTAL	2·02	3·19	2·21	1·12	3·04	1·01	1·66	·81	2·44	4·54	1·08	·42	Year's Total 20·54	
*Days with ·01 in. or more.	17	13	15	8	15	13	11	7	13	14	12	9	146	
*Days with ·04 in. or more.	13	10	15	7	11	9	8	6	10	11	6	4	110	

40-9999

*See Instruction 2 (*f*) on other side.

9

† Spare column, no entries required.

(*Signed*) [P. T. O.

File number 741392/37

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1084

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Manor House Clifton-Hampden

in the County of Oxford

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	–	–	–	–	–	–	21	–	.03	.05	.47		1
2	.25	–	.04	–	–	–	–	–	.70	.02	–	.17		2
3	–	.07	–	–	–	–	–	–	–	.25	–	.06		3
4	.06	–	.03	.23	.06	–	–	–	.05	.44	.08	.25		4
5	–	–	–	–	.01	–	–	.15	–	.01	.06	.29		5
6	–	–	.18	.01	.30	.04	–	.10	–	.17	–	.38		6
7	.02	–	–	–	–	–	–	.29	–	.08	–	.22		7
8	–	–	–	–	.10	–	–	.02	.01	–	.12	.04		8
9	–	–	.02	–	–	–	–	–	–	–	.69	.47		9
10	–	–	.11	.10	–	–	–	.01	–	–	.01	.02		10
11	35	–	.24	.37	–	–	.05	.02	–	–	–	.12		11
12	–	–	.01	–	–	–	.03	.06	–	–	–	.18		12
13	.25	–	.15	01	–	–	.06	.04	–	–	.07	.38		13
14	.08	–	.21	–	.01	–	–	–	–	–	.44	.17		14
15	.02	–	.13	–	.04	–	–	–	.03	.18	.12	.02		15
16	.11	–	.17	–	.01	–	–	–	–	.02	–	.02		16
17	.03	–	–	.02	–	.01	–	–	.21	.03	06	.13		17
18	.26	–	.01	.15	–	–	.04	–	–	–	–	.06		18
19	–	–	24	–	.01	.01	–	–	.15	.01	–	.08		19
20	–	–	.08	.02	–	–	.15	–	.03	–	–	–		20
21	–	–	–	.03	–	.06	.02	.08	–	.08	–	–		21
22	–	–	–	~~.20~~	–	–	–	.14	.21	–	–	.11		22
23	–	–	–	.20	–	.47	–	–	.03	–	.02	.02		23
24	–	.06	.10	03	–	.05	.48	–	.05	–	–	–		24
25	.19	–	–	10	.04	.21	–	–	–	.08	–	.28		25
26	.01	–	–	.51	–	.03	–	–	.03	.02	–	.21		26
27	.03	01	–	–	–	09	–	–	–	.05	–	.39		27
28	–	–	–	36	–	25	.07	.44	–	–	–	.37		28
29	–	×	–	–	–	–	–	.03	.31	–	–	–		29
30	.07	×	–	–	–	–	–	–	.04	.02	–	.05		30
31	.01	×	–	×	–	×	.10	.05	×	.06	×	49 .04		31
TOTAL	1.80	.14	1.72	2.14	.58	1.22	1.00	1.67	1.85	1.55	1.52	5.00	Year's Total. 20.19	
* Days with .01 in. or more.	16	3	15	14	9	10	9	14	13	17	11	27	158	
* Days with .04 in. or more.	10	2	11	8	5	7	7	10	9	9	9	23	110 108	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Aldenham

[P.T.O.

CROWN COPYRIGHT RESERVED.

File Number 7 [illegible]

Section **A** **for the entry of Daily Observations.** **Station No.** 1084

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

M07

Kept at The Manor House Clifton Hampden

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 190 ft.

RECEIVED 14 JAN 1936

INITIALS IF ACKNOWLEDGED

RELEVANT FILE

FILE No.

W80

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	–	–	.02	–	.16	.11	–	.02	.02	.16	01		1
2	–	–	.01	–	–	.07	–	–	.16	.02	.02	–		2
3	–	.07	–	–	–	.23	–	–	.78	.53	.13	02		3
4	–	–	–	.25	–	.07	–	–	02	.61	–	01		4
5	–	.37	.11	.02	–	25	–	–	.42	–	.04	–		5
6	–	.02	–	.22	–	.36	–	–	–	.03	.04	.03		6
7	–	–	–	.53	–	.02	–	.02	–	.10	.38	.11		7
8	–	–	–	.24	–	–	–	–	–	.18	.15	.02		8
9	–	–	–	.30	–	.62	–		–	.74	.58	–		9
10	–	–	–	.29	–	.02	–	–	–	.02	.43	.01		10
11	.25	–	–	–	–	.10	[illegible]	–	–	–	.17	–		11
12	–	.02	–	–	–	.20	–	–	–	–	.03	–		12
13	.10	10	–	.06	.19	.05	–	–	–	–	–	–		13
14	–	–	–	.07	.11	.02	–	–	.02	–	.20	15		14
15	–	.08	–	.28	.03	.52	–	–	.16	–	.28	08		15
16	–	.07	.14	.18	–	.16	.05	–	.16	–	.41	07		16
17	–	–	–	.05	–	.16	–	–	.10	–	.18			17
18	–	–	–	.55	–	.06	.42	–	.19	02	.01	03		18
19	–	–	–	.10	.16	.06	.02	–	.13	.63	.19	26		19
20	.02	.16	–	.05	1.12	.11	.05	–	–	–	.35	–		20
21	–	.22	.02	.03	–	–	–	–	.16	.03	.03	–		21
22	–	.02	.10	02	–	–	–	.29	.15	–	–	–		22
23	–	.07	.03	–	–	–	–	.47	.34	.27	–	.09		23
24	.02	.33	.03	–	–	–	–	19	.28	.02	–	.14		24
25	.13	.26	–	.25	–	1.61	–	–	–	–	–	.18		25
26	.02	.12	–	–	–	–	–	12	.08	.01	–	.25		26
27	–	.10	–	–	.21	–	–	–	.04	–	.07	.64		27
28	–	.03	–	–	.14	–	–	–	.47	–	–	.02		28
29	–	–	–	–	–	–	–	–	.12	–	03	.22		29
30	.02	×	–	.13	.12	–	–	78	.07	.01	.27	.25		30
31		×	–	×	.03	×	–	04	×	.90	×	08		31
TOTAL	.62	2.03	.44	3.64	2.01	4.81	.77	1.91	3.87	3.56	3.98	2.67	Year's Total. 30.31	
* Days with .01 in. or more.	8	16	7	20	9	20	6	7	20	17	22	21	173	
* Days with .04 in. or more.	3	12	3	16	7	18	5	6	17	8	17	13	125	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1084

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Manor House Clifton Hampden
in the County of Oxford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.15	.07	.25	–	.07	.17	.14	–	–	.14	.03		1
2	.11	–	–	–	–	.20	.64	.08	.27	–	.13	–		2
3	–	–	–	.12	–	.03	.13	–	.09	–	.23	.05		3
4	.01	–	.27	–	–	–	–	–	.22	–	.10	.05		4
5	.17	–	–	–	–	–	–	.01	.06	–	–	.11		5
6	.19	–	–	–	–	.23	–	.07	.03	–	.12	–		6
7	.27	–	.04	–	–	.01	.09	–	.01	–	.07	.03		7
8	.14	–	.22	–	–	–	.03	–	–	–	.54	.07		8
9	.30	–	.03	–	–	–	.23	–	.10	–	–	–		9
10	.05	–	–	–	–	–	.09	1.10	.33	.04	–	–		10
11	–	–	–	.07	–	–	.07	–	.04	–	.35	.02		11
12	–	–	–	.04	–	.40	.27	–	–	–	.03	.15		12
13	–	–	–	–	–	.22	–	–	–	.04	–	.43		13
14	–	.03	–	–	–	.05	.80	–	.18	.03	–	.33		14
15	–	–	–	–	–	–	.02	–	.03	–	.45	.04		15
16	.13	.15	–	–	–	–	–	–	.02	–	.08	.11		16
17	.23	.34	–	–	–	.12	.13	–	–	.02	.03	.11		17
18	–	.04	–	–	–	.08	.05	.02	–	.08	–	.04		18
19	.19	.04	.04	.04	–	.36	–	.04	–	–	–	–		19
20	.06	.05	.07	.22	–	.32	–	–	1.64	–	–	–		20
21	–	–	–	.27	–	.22	.01	–	.02	–	–	–		21
22	.09	.37	.04	.06	.33	–	.22	–	–	–	–	.13		22
23	.11	–	.57	.03	.02	–	.01	–	–	.04	–	–		23
24	.08	.07	–	–	–	–	–	–	.12	.23	–	–		24
25	.02	–	.12	.06	–	.06	.16	–	.48	.21	.08	–		25
26	.02	.08	.10	.08	–	.03	–	–	.01	.03	–	–		26
27	.06	–	.03	–	–	–	–	–	–	–	–	–		27
28	.64	–	.10	–	–	–	.35	–	–	–	–	.14		28
29	.05	.10	.03	–	.05	.36	.33	–	–	.07	.27	.02		29
30	.11	✕	–	–	.08	.17	.08	–	–	.25	–	–		30
31	.46	✕	.24	✕	.02	✕	.08	–	✕	.47	✕	.22		31
TOTAL	3.57	1.45	1.97	1.24	.50	2.93	3.96	1.46	3.65	1.51	2.62	2.08	Year's Total 26.94	
* Days with .01 in. or more.	23	11	16	11	5	17	21	7	17	12	14	18	141	
* Days with .04 in. or more.	20	10	12	10	3	14	17	5	11	9	12	15	128	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Alfred Whitehead [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1084

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Clifton Hampden

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 190 ft.

T. L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·01	—	—	—	—	—	—	·03	·03	·26	·48		1
2	·01	·16	—	·03	—	—	—	—	·08	—	·01	·28		2
3	—	·35	·03	·37	—	—	—	—	—	—	—	·02		3
4	—	·27	—	·01	—	—	—	—	—	—	—	·30		4
5	·04	—	·20	—	·01	—	·10	—	—	—	—	—		5
6	·12	·01	·20	—	—	—	·33	—	—	·02	·03	—		6
7	·04	·77	—	·10	·21	—	·01	—	·03	—	—	—		7
8	—	·09	—	·06	—	—	—	—	—	—	·15	·07		8
9	—	—	·02	·01	·15	—	·07	—	·24	—	—	·12		9
10	—	—	·50	·17	·11	·19	—	—	·01	—	—	·13		10
11	—	—	·07	·36	—	·03	·05	—	—	—	—	·01		11
12	·02	·29	·10	—	·20	·43	·02	·10	·13	—	—	·08		12
13	·12	·09	·36	·03	·18	·48	—	—	·09	—	—	·05		13
14	·17	·01	·47	·23	·01	·01	—	·44	—	—	—	·04		14
15	·01	·08	·58	·09	—	—	·45	—	·19	—	—	·02		15
16	·14	·08	·46	·71	—	·09	—	·08	·48	—	—	—		16
17	—	·01	·05	·02	—	—	·01	—	—	—	—	—		17
18	·27	·07	·03	·02	—	·29	—	—	·46	—	·26	·17		18
19	·40	·03	·01	·03	—	·21	—	—	·03	—	—	·03		19
20	·06	·02	·08	·46	·02	·09	—	—	·02	—	·02	—		20
21	·20	·56	·08	·04	·33	—	·04	—	—	—	·02	·01		21
22	·24	·02	·05	—	·08	·18	·07	—	—	·54	·18	·01		22
23	·27	·03	·06	—	·06	·01	·07	—	—	·24	·15	—		23
24	·26	·47	·24	—	·20	—	—	—	·20	·32	—	—		24
25	·21	·21	—	—	·02	—	—	—	·02	·32	—	·02		25
26	·16	·28	—	—	·92	—	—	—	—	·14	—	—		26
27	—	·13	—	·13	·07	—	—	—	—	1·04	—	—		27
28	·03	·01	—	—	—	—	—	—	—	·05	—	·03		28
29	—	×	—	—	—	·06	—	—	—	·08	·06	·01		29
30	·29	×	—	—	—	·01	—	—	—	·05	·22	—		30
31	·31	×	—	×	—	×	—	—	×	—	×	·02		31
													Year's Total	
TOTAL	3·45	4·05	3·59	2·92	2·57	2·08	1·22	·62	2·01	2·83	1·36	1·90	28·60	✓
* Days with .01 in. or more.	22	24	19	18	15	13	11	3	14	11	11	20	181	✓
* Days with .04 in. or more.	18	16	15	11	11	9	8	3	8	9	7	10	124	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Whitehead [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1084

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Clifton Hampden

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 190 ft.

T. L.
Totals.

w.J.7

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—					.14	.05	—	—	·07	—	·03		1
2	·01	—	·01	—	—	·01	—	—	—	·35	.01	·03		2
3	.02	—	—	—	·06	—	·02	—	—	·69	—	—		3
4	·04	—	—	—	·24	—	·02	·31	·03	·23	—	·05		4
5	—	—	—	—	—	—	·04	—	—	·18	—	·02		5
6	·04	—	—	—	—	—	·03	—	·02	·17	—	·02		6
7	·09	—	—	—	—	·03	·26	·86	·12	·10	—	·09		7
8	—	—	—	—	—	·04	·05	·04	·13	·05	—	·02		8
9	·04	—	—	—	—	—	·03	·08	·02	—	—	·54		9
10	·16	·01	—	—	—	—	·04	·38	—	—	—	·10		10
11	·21	—	—	—	—	—	·01	—	—	—	·09	·03		11
12	·21	·02	—	—	·03	—	—	·65	—	·25	·02	—		12
13	·01	·06	—	—	—	—	—	·03	—	—	·09	·18		13
14	·22	·03	—	—	·04	—	·16	—	·07	—	—	—		14
15	·05	—	—	—	—	—	·31	—	—	·07	—	·12		15
16	·26	·03	—	—	·10	—	—	·03	—	·03	—	·06		16
17	—	·07	—	—	·04	—	—	—	·02	·06	·02	—		17
18	·05	·01	—	—	·04	—	—	·02	·17	—	—	—		18
19	—	—	—	—	—	—	—	·06	·07	—	·30	—		19
20	—	—	—	—	—	—	—	—	—	—	·73	·05		20
21	·01	—	—	—	—	—	—	·04	·02	—	·03	·42		21
22	—	—	—	—	—	·02	—	·12	—	—	·12	·22		22
23	—	—	—	—	—	—	·01	—	·02	—	·03	—		23
24	—	—	·10	—	·01	—	—	—	·15	—	·04	—		24
25	·05	·05	·10	·02	·12	—	·01	·06	—	·02	·61	·15		25
26	·20	·23	·12	—	·05	—	—	—	·18	·10	—	·20		26
27	·06	·05	—	·03	·45	·23	·16	·02	·22	·03	·33	—		27
28	·19	·03	—	—	·46	·03	—	·87	·01	—	—	·09		28
29	·17		—	—	·26	—	—	—	—	·04	·07	·14		29
30	·02	✕	—	—	·10	·06	—	—	·18	·05	·14	·03		30
31	·14	✕	—	✕	·11	✕	—	—	✕	·07	✕	·15		31
TOTAL	2.25	.59	·33	·05	2.11	·56	1·20	3.57	1.43	2.56	2·63	2·74	Year's Total 2002	✓ 20·02
* Days with .01 in. or more.	22	11	4	2	15	8	15	15	16	18	15	22	163	✓
* Days with .04 in. or more.	17	5	3	—	13	4	8	11	9	15	10	15	110	✓

† Spare column, no entries required.

(*Signed*) A. Whitehead

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1084

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Clifton Hampden
in the County of Oxford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	—	.02	.39	.45	—	—	.53	.07	—	—	.02		1
2	.04	—	—	.01	.01	—	—	.38	.35	—	.04	.04		2
3	.30	—	—	.18	—	—	—	.15	—	.01	.19	.25		3
4	.09	—	.19	.13	.05	—	.07	.18	—	.44	.05	.04		4
5	—	—	.01	.50	.39	—	.03	.45	—	.12	.30	.16		5
6	.37	—	—	.03	.03	—	.22	.02	—	—	.09	—		6
7	.02	.08	—	—	—	—	.02	—	—	—	.19	.12		7
8	—	.06	.20	—	.01	—	.05	.26	—	.54	.14	.26		8
9	.03	.03	—	—	—	—	—	.04	—	.09	.01	.10		9
10	.21	—	.03	—	—	.27	—	.09	—	—	.03	.01		10
11	.01	—	.23	—	—	—	—	—	—	.02	.01	—		11
12	.01	.07	.02	—	.03	.02	—	—	—	—	.06	—		12
13	—	—	—	.03	—	—	.08	—	.05	.79	.01	.01		13
14	.35	—	—	—	.16	.12	.11	—	—	.05	.15	—		14
15	.16	—	.04	—	.23	.47	.12	—	.07	.66	.23	—		15
16	.25	—	.08	—	.05	.15	.02	—	—	—	.36	—		16
17	.19	.01	.02	—	.04	.01	.03	—	—	1.47	.05	.01		17
18	.15	.01	.04	—	—	.05	.55	—	—	.02	.32	—		18
19	.12	—	—	—	—	—	.71	—	—	—	.01	—		19
20	.29	—	.02	—	—	—	.35	.06	—	—	—	.02		20
21	.02	.09	.25	—	—	.03	.44	.02	.03	—	—	—		21
22	.18	.13	.10	.02	—	.02	.03	—	.02	—	.07	.02		22
23	.05	—	.02	.04	—	.04	.20	—	—	.04	.48	—		23
24	.27	—	—	.23	—	—	.22	—	.01	.09	.01	—		24
25	.77	.08	.18	.01	—	—	.44	—	—	.03	.18	.02		25
26	.24	.02	.02	—	—	—	.01	.18	—	.03	.27	—		26
27	.03	.05	.08	.01	—	.02	.06	.01	—	.08	.03	—		27
28	.03	.13	.13	.09	—	.01	.09	—	—	.01	.27	.07		28
29	—	x	.01	.27	—	—	.21	—	—	.10	.12	—		29
30	—	✕	—	.94	—	—	.02	—	—	.01	.06	.10		30
31	—	✕	—	✕	—	✕	.03	.04	✕	—	✕	.01		31
TOTAL	4.21	.76	1.69	2.88	1.45	1.21	4.11	2.40	.60	4.60	3.73	1.25	Year's Total 28.89	
* Days with .01 in. or more.	25	12	20	15	11	12	24	14	7	19	27	17	203	
* Days with .04 in. or more.	17	8	11	9	7	6	15	11	4	12	20	9	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. Whitehead

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1084

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Clifton Hampden
in the County of Oxford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.04	—	.07	.02	—	—	—	—	—	.14	—		1
2	—	.06	—	.10	—	—	.29	—	—	.08	.76	—		2
3	—	.15	—	.02	—	—	.01	—	—	.15	1.23	.02		3
4	—	.16	—	.20	—	—	.01	—	—	.19	.10	.03		4
5	—	.03	—	—	.01	—	.04	—	—	.02	.52	.05		5
6	.12	.10	—	—	.02	—	.11	—	—	.09	.02	.01		6
7	.11	.18	—	.01	.02	—	.38	—	—	—	—	.03		7
8	—	.01	—	—	—	—	—	—	.01	.11	.02	.24		8
9	—	—	—	—	—	.01	—	—	.05	.02	.08	.06		9
10	—	—	.02	—	—	—	1.41	—	.02	.09	.16	.07		10
11	—	—	—	.04	—	.10	.03	—	—	—	.51	.03		11
12	—	—	.04	—	—	.02	.10	—	.07	—	.01	—		12
13	—	.03	.53	.02	—	—	.01	—	.07	—	1.35	—		13
14	—	—	.06	.08	.03	—	—	—	.07	.13	—	.25		14
15	—	—	.02	.02	.02	—	.11	—	.19	.16	.39	.01		15
16	.03	.18	.46	.03	—	—	.27	—	.12	.51	.67	.03		16
17	—	—	.28	—	—	—	.02	—	—	—	.08	—		17
18	—	.32	.22	.40	—	—	—	.06	—	.17	.12	.10		18
19	—	.15	.02	.20	—	—	.07	—	.07	—	.12	.01		19
20	—	.02	.05	.04	—	—	.01	—	.01	.22	.02	.01		20
21	.03	.02	—	—	.28	—	.16	.01	—	.03	.47	—		21
22	—	—	.13	.01	.40	.29	.01	—	.11	—	—	—		22
23	—	.13	.04	.07	.01	.34	—	—	.01	.03	.03	.02		23
24	—	—	—	—	—	.02	.20	—	—	—	—	.02		24
25	—	.01	.25	—	.01	.03	.03	—	—	—	—	—		25
26	1.04	.04	.03	.38	.03	.01	.38	—	—	—	—	—		26
27	.61	.08	—	.21	.05	—	.05	—	—	.02	—	—		27
28	.67	.05	—	.02	.24	—	.01	—	—	—	—	—		28
29	.08	.09	.03	.07	.07	.03	—	—	—	—	—	.31		29
30	.03	✕	—	.19	.03	—	—	—	—	.11	—	.02		30
31	.02	✕	.01	✕	.01	✕	—	—	✕	.59	✕	.02		31
													Year's Total	
TOTAL	2.74	1.85	2.19	2.18	1.25	.85	3.71	.07	.80	2.72	6.80	1.34	26.50	
* Days with .01 in. or more.	10	20	16	20	16	9	22	2	12	18	20	20	185	
* Days with .04 in. or more.	6	14	10	13	5	3	13	1	8	13	15	7	108	

† Spare column, no entries required.

(*Signed*) Alfred Whitehead

[P.T.O.

* See Instruction 3 (f) on other side.

TN 108 1085

Section **A** for the e
AIR MI

FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

RE

31 .

1085 —

WATLINGTON,
PYRTON MANOR

1931 - 40

780208

Kept at Watlington
in the County of G

Diameter of Funnel of Gau
Height of top of Gauge abov
,, Ground ,,

THE MORNING DAY.

An observer who does not conform to this rule should insert the reading *the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·08	·01	·10	·05	·04	·01		·10				1
2	·08	·09		·41	·07	·01	·01		·56		·01	·03	2
3	·05		·07	·23	·14			·17	·48		·28	·13	3
4		·05		·01	·01		·20	1·57	·11		·17		4
5				·15	·05	·18	·01		·04		·05	·17	5
6		·12		·17			·18			·25	·33		6
7				·01	·10	·07	·66	·37		·09	·20	·07	7
8	·01	·04	·01	·04		·14		·32		·01	·11		8
9		·13		·01		·01	·02	·01			·25	·01	9
10	·04	·03				·04	·23	·18			·23		10
11	·20	·15							·07		·02		11
12							·05		·25				12
13	·01						·11	·48					13
14		·09			·04	·03	1·43	·20					14
15	·01	·02		·16	·15		·27	·06				·08	15
16		·06		·10	·15	·15	·04	·32	·15				16
17	·04	·25		·18	·24		·20		·07				17
18	·07	·03	·01	·17		·10	·01	·46			·35		18
19	·06			·42		·53	·55	·04					19
20		·04	·01	·15				·15			·01		20
21	·02				·30				·01				21
22	·20			·10									22
23	·17	·01		·03	·29	·11					·17	·05	23
24	·06			·22	·28	·14	·03		·01			·03	24
25				·30	·06		·42				·04		25
26		·04		·08			·83				·32		26
27	·09	·35		·12	·59		·10			·03	·18		27
28	·16	·11		·05	·10					·07		·04	28
29	·05	×			·23		·16			·21	·01		29
30	·08	×						·02					30
31	·17	×		×	·07	×		·05	×		×	·04	31
TOTAL	1·57	1·69	·11	3·21	2·92	1·55	5·52	4·40	1·85	·66	2·73	·65	YEAR'S TOTAL 26·86
*Days with ·01 in. or more.	19	18	5	22	18	13	21	15	11	6	17	10	175
*Days with ·04 in. or more.	15	14	1	18	17	10	15	13	9	4	13	7	136

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Major H. D. Hamersley [P.T.O.

TN 108

1085

Section **A** for the e

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Watlington, Pyrton Manor

in the County of Oxford

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·08	·01	·10	·05	·04	·01		·10				1
2	·08	·09		·41	·07	·01	·01		·56		·01	·03	2
3	·05		·07	·23	·14			·17	·48		·28	·13	3
4		·05		·01	·01		·20	1·57	·11		·17		4
5				·15	·05	·18	·01		·04		·05	·17	5
6		·12		·17			·18			·25	·33		6
7				·01	·10	·07	·66	·37		·09	·20	·07	7
8	·01	·04	·01	·04		·14		·32		·01	·11		8
9		·13		·01		·01	·02	·01			·25	·01	9
10	·04	·03				·04	·23	·18			·23		10
11	·20	·15							·07		·02		11
12							·05		·25				12
13	·01						·11	·48					13
14		·09			·04	·03	1·43	·20					14
15	·01	·02		·16	·15		·27	·06				·08	15
16		·06		·10	·15	·15	·04	·32	·15				16
17	·04	·25		·18	·24		·20		·07				17
18	·07	·03	·01	·17		·10	·01	·46			·35		18
19	·06			·42		·53	·55	·04					19
20		·04	·01	·15				·15			·01		20
21	·02				·30				·01				21
22	·20			·10									22
23	·17	·01		·03	·29	·11					·17	·05	23
24	·06			·22	·28	·14	·03		·01			·03	24
25				·30	·06		·42				·04		25
26		·04		·08			·83				·32		26
27	·09	·35		·12	·59		·10			·03	·18		27
28	·16	·11		·05	·10					·07		·04	28
29	·05	×			·23		·16			·21	·01		29
30	·08	×						·02					30
31	·17	×		×	·07	×		·05	×		×	·04	31
TOTAL	1·57	1·69	·11	3·21	2·92	1·55	5·52	4·40	1·85	·66	2·73	·65	YEAR'S TOTAL 26·86
*Days with ·01 in. or more.	19	18	5	22	18	13	21	15	11	6	17	10	175
*Days with ·04 in. or more.	15	14	1	18	17	10	15	13	9	4	13	7	136

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Major H. Ducat-Hamersley [P.T.O.

82588/31 1085

FORM 1000. Monthly

Form 1093.

AIR MINISTRY.
METEOROLOGICAL OFFICE.
BRITISH RAINFALL ORGANIZATION.
KINGSWAY, LONDON, W.C.2,
or
METEOROLOGICAL OFFICE,
10, ROTHESAY PLACE, EDINBURGH.

RAINFALL IN 1931

NOTE.—Records taken in millimetres should be entered on Form 1094

At PYRTON MANOR

In the County of OXON

PLEASE FILL IN.

Rain Gauge
Diameter of Funnel 5 in.
Height of Top Above Ground 1 ft. — in.
Height of Top Above Sea Level 325 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.		
JAN.	1.57	0.20	11th 22nd	19	15
FEB.	1.69	0.35	27th	18	14
MAR.	0.11	0.07	3rd	5	1
APR.	3.21	0.~~8~~42	19th	22	18
MAY	2.92	0.59	27th	18	17
JUNE	1.55	0.53	19th	13	10
JULY	5.52	1.43	14th	21	15
AUG.	4.40	1.57	4th	15	13
SEPT.	1.85	0.56	2nd	11	9
OCT.	0.66	0.25	6th	6	4
NOV.	2.73	0.35	18th	17	13
DEC.	0.65	0.17	5th	10	7
Total	26.86			175	136

Signature Hamersley

Titles (Major)

[*Please fill in the other side also.*]

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

NM

D INSTRUCTIONS.

● JAN 3 2

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

1085

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Watlington, Pyrton Manor

in the County of Oxford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·01		·06	1·00	·02	·07	·29	·03	·06	·01		1
2				·10	·08			·11	·49	·02		·17	2
3				·18	·12				·30	·02			3
4							·01				·20		4
5	·20	·01	·03				·17		·07				5
6	·34			·07					·18				6
7	·05		·14	·09	·04		·08		·12	·05			7
8			·13	·03	·04				1·69	·13			8
9	·15	·03	·05	·04	·16				·06	·05			9
10	·15			·12	·06	·02			·05	·13	·02		10
11		·06		·04	·05		·05		·04	·34	·04	·04	11
12	·09				·18			·01	·02	·41	·02		12
13	·02			·17	·01		·04			·14	·10	·04	13
14	·25			·02				·04		·01	·02		14
15				·06	·25					·06			15
16	·28			·24	·09							·01	16
17				·01			·06			·06			17
18							·01		·36		·11		18
19									·01	·25	·01		19
20				·02	·14			·96	·04	·73	·05		20
21	·04		·04	·14	1·85			·13		·44		·02	21
22	·01		·18		·01		·08		·33	·13	·30		22
23		·06	·01		·22				·06	·78	·01		23
24							1·38		·06	·04	·03		24
25		·04		·04		·01	·14		·05	·21	·05		25
26			·07	·22	·05		·05		·01	·20			26
27			·33	·13	·22		·21		·01	·07	·03		27
28			·12	·08	·16		·12			·07			28
29			·24	·13	·25	·08	·01	·01	·11	·32	·04	·02	29
30		×	·31	·06	·17	·50		·01	·13		·27	·26	30
31		×		×	·11	×	·04		×		×	·06	31
TOTAL	1·65	·21	1·65	2·05	5·26	·63	2·52	1·56	4·22	4·72	1·31	·62	YEAR'S TOTAL 2640
*Days with ·01 in. or more.	12	6	12	23	22	5	16	8	22	24	17	8	174
*Days with ·04 in. or more.	10	3	10	18	20	2	13	5	17	21	9	5	133

40-9999

(*Signed*) H. Ducat Hammersley

P.T.O.

*See Instruction 2 (*f*) on other side.

Station No 1085.

1085

Form 1093.

AIR MINISTRY,
METEOROLOGICAL OFFICE.
BRITISH RAINFALL ORGANIZATION.
KINGSWAY, LONDON, W.C.2,
or
METEOROLOGICAL OFFICE,
10, ROTHESAY PLACE, EDINBURGH.

RAINFALL IN 1932.

NOTE.—Records taken in millimetres should be entered on Form 1094

At PYRTON MANOR

In the County of OXON

PLEASE FILL IN.

Rain Gauge: Diameter of Funnel 5 in.

Height of Top: *Above Ground* 1 ft. – in.

Above Sea Level 325 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.		
JAN.	1·65	0·34	6	12	10
FEB.	0·21	0·06	23	6	3
MAR.	1·65	0·33	27	12	10
APR.	2·05	0·24	16	22	18
MAY	5·26	1·85	21	22	20
JUNE	0·63	0·50	30	5	2
JULY	2·52	1·38	24	16	13
AUG.	1·56	0·96	20	8	5
SEPT.	4·22	1·69	8	22	17
OCT.	4·72	0·78	23	24	21
NOV.	1·31	0·30	22	17	9
DEC.	0·62	0·26	30	8	5
Total	26·40			174	133

Signature H Ducat Hamersley

Titles (Major)

[*Please fill in the other side also.*]

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

*See Instruction 2 (*f*) below.

M

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

adjusted by mm. [illegible] for TV

1085

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Watlington, Pyrton Manor

in the County of Oxford

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

TV

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.15	.05								.04		1
2	.17		.23		.42						.02		2
3	.01	.19	.13								.01		3
4	.12	.02	.03		.33								4
5	.03	.04	.18								.03		5
6		.10	.06		.12					.31	.04		6
7	.15	.08	.11		.03					.05	.01	.01	7
8	.05	.01	05 ~~08~~		.06		.19			.02			8
9		.01			.03		.17			.12	.12		9
10	.01	.09			.01	.07	.46			.25	.13		10
11	.23				.02	29	.10	.08					11
12					.01	.15	.04		.75			.01	12
13					.15	.01	.34		.03	.01	.05		13
14	.01							.05		.08	.46		14
15	.32		08				.06	.11			.09		15
16	.01	.02	58			.25			.01	.01	.01		16
17	.08	.01	.35			.03			.05		.01		17
18	.04	.10	.24			.07							18
19		.01	.20	.01		.15			.41		.03	.03	19
20			.04	.06		.07		.03	.01		.01		20
21						.01		.16	.21	.02			21
22					.09			.06	.06	33			22
23				.16					.22	.03			23
24		.71		.06		.14			.18	.01	.05		24
25		1.18		.48					.12	.01		.08	25
26		.69		.09		.09			.21	.05			26
27		.01			.14	.02	.05		.05	.08		.06	27
28				.13						.18		.05	28
29	.15			.54			.01			.03		.02	29
30	.08	×	.10				.04		.11			.12	30
31	.05 ~~.18~~	×	.01	×		×		.12	×	.02	×		31
TOTAL	1.64	3.42	2.44	1.53	1.41	1.35	1.46	.61	2.42	1.61	1.1~~2~~1	.38	YEAR'S TOTAL 19.38
*Days with .01 in. or more.	17 ~~16~~	17	16	8	12	13	10	7	14	18	17	8	157
*Days with .04 in. or more.	12 ~~14~~	10	4	7	7	9	9	6	11	9	8	4	106

40-9999

*See Instruction 2 (*f*) on other side.

DM

(*Signed*) A. Beckingham

[P.T.O.

Ex. 82

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1085

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Watlington, Pyrton Manor

in the County of Oxford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

T.V.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03							·19	·10	·01		·56		1
2	·14		·05		·03				·67	·04	·01	·19		2
3	·01	·12								·25		·04		3
4	·05	·01	·08	·31	·03					·46	·11	·30		4
5					·01			·10		·01	·09	·25		5
6	·01		·20	·02	·38	·07		·01		·14	·01	·51		6
7	·02					·02		·33		·11		·23		7
8					·16			·05	·05		·16	·07		8
9			·06		·01						·89	·23		9
10			·38	·16				·11			·03	·03		10
11	·43		·19	·13			·01					·16		11
12			·06	·05			·05	·28				·20		12
13	·33		·17	·03			·06	·40			·07	·84		13
14	·08		·35					·01			·22	·23		14
15	·03		·05		·07				·03	·26	·13	·15		15
16	·15		·18		·01					·05	·01	·02		16
17	·01	·01		·01	·05				·06	·09	·05	·13		17
18	·21		·02	·14					·07			·05		18
19			·18						·12	·03		·04		19
20			·12	·05			·05	·01	·02					20
21			·02	·07		·08	·06	·12		·10				21
22							·03	·12	·24			·06		22
23				·27		·47					·04	·02		23
24		·06	·07	·03		·02	·54	·10	·13					24
25	·24	·02		·13	·02	·48				·06		~~28~~ 28		25
26	·03		·02	·34		·02			·04	·01		·10		26
27	·01	·01		·04		·09				·05		·40		27
28				·21		·16	·05	·55			·01	·21		28
29		×						·01	·22			·01		29
30	·06	×						·01	·02	·02		·06		30
31	·08	×		×		×			×	·01	×	·06		31
TOTAL	1·92	·23	2·20	1·99	·77	1·41	·85	2·40	1·77	1·70	1·83	5·43	Year's Total 22·50	
*Days with ·01 in. or more.	18	6	17	16	10	9	8	16	13	17	14	28	172	
*Days with .04 in. or more.	10	2	14	12	4	6	6	11	10	11	9	24	119	

† Spare column, no entries required.

(*Signed*) Major H. Ducat-Hamersley [P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

M

Circ D.1. for Feb.
sent 6.3.
Obsr. agrees.

Section A **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No. 1085

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Watlington, Pyrton Manor
in the County of Oxford
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
,, Ground ,, Sea Level .... ft.

TV

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.14			.04	.01	.04	.08			.06	.05	.02		1
2	.01		.08			.06			.04	.12	.02			2
3		.04	.03	.01		.17			.74	.57	.18	.03		3
4				.25		.04			.23	.07		.01		4
5		.33	.10	.07		.17	.01		.40		.01			5
6		.01	.01	.29		.38				.04		.02		6
7		.02		.58		.05				.06	.40	.11		7
8				.23				.03		.22	.13	.03		8
9				.29		.56				.74	.54			9
10	.01			.12		.01					.08	.02		10
11	.25					.07	.46				.28			11
12		.03				.19					.04			12
13	.06	.12		.05	.16	.05					.01	.01		13
14				.15	.08	.01			.01		.21	.14		14
15		.16		.40	.02	.52			.30		.28	.10		15
16		.19	.02	.19		.12	.03		.32	.01	.57	.06		16
17				.08		.14	.04		.05		.19			17
18				.38		.12	.23		.27	.02	.01			18
19				.11	.18	.08	.21		.10	.01	.10	.22		19
20	.03	.10		.15	.88	.08	.04		.05		.41			20
21		.25		.03					.04	.04	.02			21
22		.03	.10	.08				.10	.24					22
23	.03	.14	.07	.09				.81	.10	.22		.15		23
24	.12	.42	.05					.17	.55	.01		.18		24
25		.11		.27		.93						.15		25
26	.02	.10						.29	.08			.39		26
27		.16			.03				.05		.10	.47		27
28		.05			.18				.34	.05	.02	.08		28
29		X							.41		.01	.25		29
30	.04	X		.09	.06			.61	.01	.02	.31	.36		30
31		X		X	.04	X			X	.76	X	.12		31
TOTAL	.71	~~1.96~~ 2.26	.46	3.95	1.64	3.79	1.10	2.01	4.33	3.02	3.97	2.92	Year's Total 30.16	
*Days with .01 in. or more.	10	11	8	22	10	20	8	6	20	17	23	21	182	
*Days with .04 in. or more.	5	13	5	20	7	18	6	5	18	12	16	14	139	

† Spare column, no entries required.

(*Signed*) Major H. Ducat Hammersley

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

M

Sept. adjusts by new Slip for T.V.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1085

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

T.V.

Copy by B.R.O.

Kept at Watlington, Pyrton Manor

in the County of Oxford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·15	·28	12	·28		·08	·24	·27		–	·09	·04		1
2	·12	·06	·01			·22	·36	·11		–	·05	–		2
3				·19		·21	·14		·19	–	·25	·06		3
4			·22			·01			·19	–	·10	·07		4
5	·23		·01				·01		·11	–	–	·09		5
6	·31					·18		·18	·10	–	·21	–		6
7	·21		·02			·01	·01		·01	–	·07	·04		7
8	·15		·14							–	·48	·13		8
9	27						·29		~~·42~~ 12	·01	–	·02		9
10	·03						·13	1·00	02	–	–	–		10
11				·08			·07		03	–	·54	–		11
12				·05		·52	·34	·02	29	–	·54	·17		12
13				·15		·44			–	·07	·06	·38		13
14						·05	·73		·03	·04	–	·37		14
15		·06					·01		·11	–	–	·09		15
16	·22	·09		03					·03	–	43	·06		16
17	·28	63			·04		·05			·01	·10	·10		17
18		·07				·39	·05	·01		·11	·01	·16		18
19	·28	·12	·04	·06		19		·05		–	–	–		19
20	·05	·15	·06	·26		·15			1·58	–	–	–		20
21				·31		·25	·19		·03	–	–	–		21
22	·14	·41	·09		·31		21			–	–	·12		22
23	·06	~~·18~~	·13	·05	·01		·07			·09	–	–		23
24	·08	·11					·04		·11	·26	–	–		24
25	·02		·14	·13			·08		·74	·20	·11	–		25
26	·01	·10	·15	·05		·02			·03	·06	–	–		26
27	·06						·01		·02	·08	–	–		27
28	·68	·01	·14				·28			–	–	·13		28
29	·10	·10				·45	·05			·03	·27	·06		29
30	·12	×			·14	·24	·05			·29	–	–		30
31	·41	×	·20	×	·02	×	·12		×	·36	×	·24		31
TOTAL	3·98	2·19	1·47	1·64	·52	3·41	3·53	1·64	3·74	1·61	3·31	2·33	Year's Total 29·37	
* Days with .01 in. or more.	22	13	14	12	5	16	23	7	18	13	15	18	176	
* Days with .04 in. or more.	19	12	11	11	3	13	19	5	10	10	14	17	144	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Major H. Ducat Hammersley

[P.T.O.

Sept. 6th corr by [illegible]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1085

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

T. V

Kept at Watlington, Pyrton Manor
in the County of Oxford
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	–	–	·02	–	–	–	–	·05		·37	·58		1
2	·01	·16	·01	·37	–	–	–	–	·10		·01	·55		2
3	–	·12	·05	–	–	–	–	–	–		–	·06		3
4	·07	·25	–	·03	·02	–	–	–	–		–	·39		4
5	·11	·02	·23	–	–	–	·05	–	–		–	–		5
6	·07	·04	·41	·03	·22	–	·25	–	~~·06~~	·01	·02	–		6
7	–	·69	·02	·18	–	–	–	–	·06		–	–		7
8	–	·04	–	–	·09	–	–	–	–		·28	·18		8
9	–	·06	–	·17	·07	–	·09	–	·25		–	·11		9
10	–	–	·81	·80	–	·24	·03	·01	–		–	·15		10
11	–	–	·08	·01	·20	·03	·02	–	–		–	·01		11
12	·13	·18	·15	–	·52	·39	·02	·04	·10		–	·11		12
13	·16	·04	·41	·04	–	·30	–	·01	·09		–	·24		13
14	·02	·03	·47	·14	–	–	–	·61	–		–	·05		14
15	·22	·14	–	·16	–	–	·65	–	·26		–	·04		15
16	·01	·08	·58	·48	–	·01	–	·09	·58		–	–		16
17	·47	·01	·29	·02	–	–	–	–	·61		–	–		17
18	·46	·10	·09	·04	–	·43	–	–	·01		·14	·11		18
19	·05	·04	·02	·11	–	·20	–	–	·05		–	·04		19
20	·48	–	–	·41	·52	·04	–	–	–		–	–		20
21	·20	·54	·06	·05	·01	–	·07	–	–	·01	–	·02		21
22	·31	·02	·14	–	·10	·18	·08	–	–	·91	·20	·02		22
23	·21	·05	·05	–	·59	–	·18	–	–	·39	·05	–		23
24	·25	·30	–	–	–	–	–	–	·15	·65	–	·01		24
25	·19	·27	·18	–	1·23	–	–	–	·01	·61	–	–		25
26	·01	·29	·01	–	·17	–	–	–	–	·09	·01	–		26
27	·03	·11	–	·24	–	–	–	–	–	·89	–	–		27
28	–	·03	–	·01	–	·02	–	–	–	·06	–	·05		28
29	·01	✕	–	–	–	·05	–	–	–	·04	·05	·04		29
30	·33	✕	–	–	–	–	–	–	–	·01	·35	–		30
31	·34	✕	–	✕	–	✕	–	–	✕	·07	✕	·05		31
TOTAL	4·28	3·61	4·06	3·31	3·74	1·89	1·44	·76	2·32	3·74	1·48	2·81	Year's total 33·44	
* Days with .01 in. or more.	24	24	19	19	12	11	10	5	13	12	10	20	179	
* Days with .04 in. or more.	18	19	15	13	10	8	7	3	11	9	7	16	136	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

Dec. adjusted by Slice. for snow

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1085

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

TV

Copy by B.R.O.

Kept at Waltington, Pyrton Manor.
in the County of Oxford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 325 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–		·02	·21	–	·06	·05	·02	–	–		1
2	·09	–	–		·06		–	–	–	·38	–	·04		2
3	–	–	–		·31		–	–	·05	·61	–	–		3
4	·08	–	–				·02	·01	–	·10	–	·07		4
5	·01	–	–				·11	–	–	·17	–	–		5
6	·07	–	–				·04	–	·22	·07	·01	–		6
7	–	–	–				·39	1·64	·07	·25	–	·05		7
8	·10	–	–			·06	·45	·09	·03	·19	–	–		8
9	·12	·01	–				·03	·15	–	–	–	·69		9
10	·21	·05	–				·07	1·10	–	–	·01	·14		10
11	·20	–	–				·01	·55	–	–	·11	·04		11
12	·21	·01	–		·01		–	·05	–	·31	–	–		12
13	·03	·03	–				–	–	–	·01	·13	·10		13
14	·25	·02	–		·07		·07	–	·12	–	–	·01		14
15	·04	–	–				·40	–	–	·14	–	·22		15
16	·28	·04	–				·01	·06	–	·05	–	·30		16
17	–	·05	–		·07		–	–	·03	·03	–	–		17
18	·05	–	–		·05		–	·01	·19	·01	·29	–		18
19	–	–	–				–	·08	·12	–	·18	–		19
20	–	–	–				–	–	·03	–	·49	·03		20
21	·02	–	–				–	–	·02	–	·02	·84		21
22	–	–	–	·02		·02	–	·14	–	–	·12	·20		22
23	–	–	–				–	–	–	–	·05	–		23
24	–	–	·14		·15		–	–	·14	–	·04	–		24
25	·09	·09	·07	·08	·24		–	·24	–	–	·63	15		25
26	·26	·28	·11		·03		–	–	·22	·15	–	20	✓	26
27	·14	·09	–		·25	·27	·23	–	·32	·05	·40	–		27
28	·15	·05	–		·85	·05	–	·89	–	–	–	·16		28
29	·19	–	–		·30		–	·22	·04	·01	·09	·18		29
30	·02	✕	–		·05	·15	–	–	·15	·03	·19	–		30
31	·20	✕	–	✕	·15	✕	–	–	✕	·13	✕	·20		31
TOTAL	2·81	·72	·32	·10	2·61	·76	1·83	5·29	1·80	2·71	2·76	3·62	Year's Total 25·33	✓
* Days with .01 in. or more.	22	11	3	2	15	6	12	15	16	19	16	1~~7~~8	153	✓
* Days with .04 in. or more.	18	7	3		12	5	8	13	12	13	12	1~~5~~6	119	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) H. Dewent-Hamersley

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1085

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

TV

Copy by B.R.O.

Kept at Watlington, Pyrton manor

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 325 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	-	·01	·59	·43	-	-	·13	-	-	-	·02		1
2	·02	-	-	·02	-	-	-	·56	·49	-	·01	·04		2
3	·28	-	-	·10	-	-	-	·20	-	-	·21	·21		3
4	·07	-	·30	·16	-	-	·07	·36	-	·48	·08	·01		4
5	-	-	·01	·37	·25	-	·11	·22	-	·14	·30	·32		5
6	·28	-	-	·03	·11	-	·22	·01	-	-	·15	-		6
7	·02	·13	-	-	-	-	·01	-	-	-	·24	·12		7
8	-	·10	·15	-	-	.	·06	·05	.	·33	·38	·24		8
9	·04	·03	-	-	-	-	-	·05	.	·14	-	·17		9
10	·28	-	-	-	-	·38	-	·14	·03	-	-	-		10
11	-	-	·26	-	-	.	-	-	·03	·01	-	-		11
12	-	·05	·04	-	-	·02	-	-	-	.	-	-		12
13	-	-	-	-	-	·01	·03	-	·04	1·03	-	-		13
14	·34	-	-	·01	·25	·04	·09	-	-	·09	·23	-		14
15	·18	-	·08	-	·38	·35	·01	-	·08	·87	·10	-		15
16	·26	-	·10	-	·09	·50	·06	-	.	·06	·43	-		16
17	·25	·01	·01	-	·05	-	·05	-	.	2·12	·04	-		17
18	·26	·01	·09	-	-	·29	·39	-	.	·04	·33	-		18
19	·16	-	-	-	-	-	·50	-	.	·12	-	-		19
20	·31	-	-	-	-	·09	·47	·04	-	-	-	-		20
21	·04	·19	·27	-	-	·02	·24	·27	·12	-	-	-		21
22	·13	·35	·05	·03	-	.	·02	-	·03	-	·15	-		22
23	·02	-	-	·06	-	·02	·11	-	-	·02	·58	·04		23
24	·27	-	·02	·15	-	·01	·22	-	-	·15	-	-		24
25	·91✓	·10	·08	-	-	-	·56	-	-	·01	·29✓	-		25
26	·28	·01	·02	·01	-	.	-	·28	-	·08	·18	·05		26
27	-	·06	·11	·01	-	-	-	·04	-	·06	·10	-		27
28	·03	·20	·15	·13	-	.	·03	-	-	-	·24	·07		28
29	-		-	·31	-	.	·50	-	-	·19	·12	-		29
30	-	✕	-	1·15	-	.	-	-	-	-	·13	·05		30
31	-	✕	-	✕	-	✕	-	-	✕	-	✕	-		31
TOTAL	4·47	1·24	1·75	3·13	1·56	1·73	3·75	2·35	·82	5·94	4·29	1·34	Year's Total 32·37	8 stet.
* Days with .01 in. or more.	22	12	17	15	7	11	20	13	7	18	20	12	174	7
* Days with .04 in. or more.	18	8	12	9	7	6	15	12	4	15	19	10	5 137	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1085 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Watlington (Pyrton Manor)
in the County of Oxford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 325 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·02	–	·01	–	–	–	–	–	–	·13	–		1
2	–	–	–	·11	–	–	·22	–	–	·04	·70	–		2
3	–	·22	–	·05	–	–	–	–	–	·15	·98	–		3
4	–	·13	–	·07	–	–	–	–	–	·24	·09	–		4
5	–	·02	–	–	–	–	–	–	–	·04	·70	·10		5
6	·11	·10	–	–	·05	–	·30	–	–	·14	·06	–		6
7	·15	·21	–	–	·04	–	·14	–	–	–	–	–		7
8	–	–	–	–	–	–	–	–	–	·24	–	·19		8
9	–	–	–	–	–	·01	–	·04	·05	–	·19	·05		9
10	–	–	·01	–	–	–	·54	–	–	·18	·17	·04		10
11	–	–	–	·05	–	·29	–	–	–	–	·56	–		11
12	–	–	·04	·01	–	·08	·16	–	·09	–	·01	–		12
13	–	–	·57	–	–	–	–	–	·08	–	1·29	–		13
14	–	·02	·15	·07	–	–	–	–	·08	·23	–	·24		14
15	–	–	–	–	–	·04	·10	–	·03	·15	·43	·01		15
16	·03 sn	·07	·25	·09	–	·02	·33	–	·19	·48	·79	–		16
17	–	–	·31	–	–	–	–	–	–	–	·01	–		17
18	–	·29	·28	·52	–	–	–	–	–	·13	·21	·15		18
19	–	·15	–	·18	–	–	·03	–	·19	–	·11	·01		19
20	–	–	·05	·01	–	–	·10	–	–	·13	·02	–		20
21	·10 sno	–	·01	–	·33	–	~~·14~~ 14	–	–	·10	·58	–		21
22	·03 sn	–	12	–	·62	·37	–	–	·12	–	–	–		22
23	–	·14	·03	·12	·05	·36	–	–	–	·01	–	–		23
24	–	–	–	·01	–	–	·16	–	–	–	–	–		24
25	–	–	·25	–	–	·01	·13	–	–	–	–	–		25
26	·89	·07	·08	·37	·05	–	·24	–	–	–	–	–		26
27	·71 sn	·12	–	·20	·04	–	·10	–	–	–	–	–		27
28	·80 sn	·09	–	·01	·18	–	–	–	–	·02	–	–		28
29	·04 sn	·10	·06	·01	·05	·05	–	–	–	–	–	·41		29
30	–	✕	–	·21	–	–	–	–	–	·10	–	·02		30
31	·04 sn	✕	–	✕	–	✕	–	–	✕	·53	✕	·01		31
TOTAL	2·90	1·75	2·21	2·10	1·41	1·23	2·69	·04	·83	2·91	7·03	1·23	Year's Total 26·33	✓
* Days with .01 in. or more.	10	15	14	18	9	9	14	1	8	17	18	11	144	✓
* Days with .04 in. or more.	8 ✓	12 ✓	11 ✓	12 ✓	9 ✓	6 ✓	13 ✓	1 ✓	7 ✓	15	15	7	116	✓

39

248
25

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Major H. Ducat Hamersley [P.T.O.

1086

~~1086~~

WHEATFIELD HSE

1931 - 40

1936 MISSING 780208

Section A for the entry … AIR MINIST… …H RAINFALL ORGANIZATION. FOR OFFICIAL USE.

FORM 1090.

REG… …N 1931.

Kept at Wheatfi…

in the County of Ox…

Diameter of Funnel of Gauge…

Height of top of Gauge above Gr…

,, Ground ,, Se…

THE MORNING MEA… …VIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·08	·75	·21	·07	·02			·15				1
2	·07	·09		·54					·40			·11	2
3	·05			·21	·18			·38	·63		·24	·06	3
4				·05			·24	2·18	·19		×		4
5				·13		·23	·06	·02	·06	·02		·24	5
6		·19		·14			·04	·41		·31	·65×		6
7						·06	1·21				·18		7
8		·05	snow	·05	·11			·28			·18	·08	8
9			·07	·02		·14	·04	·01		·04	·20		9
10	·05	·15					·23	·18	·02	·02	·23		10
11		·19									·04		11
12							·18	·08	·27				12
13							·07	·20					13
14		·09				·07	1·15	·20					14
15		·02		·08	·12		·15	·05					15
16	·25				·12			·28	·18			·07	16
17				·34	·19		·23		·04				17
18				·18		·27	·03	·52			·34		18
19				·33		·39	·37	·03	·03		·03		19
20		·31	·02					·15			·02		20
21					·43								21
22	·23			·11				·01					22
23	·17			·03	·27			·10	·02		·20	·07	23
24				·26	·30	·24			·03			·02	24
25				·17	·08		·66				·06		25
26		·50		·12			·65				·29		26
27	·16				·64		·16				·30		27
28	·14			·21	·07							·11	28
29	·05				·18		·14			·31			29
30	·09	×						·09					30
31	·18	×		×		×		·05	×		×	·06	31
TOTAL	1·44	1·67	·24	3·18	2·76	1·42	5·61	5·22	2·02	·70	2·96	·82	YEAR'S TOTAL 28·04
*Days with ·01 in. or more.	11	10	3	18	13	8	17	18	12	5	14	9	138
*Days with ·04 in. or more.	11	9	2	16	13	7	16	14	8	3	12	8	119

40-9999

*See Instruction 2 (*f*) on other side.

11·II

(*Signed*) Aubrey J. Spencer

P.T.O.

1086

Section A for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Wheatfield

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 11 in.

,, Ground ,, Sea Level 275 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·08	·15	·21	·07	·02			·15				1
2	·07	·09		·54					·40			·11	2
3	·05			·21	·18			·38	·63		·24	·06	3
4				·05			·24	2·18	·19		×		4
5				·13		·23	·06	·02	·06	·02		·24	5
6		·19		·14			·04	·41		·31	·65×		6
7						·06	1·21				·18		7
8		·05	snow	·05	·11			·28			·18	·08	8
9			·07	·02		·14	·04	·01		·04	·20		9
10	·05	·15					·23	·18	·02	·02	·23		10
11		·19									·04		11
12							·18	·08	·27				12
13							·07	·20					13
14		·09				·07	1·15	·20					14
15		·02		·08	·12		·15	·05					15
16	·25				·12			·28	·18			·07	16
17				·34	·19		·23		·04				17
18				·18		·27	·03	·52			·34		18
19				·33		·39	·37	·03	·03		·03		19
20		·31	·02					·15			·02		20
21					·43								21
22	·23			·11				·01					22
23	·17			·03	·27			·10	·02		·20	·07	23
24				·26	·30	·24			·03			·02	24
25				·17	·08		·66				·06		25
26		·50		·12			·65				·29		26
27	·16				·64		·16				·30		27
28	·14			·21	·07							·11	28
29	·05				·18		·14			·31			29
30	·09	×						·09					30
31	·18	×		×		×		·05	×		×	·06	31
TOTAL	1·44	1·67	·24	3·18	2·76	1·42	5·61	5·22	2·02	·70	2·96	·82	YEAR'S TOTAL 28·04
*Days with ·01 in. or more.	11	10	3	18	13	8	17	18	12	5	14	9	138
*Days with ·04 in. or more.	11	9	2	16	13	7	16	14	8	3	12	8	119

40-9999

11·31

(Signed) Aubrey J. Spencer

[P.T.O.

*See Instruction 2 (*f*) on other side.

1086

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at Wheatfield

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 11 in.

,, Ground ,, Sea Level 275 ft.

No. of Station 1086

Correspondence Ref 816710/28

Gauge misplotted as 39". O.K.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35			·07	1·18	·04	·05	·09	·01	·15	·02		1
2	·01			·16	·15			·04	·49	·08		·19	2
3				·20	·12				·09	·09			3
4	·01										·25		4
5					·01				·09				5
6	·75				·02				·12				6
7	·07			·19	·05				·14				7
8			·25	·04	·06		·02		1·65				8
9	·09	snow ·09	·07	·05	·16	·02			·06				9
10	·11				·08				·03	·25	·03		10
11	·14			·23	·07		·05			·36	·08		11
12					·20				·04	·30	·04		12
13				·17			·05			·11	·09		13
14	·19							·43		·02			14
15				·05	·29							·12	15
16	·20			·24	·17								16
17				·01			·04			·15			17
18					·01				·36		·14		18
19									·01	·25	·05		19
20					·20			1·08	·03	·76	·10		20
21	·03			·21	2·0			·12		·35	·01	·03	21
22	·04		·27	·05	·01		·06		·43	·13	·32		22
23					·58				·11	·70	·11	·05	23
24							1·16		·04	·08	·04	·02	24
25		·09		·08		·03			·15	·58	·05		25
26			·11	·20	·10		·26			·11			26
27			·34	·12	·22		·32		·01	·05	·06		27
28			·15	·06	·24		·11			·10			28
29			·23	·12	·33	·09	·05	·04	·10	·28	·08		29
30		×	·27	·05	·03	·48		·04	·17	·01	·30	·29	30
31		×	·08	×	~~[illegible]~~	×	·07		×		×	·10	31
TOTAL	1·69	·18	1·77	2·30	6·28	·66	2·24	1·84	4·16	5·31	1·74	·80	YEAR'S TOTAL 28·97
*Days with ·01 in. or more.	12	2	9	19	23	5	12	7	20	21	17	7	154
*Days with ·04 in. or more.	9	2	9	18	18	3	11	7	17	19	13	5	131

40-9999

(Signed) Aubrey J. Spencer

P.T.O.

*See Instruction 2 (*f*) on other side.

1086

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1086

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Wheatfield

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground [illegible] ft 11 in.

,, Ground ,, Sea Level 275 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·18											1
2	·24		·17		·40								2
3		·15	·16								·05		3
4	·18	·01			·33								4
5		·04	·15								·04		5
6			·11		·10					·26	·04		6
7	·20	·05			·04					·05			7
8	·02		·12		·07		·19			·03			8
9					·02		·17			·07	·11		9
10		·04				·07	·39			·20	·10		10
11	·23				·04	·02	·11	·07					11
12							·15		·84				12
13	·10				·15	·17	·45						13
14	·						·01			·07			14
15	·37										·52		15
16	Snow		·75			·23	·25	·15	·03	·06			16
17	·07		·30			·10			·06				17
18	·10	Snow	·12			·10							18
19		·11	·12			·05			·35		·05		19
20			·06	·05		·16			·01				20
21								·42	·20	·01			21
22					·20	·03		·08	·11	·30			22
23				·17					·40				23
24		Snow				·12			·14	·01			24
25		1.98		·37		·04			·11		·06		25
26		·67		·10		·10			·10			·15	26
27					·22		·05		·07			·05	27
28				·12						·36		·07	28
29	·34		~~·06~~	·30									29
30		×	·06		·09		·08		·03			·13	30
31	·11	×	·05	×		×		·13	×		×		31
TOTAL	2.01	3·23	2·17	1·11	1·66	1·19	1·85	·85	2·45	1·42	·97	·40	YEAR'S TOTAL 19·31
*Days with ·01 in. or more.	~~12~~	~~10~~	~~14~~	~~6~~	~~11~~	~~12~~	~~10~~	~~5~~	~~13~~	~~11~~	~~8~~	~~4~~	~~116~~
*Days with .04 in. or more.	11	9	14	6	10	10	9	5	10	8	8	4	104

40-9999

*See Instruction 2 (*f*) on other side,

D

(*Signed*) Aubrey J. Spencer

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1086

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

1/5

Kept at Wheatley

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft 11 in.

,, Ground ,, Sea Level 275 ft.

1° Station 1086

Correspondence Ref. 81

58

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·19	·11			·67	1
2	·24		·05		·03				·72	·05		·20	2
3										·27		·03	3
4	·06	·11	·07	·37	·03				·08	·39		·26	4
5								·09			·19	·28	5
6	·02		·18	·02	·37	·05				·13		·54	6
7	·02					·02		·32		·11		·22	7
8	·01				·17			·05	·06		·17	·05	8
9			·03					·04			·80	·23	9
10			·19	·15							·02	·17	10
11	·45		·27	·17				·05				·08	11
12			·10					·19				·22	12
13	·05		·17				·35	·12		·02		·20	13
14	·11		·25	·02						·62	·35	·19	14
15			·07		·07				·02	·28	·12	·14	15
16	·21		·13		·07					·04	·01	·03	16
17	·05								·07	·11	·04	·12	17
18	·15			·22			·10		·11			·05	18
19			·19						·13	·05		·05	19
20				·05					·05	·02			20
21			·14	·06		·12	·10	·10		·09			21
22							·02	·13	·30			·10	22
23				·22		·49					·03	·05	23
24		·08	·06	·34		·09	·13	·02	·10		·04		24
25	·24	·01		·07		·31				·05		·25	25
26	·02			·45		·04			·05			·10	26
27				·05		·12				·07		·50	27
28				·16		·16	·07	·63			·02	·25	28
29									·23			·02	29
30	·02	×							·03	·05		·05	30
31		×		×		×			×	·03	×	·08	31
TOTAL	1·65	·20	1·90	2·35	·84	1·40	·77	1·97	2·07	1·78	1·79	5·65	YEAR'S TOTAL 22·77
*Days with ·01 in. or more.	14	3	13	14	6	8	6	12	14	17	10	28	168
*Days with .04 in. or more.	9	2	12	12	5	8	5	11	12	13	6	22	117

22·77

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Aubrey J. Spencer

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1086

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

acc

Days

Kept at Wheatfield

in the County of Oxfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 11 in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·15			·04	·01	·03	·08			·08	·13			1
2			·13			·08			·04	·13				2
3		·05	·03			·22			·74	·42	·20	·04		3
4				·20		·10			·06	·05				4
5		·40	·10	·12		·21	·02		·43			·03		5
6				·23		·32				·11				6
7				·55		·02				·12	·40	·11		7
8								·08		·32	·11			8
9				·30		·62				·82	·47			9
10				·10		·01				·02	·07	·03		10
11	·25			·05		·09	·50				·26			11
12		·04				·26					·04			12
13	·08	·15		·03	·17	·06								13
14				·20	·08	·06					·25			14
15		·15		·37	·02	·51			·19		·25	(·30)		15
16		·09	·05	·15	·02	·23			·30		·50	·07		16
17				·10		·14			·06		·25			17
18				·43		·10	·17		·40	·02	·02	·02	Snow	18
19		·02		·17	·15	·07	·07		·16		·12	·13	Snow	19
20		·15		·13	·48	·10	·08		·05		·33			20
21		·25	·05	·02					·25	·02	·05			21
22		·05	·14	·11				·13	·05					22
23		·10	·10	·03				·83	·08	·25		Snow		23
24	·04	·40	·05					·09	·61	·01		·30		24
25	·20	·12		·30		1·41		·01				·15		25
26	·02	·21						·20	·10					26
27		·16			·04				·07		·10	·77		27
28					·02				·46		·02			28
29		×							·20	·08		·24		29
30	·04	×		·05	·07			·80	·02	·03	·26	·31		30
31		×		×	·03	×		·02	×	1·14	×	·11		31
TOTAL	·78	2·34	·65	3·68	1·09	4·64	·92	2·16	4·27	3·62	3·78	2·61	Year's Total. 30·54	
* Days with .01 in. or more.	7	15	8	21	5 11	20	6	8	19	5 16	19	3 17	~~27~~	167
* Days with .04 in. or more.	6 ✓	14 ✓	7 ✓	18 ✓	6 ✓	17 ✓	5 ✓	6 ✓	18 ✓	11 ✓	17 ✓	N 14	~~3~~	139

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Ch Spencer

[P.T.O.

WHEATFIELD

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1086

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Wheatfield House

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 260 ft.

816747/28.

N.R. 1936

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following –✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·26			·02					·06		·35	·78		1
2	·14	·18	·02	·39					·11					2
3		·22	·03								·02	·05		3
4		·34		·03								·38		4
5	·18		·20				·06							5
6	·09	·06	·26		·21		·20				·03			6
7		·71		·17					·05					7
8		·05			·11						·41			8
9		·04		·21	·10		·09		·27			·26		9
10			·58	·64		·21	·12					·12		10
11	·02		·07	·01	·21	·03	·03					·01		11
12	·13	·18	·11	·02	·59	·38	·02	·05	·11			·11		12
13	·16	·06	·32	·02	·01	·21		·06	·08			·17		13
14	·02	·02	·40					1·47	·25					14
15	·15	·13	·47	·30			·78	·06				·04		15
16	·01	·07	·38			·09			·39					16
17	·44			·49					·41			·13		17
18	·28	·13	·16	·03		·32								18
19	·11	·03	·01	·10		·19	·12		·07		·12			19
20	·35			·11	·41	·03						·03		20
21	·21	·65	·07	·45			·06					·03		21
22	·26		·10	·03	·07	·14	·09			·84	·16	·04		22
23	·18	·06	·05		·60		·12			·22	·12			23
24	·24	·31	·06						·16	·76		·02		24
25	·21	·30	·15		·80					·48				25
26	·02	·20			·20					·13				26
27	·03	·12		·22						·93				27
28		·02								·06		·05		28
29						·15				·04		·02		29
30	·22	✕									·28			30
31	·33	✕		✕		✕			✕	·10	✕	·04		31
TOTAL	4·14	3·88	3·44	3·24	3·31	1·75	1·69	1·64	1·96	3·56	1·49	2·28	Year's Total 32·38	
* Days with .01 in. or more.	23	21	18	17	11	10	11	4	11	9	8	18	161	
* Days with .04 in. or more.	18	18	15	10	10	8	9	4	11	9	6	12	130	

Print

✓ AJB

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

D

(*Signed*) .... [P.T.O.

X MAJ A.J SPENCER, D.S.O X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1086

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Wheatfield House

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·20	·09		·03	·11		·08		1
2	·08				·06				·08	·35	·01			2
3	·02				·23		·02			·47				3
4	·04						·02	·06		·17		·07		4
5	·02						·26		·02	·19		·02		5
6	·08						·03		·04	·16				6
7							·35	1·10	·15	·25		·13		7
8	·09					·04	·15	·09	·03	·16		·01		8
9	·08						·03	·12				·61		9
10	·25	·04				·03	·06	·38				·13		10
11	·23							·30			·11	·03		11
12	·20				·02			·14		·40	·02			12
13	·02							·02		·01	·11	·10		13
14	·26	·03			·03		·07		·09			·03		14
15	·06						·35			·08		·16		15
16	·25	·03						·04	·10	·06		·25		16
17		·05			·06					·03	·27			17
18	·06	·02			·04			·03	·25	·01	·22			18
19								·05	·09		·34			19
20									·04			·63		20
21	·02							·11				·55		21
22						·02		·14			·14	·18		22
23											·04			23
24			·11		·04				·13		·03			24
25		·05	·10	·06	·10			·56			·64	·18		25
26	·28		~~·03~~		·03		·03		·16	·11		·11		26
27	·14	·07	~~·15~~	·03	·15	·25	·21	·02	·36	·03	·44			27
28	·10	·04	~~·04~~		·64			·80	·01			·15		28
29	·17		~~·29~~		·29			·06	·03		·06	·15		29
30	·02	✕	~~·02~~		·62				·13	·03	·16			30
31	·15	✕	~~·18~~	✕	·18	✕			✕	·16	✕	·20		31
													Year's Total	
TOTAL	2·62	·33	·21	·09	1·89	·54	1·67	3·82	1·74	2·78	2·59	3·06	21·34	✓
* Days with .01 in. or more.	22	8	2	2	14	5	13	17	17	18	14	20	152	✓
* Days with .04 in. or more.	17	5	2	1	9	3	8	14	12	13	11	15	110	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

File No. 816710/28.

Section **A** for the entry of Daily Observations

Station No. 1086

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Wheatfield House

in the County of Oxford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 260 ft.

Oct. 17th & 26th amended by ref to nearby stations

Letter sent of estimation

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02						·02	·92						1
2				·55	·53			·45	·36			·02		2
3	·26							·17			·15	·03		3
4	·04		·20	·15				·12	·44	·35	·07	·20		4
5			·02	·20			·05	·32		·12	·28			5
6	·27			·31	·16		·06	·01			·43	·01		6
7	·02	·11		·03	·05		·19	·01				·30		7
8		·13	·15				·02	·29		·36	·22	·13		8
9	·03	·04					·09	·03		·14		·15		9
10	·21		·02			34		·12	·01			·30		10
11			·23						·02		·02			11
12			·03			·02					·02			12
13							·03			·78				13
14	·26				·25	·05	·06			·10	·18			14
15	·12		·05		·28	·40			·10	·52	·17			15
16	·21		·11		·03	·44	·04			·07	·39			16
17	·25	·02			·03		·02			1·68 ~~·68~~	·07			17
18	·20	·01	·07			·33	·33			·09	·35			18
19	·17						·36			·04				19
20	·32				·04	·08	·24	·04				·03		20
21	·02	·12	·26				·24	·52	·07	·18				21
22	·12	·26	·06	·02			·02				·15			22
23				·05			·18			·09	·60			23
24	·21			·09		·02	·47			x	·07			24
25	·52	·09					·42			✓	·28	·03		25
26	·24	·02	·10					·24		x (·20)	·27	·02		26
27		·06	·03				·02	·02		·06	·03	·03		27
28	·03	·18	·10	·20			·06				·23	·05		28
29			·15	·36			·47			·16	·08			29
30		✕		·74		·02					·13			30
31		✕		✕		✕	·12		✕		✕			31
TOTAL	3·52	1·04	1·58	2·70	1·37	1·70	3·51	3·26	1·00	(4·94) ~~3·74~~	4·13	1·30	Year's Total ~~28·85~~	30·05
* Days with .01 in. or more.	20	11	15	11	8	9	22	14	6	18 ~~15~~	15	14	~~167~~	170
* Days with .04 in. or more.	15	8	11	9	6	6	16	10	4	17 ~~15~~	18	7	~~125~~	127

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. [illegible]

P.T.O.

File No. 816710/28.
Station No. 1086.

1086

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19~~2~~40.

Kept at Wheatfield House.
in the County of Oxford 4
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground - ft. 11 in.
„ Ground „ Sea Level 260 ft.

Oxon

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											.17		1
2				.11			.20			.06	.74		2
3		.33		.06						.18	.92	.02	3
4		.08		.05			.02			.25	.17	.02	4
5					.02		.01			.06	.64	.06	5
6	.19				.10		.28			.11	.10		6
7		.29			.05		.18						7
8										.21	.05		8
9								.02	.05	.03	.13	.28	9
10							.75	~~.02~~		.17	.18	.06	10
11				.09		.17	.03				.59	.04	11
12							.11		.16	.02	.02		12
13		.03	x	.02			.02		.03		1.13		13
14			x .72	.08					.10	.17		.27	14
15						.05	.08		.03	.10	.38	.01	15
16	.18	.16	.38	.06			.35		.20	.46	.59		16
17			.24						.04		.02		17
18		.30	.21	.53					.13	.12	.18	.16	18
19		.18		.16							.08	.01	19
20			.04	.02			.10			.12	.04		20
21	.05		.01		.48		.10			.11	.50		21
22	.01		.10		.60	.36			.08		.01		22
23		.19	.02	.13	.11	.30					.01	.03	23
24				.02			.24						24
25			.21			.03	.13						25
26	1.03	.05	.07	.10	.06		.13						26
27	.50	.11		.25	.12		.05						27
28	.51	.12		.01	.16								28
29	.02	.11	.06	.01	.16							.36	29
30		X		.23						.11		.01	30
31		X		X		X			X	.55	X		31
													YEAR'S TOTAL
TOTAL	2.49	1.95	2.06	1.93	1.86	.91	2.78	.02	.82	2.83	6.65	1.33	25.63
Days with ·01 in. or more.	8	12	12	17	10	5	17	1	9	17	21	13	142
Days with ·04 in. or more.	6	11	10	12	9	4	13	0	7	15	17	7	111

40-12-1-27
144w)

(Signed)

[P.T.O.

1087

1087

TOOT BALDON

1931- 1940

780208

Section **A** for the entry of Dail
AIR MINISTRY.—M NFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTE 93~~1~~ 1931

Kept at Potlands, Toot

in the County of Oxford

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM DAY.

An observer who does not conform to this rule should insert the reading made on of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.04	—	.10	—	.23	—	—	.17	~~.04~~	—	—	1
2	.06	.05	—	.72	—	—	—	—	.94	—	—	.03	2
3	.02	—	.06	.20	.06	—	—	.19	.54	—	.36	—	3
4	—	.03	—	.01	—	—	.33	1.88	.54	—	.28	.22	4
5	—	.07	—	.14	.05	.60	—	—	.06	.02	.09	—	5
6	—	.12	—	.19	—	—	.05	—	—	—	.23	—	6
7	—	—	—	—	.08	.11	.23	.23	—	.29	.09	.05	7
8	.08	.06	—	.04	—	.10	—	.16	—	.10	.22	—	8
9	—	.15	—	—	—	.13	.04	.13	—	.01	.28	—	9
10	—	—	—	—	—	.08	.33	—	.05	—	.27	—	10
11	.14	.10	—	.15	—	.04	—	—	.06	—	.08	—	11
12	.01	—	—	.10	—	—	.16	.02	.33	—	—	—	12
13	—	—	—	—	—	—	.11	.44	—	—	—	—	13
14	—	.07	—	—	.05	.06	.83	.24	—	—	—	—	14
15	—	.02	—	—	.16	—	.15	.07	.14	—	—	.06	15
16	—	.12	—	—	.14	.26	.01	.10	—	—	—	—	16
17	—	.18	—	—	.21	—	.24	—	.03	—	—	—	17
18	.09	.03	—	.20	—	.16	.04	.51	—	—	.39	—	18
19	.04	—	—	.38		.62	.28	.05	—	—	—	—	19
20	—	.02	.04	.06	—	—	—	.08	—	—	—	—	20
21	.03	—	—	—	.42	—	—	—	—	—	—	—	21
22	.09	—	—	—	—	—	—	—	—	—	—	—	22
23	.12	.02	—	.14	.42	.22	—	—	.03	—	.14	.07	23
24	—	—	—	.12	.26	.07	—	—	—	—	—	—	24
25	.05	.01	—	.19	.06	—	.41	—	—	—	.10	—	25
26	—	.05	—	.05	—	—	.49	—	—	—	.26	—	26
27	.10	.35	—	.15	.45	—	.25	—	—	.03	.22	—	27
28	.15	.15	—	.03	.18	—	—	—	—	.07	—	.15	28
29	.05	—	—	—	.18	—	.08	—	—	.21	.03	—	29
30	.07	×	—	—	—	—	—	—	—	—	—	—	30
31	.12	×	—	×	.05	×	—	.02	×	—	×	.03	31 26.70
TOTAL	1.13	1.64	.10	2.93	2.49	2.68	4.03	4.12	2.89	.73	3.05	.61	YEAR'S TOTAL 26.60
*Days with ·01 in. or more.	16	19	2	18	15	13	17	14	11	7	15	7	153
*Days with ·04 in. or more.	13	13	2	16	15	13	16	12	9	4	14	5	132

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) David Clinkard [P.T.O.

1087

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~1~~ 1931

Kept at Potlands, Toot Baldon
in the County of Oxfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
,, Ground ,, Sea Level 288 ft. 3½ inches

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	.04	–	.10	–	.23	–	–	.17	~~.24~~	–	–	1
2	.06	.05	–	.72	–	–	–	–	.94	–	–	.03	2
3	.02	–	.06	.20	.06	–	–	.19	.54	–	.36	–	3
4	–	.03	–	.01	–	–	.33	1.88	.54	–	.28	.22	4
5	–	.07	–	.14	.05	.60	–	–	.06	.02	.09	–	5
6	–	.12	–	.19	–	–	.05	–	–	–	.23	–	6
7	–	–	–	–	.08	.11	.23	.23	–	.29	.09	.05	7
8	.08	.06	–	.04	–	.10	–	.16	–	.10	.22	–	8
9	–	.15	–	–	–	.13	.04	.13		.01	.28	–	9
10	–	–	–	–	–	.08	.33	–	.05	–	.27	–	10
11	.14	.10	–	.15	–	.04	–	–	.06	–	.08	–	11
12	.01	–	–	.10	–	–	.16	.02	.33	–	–	–	12
13	–	–	–	–	–	–	.11	.44	–	–	–	–	13
14	–	.07	–	–	.05 ~~.05~~	.06	.83	.24	–	–	–	–	14
15	–	.02	–	–	.16	–	.15	.07	.14	–	–	.06	15
16	–	.12	–	–	.14	.26	.01	.10	–	–	–	–	16
17	–	.18	–	–	.21	–	.24	–	.03	–	–	–	17
18	.09	.03	–	.20	–	.16	.04	.51	–	–	.39	–	18
19	.04	–	–	.38	–	.62	.28	.05	–	–	–	–	19
20	–	.02	.04	.06	–	–	–	.08	–	–	–	–	20
21	.03	–	–	–	.42	–	–	–	–	–	–	–	21
22	.09	–	–	–	–	–	–	–	–	–	–	–	22
23	.12	.02	–	.14	.42	.22	–	–	.03	–	.14	.07	23
24	–	–	–	.12	.26	.07	–	–	–	–	–	–	24
25	.05	.01	–	.19	.06	–	.41	–	–	–	.10	–	25
26	–	.05	–	.03	–	–	.49	–	–	–	.26	–	26
27	.10	.35	–	.13	.45	–	.25	–	–	.03	.22	–	27
28	.15	.15	–	.03	.18	–	–	–	–	.07	–	.15	28
29	.05	–	–	–	.18	–	.08	–	–	.21	.03	–	29
30	.07	×	–	–	–	–	–	–	–	–	–	–	30
31	.12	×	–	×	.05	×	–	.02	×	–	×	.03	31 26.70
													YEAR'S TOTAL
TOTAL	1.13	1.64	.10	2.93	2.49	2.68	4.03	4.12	2.89	.73	3.05	.61	26.60
*Days with ·01 in. or more.	16	19	2	18	15	13	17	14	11	7	15	7	153
*Days with ·04 in. or more.	13	13	2	16	15	13	16	12	9	4	14	5	132

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) David Clinkard [P.T.O.

1087.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Pollands, Toot Baldon

In the County of Oxford

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 ft *in.*
- *Height of Ground above Sea Level* 288 *ft* 3 inches

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1.61	.45	6		12
FEB.	.12	4	25		4
MAR.	1.46	.32	24		10
APRIL	2.03	27	3		19
MAY	4.94	1.38	21		20
JUNE	.64	.44	30		5
JULY	2.66	1.37	24		15
AUG.	1.77	.81	20		7
SEPT.	3.10	.57	8		18
OCT.	4.90	.75	11		24
NOV.	1.10	.21	4		14
DEC.	.73	.38	30		8
Total	25.06				156

4.94

Signature David Clinkard

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9. AM ~~in Summer~~

Nearest Railway Station Littlemore Distance 3½ Direction from gauge

Nearest Parish Church at Baldon Distance 200 yds Direction from gauge E

Nature of objects nearest to gauge	Herbs			
Heights of objects	8 inches			
Distances ..	2 ft			
Directions from gauge ..	N			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 18 | } ·14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

1087

FORM 1090. **B** Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At "Potlands" Toot Baldon

In the County of Oxford

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* *in.*
Height of Ground above Sea Level 288 *ft.* 3 inches

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1.93	.35	15	12	
FEB.	3.99	1.14	25	12	
MAR.	2.43	.64	16	17	
APRIL	1.26	.31	29	4	
MAY	1.56	.38	2	13	
JUNE	1.30	.46	24	12	
JULY	2.33	.63	10	12	
AUG.	.70	.21	1	6	
SEPT.	2.40	.63	12	12	
OCT.	1.39	.27	6	12	
NOV.	1.05	.42	14	17	
DEC.	.28	12	25	5	
Total	20.62 ✓			132	

Signature David Clinkard

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
David Clinkard
c/o "Potlands" Toot Baldon

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Morris Cowley Distance Direction from gauge

Nearest Parish Church at Baldon Distance Direction from gauge

Nature of objects nearest to gauge	House			
Heights of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At "Pottands" Baldon

In the County of Oxon

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* — *in.*

Height of Ground above Sea Level 288 3 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1.86	.36	11	18	
FEB.	.20	.10	24	5	
MAR.	1.54	.25	19	12	
APRIL	1.68	.42	26	13	
MAY	.61	.43	6	8	
JUNE	1.12	.42	25	8	
JULY	1.40	.41	24	9	
AUG.	2.08	.50	28	14	
SEPT.	2.23	.72	2	12	
OCT.	1.50	.29	4	16	
NOV.	1.57	.67	9	10	
DEC.	5.46	.80	1	27	
Total	21.25			152	

Signature David Clinkard

*See Instruction 2 (*f*) below.

C Particulars of Station.

1087

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

D Clinkard
Toot Baldon Oxon

Hour of observation by the clock—in Winter 9 in Summer —

Nearest Railway Station Morris Cowley Distance N W Direction from gauge

Nearest Parish Church at Toot Baldon Distance E Direction from gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state— No

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



M.O. 7
0 JAN 1935

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1087

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Potlands, Toot Baldon.
in the County of Oxfordshire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 289 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	—	·08	·37		·04	·20	·15	—	—	·09	·03		1
2	·07	·05	—	—	—	·41	·52	·02	—	—	·10	—		2
3	—	·06	—	·09	—	·03	·12	—	·24	—	·22			3
4	—	—	—	—	—	—	—	—	·17	—	·08	·07		4
5	·16	—	·33	—	—	—	—	·01	·15	—	—	·13		5
6	·25	—	—	—	—	·16	—	·20	·08	—	·11	—		6
7	·23	—	·06	—	—	—	·08	—	·03	—	·03	·04		7
8	·14	—	·30	—	—	—	—	—	—	—	·66	—		8
9	·29	—	·04	—	—	—	·27	—	·13	·01	—	·09		9
10	·07	—	—	—	—	—	·07	·51	·02	—	—	—		10
11	—	—	—	·08	—	—	·10	—	·20	—	·41	·01		11
12		—	—	·04	—	·33	·35	—	·11	—	·12	—		12
13	—	—	—	·22	—	·48	—	—	—	·06	·05	·46		13
14	—	—	—	·02	—	·03	·74	—	·05	—	—	·35		14
15	—	—	—	—	—	—	—	—	·03	—	—	·07		15
16	·12	·25	—	—	—	—	·01	—	—	—	·50	·07		16
17	·22	·35	—	—	—	—	·11	—	—	·03	·09	·10		17
18	—	·05	—	—	—	·20	·05	·01	—	·12	·01	·06		18
19	·21	—	·05	·06	—	·37	—	·06	—	—	—	—		19
20	·05	·13	·08	·21	—	·28	—	—	1·66	—	—	—		20
21	—	—	—	·32	—	·15	·08	—	·01	—	—	—		21
22	·10	·42	·04	·04	·26	—	·25	—	—	—	—	·13		22
23	·08	—	·36	·08	·04	—	·02	—	—	·04	—	—		23
24	·07	·07	—	—	—	—	·08	—	·11	·23	—	—		24
25	—	—	·15	·05	—	·07	·20	—	·48	·15	·08	—		25
26	·02	·09	·10		—	—	—	—	—	·05	—	—		26
27	·07	—	·04		—	—	—	—	·05	·11	—	—		27
28	·60	·02	·08		—	—	·41	—	—	—	—	·17		28
29	·06	·09	·03		—	·18	·24	—	—	·02	·31	·02		29
30	·11	✕	—		·20	·19	·05	—	—	·39	—	—		30
31	·42	✕	·28	✕	·04	✕	·12	—	✕	·45	✕	·20		31
TOTAL	3·46	1·58	2·02	1·58	0·54	2·92	4·07	·96	3·52	1·66	2·86	2·00	Year's Total 27·17	
* Days with .01 in. or more.	21	11	15	12	4	14	21	7	16	12	15	16	164	
* Days with .04 in. or more.	20	10	14	11	4	12	19	4	12	9	13	13	141	

40-9999.

† Spare column, no entries required.

(*Signed*) David Clinkard [P.T.O.

* See Instruction 2 (f) on other side.

1087

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1935

At Toot Baldon

In the County of Oxford

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* 288 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	.58	.20	11	6	
FEB.	1.97	.41	5	16	
MAR.	.56	.20	16	9	
APRIL	3.18	.48	7	19	
MAY	1.47	.55	28	9	
JUNE	4.72	1.70	25	29	
JULY	.68	.22	11	5	
AUG.	2.04	.78	30	7	
SEPT.	4.14	.66	3	19	
OCT.	3.70	.83	9	16	
NOV.	4.12	.73	9	19	
DEC.	2.71	.59	24	18	
Total	29.87	735		163	

Signature David Clinkard

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9. A M. in Summer

Nearest Railway Station Distance Direction from gauge

Nearest Parish Church at Distance Direction from gauge

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

I think this is my 47th report
from "Pollards"
Baldon Oxon

---

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1087

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Potlands, Toot Baldon.

in the County of Oxfordshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 289 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	—	·08	·37		·04	·20	·15	—	—	·09	·03		1
2	·07	·05	—	—	—	·41	·52	·02	—	—	·10	—		2
3	—	·06	—	·09	—	·03	·12	—	·24	—	·22			3
4	—	—	—	—	—	—	—	—	·17	—	·08	·07		4
5	·16	—	·33	—	—	—	—	·01	·15	—	—	·13		5
6	·25	—	—	—	—	·16	—	·20	·08	—	·11	—		6
7	·23	—	·06	—	—	—	·08	—	·03	—	·03	·04		7
8	·14	—	·30	—	—	—	—	—	—	—	·66	—		8
9	·29	—	·04	—	—	—	·27	—	·13	·01	—	·09		9
10	·07	—	—	—	—	—	·07	·51	·02	—	—	—		10
11	—	—	—	·08	—	—	·10	—	·20	—	·41	·01		11
12	—	—	—	·04	—	·33	·35	—	·11	—	·12	—		12
13	—	—	—	·22	—	·48	—	—	—	·06	·05	·46		13
14	—	—	—	·02	—	·03	·74	—	·05	—	—	·35		14
15	—	—	—	—	—	—	—	—	·03	—	—	·07		15
16	·12	·25	—	—	—	—	·01	—	—		·50	·07		16
17	·22	·35	—	—	—	—	·11	—	—	·03	·09	·10		17
18	—	·05	—	—	—	·20	·05	·01	—	·12	·01	·06		18
19	·21	—	·05	·06	—	·37	—	·06	—	—	—	—		19
20	·05	·13	·08	·21	—	·28	—	—	1·66	—	—	—		20
21	—	—	—	·32	—	·15	·08		·01	—	—	—		21
22	·10	·42	·04	·04	·26	—	·25	—	—	—	—	·13		22
23	·08	—	·36	·08	·04	—	·02	—	—	·04	—	—		23
24	·07	·07	—	—	—	—	·08	—	·11	·23	—	—		24
25	—	—	·15	·05	—	·07	·20	—	·48	·15	·08	—		25
26	·02	·09	·10		—	—	—	—	—	·05	—	—		26
27	·07	—	·04		—	—	—	—	·05	·11	—	—		27
28	·60	·02	·08		—	—	·41	—	—	—	—	·17		28
29	·06	·09	·03		—	·18	·24	—	—	·02	·31	·02		29
30	·11	✕	—		·20	·19	·05	—	—	·39	—	—		30
31	·42	✕	·28	✕	·04	✕	·12	—	✕	·45	✕	·20		31
TOTAL	3·46	1·58	2·02	1·58	0·54	2·92	4·07	·96	3·52	1·66	2·86	2·00	Year's Total 27·17	
* Days with .01 in. or more.	21	11	15	12	4	14	21	7	16	12	15	16	164	
* Days with .04 in. or more.	20	10	14	11	4	12	19	4	12	9	13	13	141	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) David Clinkard [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1087

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at "Potlands", TOOT BALDON.
in the County of OXFORDSHIRE.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 289 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	—	—	·03	—	—	—	—	·03	·01	·24	·48		1
2	—	·21	—	·49	—	—	—	—	·04	—	—	·26		2
3	—	·38	·07	—	—	—	—	—	—	—	—	·02		3
4	·04	·34	—	—	—	—	—	—	—	—	—	·40		4
5	·10	—	·20	—	—	—	·07	—	—	—	·01	—		5
6	·08	—	·18	·03	·18	—	·33	—	—	·01	·03	—		6
7	—	·60	—	·18	—	—	—	—	·03	—	—	—		7
8	—	·05	—	—	·06	—	—	—	—	—	·17	·11		8
9	—	·07	·01	·18	·22	·17	·08	—	·30	—	—	·08		9
10	—	—	·46	·42	·16	—	·03	—	—	—	—	·10		10
11	—	—	·04	—	—	·03	·03	—	—	—	—	—		11
12	·15	·26	·08	—	·23	·32	·02	·01	·11	—	—	·08		12
13	·15	·05	·29	—	—	·57	—	—	·11	—	—	—		13
14	—	—	·36	·35	—	—	—	·22	—	—	—	·09		14
15	·14	·04	—	·11	—	—	·44	—	·13	—	—	·02		15
16	—	·10	·44	·84	—	·07	—	·05	·57	—	—	—		16
17	·43	—	·58	—	—	—	·01	—	·50	—	[illegible]	—		17
18	·37	·10	·02	·07	—	·17	—	—	·03	—	·36	·16		18
19	·06	·04	·04	·07	·07	·18	·01	—	·03	—	·03	—		19
20	·26	—	—	·47	·32	·03	—	—	—	—	—	—		20
21	·17	·54	·09	·06	·06	—	·05	—	—	—	—	·07		21
22	·25	·03	·03	—	·05	·18	·08	—	—	·63	·21	—		22
23	·27	·03	·03	—	·20	—	·18	—	—	·23	·09	—		23
24	·10	·47	·04	—	—	—	—	—	·16	·40	—	—		24
25	·20	·25	·20	—	1·02	—	—	—	·02	·29	—	·03		25
26	—	·52	—	—	·08	—	—	—	—	—	—	—		26
27	·01	·09	—	·15	—	—	—	—	—	1·08	—	—		27
28	—	·03	—	—	—	—	—	—	—	·04	—	·06		28
29	·02	—	—	—	—	—	—	—	—	·10	·05	·02		29
30	·26	✕	—	—	—	·04	—	—	—	·05	·23	—		30
31	·21	✕	—	✕	—	✕	—	—	✕	·05	✕	·03		31
TOTAL	3·40	4·20	3·16	3·45	2·65	1·78	1·33	0·28	2·06	2·89	1·42	2·01	Year's Total 28·63	✓ ✓
* Days with .01 in. or more.	20	20	18	14	12	10	12	3	13	11	10	16	159	✓ ✓
* Days with .04 in. or more.	18	17	14	12	12	8	7	2	8	9	7	11	125	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) David Clinkard. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1087

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at "Potland", Toot Baldon

in the County of Oxfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 289 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·03	—	—	·16	·11	—	—	·02	—	·05		1
2	·02	—	—	—	·10	—	—	—	—	·50	—	·02		2
3	·03	—	—	—	·13	—	·01	—	·04	·51	—	—		3
4	·03	—	—	—	—	·03	·01	·17	—	·28	—	·05		4
5	—	—	—	—	—	—	·42	—	—	·13	—	—		5
6	·04	—	—	—	—	—	·02	—	·05	·16	—	—		6
7	—	—	—	—	—	·02	·31	1·37	·13	·12	—	·06		7
8	·08	—	—	—	—	·05	·01	·10	—	·09	—	·02		8
9	·06	—	—	—	—	—	·03	·13	—	—	—	·55		9
10	·23	—	—	—	—	·05	·04	·25	—	—	—	·09		10
11	·27	—	—	—	—	—	—	—	—	—	·12	—		11
12	·18	—	—	—	·04	—	—	·18	—	·28	·01	·01		12
13	—	—	—	—	—	—	—	—	—	—	·06	·22		13
14	·19	·08	[illegible]	—	·03	—	·21	—	·09	—	—	—		14
15	·04	·06	—	—	—	—	·28	—	—	·07	—	·11		15
16	·42	·04	—	—	·14	—	—	·08	—	·02	—	·07		16
17	—	·03	—	—	·12	—	—	—	—	·05	—	—		17
18	·05	—	—	—	·04	·04	—	—	·25	—	·18	—		18
19	—	—	—	—	—	—	—	·10	·07	—	·20	—		19
20	—	—	—	—	—	—	—	—	—	—	1·05	·10		20
21	—	—	—	—	—	—	—	·04	—	—	—	·13		21
22	—	—	—	·01	—	·03	—	·12	—	—	·16	·27		22
23	—	—	—	—	—	—	—	—	—	—	·03	—		23
24	·09	—	·12	—	—	—	—	—	·15	—	·03	—		24
25	—	·06	·06	—	·17	—	—	·11	—	·04	·60	·16		25
26	·25	·23	·13	—	·04	—	—	—	·15	·10	—	·12		26
27	—	·06	—	·01	·38	·24	·14	·02	·26	·01	·44	—		27
28	·15	—	—	—	·31	·03	—	·85	·03	—	—	·11		28
29	—	—	—	—	·36	—	—	—	—	·03	·06	·11		29
30	—	✕	—	·01	—	·09	—	—	·18	·03	·22	·02		30
31	—	✕	—	✕	·13	✕	—	—	✕	·10	✕	·19		31
TOTAL	2·13	0·56	0·34	0·03	1·99	0·74	1·59	3·52	1·40	2·54	3·16	2·46	Year's Total 20·46	✓
* Days with .01 in. or more.	16	7	4	3	13	10	12	13	11	18	13	20	140	✓
* Days with .04 in. or more.	13	6	3	0	12	6	7	12	10	13	10	16	108	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) David Clinkard.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 1087

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at "Potlands" Toot Baldon

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 289 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	—	·58	·44	—	—	·01	·06	—	—	—		1
2	·01	—	—	—	—	—	—	·36	·39	—	·03	·03		2
3	·40	—	—	·17	—	—	—	·19	—	—	·19	·24		3
4	·05	—	·20	·32	—	—	·05	·14	—	·57	·04	·03		4
5	—	—	—	·55	·28	—	·03	·33	—	·12	·29	·13		5
6	·36	—	—	·05	·02	—	·23	·02	—	—	·07	—		6
7	—	·09	—	—	—	—	·02	—	—	—	·19	·14		7
8	—	·06	·13	—	—	—	·06	·31	—	·50	·10	·31		8
9	·04	·04	—	—	—	—	—	·03	—	·30	—	·11		9
10	·22	—	·04	—	—	·33	—	·10	·03	—	·02	—		10
11	—	—	·24	—	—	·01	—	—	—	—	—	—		11
12	—	·02	—	—	·02	—	—	—	—	—	·05	—		12
13	—	—	—	—	—	—	·04	—	·05	·90	—	—		13
14	·50	—	—	·01	·12	·14	·12	—	—	·04	·15	—		14
15	·13	—	·02	—	·28	·60	·36	—	·04	·72	·20	—		15
16	·17	—	·07	—	·06	·27	·01	—	—	—	·44	—		16
17	·20	—	—	—	·04	—	·02	—	—	1·80	·02	—		17
18	·16	·01	·04	—	—	·19	·26	—	—	—	·38	—		18
19	·20	—	—	—	—	—	1·29	—	—	—	—	—		19
20	·32	—	—	—	—	·20	·28	·02	—	—	—	—		20
21	·01	·08	·22	—	—	·04	1·29	·02	·02	—	—	—		21
22	·30	·12	·06	·04	—	—	·03	—	—	·03	·11	—		22
23	·04	—	—	·04	—	·01	·16	—	—	·03	·55	—		23
24	·40	—	·01	·21	—	—	·40	—	—	·09	—	·03		24
25	·65	·08	·19	—	—	—	·45	—	—	·02	·20	·02		25
26	·22	—	—	·03	—	—	—	·12	—	·04	·26	·04		26
27	·01	·05	·06	—	—	—	·05	·01	—	·07	·04	·02		27
28	·02	·15	·08	·07	—	—	·03	—	—	—	·31	·03		28
29	—	—	—	·26	—	—	·34	—	—	·09	·05	·03		29
30	—	✕	—	·83	—	—	—	—	—	—	·05	·06		30
31	—	✕	—	✕	—	✕	·27	·09	✕	—	✕	—		31
TOTAL	4·43	0·70	1·36	3·16	1·26	1·79	5·79	1·75	0·59	5·32	3·74	1·22	Year's Total 31·11	✓
* Days with .01 in. or more.	22	10	13	13	8	9	22	14	6	15	22	14	168	✓
* Days with .04 in. or more.	17	8	11	11	6	7	16	8	4	12	19	7	126	✓

† Spare column, no entries required

(Signed) D. Clinkard

* See Instruction 3 (f) on other side.

P.T.O.

FORM 1090.

B Monthly Summary.

, **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 19~~3~~40

At Toot Baldon (Potlands)

In the County of Oxford

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* — *in.*
- *Height of Ground above Sea Level* 288 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·03				
FEB.	1·69				
MAR.	2·06				
APRIL	1·92				
MAY	1·60				
JUNE	0·72				
JULY	3·19				
AUG.	—				
SEPT.	0·83				
OCT.	2·65				
NOV.	6·91				
DEC.	1·22				
TOTAL	24·82				

Signature D. Clinkard

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

COPY BY B.R.O.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91
S.O. Code No. 40-9999

WHEATLEY

1087/2
WHEATLEY
HOLTON PARK
1939-40

780208

Section **A** for the entry of D

AIR MINISTRY — RAINFALL ORGANIZATION

Station No. 1087/2

FORM 1090

REGIST… 1939

Kept at HOLTON. PARK

in the County of OXON

Diameter of Funnel of Gauge 5

Height of top of Gauge above Grou…

" Ground " Sea L…

…'d from nearby stns. …

…09/26

THE MORNING MEASUREM… …VIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

started taking records

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	—	·01	·51	·40		·02	·40	·01	—	·03	—		1
2	✓	—	—	·02	—	—	—	·40	·23	—	—	·04		2
3	+	—	—	·15	—	—	—	·22	—	·02	·18	·27		3
4	+	—	·19	·33	—	—	·10	·24	·02	·32	·03	·04		4
5		—	~~·14~~	·58	·39	—	·08	·43	—	·09	·25	·12		5
6	+ (·90)	—	—	·05	—	—	·32	·05	—	—	·08	—		6
7		·09	—	—	—	—	·06	—	—	—	·17	·20		7
8		·12	·14	—	—	—	·09	·22	—	·47	·10	·40		8
9	+	·04	—	—	—	—	—	·07	—	·34	—	·13		9
10	+	—	·03	—	—	·35	—	·47	·01	—	—	—		10
11	—	—	·23	—	—	—	—	—	·01	—	·01	·01		11
12	—	·03	·01	—	—	·04	—	—	·03	—	·07	—		12
13	—	—	—	—	·03	·01	—	—	—	·86	—	—		13
14	·66	—	—	—	·15	·01	·08	—	—	·08	·15	—		14
15	·20	—	·01	—	·28	·59	·18	—	·10	·64	·10	—		15
16	·25	—	·10	·03	·08	·33	·28	—	—	—	·48	—		16
17	·19	—	·01	·01	·04	—	·01	—	—	1·87	·03	—		17
18	·14	·01	·04	—	—	·16	·33	—	—	·01	·39	—		18
19	·19	—	—	—	—	—	·83	—	—	—	—	—		19
20	·29	—	—	—	—	·84	·40	—	—	—	—	·02		20
21	·05	—	·35	·03	—	·02	·09	2·45	·02	—	—	—		21
22	·19	·10	·04	·05	—	·06	·02	—	—	—	·19	—		22
23	·04	·14	—	·06	—	·03	·20	—	—	·03	·70	—		23
24	(·99 x	—	·05	·07	—	·01	·22	—	—	—	—	—		24
25	x	·09	·19	—	—	—	·37	—	—	·12	·25	—		25
26	·24	·04	·01	·02	—	—	—	·22	—	·06	·33	·03		26
27	·01	·03	·05	—	—	—	·04	—	—	·12	·15	—		27
28	—	·16	·09	·13	—	·03	·02	—	—	·10	·26	·08		28
29	—		—	·27	—	—	·30	—	—	—	·07	—		29
30	—	▨	—	·72	—	·01	—	—	—	—	·10	·09		30
31	—	▨	—	▨	—	▨	·06	·09	▨	—	▨	—	33·70	31
TOTAL	(4·34) ~~3·44~~	·85	1·55	3·03	1·37	2·49	4·10	4·86	·43	5·13	4·12	1·43	Year's Total ~~32·80~~	
* Days with .01 in. or more.	20 ~~14~~	11	17	16	7	14	22	12	8	15	22	12	176	
* Days with .04 in. or more.	18 ~~14~~	8	11	11	6	7	18	12	2	12	18	9	132	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. A. ROBERTS

[P.T.O.

WHEATLEY (HOLTON PARK)

Section **A** for the entry of Daily Observations — Station No. 1087/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at HOLTON. PARK. WHEATLEY

in the County of OXON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ..... in.

,, Ground ,, Sea Level ..... ft.

Jan 1st–10th est'd from nearby stns.

f 68 W 669/36

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Started keeping records

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	—	·01	·51	·40		·02	·40	·01	—	·03	—		1
2	✓	—	—	·02	—	—	—	·40	·23	—	—	·04		2
3	+	—	—	·15	—	—	—	·22	—	·02	·18	·27		3
4	+	—	·19	·33	—	—	·10	·24	·02	·32	·03	·04		4
5	–	—	~~·14~~	·58	·39	—	·08	·43	—	·09	·25	·12		5
6	+ (·90)	—	—	·05	—	—	·32	·05	—	—	·08	—		6
7		·09	—	—	—	—	·06	—	—	—	·17	·20		7
8		·12	·14	—	—	—	·09	·22	—	·47	·10	·40		8
9	+	·04	—	—	—	—	—	·07	—	·34	—	·13		9
10	+	—	·03	—	—	·35	—	·47	·01	—	—	—		10
11	—	—	·23	—	—	—	—	—	·01	—	·01	·01		11
12	—	·03	·01	—	—	·04	—	—	·03	—	·07	—		12
13	—	—	—	—	·03	·01	—	—	—	·86	—	—		13
14	·66	—	—	—	·15	·01	·08	—	—	·08	·15	—		14
15	·20	—	·01	—	·28	·59	·18	—	·10	·64	·10	—		15
16	·25	—	·10	·03	·08	·33	·28	—	—	—	·48	—		16
17	·19	—	·01	·01	·04	—	·01	—	—	1·87	·03	—		17
18	·14	·01	·04	—	→	·16	·33	—	—	·01	·39	—		18
19	·19	—	—	—	—	—	·83	—	—	—	—	—		19
20	·29	—	—	—	—	·84	·40	—	—	—	—	·02		20
21	·05	—	·35	·03	—	·02	·09	2·45	·02	—	—	—		21
22	·19	·10	·04	·05	—	·06	·02	—	—	—	·19	—		22
23	·04	·14	—	·06	—	·03	·20	—	—	·03	·70	—		23
24	(·99 x	—	·05	·07	—	·01	·22	—	—	—	—	—		24
25	x	·09	·19	—	—	—	·37	—	—	·12	·25	—		25
26	·24	·04	·01	·02	—	—	—	·22	—	·06	·33	·03		26
27	·01	·03	·05	—	—	—	·04	—	—	·12	·15	—		27
28	—	·16	·09	·13	—	·03	·02	—	—	·10	·26	·08		28
29	—		—	·27	—	—	·30	—	—	—	·07	—		29
30	—	✕	—	·72	—	·01	—	—	—	—	·10	·09		30
31	—	✕	—	✕	—	✕	·06	·09	✕	—	✕	—	33·70	31
TOTAL	(4·34) ~~3·44~~	·85	1·55	3·03	1·37	2·49	4·10	4·86	·43	5·13	4·12	1·43	Year's Total ~~32·80~~	
* Days with .01 in. or more.	20 ~~14~~	11	17	16	7	14	22	12	8	15	22	12	176	
* Days with .04 in. or more.	18 ~~14~~	8	11	11	6	7	18	12	2	12	18	9	132	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. A. ROBERTS

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1087/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 19~~3~~40

late

Kept at Wheatley, Holton Park

in the County of Oxfordshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

„ Ground „ Sea Level 280 ft.

Dec 29 corrd by ref. to nearby stns.

B. R. O. Obs not [illegible]

March total corrected for arithmetic.

Copy by B.R.O.

f A 20-0407/40

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·02	–	·02	–	–	–	–	–	–	·21	–		1
2	–	·05	–	·13	–	–	·13	–	–	·08	1·01	·01		2
3	–	·20	–	·03	–	–	–	–	–	·09	1·11	–		3
4	–	·04	–	·03	–	–	–	–	–	·18	·31	·08		4
5	–	·02	–	–	·02	–	·04	–	–	–	·66	–		5
6	·16	·13	–	–	·11	–	·10	–	–	·13	·11	·01		6
7	·15	·20	–	–	·02	–	·31	–	·01	–	–	–		7
8	–	–	–	–	–	–	–	–	–	·10	·03	·24		8
9	–	–	–	–	–	·03	·01	·02	·02	·01	·08	·03		9
10	–	–	–	–	–	–	1·40	·02	–	·08	·18	·03		10
11	–	–	·01	·03	–	–	·01	–	–	–	·68	–		11
12	–	–	·05	–	–	–	·14	–	·11	–	·02	–		12
13	–	·03	·55	–	–	–	–	–	·02	–	1·03	–		13
14	–	–	·13	·06	·23	–	·01	–	·10	·06	–	·22		14
15	–	–	·04	–	·01	·04	·04	–	·03	·33	·37	–		15
16	·02	·17	·26	–	–	–	·15	–	·28	·54	·68	–		16
17	–	–	·50	–	–	–	–	–	·02	–	·01	–		17
18	–	·35	·34	·34	–	–	–	–	·04	·15	·20	·24		18
19	–	·23	·19	·28	–	–	·01	–	–	–	·18	·01		19
20	–	–	·05	·03	–	–	–	–	–	·10	·02	–		20
21	·08	–	–	–	·45	–	·08	–	–	·10	·42	–		21
22	–	–	·11	–	·60	·31	–	–	·21	–	–	–		22
23	–	·14	·03	·09	·25	·29	–	–	·03	·07	·01	–		23
24	–	–	–	–	–	–	·17	–	–	–	–	–		24
25	–	–	·15	–	–	–	·14	–	–	–	–	–		25
26	1·15	·04	·02	·14	·05	·05	·09	–	–	–	–	–		26
27	·65	·10	–	·27	·22	–	·05	–	–	·01	–	–		27
28	·39	·02	–	·04	·33	–	–	–	–	–	–	(·31)		28
29	–	·09	·10	·07	–	–	–	–	–	–	–	~~·01~~		29
30	·02	×	–	·24	–	–	–	–	–	·20	–	–		30 Print
31	·03	×	–	×	–	×	–	–	×	·45	×	–		31 ok
TOTAL	2·65	1·86	5 2·~~9~~3	1·83	2·29	·77	2·88	·04	·87	2·68	7·32	1·18 ~~·88~~	Year's Total ~~26·60~~	26.90
* Days with .01 in. or more.	9	16	15	15	11	5	17	2	11	17	20	10	148	✓
* Days with .04 in. or more.	6 ✓	12 ~~11~~ ✓	12 ✓	10 ✓	8 ✓	4	13 ✓	– ✓	5 ✓	15 ✓	15	~~4~~ 5	~~104~~	105

224

22

† Spare column, no entries required.

*See Instruction 3 (*f*) on other side.

(*Signed*) E. A. Roberts Esq.

P.T.O.

f 721243/27

1087/4 ~~984~~

1087/4
TOWERSEY
THE VICARAGE
1933-1935
48 02 08

Section **A** for the entry of Dai
AIR MINISTRY.— NFALL ORGANIZATION.

Station No. ~~984~~

FORM 1090.

REGISTE 933.

Yes.

Kept at The Vicarage from Bucks

in the County of Oxford

Diameter of Funnel of Gauge 5 1933 wait for Early revision of County next number. Boundary

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·21	·04	–	–	–	–	–	–	–	·07	–		**1**
2	·23	–	·17	–	·65	–	–	–	–	–	·04	–		**2**
3	–	·19	·17	–	·02	–	–	–	–	–	·02	–		**3**
4	·15	·02	·04	–	·33	–	–	–	–	–	–	–		**4**
5	·03	·02	15	–	–	–	–	–	–	–	·03	–		**5**
6	–	·09	17	–	·12	–	–	–	–	·21	·03	–		**6**
7	·16	·11	·06	–	·01	–	–	–	–	·04	–	·02		**7**
8	·07	–	·06	–	·07	–	·20	–	–	·02	–	–		**8**
9	–	–	–	–	·11	–	·17	–	–	·07	·12	–		**9**
10	–	·09	–	–	·03	·08	·36	–	–	·21	·06	–		**10**
11	·18	–	–	–	·05	·03	·15	·08	·01	–	–	–		**11**
12	–	–	–	–	·05	·20	–	–	·44	–	–	·02		**12**
13	·04	–	–	–	·15	·02	·26	–	–	–	·09	·01		**13**
14	–	–	–	–	–	–	–	–	–	·06	·40	·02		**14**
15	·20	–	·06	–	–	–	·34	–	–	·01	·08	–		**15**
16	–	·03	·59	–	–	·20	–	·23	·06	·03	·02	–		**16**
17	·10	–	·35	–	–	·07	·02	–	·07	–	·02	–		**17**
18	·06	·10	·14	–	–	·11	–	–	–	–	–	–		**18**
19	–	·02	·26	–	–	·12	–	–	·38	–	–	–		**19**
20	–	·02	·07	·04	–	·12	–	–	·02	–	·02	–		**20**
21	–	·03	–	–	–	–	–	·15	–	·01	–	–		**21**
22	–	–	–	–	·06	·02	–	·10	03	·45	–	–		**22**
23	–	–	–	·03	–	–	–	–	·21	·02	–	–		**23**
24	–	1·14	–	·26	·02	·28	–	–	·23	–	·06	–		**24**
25	–	·94	–	·27	–	–	–	–	·04	–	·02	·06		**25**
26	–	·72	–	·04	–	·03	–	–	·10	·08	–	–		**26**
27	–	–	–	·04	–	–	·03	–	·04	·12	–	·06		**27**
28	–	–	–	·16	·17	–	–	–	–	·24	–	·05		**28**
29	·21	✕	·02	36	–	–	·10	–	–	06	–	·01		**29**
30	·14	✕	·03	–	·05	–	·05	–	·03	–	–	·10		**30**
31	·13	✕	·68	✕	–	✕	–	·13	✕	·09	✕	–		**31**
TOTAL	1·83	3·73	2·40	1·20	1·89	1·28	1·68	·69	1·66	1·72	1·08	·35	Year's Total 19·51	
*Days with ·01 in. or more.	14	15	17	8	15	12	10	5	13	16	15	9	149	
*Days with ·04 in. or more.	13	9	15	7	11	8	8	5	6	10	8	4	104	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. E. Cooper

[P. T. O.

f 7+1243/27

1087/4 ~~98~~

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. ~~987~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Yes.

Kept at The Vicarage, Towersey

in the County of Oxford x

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 250 ft.

x transferred from Bucks April 1, 1933

wait for Early revision of County Boundaries

investigation? new number

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·21	·04	–	–	–	–	–	–	–	·07	–		1
2	·23	–	·17	–	·68	–	–	–	–	–	·04	–		2
3	–	·19	·17	–	·02	–	–	–	–	–	·02	–		3
4	·15	·02	·04	–	·33	–	–	–	–	–	–	–		4
5	·03	·02	15	–	–	–	–	–	–	–	·03	–		5
6	–	·09	17	–	·12	–	–	–	–	·21	·03	–		6
7	·16	·11	·06	–	·01	–	–	–	–	·04	–	·02		7
8	·07	–	·06	–	·07	–	·20	–	–	·02	–	–		8
9	–	–	–	–	·11	–	·17	–	–	·07	·12	–		9
10	–	·09	–	–	·03	·08	·36	–	–	·21	·06	–		10
11	·18	–	–	–	·05	·03	·15	·08	·01	–	–	–		11
12	–	–	–	–	·05	·20	–	–	·44	–	–	·02		12
13	·04	–	–	–	·15	·02	·26	–	–	–	·09	·01		13
14	–	–	–	–	–	–	–	–	–	·06	·40	·02		14
15	·20	–	·06	–	–	–	·34	–	–	·01	·08	–		15
16	–	·03	·59	–	–	·20	–	·23	·06	·03	·02	–		16
17	·10	–	·35	–	–	·07	·02	–	·07	–	·02	–		17
18	·06	·10	·14	–	–	·11	–	–	–	–	–	–		18
19	–	·02	·26	–	–	·12	–	–	·38	–	–	–		19
20	–	·02	·07	·04	–	·12	–	–	·02	–	·02	–		20
21	–	·03	–	–	–	–	–	·15	–	·01	–	–		21
22	–	–	–	–	·06	·02	–	·10	03	·48	–	–		22
23	–	–	–	·03	–	–	–	–	·21	·02	–	–		23
24	–	1·14	–	·26	·02	·28	–	–	·23	–	·06	–		24
25	–	·94	–	·27	–	–	–	–	·04	–	·02	·06		25
26	–	·72	–	·04	–	·03	–	–	·10	·08	–	–		26
27	–	–	–	·04	–	–	·03	–	·04	·12	–	·06		27
28	–	–	–	·16	·17	–	–	–	–	·24	–	·05		28
29	·21	X	·02	·36	–	–	·10	–	–	06	–	·01		29
30	·14	X	·03	–	·05	–	·05	–	·03	–	–	·10		30
31	·13	X	·68	X	–	X	–	·13	X	·09	X	–		31
TOTAL	1·83	3·73	2·40	1·20	1·89	1·28	1·68	·69	1·66	1·72	1·08	·35	Year's Total 19·51	
*Days with ·01 in. or more.	14	15	17	8	15	12	10	5	13	16	15	9	149	
*Days with ·04 in. or more.	13	9	15	7	11	8	8	5	6	10	8	4	104	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. E. Cooper

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1087/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Towersey Vicarage

in the County of Oxon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	–	–	–	–	–	–	.13	22	–	–	.56		1
2	.27	–	.04	–	.02	–	–	–	.71	.06	–	.22		2
3	.02	.12	–	.02	–	–	–	–	–	.20	–	.01		3
4	.05	.02	.07	.28	.02	–	–	–	.04	.53	.12	.32		4
5	–	–	–	–	–	–	–	.09	–	–	.05	.32		5
6	.01	–	.16	.02	.40	.03	–	–	–	.13	.01	.50		6
7	.02	–	[illegible]	–	–	.02	–	.36	–	.08	–	.20		7
8	–	–	–	–	.11	.02	–	.06	.05	–	.15	.06		8
9	–	–	.04	–	–	–	–	–	–	–	1.01	.26		9
10	–	–	.18	.13	–	–	–	.03	–	–	.05	.02		10
11	.40	–	.35	.11	–	–	–	.03	–	–	–	.15		11
12	–	–	.17	.04	–	–	.03	.12	–	–	–	.14		12
13	.41	–	.15	.02	–	–	.06	.23	–	.01	.07	.91		13
14	.07	–	.21	–	.03	–	.36	.02	–	–	.30	.22		14
15	.08	–	.05	–	.06	–	–	–	.03	.23	.13	.16		15
16	.14	–	.12	–	.06	–	–	–	–	.05	.01	.02		16
17	.03	–	–	.03	–	–	–	–	.05	.22	.03	.12		17
18	.28	–	–	.21	–	–	.21	–	.05	–	–	.08		18
19	–	–	.26	–	–	.15	–	–	.08	03	–	.09		19
20	–	–	.14	04	–	.01	.09	–	.01	–	–	–		20
21	–	–	–	.06	–	.10	02	.09	–	.07	–	–		21
22	–	–	–	–	–	–	–	.13	.34	– ~~.02~~	.02	.07		22
23	–	–	–	.23	–	.40	–	–	.02	– ~~.08~~	.05	.04		23
24	–	.07	.08	.08	–	.06	.23	–	.06	–	–	–		24
25	.26	.01	–	.07	–	.31	–	–	–	.06	–	.23		25
26	.01	–	.01	.19	–	.04	–	–	.03	.01	–	.08		26
27	.02	.03	–	–	–	12	–	–	–	–	–	.47		27
28	–	–	–	02	–	.09	–	.59	–	–	02	.27		28
29	–	×	–	–	–	–	–	.10	.22	–	–	–		29
30	.07	×	–	–	–	–	–	–	.04	03	–	.07		30
31	.12	×	–	×	–	×	–	–	×	.02	×	.07		31
TOTAL	2.29	.25	2.03	1.52	.70	1.35	1.00	1.98	1.95	1.73	2.02	5.66	Year's Total. 22.48	
* Days with .01 in. or more.	18	5	15	16	7	12	7	13	15	15	14	27	164	
* Days with .04 in. or more.	12	2	14	11	4	8	5	10	11	10	9	24	120	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. E. Cooper

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 1087/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Towersey Vicarage

in the County of Oxford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 250 ft.

[illegible]

Est pt Dec.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·21	—	—	·02	·07	·10	—	—	—	·17	·16	—		1
2	—	—	·04	~~02~~	—	·04	·08	—	·11	·14	·02	—		2
3	—	·06	·01	—	—	·16	—	—	·55	·36	·14	·08		3
4	—	—	—	·08	—	·10	—	—	·04	·14	—	·04		4
5	—	·48	·10	·~~08~~	—	·20	·03	—	·47	—	—	·02		5
6	—	·02	·01	·04	—	38	—	—	—	·11	—	—		6
7	—	·02	—	·21	—	01	—	—	—	·16	·34	·13		7
8	—	—	—	·54	—	—	—	—	—	·30	·11	·09		8
9	—	—	—	·24	—	·55	—	—	—	·80	·41	—		9
10	—	—	—	·42	—	·01	—	—	—	—	·09	·02		10
11	·22	—	—	·26	—	·09	·35	—	—	—	·25	·01		11
12	—	·03	—	—	—	·28	—	—	—	—	04	—		12
13	·07	·14	—	·03	·19	·05	—	—	—	—	—	—		13
14	—	—	—	·17	·12	·03	—	—	—	—	·19	·17		14
15	—	·16	—	·44	·02	·46	—	—	·21	·03	·34	·15		15
16	—	·09	·03	·18	·01	·30	—	—	·39	—	·51	·09		16
17	—	—	—	·08	—	·15	—	—	·02	·03	·36	—		17
18	—	—	—	·41	·02	·19	·41	—	·48	—	·02	+		18
19	—	·01	—	·23	·13	·06	·06	—	·14	—	·16			19
20	·03	·20	—	·15	·28	·08	·12	—	·01	—	·30			20
21	—	·24	·04	08	—	—	—	—	·05	·03	·11			21
22	—	·04	·10	05	—	—	—	—	·36	—	—			22
23	—	·03	·10	—	—	—	—	·62	·04	·20	—	+		23
24	·03	·46	·03	—	—	—	—	24	·55	—	—	+		24
25	·18	·05	—	·28	—	·12	—	02	—	—	—	(3·00) +		25
26	·03	·20	—	—	—	·16	—	21	·09	—	—	+		26
27	—	·23	—	—	·03	—	—	—	·08	—	·12	+		27
28	—	—	—	—	·02	—	—	—	·44	·07	·02	+		28
29	—	×	—	—	—	—	—	~~78~~	·30	·01	·06	+		29
30	·05	×	—	—	·02	—	—	·78	·04	·03	·26	+		30
31	—	×	—	×	·05	×	—	·03	×	1·22	×	+		31
TOTAL	·82	2·46	·46	3·91	·96	3·52	1·05	1·90	4·37	3·80	4·01	3·80	Year's Total. (31·06)	
* Days with .01 in. or more.	8	17	9	19	12	21	6	6	19	16	21	21	(175)	
* Days with .04 in. or more.	5	12	5	17	6	18	5	4	17	11	18	17	(135)	

Moved to Tresdene Radnage Continuing the[illegible] from 18th Dec onwards

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

P.T.O.

1088

Section **A** for the entry of Daily

AIR MINISTRY.—ME

FORM 1090.

1088

RUGBY
KILSBY VIC

1931- 1940

78 02 08

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

REGISTER 37.

Kept at KILSBY Vic

in the County of Northam

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground —

„ Ground „ Sea Level

THE MORNING MEASUREME AY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·01	·03	Trace	·02			·25				1
2		·11		·81		·02			·40	·04	·01		2
3				·11			·06	·24	1·30		·41	·11	3
4		·10		·17			·41		·25		·15		4
5		·03		·10	·04	·60			·15			·32	5
6		·22		·02			·14			·19	·19		6
7						·17		·44			·06	·04	7
8	·11	·05		·08	·03	·13	·05	·80			·20		8
9		·21		·01		·28		·11			·19		9
10	·02		·05			·06	·06	·22			·02		10
11	·10	·15		Trace		·10			·21		·20		11
12	·03	·03					·26	·04	·22		·01		12
13		·18					✓	·08					13
14			·02			·12	x	1·06	·03		·07		14
15		·16		·12	·20		1·08 x	·24			·03	·06	15
16		·28		·60	·47	·45		·16					16
17	·05	·39		·59	·50		x		·16				17
18		·05		·36		·07	✓	·11	·03		·27		18
19	·12	·03				·17	·19 x	·04	·05	·08			19
20	·01	·04		·28			·01	·24				·02	20
21	·11				·52			·02					21
22	·18		·04	·08				·03					22
23	·12		·01	·03	·46	·08			·32		·13	·10	23
24		·03		·13	·42		·13						24
25				·60			·45				·09	·01	25
26		·03		·36			·15			·05	·14		26
27		·60			·29						·14	·10	27
28		·22			·13					·26	·02	·11	28
29	·20			·08			·21						29
30		✕											30
31	·25	✕		✕		✕			✕		✕		31
TOTAL	1·31	2·91	·13	4·06	3·06	2·27	3·20	3·88	3·37	~~·66~~ ·62	2·38	·87	YEAR'S TOTAL 28·06
*Days with ·01 in. or more.	13	19	5	17	10	13	17 ~~15?~~	15	12	5	18	9	155 ~~3~~
*Days with ·04 in. or more.	7	14	2	15	9	11	14 ?	13	10	5	4	2	~~92~~ 106

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) G. Ryder Macnally

P.T.O.

1088

Section **A** for the entry of Daily

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Kilsby Vicarage

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 10 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·01	·03	Trace	·02			·25				1
2		·11		·81		·02			·40	·04	·01		2
3				·11			·06	·24	1·30		·41	·11	3
4		·10		·17			·41		·25		·15		4
5		·03		·10	·04	·60			·15			·32	5
6		·22		·02			·14			·19	·19		6
7						·17		·44			·06	·04	7
8	·11	·05		·08	·03	·13	·05	·80			·20		8
9		·21		·01		·28		·11			·19		9
10	·02		·05			·06	·06	·22			·02		10
11	·10	·15		Trace		·10			·21		·20		11
12	·03	·03					·26	·04	·22		·01		12
13		·18						·08					13
14			·02			·12	x	1·06	·03		·07		14
15		·16		·12	·20		1·08 x	·24			·03	·06	15
16		·28		·10	·47	·45		·16					16
17	·05	·39		·59	·50		x		·16				17
18		·05		·36		·07	✓	·11	·03		·27		18
19	·12	·03				·17	·14 x	·04	·05	·08			19
20	·01	·04		·28			·01	·24				·02	20
21	·11				·52			·02					21
22	·18		·04	·08				·03					22
23	·12		·01	·03	·46	·08			·32		·13	·10	23
24		·03		·13	·42		·13						24
25				·60			·45				·09	·01	25
26		·03		·36			·15			·05	·19		26
27		·60			·29						·14	·10	27
28		·22			·13					·26	·02	·11	28
29	·20			·08			·21						29
30		×											30
31	·25	×		×		×			×		×		31
TOTAL	1·31	2·91	·13	4·06	3·06	2·27	3·20	3·88	3·37	~~·89~~ ·62	2·38	·87	YEAR'S TOTAL 28·06
*Days with ·01 in. or more.	13	19	5	17	10	13	17 ~~15~~ 2	15	12	5	18	9	155 ~~3~~
*Days with ·04 in. or more.	7	14	2	15	9	11	14?	13	10	5	4	2	~~92~~ 106

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. Ryder Macnally

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1088

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Kilsby Vicarage

in the County of NORTHAMPTON

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05		·11	·69	·05	·01	·11	·11	·39	·04	·07	1
2	·08			·03	·20			·04	·15	·14		·09	2
3		·01		·13	·01				·	·01			3
4				·15		Trace	·04				·52		4
5	·25		·01		·01				·12				5
6	·23		·04				·05		·33				6
7			·25	·63	·01				·06	·05			7
8		·03		·11					·09	·22			8
9	·12		·02	·05									9
10	·09	·11		·17	·15				·20	·09			10
11	·01	·11		·05	·10	·07			·03	·12	·02		11
12	·17	·03			·16		·24		·09	·32	·04		12
13	·02			·15			·78		·04	·02	·05	·05	13
14		·03	Trace	·05	·01		·02			·03		·03	14
15	·24			·14	·11			·01		·05	·02	·03	15
16	·26 ~~[illegible]~~			·27	·12					·01			16
17				·02			·06		·02	·16			17
18	Trace				·06				·03	·01	·07		18
19				·03	Trace					·23			19
20				·06	·26			·55		·40	·11		20
21			·18	·32	2·07			·44		·24	·03	·05	21
22	·01		·16		·05	·01	·54		·75	·09	·14		22
23		·04	·26		·53		·02		·10	·13		[illegible]	23
24					·01		·06		·04	·03	·37		24
25		·05					·35			·14		·03	25
26				·40	·21		·05		·07	·02	·02		26
27			·30	·18	·38		·09		·03		·09		27
28		·02	·03	·03		·13	·19	·01		·04		·04	28
29			·30	·20	·44	·12	·02	·30	·10	·30			29
30	·03	×	·07	·03	·01	·41	·15	·09	·82	·14	·60	·22	30
31		×	·05	×		×	·46	·21	×	·01	×		31
TOTAL	1·56	·48	1·67	3·31	5·59	·79	3·13	1·76	3·18	3·39	2·39	·61	YEAR'S TOTAL 27·86
*Days with ·01 in. or more.	12	10	12	22	22	6	17	9	19	26	14	9	178
*Days with ·04 in. or more.	8	5	9	17	16	5	13	7	15	18	10	6	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. Ryder-Macnally

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 1088

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Rugby, Kilsby Vicarage

in the County of Northamptonshire

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy from

Northants Natural History Society

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·25		·02		–					·02		1
2	·10	·17	·40		·03						·13		2
3	·01	·13	·20		·55						·04		3
4	·15	·01	·03		·38						03		4
5	·09	·22	·17								·02		5
6		·23	04		·26					·06	·02		6
7	04	·12			·01					·08			7
8	·03	01	·10		·12		·25			·12			8
9					·06		·33			·11			9
10	·05	·67				·07	·02	·01		·49	·14		10
11	·05				·02	·03	·34					·08	11
12							·10		·31		·06		12
13					·05	·20	·15			·05	·34		13
14	·02				·05			·01		·23	·37		14
15	·33		·05				·25	·09			·23		15
16	·13		·39			·22	·01	·02	01	07	·08		16
17		·01	·54			·06			·05		·03		17
18	·08	·03				·22					·02		18
19			·40			·18			·05			·03	19
20		·06	·10			·43		·09	·05	06	·03		20
21		·06			·27	·07		·07	·03				21
22					·02	·18		·39		·36			22
23				·05					·78	·01			23
24		·59		·16	·15	·19			·46	·06			24
25		·69		·25		·07					·04	·06	25
26		·54		·11		·28			·02	·16		·01	26
27		·01			·39				·10	·03		·01	27
28				·22	·02		05			·10		·06	28
29				·18			·07						29
30	·16	×	·04	·21						·11		·11	30
31	·01	×	·34	×		×	·03	·11	×	·12	×		31
TOTAL	1·40	3·80	2·80	1·20	2·38	2·20	1·60	·79	1·86	2·22	1·60	·36	YEAR'S TOTAL 22·21
*Days with ·01 in. or more.	15	17	13	8	15	13	11	8	10	17	16	7	150
*Days with .04 in. or more.	11	12	12	7	10	12	8	5	7	15	9	4	112

40-9999

*See Instruction 2 (*f*) on other side.

D

(Signed) Rev C Ryder Macnally

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1088.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rugby, Kilsby Vicarage

in the County of Northants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft 10 in.

,, Ground ,, Sea Level 450 ft.

Copied from Northants Nat. Hist. Soc's returns 13/2/35

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·17	·01			·33		1
2			·04						·41	·01		·16		2
3	·06	·05								·08		·05		3
4	·06	·03	·11	·40					·08	·10	·16	·29		4
5		·01			·13			·14		·03	·03	·14		5
6			·04	·11	·40	·12				·14		·48		6
7	·03					·18				·05		·17		7
8					·10	·05		·20			·17	·02		8
9			·10	·03				·03		Tr.	·66	·23		9
10	·21		·14	·17				·04			·03	·04		10
11	·38		·19	·29			·03	·07				·15		11
12			·12				·04	·31			·01	·05		12
13	·31				·03		·61	·24		·03		·35		13
14			·23							·18	·46	·23		14
15	·07		·15		·24		·02		·14		·23	·04		15
16	·15							·01				·07		16
17	·02			·04	·04		·02	·03	·10	·38	·08	·12		17
18	·19		·10	·29			1·59		·08	·01		·05		18
19			·09	·09		·05			·03		·02			19
20			·05	·14				·05		·03		·06		20
21						·11				·06				21
22								·11	·18		·02			22
23		·04		·23	·11	·25	·07					·24		23
24		Tr.	·10	·03		·07	·14		·49	·04				24
25	·16			·09		·11						·22		25
26	·02		·03			·06	·04		·10	·13		·04		26
27		·26		·14								·32		27
28				·18		·09		·38		·07	·04	·18		28
29							·65	·24	1·60					29
30	·06	×					·01		·03	·02		·12		30
31	·02	×		×		×			×	·13	×	·07		31
TOTAL	1·74	·39	1·49	2·23	1·05	1·09	3·22	2·02	3·25	1·49	1·91	4·19	Year's Total. 24·07	
* Days with .01 in. or more.	14	5	14	14	7	10	11	14	12	17	12	26	156	
* Days with .04 in. or more.	10	3	12	12	6	10	7	11	9	11	7	25	123	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Rev. C. Ryder Macnally

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1088

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Rugby, Kilsby Vicarage

in the County of Northants

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·22	-	-	·03	-	·10	·06	-	·50	·14	·08	·01		1
2	-	-	·15	-	-	·26	-	-	-	·19	-	·10		2
3	-	·36	·05	-	-	·04	-	-	·33	·23	·19	·06		3
4	-	·93	-	-	-	·07	-	-	-	·18	-	-		4
5	-	-	·07	·07	-	·05	·03	-	·11	·03	·06	-		5
6	-	-	-	·50	-	·23	-	-	-	-	·03	-		6
7	-	-	-	✓ ·58	-	·06	-	-	-	·23	·37	·17		7
8	-	-	-	✓	-	·01	-	-	-	·11	·14	·04		8
9	-	-	-	·41	-	·27	-	-	-	·92	·37	-		9
10	·16	-	-	·02	-	-	·05	-	-	-	·06	-		10
11	-	-	-	-	-	·08	-	-	-	·02	·02	·04		11
12	-	·09	-	-	-	·24	-	·08	·05	-	·23	-		12
13	-	-	-	·16	·21	-	-	-	-	·05	·02	-		13
14	-	-	-	·04	·09	·09	-	-	·09	-	·74	-		14
15	-	·12	-	·54	·04	·03	·03	-	·50	-	·28	·25		15
16	-	-	·10	-	-	·05	-	-	·49	·04	·78	·20		16
17	-	-	-	·17		·17	-	-	-	·31	·45	-		17
18	-	·05	-	·32	x ·79	x	·23	-	·16	·06	-	-		18
19	-	-	-	·14	x	x	·24	-	·10	-	·27	-		19
20	-	·26	-	·21	✓	-	·15	-	-	-	·19	-		20
21	-	·19	·03	·08		-	-	-	·45	-	·17	-		21
22	-	·02	-	·25		-	-	-	·16	-	-	-		22
23	-	-	·10	·08		1·65 -	-	·69	·20	-	-	·17 snow		23
24	-	·26	·05	-		-	-	-	·60	·30	-	-		24
25	·24	·06	-	-		x -	-	·01	-	-	-	·33		25
26	-	-	-	-		-	-	·11	·19	·04	·03	·32		26
27	-	·20	-	-	·09	-	-	-	·06	-	·22	·95		27
28	-	·02	-	-	·07	-	-	-	·08	·05	-	·01		28
29	·02	-	·04	-	-	-	-	-	·20	-	·09	·14		29
30	-	×	-	·20	·03	-	-	·36	·06	·28	·23	·16		30
31	-	×	-	×	-	×	-	·01	×	·67	×	·19		31
TOTAL	·64	2·56	·59	3·80	1·32	3·40	·78	1·26	4·33	3·85	5·02	3·14	Year's Total. 30·69	
* Days with .01 in. or more.	4	12	8	18	9	18	7	6	18	18	22	16	156	
* Days with .04 in. or more.	3	10	7	16	7	16	5	4	18	16	18	14	134	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Rev. C. Ryder Macnally. [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1088

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Rugby (Kilsby Vicarage)

in the County of Northants

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

alt dup

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·11	·22	·45	–	·02	✗	–	–	–	·09	·11		1
2	–	·08	·07	–	–	·69	✗	·15	·02	–	·11	–		2
3	·10	–	–	–	–	–	✓	–	·29	–	·10	·03		3
4	–	–	·14	–	–	·07	–	–	·24	–	–	·11		4
5	–	–	·03	–	–	–	~~2·5~~	·08	·11	–	–	·07		5
6	·24	–	·03	–	·10	·09	(2·20) ✓	–	–	–	·13	–		6
7	·20	–	–	–	–	–	✗	·33	·15	–	·03	–		7
8	·10	–	·15	–	–	TR	✓	–	–	–	·35	–		8
9	·37	–	·11	–	–	·01	✗	–	–	–	–	–		9
10	·01	–	–	–	–	–	✗	–	·09	·04	–	–		10
11	–	–	–	·08	–	TR	·35	–	–	–	·29	–		11
12	–	–	–	·11	·04	·39	·49	–	·84	–	·06	·05		12
13	–	–	–	·02	–	·28	·02	–	–	·08	·03	·17		13
14	–	–	–	·18	–	·06	·45	–	·07	–	–	·87		14
15	–	–	–	·02	–	–	·07	–	·06	·14	–	·19		15
16	·55	–	–	–	–	–	·07	–	–	–	·66	·06		16
17	–	·53	–	–	·04	·06	·05	–	–	·12	·15	·05		17
18	–	·05	–	–	–	✗	·13	·08	–	·22	·03	–		18
19	–	–	–	·19	–	✗ ·28	–	–	–	·11	–	–		19
20	–	–	·04	·05	–	·13	TR	–	·09	–	–	–		20
21	–	–	–	·24	–	·81	·08	–	·02	–	–	–		21
22	–	·69	·10	·02	·16	–	·11	–	–	–	–	·16		22
23	–	–	·09	·07	·04	–	·39	–	–	·07	–	–		23
24	·14	·06	–	·46	·01	–	·02	–	·12	·25	–	–		24
25	·06	–	·19	–	–	–	·13	–	–	·08	·06	–		25
26	–	–	·33	–	–	–	·02	–	·41	·03	–	–		26
27	·02	–	–	–	–	–	–	–	–	–	–	–		27
28	·40	–	·08	–	–	? –	·12	–	–	–	–	·06		28
29	·12	·20	·06	–	–	(·30) ? ✗	–	–	·04	–	·36	·06		29
30	·03	✕	–	–	·41	? ✗	·10	–	–	·19	–	–		30
31	·62	✕	·11	✕	·03	✕	·05	·01	✕	·40	✕	–		31
TOTAL	3·09	1·72	1·75	1·89	·83	3·19 ~~2·89~~	5·85 ~~5·15~~	·65	2·55	1·73	2·45	1·99	Year's Total 2~~8~~7·69	✓
* Days with .01 in. or more.	15	7	15	12	7	15 ~~3?~~	26	5	14	12	14	13	155	✓
* Days with .04 in. or more.	12	7	12	9	3	13 ~~1~~	19	4	11	11	11	12	124	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

per Northants Nat. His. Soc,

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Copy by BRO Station No. 1088

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Kilby Vicarage, Rugby

in the County of ....

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

away 1st - 9th July, 12-18 Dec.

~~Est days~~ ✓ 14

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·02							·05		·26	·28		1
2	·09	·09	·03	·44										2
3		·17			·35	·03	✓					·07		3
4	·07				·07							·62		4
5	·31		·23				✓							5
6		·07	·23		·13		✓	·09		·05	·02			6
7	·13	·58	·05	·19	·03									7
8		·06									·33	·30		8
9				·27	·25		·19 ✗		·14					9
10				·50		·35						·07		10
11	·02	·02	·72		·54							·02		11
12	·03	·32	·19		·38			·61	·13			✗		12
13	·13	·08	·03		·03	·08		·08	·07					13
14			·44	·17				·31	·03			✗		14
15	·22	·13		·17			·73		·12					15
16		·09	·40					·08	·34			✗		16
17	·62	·05	·45	·73					·34					17
18	·07	·13	·10	·03					·12		·24	·41		18
19	·09	·03	·02	·09	·07	·19	·19			·03	·08	✓		19
20	·20			·51	·50	·02				·02				20
21	·06	·24	·12	·02			·21							21
22	·30	·02	·28		·05	·13				·89	·34			22
23	·07		·08		·16		·33			·78	·09			23
24	·15	·33			·02					·22				24
25		·45			·22				·07	·64				25
26	·27	·04	·07		·32							·06		26
27		·16								·71				27
28		·06	·03	·32						·02				28
29												·11		29
30	·23	✕						·04			·13			30
31	·43	✕		✕		✕			✕	·35	✕	·01		31
TOTAL	3·49	3·14	3·47	3·44	3·12	·80	1·65	1·21	1·41	3·71	1·49	1·95	Year's Total 28·88	✓
* Days with .01 in. or more.	19	21	17	12	15	6	8	6	10	10	8	13	145	✓
* Days with .04 in. or more.	17	17	13	10	12	4	5	5	9	7	7	10	116	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Rev. C. Ryder Macnally

X per. N. N. H. S X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1088

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Rugby (Kilsby Vicarage)
in the County of Northants
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 10 in.
,, Ground ,, Sea Level 450 ft.

Copy by B.R.O.

Dec days estimated from surr. stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-	·51	·01	-	-	·09	·02	·31		1
2	-	-	-	·06	-	·12	-	-	-	·20	-	-		2
3	-	-	-	-	-	·02	·09	-	·04	·61	·04	-		3
4	·04	-	-	·02	-	TR	·16	·40	-	·19	-	·25		4
5	-	-	-	-	-	-	·27	·03	-	·08	-	·02		5
6	·09	-	-	-	-	-	·15	·02	·25	·13	-	-		6
7	·07	-	-	-	-	-	·20	·64	·13	·13	-	·08		7
8	-	-	-	-	-	-	·11	·05	-	·19	-	-		8
9	·23	-	-	-	-	·19	·05	·05	-	·01	-	·23		9
10	·25	-	-	-	-	-	·22	·09	-	-	-	·08		10
11	·34	·16	-	-	-	-	·02	·01	-	·10	·11	·05		11
12	·16	-	-	-	-	-	-	·21	-	·25	-	-		12
13	-	·12	-	-	·11	·01	-	-	-	-	·08	·16		13
14	·14	-	-	-	·05	-	·13	-	·12	-	-	-		14
15	-	-	-	-		-	·63	-	-	·02	-	·16		15
16	·27	-	-	-		-	·02	-	-	-	·03	·07		16
17	·03	-	-	-		-	·02	·10	·03	·09	-	-		17
18	-	-	-	-	·21	·15	-	·10	·37	-	·31	-		18
19	-	-	-	-		-	-	-	·12	-	·05	-		19
20	-	-	-	-		-	-	-	·06	-	·45	·70		20
21	-	-	-	-		-	-	·02	-	-	·11	✗		21
22	-	-	-	-		·32	-	-	-	-	·30	✗		22
23	-	-	-	-		-	-	-	·15	-	-	-		23
24	-	-	·07	-	·03	-	-	-	-	-	-	-		24
25	·22	·22	·10	-	·03	-	-	·22	-	·04	·18	✗		25
26	-	·25	·23	-		-	-	-	·05	·29	-	✗		26
27	·10	·03	-	-	·26	·17	·23	-	·36	·04	·38	-		27
28	·24	TR	-	-	·22	·13	·02	1·43	·11	-	-	·16		28
29	·46		-	·02	·17	-	-	·01	-	·04	·13	- ✗		29
30	·03		-	-	·08	·07	-	-	·27	-	·27	·27		30
31	·10		-		·16		·03	-		·15		·35		31
TOTAL	2·77	·78	·40	·10	1·32	1·69	2·36	3·38	2·06	2·65	2·46	2·89	Year's Total 22·86	
* Days with .01 in. or more.	16	5	3	3	10	10	17	15	13	18	14	1~~7~~8	14~~1~~2	
* Days with .04 in. or more.	13	4	3	1	8	8	11	10	12	16	1~~1~~2	1~~6~~7	1145	

Per Northants Natural History Soc.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Rev. C. Ryder Macnally

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1088

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Vicarage KILSBY

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 450 ft.

File No. 907531

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the **Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·01	·23	·09			·47	·02	·03	·			1
2			·	·15	·01		·01	·40	·32	·08	·04			2
3	Trace			·27	·		·	·81	·03	·08	·14	·11		3
4	x		·29	·46	·		·04	·27	·	·32	·10	·09		4
5	Snow x		·	·12	·24		·18	·89		·10	·22	·12		5
6	·30x			·	·		·81	·04		Tr	·08	·		6
7	·32	·01					·18	Tr		·	·21	·23		7
8		·08	·16				·24	·24		·43	·06	·32		8
9		·11					·01	·19		·45	·02	·16		9
10	·03		·03			·21		·29	·04	·06	·01	·01		10
11	·31		·15			·11		·01	·03	·04	·	·01		11
12			·01			·05	·		·	·01		·		12
13			·			·02	·03		·05	·29				13
14	·39				·75	·04	·12		·01	·03	·15			14
15	·45		·03	·01	·13	·45	·25		·03	·61	·12			15
16	·22		·13	·01	·14	·26	·11		Tr	·08	·22			16
17	·19	·03	·01	·	·13	·	·17		·	3·28	·03			17
18	·12	·03	·05		·01	·71	·25			·03	·62			18
19	·19		·		·	·	1·10		Tr	·	·01			19
20	·18		·01			·03	·01	·15		·	·			20
21	~~·23~~ ·11	·12	·15		·12	·10	·	·46	·04		·			21
22	·28	·18	·04		·	·02	·03	Tr	·02	·02	·24			22
23	·02	·	·01	·09		·03	·14	·	·	·10	·68			23
24	·49		·01	·05			·09			·08	·			24
25	·73	·17	·12	·03			·13			·01	·19	·03		25
26	·17	·	·03	·01			Tr	·03		·06	·19			26
27	·02	·14	·08	·04		·02	·11	·07		·07	·30			27
28	·02	·17	·10	·06		·07	·35	Tr		·01	·18	·10		28
29			·01	·27		-	·18			·21	·02			29
30		✕		·18		·26	·			·01	·05			30
31		✕		✕		✕	·23	·06	✕		✕			31
TOTAL	474	1·04	1·43	1·98	1·62	2·38	4·69	4·36	·59	6·49	3·93	1·18	Year's Total 34·43	
* Days with .01 in. or more.	21 ✓	10	20	15	9	15	23	15	10	25	23	10	196	
* Days with .04 in. or more.	17 ✓	7	10	11	7	10	18	13	4	17	18	6	138	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. Ryder Macnally [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1088

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Kilsby Vicarage Rugby

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 450 ft.

File Number 907531/29

Snow period

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				·02							·18			1
2				·27	Trace		·01				·87	·04		2
3				·16			~~·07~~			·15	·85	·06		3
4		·31	Trace	·15			·02			·18	·18	·06		4
5					·07		·04			·12	·47	·09		5
6	·10	·25					Trace			·54	·41	·01		6
7	·07	·27		·02	·03		·03		·07	·12	·01	·01		7
8	Trace						·78		·03		·01	·25		8
9			·02	·02		·02	·03	·03		·03	·06	·20		9
10			·02				·46				·20	·20		10
11			·06	·04			·15			·05	·50	·15		11
12			·04				·11		·07		·01			12
13		·09	·21	·04			·02		·06		·15			13
14			·29	·07	·19				·29	·07	·01	·34		14
15			·05	·05	·04	·05	·03		·07	·22	·15	·01		15
16		Snow ·40	·33	·02		Trace	·33		·07	·81	·64			16
17			·37				·09				·13			17
Snow 18		·07	·36	·35			·43	·04	·04	·10	·15	·12		18
19		·41	·02	·11					·04	·02	·14	·05		19
20		Trace	·02	·02	·21	·02	·09			·12	·03			20
21	·10		·05		·33	·04	·07				1·24			21
22			·03		·11	·20	Trace		·50		·01			22
23		·07	·04	·01		·14			Trace	·02		·03		23
24				·04			·12			·03				24
25							·03				·01	Trace		25
26	1·06				·06		·48				·02			26
27	4 (1·00) 4	·09		·02			·03							27
28	~~1·00~~ 4	·06			·10									28
29		·33	·14		·04	·02			·01			·27		29
30		✖		·72	Trace					·24		·04		30
31		✖	·05	✖		✖			✖	·50	✖			31
TOTAL	2·33 ~~1·33~~	2·35	2·10	2·18	1·18	·54	3·35	·07	1·25	3·32	5·93	1·93	Year's Total ~~24·53~~	26·53 ~~25·53~~
* Days with .01 in. or more.	~~4~~ ?6	11	17	18	10	7	20	2	11	17	24	17	~~158~~	160
* Days with .04 in. or more.	4 6	11	12	11	9	4	12	1	9	13	16	13	105	117

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) C. Ryder Macnally

P.T.O.

Section **A** for the entry of Daily ... COPY FOR OFFICIAL USE.

1089

AIR MINISTRY.—MET... ...LL ORGANIZATION.

FORM 1090.

REGISTER ... 1.

1089

WINNICK WARREN

1931- 1938

780208

Kept at Winnick Warren

in the County of Northampton

Diameter of Funnel of Gauge 8 i...

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREMEN... ...Y.

An observer who does not conform to this rule ... insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	4	3	5	-	-	-	-	38	2	1	-	1
2	5	6	-	72	-	2	-	-	52	4	2	5	2
3	2	2	-	16	-	-	3	-	1·46	-	39	10	3
4	-	10	-	15	-	-	40	25	38	2	12	-	4
5	-	3	-	5	5	76	2	2	19	1	2	29	5
6	-	17	-	2	-	-	5	-	1	19	23	-	6
7	2	-	-	1	-	5	2	26	-	4	9	3	7
8	2	7	2	6	-	10	2	36	-	3	22	2	8
9	-	21	6	3	-	30	-	6	-	-	30	1	9
10	3	-	1	-	1	4	4	25	8	1	2	-	10
11	8	13	1	-	-	10	-	-	11	-	25	-	11
12	-	7	-	2	-	-	40	2	27	-	2	-	12
13	3	-	1	-	-	-	1	6	1	2	2	-	13
14	1	6	1	-	-	16	64	57	-	-	7	-	14
15	1	5	-	17	25	-	5	22	-	1	3	7	15
16	1	17	-	10	46	41	-	11	15	-	-	-	16
17	3	34	-	51	42	-	12	2	1	1	-	-	17
18	6	5	-	28	1	6	3	9	-	-	35	-	18
19	4	2	-	32	2	40	8	7	6	-	2	-	19
20	2	3	-	15	-	-	1	26	-	4	2	2	20
21	9	-	-	-	48	-	-	12	-	-	2	-	21
22	15	1	1	-	-	-	-	2	2	-	-	-	22
23	17	-	1	4	38	7	-	-	19	1	14	7	23
24	-	-	-	10	40	2	12	-	2	-	1	-	24
25	3	1	-	64	1	-	55	-	-	-	8	2	25
26	-	3	-	40	-	-	12	-	-	-	19	-	26
27	13	58	-	-	27	-	3	-	-	3	21	2	27
28	7	23	-	2	8	-	1	-	-	5	1	17	28
29	4	×	-	-	3	-	19	-	-	25	1	3	29
30	24	×	-	-	-	-	2	2	3	-	-	-	30
31	16	×	-	×	-	×	-	-	×	-	×	3	31
TOTAL	1·51	2·48	·17	4·00	2·87	2·49	2·96	2·78	3·89	·78	2·87	·93	YEAR'S TOTAL 27·73
*Days with ·01 in. or more.	23	22	9	21	14	13	22	18	17	16	26	14	215
*Days with ·04 in. or more.	12	15	1	16	9	11	12	13	11	6	13	6	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) P. L. Ransom

[P.T.O.

1089

Section **A** for the entry of Daily COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Winwick Warren

in the County of Northamptonshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 5 in.

" Ground " Sea Level 648 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	4	3	5	–	–	–	–	38	2	1	–	1
2	5	6	–	72	–	2	–	–	52	4	2	5	2
3	2	2	–	16	–	–	3	–	1·46	–	39	10	3
4	–	10	–	15	–	–	40	25	38	2	12	–	4
5	–	3	–	5	5	76	2	2	19	1	2	29	5
6	–	17	–	2	–	–	5	–	1	19	23	–	6
7	2	–	–	1	–	5	2	26	–	4	9	3	7
8	2	7	2	6	–	10	2	36	–	3	22	2	8
9	–	21	6	3	–	30	–	6	–	–	30	1	9
10	3	–	1	–	1	4	4	25	8	1	2	–	10
11	8	13	1	–	–	10	–	–	11	–	25	–	11
12	–	7	–	2	–	–	40	2	27	–	2	–	12
13	3	–	1	–	–	–	1	6	1	2	2	–	13
14	1	6	1	–	–	16	64	57	–	–	7	–	14
15	1	5	–	17	25	–	5	22	–	1	3	7	15
16	1	17	–	10	46	41	–	11	15	–	–	–	16
17	3	34	–	51	42	–	12	2	1	1	–	–	17
18	6	5	–	28	1	6	3	9	–	–	35	–	18
19	4	2	–	32	2	40	8	7	6	–	2	–	19
20	2	3	–	15	–	–	1	26	–	4	2	2	20
21	9	–	–	–	48	–	–	12	–	–	2	–	21
22	15	1	1	–	–	–	–	2	2	–	–	–	22
23	17	–	1	4	38	7	–	–	19	1	14	7	23
24	–	–	–	10	40	2	12	–	2	–	1	–	24
25	3	1	–	64	1	–	55	–	–	–	8	2	25
26	–	3	–	40	–	–	12	–	–	–	19	–	26
27	13	58	–	–	27	–	3	–	–	3	21	2	27
28	7	23	–	2	8	–	1	–	–	5	1	17	28
29	4	×	–	–	3	–	19	–	–	25	1	3	29
30	24	×	–	–	–	–	2	2	3	–	–	–	30
31	16	×	–	×	–	×	–	–	×	–	×	3	31
TOTAL	1·51	2·48	·17	4·00	2·87	2·49	2·96	2·78	3·89	·78	2·87	·93	YEAR'S TOTAL 27·73
*Days with ·01 in. or more.	23	22	9	21	14	13	22	18	17	16	26	14	215
*Days with ·04 in. or more.	12	15	1	16	9	11	12	13	11	6	13	6	125

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) P. L. Ransom

[P.T.O.

1089

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1089

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

File no 771055/27

Kept at Winwick Warren

in the County of Northamptonshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 648 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	7	6	-	9	40	6	5	30	11	42	2	3	1
2	2	-	-	11	18	-	-	5	14	7	6	16	2
3	-	-	-	17	5	-	-	1	-	2	-	-	3
4	3	-	-	8	-	-	-	-	-	-	53	2	4
5	22	1	-	-	3	4	3	-	12	-	-	3	5
6	29	-	9	39	-	-	-	-	19	-	-	-	6
7	-	-	20	14	1	-	-	-	5	1	-	-	7
8	-	3	-	12	-	-	-	-	15	21	-	-	8
9	7	10	1	6	-	-	-	-	-	1	-	-	9
10	11	8	3	10	6	-	-	-	19	13	1	-	10
11	1	5	-	6	10	3	51	1	5	6	3	-	11
12	17	1	-	3	15	-	7	-	6	42	5	2	12
13	2	2	-	16	1	-	1·49	-	7	1	7	3	13
14	22	3	1	6	1	-	-	8	-	5	4	4	14
15	1	-	-	16	16	-	2	3	-	4	-	5	15
16	20	-	-	34	10	-	2	-	-	-	-	1	16
17	-	-	-	3	-	-	8	-	-	16	1	-	17
18	-	-	-	-	8	-	-	-	4	-	3	1	18
19	-	2	-	2	1	-	-	-	1	20	2	2	19
20	-	-	-	7	24	-	3	40	-	39	8	2	20
21	2	-	16	28	1·75	-	-	57	-	21	2	6	21
22	1	-	26	4	6	-	35	-	73	11	42	1	22
23	-	1	-	-	1·28	-	2	-	10	14	9	8	23
24	-	1	-	-	3	-	33	-	5	3	45	2	24
25	-	8	-	-	2	-	14	-	-	15	2	1	25
26	-	1	-	40	18	-	10	-	2	2	-	1	26
27	-	-	33	21	50	-	31	-	11	-	10	-	27
28	-	-	3	3	52	6	18	38	4	8	1	7	28
29	2	-	29	28	5	3	3	9	13	27	2	6	29
30	1	×	4	1	-	61	1	18	53	19	60	19	30
31	1	×	6	×	2	×	42	2	×	1	×	4	31
TOTAL	1·51	·52	1·51	3·44	6·00	·83	4·19	2·12	2·89	3·41	2·68	·99	YEAR'S TOTAL 30·09
*Days with ·01 in. or more.	18	14	12	25	25	6	19	12	20	25	21	22	219
*Days with .04 in. or more.	8	5	8	20	17	4	12	8	18	18	11	9	138

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) P.L. Ransom

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1089

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

File under 771055/27

Kept at Winwick Warren, West Haddon nr Rugby

in the County of Northamptonshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 648 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	15	23	9	–	–	–	–	–	–	–	2	–		1
2	14	–	46	–	3	–	–	–	–	–	7	–		2
3	2	24	24	–	35	–	–	–	–	–	5	–		3
4	23	2	3	–	31	–	–	–	–	1	4	–		4
5	9	12	12	–	10	–	–	–	–	–	1	–		5
6	–	10	9	–	11	–	–	–	–	7	1	–		6
7	4	22	4	–	3	–	–	–	–	12	2	3		7
8	3	1	8	–	8	–	24	–	–	8	–	–		8
9	–	–	–	–	4	–	45	–	–	14	17	–		9
10	5	11	–	–	–	7	–	2	–	70	16	–		10
11	3	–	–	–	5	5	44	3	–	2	2	–		11
12	2	–	–	–	–	3	6	–	28	–	–	5		12
13	4	–	–	–	4	10	22	–	–	4	31	–		13
14	2	–	–	–	9	–	9	–	–	48	47	4		14
15	25	–	3	–	–	–	33	9	–	1	36	1		15
16	9	1	53	–	5	23	4	–	–	6	8	1		16
17	21	2	45	–	–	8	2	–	6	2	5	2		17
18	6	9	6	–	–	21	–	–	–	–	6	–		18
19	–	–	30	–	–	11	–	–	6	1	1	3		19
20	–	5	7	–	–	41	–	8	3	9	3	2		20
21	–	8	–	–	–	8	–	7	5	2	1	–		21
22	–	–	–	–	–	16	–	42	4	49	2	–		22
23	–	–	–	4	–	2	–	–	46	2	1	–		23
24	–	56	–	14	8	17	–	–	44	5	3	–		24
25	–	65	–	27	–	9	–	–	4	2	4	6		25
26	–	45	–	8	–	50	–	–	2	10	3	2		26
27	2	4	–	–	17	–	–	–	13	5	1	3		27
28	–	1	–	12	–	–	7	–	2	25	–	7		28
29	3	×	–	15	–	–	4	–	1	11	–	3		29
30	9	×	7	3	–	–	5	–	–	1	–	10		30
31	2	×	31	×	–	×	3	11	×	12	×	–		31
TOTAL	1·63	3·01	2·97	·83	1·53	2·31	2·08	·82	1·64	3·09	2·09	·52	Year's Total 22·52	
*Days with ·01 in. or more.	20	18	16	7	14	15	13	7	13	25	25	14	187	
*Days with .04 in. or more.	12	13	14	6	12	13	11	5	9	16	12	5	128	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) P. L. Ransom

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1089

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Winwick Warren

in the County of Northamptonshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 648 ft.

File under 771055/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	4	–	–	–	–	–	–	16	3	–	8	37		1
2	12	–	5	–	–	–	–	1	46	2	2	18		2
3	2	4	–	6	–	–	–	–	–	6	1	2		3
4	10	3	8	35	1	–	–	–	12	18	11	35		4
5	–	–	2	4	11	–	–	12	– ~~2~~	12	4	14		5
6	2	–	5	7	42	5	–	2	– ~~13~~	7	–	62		6
7	7	–	–	–	–	9	–	13	– ~~8~~	14	1	19		7
8	–	–	–	–	10	4	–	8	24	1	16	2		8
9	2	–	11	5	–	–	–	4	–	–	87	36		9
10	–	–	12	15	–	–	–	5	–	–	12	3		10
11	56	–	14	20	–	–	–	24	–	–	1	20		11
12	1	–	12	2	–	–	4	18	–	2	–	4		12
13	36	3	2	2	2	–	38	14	–	3	3	25		13
14	8	–	26	–	4	1	–	–	–	23	70	34		14
15	6	–	17	–	18	–	2	–	19	3	24	2		15
16	12	2	10	–	6	–	–	–	–	15	5	7		16
17	2	–	–	4	2	–	3	–	7	20	6	14		17
18	19	2	2	24	–	–	1·45	–	2	–	2	8		18
19	–	–	12	6	2	4	–	–	4	3	1	4		19
20	–	–	4	9	–	2	–	2	2	–	1	1		20
21	–	–	1	2	–	12	–	2	–	6	–	2		21
22	–	–	2	–	–	–	–	4	16	1	2	9		22
23	–	–	–	28	8	26	10	–	–	4	3	26		23
24	–	23	9	6	–	2	13	–	52	5	–	–		24
25	16	3	–	8	–	9	–	–	1	8	–	25		25
26	5	4	4	14	–	6	5	–	11	1	1	8		26
27	–	15	–	4	–	–	–	–	1	3	2	22		27
28	–	–	–	16	–	14	–	50	–	2	4	38		28
29	–	×	–	–	–	–	51	15	32	1	2	3		29
30	6	×	–	–	–	–	3	–	3	–	–	16		30
31	4	×	–	×	–	×	1	–	×	15	×	6		31
TOTAL	2·10	·59	1·58	2·17	1·06	·94	2·75	1·90	2·13	1·75	2·69	5·02	Year's Total. 24·68	
* Days with .01 in. or more.	19	9	19	20	11	12	11	16	16	24	24	30	211	
* Days with .04 in. or more.	14	4	14	17	7	9	7	12	9	13	11	23	140	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) P. L. Ransom

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 1089

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Winwick Warren, West Haddon Nr Rugby

File No. 771055/27

in the County of Northamptonshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 648 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	in.		
1	35	–	–	11	~~4~~2	8	2	–	15	11	9	–		1
2	–	3	1	3	–	29	–	–	–	21	2	8		2
3	1	24	7	4	–	5	–	–	36	42	23	–		3
4	–	–	2	14	–	6	–	–	1	18	1	2		4
5	1	70	6	10	–	26	3	–	5	3	3	–		5
6	1	5	–	40	–	20	–	–	–	–	5	–		6
7	–	–	1	42	–	10	–	–	–	17	38	15		7
8	–	–	–	16	–	2	–	13	–	11	12	4		8
9	–	–	–	44	–	27	–	–	–	94	48	2		9
10	2	2	–	6	–	4	–	–	–	–	3	1		10
11	18	–	–	–	–	6	35	–	–	6	18	2		11
12	1	4	–	–	–	35	–	4	2	–	3	–		12
13	7	6	–	7	19	3	–	–	–	5	2	–		13
14	1	–	3	1	9	7	–	–	3	–	38	2		14
15	–	15	–	63	4	5	4	–	98	–	35	28		15
16	–	5	14	10	1	7	–	–	24	18	76	10		16
17	–	2	1	5	–	17	2	–	2	–	51	–		17
18	1	3	–	35	5	11	18	–	15	5	–	–		18
19	2	1	–	12	66	21	25	–	5	8	25	–		19
20	4	25	–	38	1	9	20	–	4	–	14	–		20
21	–	20	3	2	–	–	–	7	69	3	23	–		21
22	–	4	–	14	–	–	–	71	8	–	–	–		22
23	2	–	13	15	–	–	–	2	3	16	–	–		23
24	7	24	4	–	–	–	–	3	1·07	–	3	30		24
25	17	7	–	13	–	1·70	–	14	–	–	–	12		25
26	6	2	–	–	–	–	–	–	23	–	–	47		26
27	2	20	–	–	3	–	–	–	10	5	23	87		27
28	–	10	–	–	4	–	–	1	11	1	1	7		28
29	1	×	5	–	–	–	–	32	16	–	3	11		29
30	10	×	–	7	3	–	–	3	5	35	15	15		30
31	–	×	–	×	–	×	–	–	×	67	×	31		31
TOTAL	1·19	2·52	·60	4·12	1·17	4·28	1·09	1·50	4·62	3·86	4·74	3·14	Year's Total. 32·83	
* Days with .01 in. or more.	19	20	12	23	11	21	8	10	21	19	25	18	207	
* Days with .04 in. or more.	8	14	6	20	6	19	5	6	16	16	16	13	145	

40-9999

† Spare column, no entries required.

(*Signed*) P. L. Ransom

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1089

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Winwick Warren

in the County of Northamptonshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 5 in.

„ Ground „ Sea Level 648 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	7	14	4	57	-	-	29	6	-	-	5	4		1
2	15	5	5	5	-	1·32	60	8	58	-	20	9		2
3	-	2	-	-	-	-	2	-	18	-	4	2		3
4	1	-	11	-	-	6	-	-	10	-	2	10		4
5	7	3	2	-	28	-	1	3	16	2	-	2		5
6	9	-	-	-	-	12	2	19	5	-	10	-		6
7	37	-	3	-	-	-	6	-	3	-	2	5		7
8	14	-	20	-	-	-	3	-	4	-	43	14		8
9	44	-	7	-	-	3	92	-	12	2	1	-		9
10	-	-	-	7	-	-	26	-	11	3	-	-		10
11	-	2	-	13	-	33	33	2	58	-	35	-		11
12	-	-	-	3	6	36	60	-	-	-	9	7		12
13	-	-	-	19	-	5	1	-	7	8	4	29		13
14	-	1	-	1	-	-	36	-	5	5	1	67		14
15	-	-	-	-	-	-	10	-	-	-	2	11		15
16	26	10	-	-	-	-	5	-	-	-	72	1		16
17	-	50	2	21	-	-	2	-	-	10	10	10		17
18	-	3	2	10	-	15	10	-	10	21	4	6		18
19	36	4	-	18	-	14	-	6	-	11	-	-		19
20	-	12	9	2	-	11	-	-	-	2	-	-		20
21	-	-	4	18	-	81	3	-	-	-	1	-		21
22	-	72	-	-	22	-	21	-	-	-	-	10		22
23	-	-	17	44	4	-	30	-	-	4	-	~~10~~ -		23
24	14	7	29	-	-	-	-	-	13	26	-	-		24
25	5	-	-	-	-	3	13	-	25	4	8	-		25
26	-	6	7	-	-	3	-	-	1	5	2	2		26
27	2	-	4	-	-	-	-	-	15	11	-	~~4~~ -		27
28	43	8	-	-	-	-	5	-	3	-	-	6		28
29	26	35	-	-	-	12	-	-	-	5	43	2		29
30	3	✕	-	-	15	17	9	-	-	30	7	-		30
31	58	✕	9	✕	-	✕	4	-	✕	22	✕	16		31
													Year's Total	
TOTAL	3·47	2·34	1·35	2·18	·75	3·83	4·63	·44	2·74	1·71	2·85	2·13	28·42 ✓	
* Days with .01 in. or more.	17	16	16	13	5	15	24	6	18	17	21	19	187 ✓	
* Days with .04 in. or more.	14	11	12	10	5	12	17	4	15	13	14	14	141 ✓	

40-9999.

† Spare column, no entries required.

(*Signed*) R. L. Ransom

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 1089

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Winwick Warren

in the County of Northamptonshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 648 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	7	–	–	–	–	–	–	–	2	–	35	22		1
2	–	6	–	42	–	–	–	–	–	–	–	16		2
3	–	16	–	–	33	–	1	–	–	–	–	2		3
4	5	11	–	–	7	–	–	–	–	–	–	66		4
5	25	–	18	–	–	–	3	–	–	–	–	–		5
6	11	–	21	1	15	–	1	–	–	3	2	–		6
7	–	63	2	18	1	–	–	–	2	–	–	–		7
8	–	7	–	–	–	–	–	–	–	–	30	2		8
9	–	–	2	15	28	–	37	–	8	–	–	25		9
10	2	2	31	44	–	22	–	–	–	–	2	12		10
11	–	–	6	–	55	20	–	–	–	–	–	26		11
12	4	35	17	–	48	7	–	45	17	–	–	11		12
13	10	6	23	4	2	32	–	11	2	–	–	–		13
14	–	1	26	9	–	–	–	27	2	–	–	9		14
15	22	9	2	20	–	–	86	–	15	–	–	–		15
16	2	11	30	43	–	–	–	5	28	–	–	6		16
17	27	1	28	27	3	–	–	–	35	–	21	–		17
18	36	13	10	5	62	–	–	–	5	–	4	–		18
19	14	5	2	9	1	17	24	–	–	–	–	3		19
20	34	–	–	52	5	17	–	–	–	–	–	–		20
21	7	21	15	2	18	–	21	–	–	–	5	8		21
22	14	–	3	–	2	9	13	–	–	51	38	–		22
23	27	–	7	–	45	–	17	–	–	86	8	–		23
24	10	39	8	–	13	–	3	–	2	27	–	–		24
25	26	26	–	–	–	–	–	–	1	30	–	2		25
26	–	20	3	–	–	–	–	–	–	11	–	–		26
27	1	31	–	27	–	–	–	–	–	64	1	7		27
28	1	12	–	–	–	–	–	–	–	2	–	10		28
29	5	–	–	–	–	–	–	–	–	4	4	–		29
30	31	✕	–	–	–	–	–	–	–	–	9	–		30
31	28	✕	–	✕	–	✕	–	–	✕	14	✕	1		31
TOTAL	3·49	3·35	2·54	3·18	3·38	1·24	2·06	·88	1·19	2·92	1·59	2·28	Year's Total 28·10	✓
* Days with .01 in. or more.	23	20	19	15	16	7	10	4	12	10	12	17	165	✓
* Days with .04 in. or more.	19	17	13	13	11	7	6	4	6	8	9	12	125	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) P. L. Ramon [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations   Station No. 1089

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Winwick Warren
in the County of Northamptonshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 5 in.
,, Ground ,, Sea Level 648 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	48	3	–	1	8	1	33		1
2	3	–	–	4	5	26	–	–	–	20	–	–		2
3	–	–	–	–	15	–	9	–	3	61	2	–		3
4	4	–	–	–	–	3	4	18	–	20	–	27		4
5	1	–	–	–	–	–	17	5	–	6	1	2		5
6	–	–	–	–	–	–	7	2	37	10	–	–		6
7	5	–	–	–	–	2	18	1·48	13	22	–	–		7
8	19	–	–	–	–	11	7	12	–	20	–	10		8
9	5	7	–	–	–	5	2	10	–	–	–	45		9
10	–	9	–	–	–	6	28	9	–	–	–	5		10
11	57	1	–	–	–	–	–	–	–	3	12	1		11
12	17	–	–	–	7	–	–	1	–	27	2	–		12
13	–	8	–	–	–	–	–	–	–	–	5	21		13
14	22	4	–	–	5	–	46	–	11	–	–	1		14
15	7	–	–	–	–	–	26	–	–	1	1	23		15
16	23	–	–	–	–	–	1	1	–	–	1	16		16
17	–	7	–	–	23	–	6	–	2	10	2	–		17
18	2	–	–	–	16	–	–	3	28	–	32	–		18
19	–	–	–	–	–	–	–	12	20	–	13	–		19
20	–	–	–	–	–	–	–	–	8	–	52	5		20
21	–	–	–	–	–	–	–	5	1	–	6	32		21
22	–	–	–	2	–	11	–	–	–	1	34	20		22
23	–	–	–	–	–	–	–	–	4	–	–	–		23
24	–	–	5	–	5	–	–	–	15	–	1	4		24
25	10	15	9	–	–	–	2	22	–	5	20	13		25
26	6	26	11	–	1	–	–	–	6	33	–	7		26
27	13	2	–	–	16	18	13	14	23	5	42	–		27
28	32	–	–	–	36	10	2	1·11	15	–	–	15		28
29	47	–	–	2	25	–	–	–	–	3	13	14		29
30	1	✕	–	–	–	6	–	–	18	3	28	24		30
31	10	✕	–	✕	27	✕	–	–	✕	12	✕	49		31
TOTAL	2·84	·79	·25	·08	1·81	1·46	1·91	3·73	2·05	2·70	2·68	3·67	Year's Total 23·97 ✓	
* Days with .01 in. or more.	19	9	3	3	12	11	16	15	16	19	19	21	163 # ✓	
* Days with .04 in. or more.	15	7	3	1	11	9	11	11	12	14	11	18	123 # ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) P. L. Ransom

[P.T.O.

1090

Section **A** for the entry of Daily Obse

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOR

RAINFALL ORGANIZATION.

FORM 1090.

REGISTER O 1931.

1090

NASEBY

1931 – 1940

780208

Kept at Naseby

in the County of Northamptonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

„ Ground „ Sea Level 518·83 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·08

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·09	·14	·03					·33			·01	1
2	·07	·05		·70	·01			·03	·44	·07	·01	·05	2
3		·02		·14		·02	·01		·89		·28	·06	3
4		·08		·14	·01		·36	·22	·35		·08	·01	4
5		·03		·03	·02	·72	·01		·14	·01		·29	5
6		·19					·08			·20	·20		6
7		·01		·01		·11		·25		·02	·09	·02	7
8	·02	·08	·01	·04		·08	·02	·48			·23		8
9		·21	·05	·03		·28		·08			·26	·01	9
10	·04					·05	·03	·30	·04		·03		10
11	·11	·24			·01	·10	·01	·01	·13		·18		11
12		·04		·01			·23		·24		·01		12
13	·05	·02					·02	·05			·02		13
14		·08				·12	·62	·56		·01	·05		14
15	·01	·07		·15	·24		·11	·15			·03	·06	15
16	·01	·08		·12	·13	·34	·01	·14	·19		·01		16
17	·03	·33		·42	·36	·01	·09				·03		17
18	·07	·02		·22		·09	·03	·09			·38		18
19	·06	·01		·26	·02	·32	·01	·04	·03	·02	·01	·01	19
20	·01	·03		·10	·01		·04	·48		·03		·01	20
21	·10	·01		·01	·54			·05			·02		21
22	·11		·01	·01					·01	·01	·01		22
23		·01	·01	·03	·36				·20		·13	·04	23
24	·08			·07	·36	·06	·06					·01	24
25		·01		·53	·01		·54				·06	·01	25
26	·11	·02		·25			·12				·19		26
27	·08	·52			·13		·26			·05	·20	·16	27
28	·08	·14		·03	·10		·01			·01	·01	·04	28
29	·08	×			·04		·19		·01	·15	·03	·08	29
30	·09	×					·06						30
31	·16	×		×		×			×		×	·02	31
TOTAL	1.37	2.39	·22	3.33	2.38	2.30	2.92	2.93	3.00	0.58	2.48	0.88	YEAR'S TOTAL 24.78
*Days with ·01 in. or more.	20	25	5	22	16	13	23	15	13	11	25	17	205
*Days with ·04 in. or more.	15	14	2	13	9	11	13	13	10	4	13	8	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

1090

Section **A** for the entry of Daily Obser

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

400

Kept at Naseby

in the County of Northamptonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 518·83 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·08

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·09	·14	·03					·33			·01	1
2	·07	·05		·70	·01			·03	·44	·07	·01	·05	2
3		·02		·14		·02	·01		·89		·28	·06	3
4		·08		·14	·01		·36	·22	·35		·08	·01	4
5		·03		·03	·02	·72	·01		·14	·01		·29	5
6		·19					·08			·20	·20		6
7		·01		·01		·11		·25		·02	·09	·02	7
8	·02	·08	·01	·04		·08	·02	·48			·23		8
9		·21	·05	·03		·28		·08			·26	·01	9
10	·04					·05	·03	·30	·04		·03		10
11	·11	·24			·01	·10	·01	·01	·13		·18		11
12		·04		·01			·23		·24		·01		12
13	·05	·02					·02	·05			·02		13
14		·08				·12	·62	·56		·01	·05		14
15	·01	·07		·15	·24		·11	·15			·03	·06	15
16	·01	·08		·12	·13	·34	·01	·14	·19		·01		16
17	·03	·33		·42	·36	·01	·09				·04		17
18	·07	·02		·22		·09	·03	·09			·30		18
19	·06	·01		·26	·02	·32	·01	·04	·03	·02	·01	·01	19
20	·01	·03		·10	·01		·04	·48		·03		·01	20
21	·10	·01		·01	·54			·05			·02		21
22	·11		·01	·01					·01	·01	·01		22
23		·01	·01	·03	·36				·20		·13	·04	23
24	·08			·07	·36	·06	·06					·01	24
25		·01		·53	·01		·54				·06	·01	25
26	·11	·02		·25			·12				·19		26
27	·08	·52			·13		·26			·05	·20	·16	27
28	·08	·14		·03	·10		·01			·01	·01	·04	28
29	·08	×			·04		·19		·01	·15	·03	·08	29
30	·09	×					·06						30
31	·16	×		×		×			×		×	·02	31
TOTAL	1.37	2.39	·22	3.33	2·38	2.30	2·92	2·93	3·00	0.58	2.48	0·88	YEAR'S TOTAL 24·78
*Days with ·01 in. or more.	20	25	5	22	16	13	23	15	13	11	25	17	205
*Days with ·04 in. or more.	15	14	2	13	9	11	13	13	10	4	13	8	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

P.T.O.

✓ ✓ ✓ CR.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Naseby Reservoir.

in the County of Northamptonshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 518.83 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·05	–	·05	·32	·06	·02	·06	·11	·45	·05	·03	1
2	·01	–	–	·09	·19	–	–	·26	·20	·08	·01	·15	2
3	–	–	–	·22	·05	–	–	·01	–	·01	–	–	3
4	·02	·01	–	·06	–	–	–	–	–	·01	·44	–	4
5	·17	–	·01	–	·01	–	·03	–	–	–	–	–	5
6	·31	–	·03	·38	–	·02	–	–	·47	–	–	–	6
7	·01	·01	·20	·21	–	–	–	–	·10	–	–	–	7
8	·01	·03	–	·09	–	–	–	–	·15	·19	–	–	8
9	·02	·01	·01	·07	–	–	–	–	·01	·01	–	–	9
10	·06	·14	·02	·11	·08	–	–	–	·02	·12	·01	–	10
11	·02	·03	·01	·02	·09	–	·35	–	·01	·04	·02	·01	11
12	·13	–	–	·01	·15	–	·16	·02	·04	·35	·02	–	12
13	·04	·01	–	·16	·01	–	2·37	–	·04	·12	·06	·03	13
14	·25	·03	–	·02	·01	–	·01	·20	·01	·03	·03	–	14
15	–	–	–	·13	·19	–	–	·02	–	·04	–	·04	15
16	·24	–	–	·33	·10	–	–	–	–	–	–	–	16
17	–	–	–	·01	·04	–	·08	–	–	·12	–	–	17
18	–	–	–	–	–	–	–	–	–	–	–	–	18
19	–	·01	–	–	–	–	–	·01	–	·19	·02	·01	19
20	–	–	–	·08	·22	–	·01	·42	·01	·42	·10	·01	20
21	·01	–	·14	·17	1·67	–	–	·52	–	·20	·03	·06	21
22	–	–	·29	·04	·20	–	·40	–	·76	·15	·39	–	22
23	–	·02	–	·01	1·00	–	·02	–	·07	·07	·05	·08	23
24	–	–	–	–	·01	–	·05	–	–	·07	·47	–	24
25	–	·05	–	–	–	–	·09	–	–	·13	–	·02	25
26	–	·01	–	·42	·22	–	·04	–	·11	·01	–	–	26
27	·01	–	·31	·18	·46	–	·22	–	·02	–	·08	·01	27
28	–	–	–	·01	·36	–	·17	·40	–	·08	–	·03	28
29	–	–	·24	·33	·07	·15	·02	·26	·08	·24	–	·08	29
30	·01	×	·08	–	–	·41	·06	·15	·85	·22	·62	·17	30
31	·01	×	·09	×	·05	×	·39	–	×	·01	×	·04	31
TOTAL	1·41	·41	1·43	3·20	5·50	·64	4·49	2·33	3·06	3·36	2·40	·77	YEAR'S TOTAL 29·00
*Days with ·01 in. or more.	18	13	12	24	22	4	18	12	18	25	16	15	197
*Days with .04 in. or more.	8	3	7	18	18	3	12	8	12	18	9	7	134

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Hatcher

ASSISTANT MANAGER

P.T.O.

✓KJ

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at NASEBY

in the County of NORTHAMPTON

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 2 ft — in.

,, Ground ,, Sea Level 518·83 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·16	·22	·12	—	—	—	—	—	—	—	·09	—		1
2	·04	—	·40	—	·08	—	—	—	—	—	·05	—		2
3	—	·27	·21	—	·28	—	—	—	—	—	·07	—		3
4	·14	·01	·02	—	·31	—	—	—	—	—	·04	—		4
5	·09	·07	·12	—	·04	—	—	—	—	—	·01	—		5
6	·01	·09	·06	—	·13	—	—	—	—	·06	—	·02		6
7	·03	·25	·04	—	·05	—	—	—	—	·09	·01	·01		7
8	·02	·01	·08	—	·11	—	·26	—	—	·09	·01	—		8
9	·01	·01	—	—	·04	—	·29	—	—	·05	·12	—		9
10	·02	·09	—	—	—	·05	·01	·03	—	·58	·16	—		10
11	·01	—	—	—	—	·01	·28	—	—	—	·01	—		11
12	·02	—	—	—	—	·02	·07	—	·23	—	—	·03		12
13	—	—	—	—	·03	·16	·21	—	·01	·01	·26	—		13
14	—	—	—	—	·12	—	·04	—	—	·21	·41	—		14
15	·43	—	·04	—	·01	—	·32	·05	—	—	·26	·02		15
16	·13	—	·43	—	·05	·21	·14	—	—	·10	·06	—		16
17	·02	·06	·46	—	—	·16	—	—	·03	—	·04	·01		17
18	·02	·02	·01	—	—	·17	—	—	—	—	·02	—		18
19	·01	·01	·26	·01	—	·10	—	—	·06	—	—	·02		19
20	—	·05	·02	—	—	·21	—	·05	·01	·13	—	—		20
21	—	—	—	—	—	·10	—	·12	·03	·01	—	—		21
22	—	—	—	—	—	·24	—	·42	—	·41	—	—		22
23	—	—	—	·02	—	·01	—	—	·43	·01	—	—		23
24	—	·05	—	·15	·05	·24	—	—	·48	·03	·01	—		24
25	—	·37	—	·21	—	·23	—	—	·01	—	·03	·06		25
26	—	·36	—	·09	—	·71	—	—	—	·09	·03	·01		26
27	—	·01	—	—	·18	·01	—	—	·16	·01	—	·01		27
28	—	·01	—	·09	—	—	·05	—	—	·30	—	·09		28
29	·01	×	—	·13	—	—	·08	—	—	·10	—	·01		29
30	·12	×	·04	—	—	—	·03	—	—	·03	—	·12		30
31	·01	×	·31	×	—	×	·03	·13	×	·10	×	—		31
TOTAL	1·30	1·96	2·62	·70	1·48	2·63	1·81	·80	1·45	2·41	1·69	·41	Year's Total 19·26 ✓	
*Days with ·01 in. or more.	19 ✓	18 ✓	16 ✓	7 ✓	14 ✓	16 ✓	13 ✓	6 ✓	10 ✓	19 ✓	19 ✓	12 ✓	169 ✓	
*Days with ·04 in. or more.	7 ✓	11 ✓	13 ✓	5 ✓	12 ✓	12 ✓	10 ✓	5 ✓	5 ✓	13 ✓	11 ✓	3 ✓	107 ✓	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at NASEBY RESERVOIR

in the County of NORTHAMPTONSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft – in.

,, Ground ,, Sea Level ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·03	–	–	–	–	–	–	0·13	0·01	–	0·13	0·36		1
2	0·09	–	0·04	–	–	–	–	–	0·41	0·02	0·02	0·14		2
3	–	0·02	–	–	–	–	–	–	–	0·03	–	0·02		3
4	0·08	–	0·08	0·46	0·02	–	–	–	0·07	0·15	0·10	0·29		4
5	–	–	0·01	0·02	0·08	–	–	0·11	–	0·05	0·02	0·10		5
6	–	–	0·04	0·08	0·36	0·30	–	0·02	–	0·16	–	0·49		6
7	0·01	–	0·01	–	–	0·06	–	0·10	–	0·08	–	0·16		7
8	–	–	–	–	0·06	–	–	0·08	–	–	0·20	–		8
9	0·01	–	0·07	0·03	–	–	–	0·04	–	–	0·75	0·31		9
10	–	–	0·03	0·15	–	–	–	0·03	–	–	0·10	0·02		10
11	0·43	–	0·19	0·19	–	–	–	0·14	–	–	–	0·18		11
12	–	–	0·13	0·01	–	–	0·03	0·13	–	–	–	0·04		12
13	0·26	–	0·06	–	0·05	–	0·26	0·04	–	–	0·01	0·15		13
14	0·14	–	0·16	–	0·04	–	–	0·01	–	0·27	0·66	0·22		14
15	0·02	–	0·17	–	0·27	–	0·02	–	0·59	–	0·18	0·01		15
16	0·14	0·01	0·06	–	0·09	–	–	–	–	0·18	0·02	0·05		16
17	–	–	–	0·03	0·01	–	0·02	–	0·07	0·17	0·03	0·09		17
18	0·13	–	0·05	0·23	–	–	0·53	0·01	–	–	–	0·07		18
19	–	–	0·09	0·01	0·01	0·01	–	–	0·02	0·02	–	0·04		19
20	–	–	0·02	0·10	–	0·01	–	0·03	0·01	–	–	–		20
21	–	–	–	–	–	0·12	–	–	–	0·06	–	–		21
22	–	–	–	–	–	–	–	0·05	0·18	–	0·02	0·01		22
23	–	–	–	0·23	·01	0·20	0·20	0·01	–	0·03	0·01	0·22		23
24	–	0·23	0·06	0·02	–	0·02	0·12	–	0·47	0·04	0·01	–		24
25	0·17	–	–	0·10	–	0·28	–	–	–	0·06	–	0·22		25
26	–	–	0·04	0·04	–	0·06	0·06	–	0·09	–	0·01	0·04		26
27	0·02	0·07	–	–	–	–	–	–	–	0·01	–	0·24		27
28	–	–	–	0·16	–	0·10	–	0·36	–	–	0·04	0·32		28
29	0·01	×	–	–	–	–	0·26	0·21	0·29	–	0·01	0·02		29
30	0·06	×	–	–	–	–	0·01	–	0·02	–	0·01	0·12		30
31	0·02	×	–	×	–	×	–	–	×	0·14	×	0·07		31
TOTAL	1·62	0·33	1·31	1·86	1·00	~~0·89~~ 1·16	1·51	1·50	2·23	1·47	2·33	4·03	Year's Total 20·32	
* Days with .01 in. or more.	16	4	18	16	11	10	10	17	12	16	19	27	176	
* Days with .04 in. or more.	9	2	14	10	7	6	6	11	8	11	8	22	114	5

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE. 1117

Section **A** for the entry of Daily Observations. Station No. 1090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at NASEBY RESERVOIR

in the County of Northamptonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 0 in.

,, Ground ,, Sea Level ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.34	-	-	.09	.01	.12	.01	-	.10	.15	.13	.03		1
2	-	.01	-	.02	-	.10	-	-	-	.17	.02	.12		2
3	-	.15	.07	.03	-	.01	-	-	.30	.29	.14	.05		3
4	.02	-	-	.12	-	.04	-	-	.04	.19	.02	-		4
5	-	.67	.09	.03	-	.06	.03	-	.08	.02	.06	-		5
6	-	-	.02	.37	-	.19	-	-	-	-	.09	-		6
7	-	-	-	.40	-	.07	-	-	-	.23	.42	.15		7
8	-	-	-	.17	-	.03	-	.35	.01	.06	.14	.14		8
9	-	-	-	.43	-	.20	-	-	-	.95	.39	.02		9
10	-	-	-	.06	-	.02	-	-	-	-	.03	.04		10
11	.10	.02	-	-	-	.03	.02	-	-	-	.16	-		11
12	.02	.02	-	-	-	.31	-	.05	.02	-	.02	-		12
13	.07	.04	-	.04	.20	.03	-	-	-	.03	.04	-		13
14	-	-	.02	-	.12	.06	-	-	.01	-	.58	.08		14
15	-	.11	-	.55	.03	.42	.02	-	.97	-	.12	.26		15
16	-	.03	.13	.08	-	.07	-	-	.24	.21	.77	.14		16
17	-	-	-	.08	-	.18	-	-	.02	-	.37	-		17
18	-	.02	-	.25	.03	.09	.17	-	.17	.10	-	-		18
19	.01	.01	-	.09	.41	.15	.20	-	.08	.02	.23	-		19
20	.02	.23	-	.30	-	.05	.21	-	-	-	.15	-		20
21	-	.18	.02	.03	-	-	-	-	.51	-	.20	-		21
22	-	.03	-	.08	-	-	-	.15	.11	-	-	-		22
23	.01	-	.15	.10	-	-	-	.65	.01	.18	.02	.05		23
24	.09	.20	.03	-	-	.83	-	.02	.75	-	-	.14		24
25	.10	.05	-	.12	-	-	-	-	-	-	-	.21		25
26	.02	-	-	-	-	-	-	.12	.27	.03	-	.45		26
27	-	.11	-	-	-	-	-	-	.07	.02	.23	.65		27
28	-	.10	-	-	.04	-	-	-	.05	.01	.02	.08		28
29	-	X	.06	-	-	-	-	-	.15	-	.04	.10		29
30	.10	X	-	.04	-	-	-	.29	.04	.36	.11	.10		30
31	-	X	-	X	-	X	-	.02	X	.66	X	.19		31
TOTAL	.90	1.98	.59	3.48	.84	3.06	.86	1.65	4.00	3.68	4.50	3.00	Year's Total 28.34	
* Days with .01 in. or more.	12	17	9	22	7	21	7	8	21	18	25	19	186	
* Days with .04 in. or more.	6	10	5	18	4	16	3	6	16	12	19	17	152	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. G. Wilson Engineer

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Naseby Reservoir

in the County of Northamptonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

,, Ground ,, Sea Level 518.83 ft. L.D.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.09	.15	.45	-	-	.24	.20	-	-	.07	.04		1
2	.09	.06	.07	.05	-	.80	.60	.03	-	-	.24	.11		2
3	.01	.01	-	-	-	.18	.09	.02	.61	-	.01	.04		3
4	.02	-	.14	-	-	.05	-	-	.15	-	-	.09		4
5	.05	.02	.09	-	-	-	.01	.01	.19	.02	.01	.05		5
6	.06	-	.01	-	.29	.14	.10	.22	.19	-	.07	-		6
7	.39	-	.01	-	-	-	.02	-	.09	-	.05	-		7
8	.08	-	.15	-	-	-	-	-	.03	.01	.21	.16		8
9	.37	-	.12	-	-	.06	.91	-	-	.03	-	-		9
10	.01	-	.01	-	-	-	.43	-	.10	.07	-	-		10
11	-	-	-	.07	-	.02	.33	-	.08	-	.36	-		11
12	-	-	-	.10	.01	.41	.52	-	.41	-	.05	.16		12
13	-	-	-	.08	.04	.28	-	-	-	.13	-	.12		13
14	-	-	-	.15	-	.09	.38	-	.09	.02	.02	.44		14
15	-	-	.01	.02	-	-	.22	-	.06	-	.01	.05		15
16	.27	.10	-	.01	-	-	.06	-	-	-	.68	-		16
17	-	.35	-	-	-	-	.10	-	-	.07	.10	.10		17
18	.08	.05	-	-	-	.16	.06	.01	-	.26	.03	.03		18
19	.31	-	.03	.33	-	.09	.01	.07	-	.08	-	-		19
20	-	.18	-	.03	-	.01	.01	-	.05	.01	-	-		20
21	-	-	.03	.32	.02	.52	.04	-	-	-	-	-		21
22	.01	.75	.08	.05	.18	-	.17	-	-	-	-	.06		22
23	-	.02	.11	.14	.06	-	.30	.01	-	.05	-	-		23
24	.13	.07	-	-	.06	-	.10	-	.15	.21	-	-		24
25	.06	.01	.15	.35	-	.04	.05	-	.29	.02	.07	.02		25
26	-	.11	.30	.09	-	-	.01	-	.03	.08	.03	.02		26
27	.01	-	-	-	-	-	-	.02	.16	.14	-	-		27
28	.44	.10	.10	-	-	-	.06	-	.05	-	-	.02		28
29	.41	.19	.01	-	-	.09	-	-	-	.06	.44	.05		29
30	.04	X	-	-	.10	.12	.09	.01	-	.19	.11	-		30
31	.64	X	.05	X	-	X	.03	-	X	.12	X	.16		31
TOTAL	3.56	2.11	1.62	2.24	.76	3.06	4.94	.60	2.73	1.57	2.56	1.72	Year's Total 27.47	
* Days with .01 in. or more.	21.	15	19	15	8	16	26	10	17	18	18	18	201	
* Days with .04 in. or more.	16	11	12	12	6	14	20	3	15	12	12	14	147	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 1090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Naseby Reservoir

in the County of Northamptonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

" Ground " Sea Level 520.83 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.01	.01	-	-	-	-	-	.05	.02	.28	.21		1
2	.01	.03	.01	.52	-	-	.03	-	.01	-	-	.23		2
3	-	.13	-	.01	.38	-	-	-	-	-	.02	.05		3
4	.06	.11	-	-	.03	-	-	-	-	-	-	.46		4
5	.21	-	.18	.01	-	-	.01	.01	-	-	-	.01		5
6	.09	.01	.18	.01	.21	-	.01	.01	-	-	-	-		6
7	-	.57	.05	.15	-	-	-	-	-	.01	.32	-		7
8	-	.09	.01	-	-	-	-	-	-	.01	-	.09		8
9	.01	-	.03	.18	.21	-	.29	-	.11	.01	.02	.01		9
10	.01	.04	.30	.39	-	.19	-	-	-	-	-	.12		10
11	-	-	.06	-	.56	.46	.01	.22	-	-	-	.12		11
12	.03	.31	.06	-	.50	.06	-	.95	.08	-	-	.09		12
13	.08	.07	.07	.08	.02	.19	-	.04	-	-	-	-		13
14	-	.02	.31	.06	-	-	-	.25	.05	-	-	.04		14
15	.23	.07	.04	.16	-	-	.66	-	.14	-	-	.01		15
16	.06	.12	.22	.32	-	-	-	.05	.22	-	.02	.04		16
17	.20	.04	.24	.34	-	-	-	-	.10	-	.03	-		17
18	.41	.11	.16	.06	-	-	-	-	.04	.01	.15	-		18
19	.13	.04	.03	.06	.05	.18	.19	-	-	.02	-	-		19
20	.31	-	.01	.44	.61	.07	-	-	-	.01	.02	.01		20
21	.06	.18	.16	.03	-	-	.23	-	-	.02	.04	.04		21
22	.13	-	.02	-	.06	.10	.23	-	-	.36	.28	-		22
23	.27	.03	.02	-	.19	-	.03	-	-	.83	.13	-		23
24	.13	.38	.06	-	.04	-	.05	-	.02	.16	-	-		24
25	.37	.31	.02	-	.44	-	-	-	.03	.11	-	.01		25
26	-	.17	.06	-	.13	-	-	-	-	.01	-	.03		26
27	-	.19	.01	.22	-	-	-	-	-	.69	.01	.02		27
28	.01	.06	.01	-	-	-	-	-	-	.01	-	.07		28
29	.04	X	-	-	-	-	-	-	-	.03	.04	.02		29
30	.36	X	-	-	-	-	-	-	-	.04	.09	-		30
31	.29	X	-	X	-	X	-	-	X	.03	X	.05		31
TOTAL	3.56	3.09	2.33	3.04	3.43	1.25	1.74	1.53	.85	2.38	1.45	1.73	Year's Total 26.38	
* Days with .01 in. or more.	24	23	26	17	14	7	11	7	11	18	15	21	194	
* Days with .04 in. or more.	19	18	15	13	12	7	6	5	8	6	9	13	131	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) F. G. [illegible] [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at Naseby

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. - in.

,, Ground ,, Sea Level 518.83 ft. L D.

Days w.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	.02	.53	.29	-	-	.16	.01	.20		1
2	.05	-	-	.04	.04	.28	-	-	-	.12	.01	.02		2
3	.01	-	-	.02	.14	.01	.33	-	.03	.58	.01	.01		3
4	.01	-	-	-	-	.02	.12	.23	.02	.50	.01	.20		4
5	-	-	-	.01	-	-	.14	.05	.01	.14	.02	.05		5
6	-	-	-	-	-	.01	.16	.06	.20	.06	-	.03		6
7	.09	-	-	-	-	-	.16	.52	.18	.05	-	.04		7
8	.16	-	-	-	-	.12	.05	.03	-	.16	-	.03		8
9	.04	.08	-	-	-	.09	.10	.10	-	.04	-	.41		9
10	-	.03	-	-	-	.10	.11	-	-	-	-	.04		10
11	.48	.03	-	-	-	-	.05	.11	-	.05	.09	.01		11
12	.15	.02	-	-	.08	-	.01	-	-	.23	.06	-		12
13	.03	.02	-	-	-	-	.06	.13	-	-	.06	.14		13
14	.09	.02	-	-	.04	-	.58	-	.08	-	-	-		14
15	.09	.01	-	-	-	-	.10	-	-	-	.04	-		15
16	.18	-	-	-	-	-	.08	-	-	-	.01	.17		16
17	-	.04	-	-	.47	-	.12	-	.06	.11	.03	.14		17
18	.04	-	-	-	.18	.05	-	.03	.14	-	.26	-		18
19	-	-	-	-	-	-	-	.09	.07	-	.12	-		19
20	-	-	-	-	-	-	-	-	.08	-	.47	.01		20
21	.01	-	-	-	-	-	-	.05	-	-	.04	.15		21
22	-	.05	-	-	-	.15	-	-	-	-	.38	.07		22
23	.04	-	-	.01	.05	-	.06	-	.07	-	-	-		23
24	-	-	.06	-	.06	-	-	-	.17	-	.01	.02		24
25	.12	.14	.10	-	-	-	.02	.18	-	.07	.18	.08		25
26	.07	.22	.14	-	.01	-	-	.02	.04	.25	-	.05		26
27	.10	.03	.03	-	.15	.15	.16	.17	.23	.05	.36	.02		27
28	.11	.02	-	-	.35	.08	.04	1.07	.02	.01	.02	.15		28
29	.49		-	.04	.18	.04	-	-	-	.04	.08	.16		29
30	.04		-	.01	.03	.02	-	.01	.23	-	.24	.18		30
31	.11		-		.20		-	-		.10		.46		31
Total	2.51	0.71	0.33	0.13	2.00	1.65	2.74	2.85	1.63	2.72	2.51	2.84	Year's Total 22.62	✓
* Days with .01 in. or more.	22	13	4	6	15	14	20	16	16	18	22	25		191 ✓
* Days with .04 in. or more.	18	5	3	2	12	10	18	12	12	17	13	17	139	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Naseby Reservoir

in the County of Northamptonshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

,, Ground ,, Sea Level 518.83 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.08		.01	.12	.07			.74	.02			.02		1
2	.05			.06				.37	.50	.09	.10	.03		2
3	.18			.28				.94			.09	.12		3
4	.19		.34	.61			.03	.25		.20	.14	.08		4
5				. 12	.22		.06	1.01		.18	.14	.19		5
6	.25						.54	.01			.08			6
7	.05	.01					.07	.01			.12	.18		7
8	.03	.05	.14				.20	.35		.30	.06	.28		8
9	.04	.10					.04	.14		.32	.12	.18		9
10	.30		.03			.04		.22	.03	.06	.02	.03		10
11			.17			.12		.01	.02			.01		11
12			.02			.01			.01		.03			12
13				.01		.02	.02			.27	.03			13
14	.37		.03	.02	.57	.05	.13		.06	.07	.14			14
15	.41		.04	.02	.11	.28	.20		.08	.65	.10			15
16	.24		.12	.03	.12	.61	.10		.02	.11	.16			16
17	.18	.03	.02		.13		.35			3.01	.04			17
18	.09	.02	.06			.84	.20		.01	.02	.62			18
19	. 23						.66		.01	.03		.02		19
20	.12		.01			.06	.15	.18		.02				20
21	.18	.15	.22			.02		.84	.02	.01				21
22	.28	.16	.08	.04		.03	.10	.01	.01	.02	.21	.01		22
23			.01	.10			.09		.04	.02	.59	.01		23
24	.02		.05	.11		.03	.07			.04		.01		24
25	.89	.12	.12	.04			.01	.04			.23	.02		25
26	.25		.03	.02				.01		.10	.24	.03		26
27	.03	.05	.11	.01		.05	.08			.15	.03	.02		27
28	.04	.17	.15	.08		.03	.12			.03	.20	.04		28
29		✕		.25			.20	.15		.22	.03			29
30		✕		.12		.07				.02	.05			30
31		✕		✕		✕	.11	.03	✕	.01	✕			31
TOTAL	4.50	.86	1.76	2.04	1.22	2.26	3.53	5.31	.83	5.95	3.57	1.28	Year's Total 33.11	Print WH
* Days with .01 in. or more.	23	10	20	18	6	15	22	18	13	24	24	18	211	
* Days with .04 in. or more.	20	7	12	12	6	9	19	12	4	15	19	7	142	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. G. Wilson [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations
Station No. 1090
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at NASEBY.
in the County of NORTHAMPTON.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
,, Ground ,, Sea Level 518.83 ft. LD

Show circ sent 7-4-41.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.03									.13			1
2				.30			.06				.96	.02		2
3		.17		.10						.15	.53	.08		3
4		.09		.02						.10	.20	.02		4
5					.02					.07	.55	.06		5
6	.04	.25			.03					.30	.30			6
7	.12	.30		.01	.05		.04		.03		.02			7
8							.06			.05	.05	.23		8
9			.02	.02		.24	.03	.04	.06	.02	.11	.22		9
10			.01				1.04	.01		.05	.03	.16		10
11			.04	.03			.27				.34	.07		11
12			.02	.01			.11		.01		.08	.03		12
13		.05	.53	.02			.10		.05		.13			13
14			.02	.07	.13				.08	.03	.05	.17		14
15			.04	.20	.03	.11	.01	.05	.04	.12	.12	.08		15
16		.15	.36	.01		.02	.40		.04	1.07	.84	.02		16
17		.05	.22				.09		.02		.02			17
18	.04	.54	.30	.36			.01			.06	.07	.05		18
19		.20	.03	.12			.38	.11	.09	.01	.08	.03		19
20		.02	.01	.03		.03	.15			.08	.05	.02		20
21	.04	.02	.01		.24	.07	.32	.09		.08	1.20	.01		21
22			.04		.31	.33			.62	.02	.01			22
23		.07	.01		.29	.11				.01	.01	.03		23
24					.03		.08	.04		.03				24
25										.02				25
26	~~.75~~	.09		.02	.05		.68			.02	.01			26
27	~~.42~~	.20		.01			.05				.08	.01		27
28	~~.38~~	.20			.43			.02						28
29			.07	.01	.01			.02				.34		29
30	.08	✕		.96			.03			.11		.06		30
31		✕	.04	✕		✕			✕	.44	✕	.01		31
TOTAL	2.55 ~~1.87~~	2.43	1.77	2.30	1.62	.91	3.91	.38	1.04	2.84	5.97	1.72	Year's Total 26.76	~~27.46~~
* Days with .01 in. or more.	8	16	17	18	12	7	19	8	10	21	25	21	182	
* Days with .04 in. or more.	8	13	9	7	7	5	15	5	7	13	19	12	120	

(2.05)

† Spare column, no entries required

(Signed) C. G. Wilson T.T.O.

* See Instruction 3 (f) on other side.

1091

Section **A** for the entry of Daily

AIR MINISTRY.—M

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090.

REGISTE ... 931 .

1091

NORTHAMPTON

ROWLER.

1931 - 1940

M80208

Kept at Rowler, Croughton

in the County of Northam

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM ... DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·05	Tr	·08	·01	·05	-	-	·15	-	-	-	1
2	·10	·03	-	·67	-	-	-	·02	·77	Tr	-	·04	2
3	Tr	Tr	-	·22	-	-	-	·22	·60	-	·87	·18	3
4	-	·04	-	·08	-	-	·35	·50	·04	Tr	·05	-	4
5	-	·03	-	·11	·07	·89	·03	-	·05	-	·04	·43	5
6	-	·04	-	·09	-	·12	·05	-	Tr	·18	·35	·05	6
7	-	-	Tr	·01	-	Tr	·20	·25	-	·12	·15	·05	7
8	·01	·29	·02	·10	-	·14	·01	·20	-	-	·20	-	8
9	-	·27	-	Tr	-	·30	·01	·02	·07	·03	·32	-	9
10	Tr	·01	Tr	-	Tr	·03	·10	·19	·01	-	·10	-	10
11	·14	·17	-	-	-	-	-	-	·16	-	·09	-	11
12	·04	·02	-	-	Tr	-	·07	·04	·37	-	-	-	12
13	Tr	-	Tr	-	-	-	·06	·23	-	-	-	-	13
14	Tr	·03	Tr	-	·05	·09	·73	·76	-	-	·03	Tr	14
15	·02	·09	-	·10	·22	-	·15	·20	Tr	-	Tr	·02	15
16	-	·18	-	·08	·35	·32	Tr	·26	·14	-	-	-	16
17	·03	·30	-	·43	·39	·05	·16	·07	·05	-	-	-	17
18	·10	·03	·07	·36	Tr	·10	·07	·16	-	Tr	·40	-	18
19	·01	·01	-	·27	-	Tr	·09	·04	·07	-	-	-	19
20	Tr	·04	-	·08	-	-	Tr	·10	-	-	-	-	20
21	·08	-	-	-	·51	-	Tr	·02	-	-	-	-	21
22	·10	-	-	Tr	-	-	-	Tr	-	-	-	-	22
23	·13	·04	·01	·06	·44	·15	-	Tr	·05	Tr	·30	·10	23
24	-	Tr	·01	·15	·35	·03	·03	-	Tr	-	Tr	-	24
25	·03	Tr	-	·75	·07	-	·34	-	-	-	·08	-	25
26	Tr	-	-	·18	-	-	·25	-	Tr	-	·19	-	26
27	·24	·30	-	·04	·52	-	·10	-	-	-	·19	·01	27
28	·05	·17	-	·03	·10	-	-	-	-	·03	-	·11	28
29	Tr	Tr.	-	-	·03	-	·05	-	-	·28	-	Tr	29
30	·14	×	-	-	-	-	-	·02	-	-	-	·01	30
31	·28	×	-	×	·01	×	-	-	×	-	×	·01	31
TOTAL	1·50	2·14	·05	3·89	3·12	2·27	2·79	3·30	2·53	·64	3·36	1·01	YEAR'S TOTAL 26·60
*Days with ·01 in. or more.	16	20	4	20	14	12	19	18	13	5	15	11	167
*Days with ·04 in. or more.	11	13	-	18	11	10	14	14	12	3	14	7	127

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C A St George Cuvor.

[P.T.O.

1091

Section **A** for the entry of Dail

COPY FOR OFFICIAL USE.

AIR MINISTRY.—M OLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Rowler, Creaghton

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 430 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·05	Tr	·08	·01	·05	-	-	·15	-	-	-	1
2	·10	·03	-	·67	-	-	-	·02	·77	Tr	-	·04	2
3	Tr	Tr	-	·22	-	-	-	·22	·60	-	·87	·18	3
4	-	·04	-	·08	-	-	·35	·50	·04	Tr	·05	-	4
5	-	·03	-	·11	·07	·89	·63	-	·05	-	·04	·43	5
6	-	·04	-	·09	-	·12	·05	-	Tr	·18	·35	·05	6
7	-	-	Tr	·01	-	Tr	·20	·25	-	·12	·15	·05	7
8	·01	·29	·02	·10	-	·14	·01	·20	-	-	·20	-	8
9	-	·27	-	Tr	-	·30	·01	·02	·07	·03	·32	-	9
10	Tr	·01	Tr	-	Tr	·03	·10	·19	·01	-	·10	-	10
11	·14	·17	-	-	-	-	-	-	·16	-	·09	-	11
12	·04	·02	-	-	Tr	-	·07	·04	·37	-	-	-	12
13	Tr	-	Tr	-	-	-	·06	·23	-	-	-	-	13
14	Tr	·03	Tr	-	·05	·09	·73	·76	-	-	·03	Tr	14
15	·02	·09	-	·10	·22	-	·15	·20	Tr	-	Tr	·02	15
16	-	·18	-	·08	·35	·32	Tr	·26	·14	-	-	-	16
17	·03	·30	-	·43	·39	·05	·16	·07	·05	-	-	-	17
18	·10	·03	·07	·36	Tr	·10	·07	·16	-	Tr	·40	-	18
19	·01	·01	-	·27	-	Tr	·09	·04	·07	-	-	-	19
20	Tr	·04	-	·08	-	-	Tr	·10	-	-	-	-	20
21	·08	-	-	-	·51	-	Tr	·02	-	-	-	-	21
22	·10	-	-	Tr	-	-	-	Tr	-	-	-	-	22
23	·13	·04	·01	·06	·44	·15	-	Tr	·05	Tr	·30	·10	23
24	-	Tr	·01	·15	·35	·03	·03	-	Tr	-	Tr	-	24
25	·03	Tr	-	·75	·07	-	·34	-	-	-	·08	-	25
26	Tr	~~·25~~ -	-	·18	-	-	·25	-	Tr	-	·19	-	26
27	·24	·30	-	·04	·52	-	·10	-	-	-	·19	·01	27
28	·05	·17	-	·03	·10	-	-	-	-	·03	-	·11	28
29	Tr	Tr.	-	-	·03	-	·05	-	-	·28	-	Tr	29
30	·14	×	-	-	-	-	-	·02	-	-	-	·01	30
31	·28	×	-	×	·01	×	-	-	×	-	×	·01	31
TOTAL	1·50	2·14	·05	3·89	3·12	2·27	2·79	3·30	2·53	·64	3·36	1·01	YEAR'S TOTAL 26·60
*Days with ·01 in. or more.	16	20	4	20	14	12	14	18	13	5	15	11	167
*Days with ·04 in. or more.	11	13	-	18	11	10	14	14	12	3	14	7	127

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. A. St. George Cleverly.

[P.T.O.

Station No 1091. 1091

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rowler, Croughton

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 430 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	–	–	·03	·88	·02	·05	·09	·03	·32	·05	–	1
2	·02	·03	–	·12	·10	–	–	·07	·24	·12	·03	·18	2
3	–	Tr	–	·16	·02	–	–	–	–	–	–	–	3
4	–	–	–	·06	Tr	–	–	–	–	–	·34	–	4
5	·28	–	·10	–	Tr	Tr	–	–	·10	–	–	–	5
6	·35	–	·03	·05	·06	–	·25	–	·13	–	–	–	6
7	–	–	·18	·03	·08	–	·02	–	·03	·02	–	–	7
8	–	–	·03	·06	Tr	–	–	–	·35	·16	–	–	8
9	·17	·04	Tr	·07	·17	–	–	–	–	Tr	–	–	9
10	·23	·03	·08	·08	·06	Tr	–	–	·07	·11	–	–	10
11	–	·01	·03	·12	·02	·02	·11	·01	·01	·05	–	·02	11
12	·31	Tr	–	–	·21	–	Tr	–	·07	·33	·03	–	12
13	·22	·01	–	·16	Tr	–	·09	–	Tr	·02	·07	·02	13
14	–	Tr	–	–	Tr	–	–	·03	–	–	Tr	–	14
15	–	–	–	·18	·27	–	–	–	–	·08	–	–	15
16	·24	–	–	·23	·22	–	·66	–	–	Tr	–	–	16
17	–	–	Tr	Tr	–	–	·24	–	–	·06	–	–	17
18	–	–	–	–	·08	–	Tr	–	·17	–	Tr	–	18
19	–	–	–	–	·01	–	–	–	·03	·23	Tr	–	19
20	Tr	–	–	·13	·32	–	·01	·41	–	·46	Tr	·02	20
21	–	–	·23	·22	1·75	–	·07	1·19	–	·20	–	Tr	21
22	·04	–	·14	·03	·03	·01	·28	–	·60	·18	·30	·02	22
23	–	·03	Tr	·01	·39	–	·02	–	·09	·25	·01	–	23
24	–	–	–	Tr	Tr	–	·22	–	·03	·07	·01	–	24
25	–	–	–	·01	Tr	·09	·08	–	·10	·28	·04	–	25
26	–	–	·06	~~·02~~ ·16	~~·03~~ ·15	0 –	·05	–	·02	·01	Tr	–	26
27	–	–	·42	·24	·33	–	·08	–	·04	·05	·09	–	27
28	–	–	·30	·02	·68	·09	·12	–	–	·07	–	·06	28
29	–	–	·28	·12	·25	·15	Tr	·17	·14	·24	Tr	·02	29
30	Tr	×	·03	·08	Tr	·72	·12	·14	·17	·05	·50	·35	30
31	–	×	·20	×	Tr	×	·07	–	×	–	×	·05	31
TOTAL	1·91	0·15	2·06	2·37	6·08	1·10	2·54	2·05	2·42	3·36	1·47	0·74	YEAR'S TOTAL 26·25
*Days with ·01 in. or more.	10	6	14	23	21	7	18	8	19	22	11	9	168
*Days with ·04 in. or more.	9	1	9	17	17	4	15	5	13	19	7	4	120

40-9999

(Signed) C A St George Moore. [P.T.O.

*See Instruction 2 (*f*) on other side.

Station No 1091.

1091

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1091

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933..

Kept at Rowler, Croughton

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 430. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14 ~~·25~~	·16	·03	-	-	-	Tr	-	Tr	-	Tr	-		1
2	·20 ~~·22~~	-	·37	-	·30	-	-	-	-	-	·06	-		2
3	-	·25	·32	-	·11	-	-	-	-	-	·08	-		3
4	·17	·01	·02	-	·29	-	-	-	-	-	·02	-		4
5	- ~~·28~~	-	·26	-	·07	-	-	-	-	-	Tr	-		5
6	- ~~·25~~	·23	·09	-	·16	-	-	-	-	·05	Tr	·01		6
7	·10	·07	·11	-	-	-	Tr	-	-	·15	Tr	Tr		7
8	Tr	-	·05	-	-	-	·42	-	-	·03	-	-		8
9	-	-	-	Tr	·05	Tr	·16	-	-	·05	·07	-		9
10	·02	·27	-	-	-	·07	·01	-	-	·63	·08	-		10
11	-	-	-	-	·02	Tr	-	·07	·04	·04	-	-		11
12	·03	-	-	-	·04	·12	·15	-	·50	-	-	Tr		12
13	·01	-	-	-	·10	·06	·13	-	-	·02	·16	-		13
14	-	-	-	-	Tr	-	·01	-	-	·16	·40	-		14
15	·59	-	·12	-	-	·07	·21	·08	-	·01	·07	-		15
16	·04	-	·57	-	-	·11	Tr	-	·03	-	·04	-		16
17	·06	-	·49	-	-	·03	·01	·03	·03	-	·03	-		17
18	·04	·06	·01	Tr	-	·04	-	-	-	-	Tr	-		18
19	-	·03	·27	Tr	-	·07	-	-	·04	-	·02	·04		19
20	-	Tr	·10	Tr	-	1·40	-	-	-	-	Tr	-		20
21	-	·01	-	Tr	Tr	·07	-	·27	·07	·08	Tr	-		21
22	-	Tr	-	-	·38	Tr	-	·21	Tr	·35	-	-		22
23	-	-	-	·18	-	Tr	-	-	·27	·01	·01	-		23
24	-	·67	-	·14	·03	·69	-	-	·26	·01	·01	-		24
25	-	·67	-	·30	-	·09	-	-	·03	Tr	·01	·06		25
26	-	·49	-	·14	-	Tr	-	-	·04	·16	-	Tr		26
27	-	-	-	-	·11	-	·01	-	·02	·08	-	·10		27
28	-	Tr	-	·08	-	-	·01	-	Tr	·16	-	·03		28
29	·08	×	-	·31	-	-	·18	-	-	·03	-	-		29
30	·12	×	·11	·06	-	-	·07	-	·02	·01	-	·05		30
31	·03	×	·04	×	-	×	Tr	-	×	·06	×	-		31
TOTAL	1·63	2·92	2·96	1·21	1·60	2·82	1·37	0·66	1·35	2·09	1·03	0·29	Year's Total 19·93	
*Days with ·01 in. or more.	4	12	16	7	12	12	12	5	12	19	14	6	141	
*Days with .04 in. or more.	10	9	13	7	9	11	7	4	7	12	8	4	101	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) CASt George Moore

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1091

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rowler, Croughton

in the County of Northampton.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 430 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	–	–	–	–	–	–	·27	·04	–	·02	·44		1
2	·21	–	·07	–	·24	–	–	·01	·77	–	Tr	·14		2
3	·01	·04	–	Tr	–	–	–	·16	–	·21	–	·01		3
4	·02	Tr	·05	·33	·08	–	–	–	·01	·12	·15	·45		4
5	–	–	·02	–	·02	–	–	·18	–	·01	·05	·25		5
6	·05	–	·18	·04	·37	–	–	Tr	–	·18	–	·63		6
7	·05	–	–	–	–	·05	–	–	–	·05	–	·35		7
8	–	–	–	–	·10	·05	–	·04	·03	–	·15	Tr		8
9	–	–	·15	Tr	–	·02	–	–	Tr	–	·73	·60		9
10	·02	–	·25	·14	–	–	–	·01	–	–	·19	–		10
11	·61	–	·20	·44	–	–	·02	·02	–	–	–	·16		11
12	–	–	·09	·04	–	–	Tr	·08	Tr	–	–	·02		12
13	·42	–	·01	–	–	–	·54	·24	–	·02	·02	·29		13
14	·04	–	·30	·02	–	·01	–	–	·01	·03	·24	·37		14
15	·04	–	·11	–	·03	–	–	–	·24	·20	·14	·02		15
16	·13	–	·24	–	–	–	–	–	–	·08	–	·02		16
17	Tr	–	–	–	·01	–	–	–	·11	·12	·04	·26		17
18	·12	–	Tr	·23	–	–	·25	–	–	–	–	·05		18
19	–	–	·25	–	·01	·03	–	Tr	·13	·01	–	–		19
20	–	–	·05	·08	–	·01	–	–	Tr	–	–	–		20
21	–	–	–	Tr	–	·17	Tr	·02	Tr	·18	–	–		21
22	–	·23	·01	–	–	–	–	·17	·23	–	–	·17		22
23	–	–	–	·14	Tr	·31	·01	Tr	·03	–	–	·18		23
24	–	–	·09	·07	–	·08	·40	–	·24	·01	–	–		24
25	·18	–	–	·15	–	·20	–	–	–	·10	–	·47		25
26	Tr	–	·02	·06	–	·05	·01	–	·09	–	–	·03		26
27	·03	·11	–	·02	–	·09	–	–	Tr	·01	–	·28		27
28	–	Tr	–	Tr	–	·03	–	·47	–	Tr	Tr	·35		28
29	–	×	–	–	–	–	·06	·16	·41	–	Tr	·01		29
30	·02	×	–	–	–	–	–	·01	–	Tr	–	·04		30
31	·06	×	–	×	–	×	·04	·09	×	·07	×	·03		31
TOTAL	2·11	0·38	2·09	1·76	0·86	1·07	1·33	1·93	2·34	1·40	1·73	5·62	Year's Total. 22·62	
* Days with .01 in. or more.	17	3	17	13	8	13	8	15	13	16	10	24	157	
* Days with .04 in. or more.	12	3	13	11	4	8	5	10	9	10	8	18	111	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1091

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Rowler, Croughton

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 430 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	·01	–	·04	·01	·13	·04	–	·07	·08	·06	·06		1
2	–	–	·08	Tr	–	·03	–	–	–	·14	Tr	·02		2
3	–	·09	·05	Tr	–	·20	–	–	·22	·30	·23	·14		3
4	–	–	–	·08	–	·09	–	–	·07	·40	–	Tr		4
5	–	·67	·08	·03	–	·18	–	–	·08	·08	·01	Tr		5
6	–	·08	Tr	·38	–	·33	–	–	–	–	Tr	·14		6
7	–	–	–	·37	–	·18	–	–	–	·10	·23	·18		7
8	–	Tr	–	·30	–	·02	–	–	–	·16	·25	·03		8
9	–	–	–	·58	Tr	·34	–	–	–	·68	·45	–		9
10	–	–	–	·30	–	·05	–	–	–	–	·10	–		10
11	·19	–	–	Tr	–	·04	·20	–	–	·03	·35	Tr		11
12	·01	·04	–	–	–	·42	–	Tr	·01	–	·05	–		12
13	·14	·12	–	·09	·15	·03	–	–	–	Tr	·02	–		13
14	–	–	–	·07	·05	·20	–	–	·23	·01	·31	·10		14
15	–	·08	–	·65	·02	·81	–	–	·20	–	·20	·16		15
16	–	Tr	·07	·08	–	·15	–	Tr	·20	·03	·56	·06		16
17	–	Tr	–	·07	–	·16	–	Tr	·01	–	·48	–		17
18	–	·02	–	·26	·03	·06	·19	Tr	·26	·07	Tr	–		18
19	–	–	–	·12	·72	·20	·13	–	·16	·02	·25	–		19
20	·01	·25	–	·20	·14	·15	·06	–	·01	–	·20	–		20
21	Tr	·25	·02	·09	–	Tr	–	–	·79	·02	·03	–		21
22	–	·02	·03	·19	–	–	–	·11	·50	–	–	–		22
23	–	·03	·10	–	–	–	–	·52	·02	·28	Tr	·15		23
24	·04	·13	·02	–	–	–	–	·02	·63	·02	–	·30		24
25	·08	·09	–	·12	–	1·63	–	Tr	–	–	–	·15		25
26	Tr	·04	–	–	–	–	–	·28	·07	Tr	Tr	·51		26
27	–	·15	–	–	·03	Tr	–	Tr	·10	·01	·16	·87		27
28	–	·06	–	–	·63	–	–	Tr	22	·02	Tr	·02		28
29	–	×	·03	–	–	–	–	·01	·16	Tr	Tr	·22		29
30	·04	×	Tr	13	·08	–	–	·65	·04	·06	·30	·16		30
31	–	×	–	×	Tr	×	–	·07	×	·98	×	·30		31
TOTAL	·67	2·13	·48	4·15	1·86	5·40	0·62	1·66	4·05	3·49	4·26	3·57	Year's Total. 32·34	
* Days with .01 in. or more.	8	17	9	20	10	21	5	7	21	20	19	18	175	
* Days with .04 in. or more.	6	13	5	19	6	18	5	5	17	11	17	15	137	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1091

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 10[illegible]0.

REGISTER OF RAINFALL IN 1936.

Kept at Rowler, Croughton

in the County of Northants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 430 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·13	·05	·48	–	·10	·54	·02	Tr	–	·13	·04		1
2	–	·04	–	·02	–	·50	·54	·06	–	–	·08	·01		2
3	Tr	Tr	–	–	–	·10	Tr	Tr	·54	–	·11	·03		3
4	–	–	·17	–	Tr	·02	–	Tr	·38	TR	·03	·10		4
5	·15	·01	·07	–	–	–	·07	·03	·11	–	–	·19		5
6	·10	–	–	–	·02	·10	·02	·15	·16	–	·12	Tr		6
7	·22	–	·04	–	–	–	·11	–	·07	–	·10	·02		7
8	·20	–	·28	–	Tr	–	–	–	·01	TR	·24	·11		8
9	·69	–	·03	–	Tr	–	·64	–	·25	·04	·02	–		9
10	·01	–	–	–	–	–	·20	·01	·18	·03	Tr	Tr		10
11	–	–	–	–	–	–	·13	–	·30	–	·35	–		11
12	–	–	–	·11	·01	·31	·40	–	·13	–	·25	·15		12
13	–	–	–	·01	–	·48	–	Tr	·01	·05	·08	·57		13
14	–	–	–	·20	–	·06	·74	Tr	·08	·10	–	·50		14
15	–	·03	–	·03	–	Tr	·15	–	·23	TR	·01	·23		15
16	Tr	·14	–	·13	–	–	·07	–	–	–	·32	·01		16
17	·09	·48	–	–	–	–	·03	–	–	·09	·14	·07		17
18	–	·02	–	–	–	·08	·15	–	–	·05	·02	·03		18
19	·38	·07	·01	·08	–	·11	–	·11	–	·05	–	–		19
20	·10	·08	·05	·14	–	·14	·04	–	·47	TR	–	–		20
21	–	–	–	·31	Tr	1·17	·02	–	·12	–	–	–		21
22	·04	·47	·07	Tr	·50	–	·25	–	–	–	–	·08		22
23	–	·01	·28	·06	–	–	·17	–	–	TR	–	–		23
24	·13	·07	–	Tr	–	–	·20	–	·21	·30	–	–		24
25	·08	Tr	·20	·12	–	–	·25	–	·26	·04	–	–		25
26	Tr	·08	·17	·01	–	·02	Tr	–	Tr	·05	–	–		26
27	·07	–	·05	–	–	–	Tr	–	·06	–	–	–		27
28	·66	·01	·19	–	–	–	02	–	Tr	TR	–	·10		28
29	·09	·21	·02	–	–	·18	Tr	–	–	·04	·30	·07		29
30	·12	✕	–	–	·30	·23	·09	–	–	·33	–	–		30
31	·46	✕	–	✕	Tr	✕	·10	–	✕	·68	✕	·17		31
TOTAL	3·61	1·85	1·68	1·70	0·83	3·60	4·87	0·38	3·57	1·85	2·30	2·48	Year's Total 28·72	
* Days with .01 in. or more.	18	15	15	13	4	15	23	6	18	13	16	18	174	
* Days with .04 in. or more.	16	10	12	8	2	13	18	3	16	12	12	13	135	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) C.A. St George Unwin

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1091

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Copy by B.R.O.

Kept at Broughton
in the County of Northants
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	–	·01	·01	–	–	–	–	·07	–	·18	·31		1
2	·02	·16		·39	–	–	–	–	–	–		·30		2
3	–	·13	·01		·09	–	·01	–	–	–		·02		3
4	·08	·31			·02	–	–	–	–	–		·48		4
5	·13	–	·12		–	–	·03	–	–	–	·01			5
6	·27	·01	·31	·01	·17	–	·09	–	–	·05	·02			6
7	–	·67		·38	–	–	–	–	–	–				7
8	–	·04			·06	–	–	–	–	–		·01		8
9	–	–	·03	·26	·15	–	·22	–	·27	–		·05		9
10	–	–	·34	·24	–	·26	·03	–	–	–		·14		10
11	–	–	·18		·36	–	·04	–	–	–		·06		11
12	·17	·28	·03		·43	·29	·01	·50	·14	–		·15		12
13	·12	·06	·20	·05	–	·09	–	·01	·86	–				13
14	–	–	·32	·07	–	–	–	·41	–	–		·01		14
15	·38	·10		·18	–	–	1·42	–	·15	–		·04		15
16	·02	·06	·32	·41	–	–	–	·07	·26	–		·02		16
17	·46	·03	·31	·24	–	–	–	–	·68	–				17
18	·18	·14	·10	·03	–	·21	–	–	·33	–	·23	·08		18
19	·14	·02	·17	·12	·04	·23	·01	–	–	–	·13	·01		19
20	·36	·02		·42	·55	–	–	–	–	–				20
21	·20	·39	·10	·04	–	–	·07	–	–	–		·05		21
22	·23	–	·05		·09	·19	·33	–	–	·67	·35			22
23	·23	·02			·19	–	·02	–	–	·30	·01			23
24	·18	·40	·07		–	–	–	–	·06	·32		·01		24
25	·23	·27			·58	–	–	–	·01	·14				25
26	–	·45	·05		·08	–	–	–	–	·10				26
27	TR	·20		·22	–	–	–	–	–	·84				27
28	–	+·03			–	–	–	–	–	·01				28
29	·04	–			–	–	–	–	–	·03	·06	·11		29
30	·30	✕			–	–	–	–	–	·01	·28	·03		30
31	·31	✕		✕	–	✕	–	–	✕	·13	✕	·03		31
TOTAL	4·14	3·79	2·72	3·07	2·81	7 1·26	2·28	·99	2·83	2·60	1·27	1·91	Year's Total 29·68	✓ ✓
* Days with .01 in. or more.	21	21	18	16	13	6	12	4	10	11	9	19	160	✓ ✓
* Days with .04 in. or more.	19	15	14	13	12	6	6	3	9	8	6	11	122	✓ ✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) .... [P.T.O.

+ shows - probably not a true measure

adjust if necessary on receipt of [illegible] in 1938

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1091.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1938

Kept at Croughton

in the County of Northants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 430 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·01			·13	·01	–	–	·14	–	·20		1
2	–	–		·03	·04	·03	·10	–	–	·51	–	·01		2
3	–	–			·14	·01	tr	–	TR	·55	TR	–		3
4	·11	–					·04	·01	–	·29	–	·12		4
5	–	–					·07	–	·03	·03	–	–		5
6	·02	·01				·05	·03	·28	·03	·14	–	–		6
7	·10	–				·03	·34	·16	·13	·16	–	·13		7
8	·08	–				·20	tr	·50	–	·18	–	TR		8
9	·04	–					·06	·16	–	–	–	·40		9
10	·07	·03				·11	·10	·31	–	–	–	·27		10
11	·38	–					tr	–	–	·03	·21	·01		11
12	·13	·01			·05		tr	·43	–	·33	·04	–		12
13	–	·07					–	–	–	·02	·06	·39		13
14	·33	·01			·06		·35	–	·06	–	–	–		14
15	·09	–					·22	–	–	·02	–	·25		15
16	·22	–	·01				·10	–	–	T	·02	·09		16
17	–	·07			·01		·04	–	TR	·08	·02	·01		17
18	·03	–			·07	·04	–	·03	1·08	TR	·26	TR		18
19	–	–					–	·04	·04	–	·21	TR		19
20	–	–					–	–	·02	–	·77	·03		20
21	–	–					–	·06	TR	–	–	·41		21
22	–	–				·04	–	·02	–	–	·24	·27		22
23	–	–					·16	–	·04	–	TR	TR		23
24	–	–	·02		·15		–	–	·08	–	·01	TR		24
25	·08	·16	·06		·11		·01	·08	TR	·07	·20	·16		25
26	·09	·29	·07	·01			–	–	·19	·15	–	·18	1·05	26
27	·05	·02			·29	·12	·29	·02	·69	·02	·20	–		27
28	·25	·01			·40	·17	·03	·77	·04	–	·02	·17		28
29	·42	X			·33		tr	–	–	·01	·20	·15		29
30	–	✕			·01		–	–	·19	·05	·19	·12		30
31	·12	✕		✕	·19	✕	–	–	✕	·14	✕	·25		31
TOTAL	2·61	·68	·17	·04	1·85	·93	1·95	2·87	2·65	2·95	2·65	3·62	Year's Total 22·97	✓
* Days with .01 in. or more.	18	10	5	2	13	11	16	14	13	19	15	20	156	✓
* Days with .04 in. or more.	16	4	2	0	11	8	12	10	10	13	11	16	113	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. A. St George Moore [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1091

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Croughton

in the County of Northants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 430 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·01	·46	·16	-	-	-	·02	·02	—	·01		1
2	·07	—	—	·03	—	-	tr	·45	·48	tr	·02	·02		2
3	·14	—	—	·18	—	-	-	·44	·01	·01	·18	·24		3
4	·06	—	·52	·36	·02	-	·12	·31	·17	·34	·03	·05		4
5	—	—	·02	·61	·38	-	·04	·45	—	·10	·33	·12		5
6	·60	—	·01	·04	·23	-	·62	·02	—	—	tr	-		6
7	·04	·05	—	—	—	-	·01	·01	—	tr	·25	·22		7
8	—	·07	·20	—	—	-	·15	·10	—	·88	·10	·44		8
9	·05	·09	—	—	—	-	-	·08	—	·52	—	·16		9
10	·27	—	·04	—	—	·42	-	·10	·01	tr	tr	—		10
11	—	—	·25	—	—	·05	-	-	—	·04	tr	—		11
12	—	·01	—	—	TR	·09	-	-	—	tr	·02	—		12
13	—	—	—	—	—	tr	·14	-	·05	·75	—	—		13
14	·42	—	tr	·08	·18	·06	·18	-	tr	·03	·07	—		14
15	·28	—	—	·01	·23	·52	·23	-	·03	·77	·17	tr		15
16	·36	—	·15	·05	·02	·47	·13	-	tr	·02	·22	—		16
17	·18	TR	tr	TR	·12	tr	·10	-	~~tr~~	2·52	·02	—		17
18	—	·03	tr	—	—	·38	·24	-	tr	·01	·42	tr		18
19	·24	—	·03	—	—	-	·44	-	tr	—	—	-		19
20	·22	—	·01	—	TR	·03	·02	·20	—	—	—	tr		20
21	·02	·21	·31	·02	—	·23	·30	·45	·03	—	—	-		21
22	·30	·16	·03	·04	—	·03	·01	-	·03	—	·17	-		22
23	·02	—	tr	·06	—	·03	·15	-	—	·11	·58	-		23
24	·26	—	—	·06	—	·01	·04	tr	—	·04	—	·02		24
25	·62	·10	·17	—	TR	-	·17	-	—	·03	·17	-		25
26	·57	—	·02	—	—	-	-	·18	—	·09	·58	·02		26
27	·03	·11	·13	TR	TR	·01	·07	tr	—	·03	tr	-		27
28	—	·13	·11	TR	—	·04	tr	-	—	—	·22	·05		28
29	—		—	·50	—	-	·19	-	—	·11	·01	-		29
30	—	×	—	·67	—	·05	tr	-	—	·01	·03	tr		30
31	—	×	—	×	—	×	tr	-	×	—	×	·02		31
TOTAL	4·76	·96	2·01	3·11	1·34	2·42	3·35	2·79	·83	6·43	3·59	1·37	Year's Total 32·96	
* Days with .01 in. or more.	21	10	16	15	8	15	20	12	9	20	19	12	177	
* Days with .04 in. or more.	17	8	9	12	6	10	17	10	3	12	13	7	124	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1091 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Croughton.

in the County of Northants.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 430 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	tr	-	·01	TR	-	—	-	-	-	·05	-		1
2	-	tr	-	20	-	-	·01	-	-	-	·77	·01		2
3	-	·22	-	06	-	-	TR	-	-	·14	·83	·04		3
4	-	·08	-	·18	-	-	TR	-	-	·13	·29	·06		4
5	-	·01	-	-	·08	-	·09	-	-	·09	·45	·16		5
6	·08	·18	-	-	·04	-	·04	-	-	·14	·40	tr		6
7	·16	·26	-	-	-	-	·21	-	·03	-	-	-		7
8	tr	-	-	tr	TR	·04	·04	-	-	09	·08	·19		8
9	-	-	-	tr	-	-	·03	·01	·01	·03	·06	·05		9
10	-	-	tr	-	-	-	·65	·02	-	-	(·20)	-		10
11	-	-	-	·05	-	·02	·16	-	-	-	·63	·10		11
12	-	tr	·05	-	-	-	·15	-	04	tr	·16	-		12
13	-	·06	·59	-	-	-	·14	-	·04	-	·64	-		13
14	-	tr	·04	·10	·16	-	-	·01	·10	·18	tr	·32		14
15	-	-	·02	tr	·08	·15	·01	-	-	·46	·36	-		15
16	·02	·18	·43	·04	-	-	·39	-	·25	·88	·69	-		16
17	-	tr	·25	tr	-	-	·01	-	-	-	·01	-		17
18	tr	·47	·38	·34	-	-	·01	-	·03	·11	·17	·07		18
19	-	·17	·01	·10	-	-	·25	-	·10	tr	·25	·03		19
20	-	·01	-	·01	-	-	·02	tr	-	·16	·02	tr		20
21	·07	·01	-	-	·42	-	·02	tr	-	tr	·63	-		21
22	tr	·01	·06	-	·34	·24	TR	-	·25	-	tr	-		22
23	-	·17	·06	·12	·15	·10	-	·02	-	-	·03	·05		23
24	tr	-	tr	·01	-	tr	·17	-	-	tr	-	-		24
25	tr	-	·03	-	-	-	·03	-	-	-	-	-		25
26	1·10	·11	-	·06	·04	-	·41	-	-	-	tr	-		26
27	·50	·03	-	·12	·01	-	·02	-	-	-	-	-		27
28	·30	·10	-	tr	·34	-	-	-	-	-	-	-		28
29	-	-	·09	tr	·19	·01	-	-	-	-	-	·33		29
30	·06	✕	-	·21)	·02	-	-	-	-	·32	-	·02		30
31	·04	✕	·02	✕	-	✕	TR	-	✕	·64	✕	-		31
TOTAL	2·33	2·07	2·03	1·61	1·84	·56	2·86	·06	·85	3·37	6·72	1·43	Year's Total 2576	✓
* Days with .01 in. or more.	9	16	13	15	12	6	21	4	9	13	~~19~~ 20	13	151	✓
* Days with .04 in. or more.	8 ✓	11 ✓	9 ✓	12 ✓	10 ✓	4 ✓	12 ✓	- ✓	6 ✓	12 ✓	~~16~~ 17	10	111	✓

200

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. A. St. George-Moore, Esq. [P.T.O.

1092.

Section **A** for the entry of Dail

AIR MINISTRY.—M

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

FORM 1090.

REGISTE

931.

1092

KINGS SUTTON

MANOR HSE

1931 – 1939

780209

Kept at Manor House. Kin

in the County of Northam

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·15	—	·04	—	·46	—	—	·16	—	—	—	1
2	—	—	—	·72	—	—	—	—	·36	—	·04	·07	2
3	—	—	—	·15	—	—	—	—	·93	—	1·02	·17	3
4	—	·04	—	·10	—	—	·40	·77	·15	—	·10	—	4
5	—	·02	—	·11	—	·75	—	—	—	·02	—	·32	5
6	—	·24	—	·07	—	·16	—	—	—	·31	·34	·10	6
7	—	—	—	—	—	·15	1·37	—	—	—	·10	·03	7
8	—	·09	—	·10	—	·07	—	·21	—	—	·26	—	8
9	—	·26	—	—	—	·46	—	·03	—	—	·30	—	9
10	—	·04	—	—	—	·08	—	·26	·04	—	·09	—	10
11	—	·16	—	—	—	—	—	—	·08	—	·22	—	11
12	·03	—	—	—	—	·02	·21	·05	·45	—	—	—	12
13	—	—	—	—	—	—	·15	·37	—	·04	—	—	13
14	—	(·14)	—	—	·07	·22	·83	·80	—	—	—	—	14
15	—		—	·12	·46	—	·13	·23	—	—	·10	—	15
16	—	(·49)	—	·15	·30	·34	—	·27	·15	—	—	—	16
17	—		—	·37	·35	·02	·17	·03	—	—	—	—	17
18	·38	—	·05	·30	—	·10	—	—	—	—	·39	—	18
19	—	·02	—	·28	—	·18	—	·03	·11	—	—	—	19
20	—	—	—	·06	—	—	—	·12	—	—	—	—	20
21	·09	—	—	—	·38	—	—	·03	—	—	—	—	21
22	—	—	—	—	·08	—	—	—	—	—	·04	—	22
23	—	·03	—	·07	·48	·19	—	·02	—	—	·29	—	23
24	·03	—	—	·06	·26	—	—	—	—	—	—	—	24
25		—	—	·74	—	—	·70	—	—	—	·07	—	25
26	—	—	—	·20	—	—	·21	—	—	—	·18	—	26
27	·17	·38	—	·05	·55	—	—	—	—	—	·14	—	27
28	·07	·12	—	·07	·06	—	—	·03	—	—	—	·06	28
29	·10		—	—	—	—	—	—	—	·30	—	—	29
30	—	×	—	—	—	—	—	·05	—	—	—	—	30
31	·21	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	1·08	2·18	·05	3·76	2·99	3·20	2·17	3·30	2·43	·67	3·68	·75	YEAR'S TOTAL 28·26
*Days with ·01 in. or more.	8	16	1	19	10	14	9	16	9	4	16	6	128
*Days with ·04 in. or more.	6	13	1	19	10	13	9	10	9	3	16	5	114

40-9999

*(Signed) G. Morgan.

P.T.O.

*See Instruction 2 (*f*) on other side.

1092.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Manor House, Kings Sutton

in the County of Northamptonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·15	—	·04	—	·46	—	—	·16	—	—	—	1
2	—	—	—	·72	—	—	—	—	·36	—	·04	·07	2
3	—	—	—	·15	—	—	—	—	·93	—	1·02	·17	3
4	—	·04	—	·10	—	—	·40	·77	·15	—	·10	—	4
5	—	·02	—	·11	—	·75	—	—	—	·02	—	·32	5
6	—	·24	—	·07	—	·16	—	—	—	·31	·34	·10	6
7	—	—	—	—	—	·15	1·37	—	—	—	·10	·03	7
8	—	·09	—	·10	—	·07	—	·21	—	—	·26	—	8
9	—	·26	—	—	—	·46	—	·03	—	—	·30	—	9
10	—	·04	—	—	—	·08	—	·26	·04	—	·09	—	10
11	—	·16	—	—	—	—	—	—	·08	—	·22	—	11
12	·03	—	—	—	—	·02	·21	·05	·45	—	—	—	12
13	—	—	—	—	—	—	·15	·37	—	·04	—	—	13
14	—	·14	—	—	·07	·22	·83	·80	—	—	—	—	14
15	—		—	·12	·46	—	·13	·23	—	—	·10	—	15
16	—	·49	—	·15	·30	·34	—	·27	·15	—	—	—	16
17	—		—	·37	·35	·02	·17	·03	—	—	—	—	17
18	·38	—	·05	·30	—	·10	—	—	—	—	·39	—	18
19	—	·02	—	·28	—	·18	—	·03	·11	—	—	—	19
20	—	—	—	·06	—	—	—	·12	—	—	—	—	20
21	·09	—	—	—	·38	—	—	·03	—	—	—	—	21
22	—	—	—	—	·08	—	—	—	—	—	·04	—	22
23	—	·03	—	·07	·48	·19	—	·02	—	—	·29	—	23
24	·03	—	—	·06	·26	—	—	—	—	—	—	—	24
25	—	—		·74		—	·70	—	—	—	·07	—	25
26	—	—	—	·20	—	—	·21	—	—	—	·18	—	26
27	·17	·38	—	·05	·55	—	—	—	—	—	·14	—	27
28	·07	·12	—	·07	·06	—	—	·03	—	—	—	·06	28
29	·10		—	—	—	—	—	—	—	·30	—	—	29
30	—	×	—	—	—	—	—	·05	—	—	—	—	30
31	·21	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	1·08	2·18	·05	3·76	2·99	3·20	2·17	3·30	2·43	·67	3·68	·75	YEAR'S TOTAL 28·26
*Days with ·01 in. or more.	8	16	1	19	10	14	9	16	9	4	16	6	128
*Days with ·04 in. or more.	6	13	1	19	10	13	9	10	9	3	16	5	114

40-9999

(Signed)* G Morgan.

*See Instruction 2 (*f*) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1092

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Manor House. Kings Sutton

in the County of Northamptonshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·03	—	·07	·88	—	·08	·36	—		—	—	1
2	·01	—	—	·09	·08	—	—	—	·26	·34	—	·17	2
3	—	—	—	·15	·05	—	—	—	—	·09	—	—	3
4	·02	—	—	·65	—	—	—	—		—	·37	—	4
5	·25	—	—	—	—	—	—	—		—	—	—	5
6	·42	—	—	·03	·04	—	·31	—		—	—	—	6
7	—	—	·30	·02	·08	—	—	—		—	—	—	7
8	—	—	·04	·05	·04	—	—	—	·83	·17	—	—	8
9	·54	—	—	·15	·62	—	—	—		—	—	—	9
10		·07	—	·69	·04	—	—	—		·08	—	—	10
11	—	—	—	·09	·02	—	·21	—		—		—	11
12	·30	—	—	—	·27	—	—	—		·47	·03	—	12
13	·03	—	—	·12	—	—	—	—		—	·05	—	13
14	·23	—	—	—	—	—	—	—	—	·04	—	—	14
15	—	—	—	·08	·21	—	—	—	—	—	—	—	15
16	·18	—	—	·21	·26	—	·22	—	—	·10	—	—	16
17	—	—	—	—	—	—	·19	—	—	—	—	—	17
18	—	—	—	—	·12	—	—	—	·15	·07	·11	—	18
19	—	—	—	—	—	—	—	—	·13	·21	—	—	19
20	—	—	—	·25	·31	—	—	·37	—	·42	·12	·09	20
21	·03	—	·23	·18	1·50	—	—	1·42	—	·38	—	—	21
22	—	—	·17	—	·62	—	·12	—	·52	·10	·32	—	22
23	—	—	—	—	·23	—	—	—	—	·38	—	—	23
24	—	—	—	—	—	—	—	—	—	·06	—	—	24
25	—	—	—	—	—	—	·36	—	—	·30	·09	—	25
26	—	—	·40	·15	·12	—		—	·17	·02	—	—	26
27	—	—		·20	·30	—		—	—	·09	·08	—	27
28	—	—	·34	—	·56	·21	·64	·03	—	—	—	·01	28
29	—	—	·31	·12	·23	·17		—	·18	·31	—		29
30	—	×	·07	·04	·02	·83		·25	·20	·19	·52	·17	30
31	—	×	·25	×	·01	×		—	×	—	×	·06	31 "d"
TOTAL	2·09	·10	2·11	2·14	5·41	1·21	2·05	2·43	2·44	3·82	1·69	·50	YEAR'S TOTAL 26·97
*Days with ·01 in. or more.	~~12~~	~~2~~	~~10~~	~~19~~	~~23~~	~~3~~	~~12~~	~~5~~	~~17~~	~~19~~	~~9~~	~~5~~	~~136~~
*Days with .04 in. or more.	8	1	10	17	18	3	12	4	17	18	8	4	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G. Morgan.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1092

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Manor House. Kings Sutton

in the County of Northamptonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level ft.

September about ·75" Low

906 sent 1/6/34 suggesting amendments to September. Sept 12th & 19th probably about ·50 & ·10 respectively, but Obs. confirms original entries.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·17	—	—	—	·21	—	—	—	—	—	—	—		1
2	·21	·30	·45	—	—	—	—	—	—	—	—	—		2
3	—	·26	·30	—	·07	—	—	—	—	—	—	—		3
4	·22	—	—	—	·32	—	—	—	—	—	—	—		4
5	—	—	·22	—	—	—	—	—	—	—	—	—		5
6	—	·24	—	—	·17	—	—	—	—	·15	—	—		6
7	—	·15	·20	—	—	—	—	—	—	—	—	—		7
8	·13	—	—	—	—	—	·38	—	—	—	—	—		8
9	—	—	—	—	—	—	·15	—	—	—	—	—		9
10	·15	·14	—	—	—	·09	·01	—	—	·67	·18	—		10
11	—	—	—	—	—	—	·01	·07	—	·09	—	—		11
12	·03	—	—	—	—	·11	·07	—	—?	—	—	—		12
13	—	—	—	—	—	·02	—	—	—	·15	·34	—		13
14	—	—	—	—	—	—	·12	—	—	·09	·30	—		14
15	·49	—	·17	—	—	—	·10	·09	—	—	·15	—		15
16	—	—	·57	—	—	·11	·02	—	—	·07	·05	—		16
17	·06	—	·55	—	—	—	—	—	·06	—	—	—		17
18	—	—	—	—	—	·03	—	—	—	—	—	—		18
19	—	—	·24	—	—	·16	—	—	—?	—	—	·05		19
20	·09	—	—	—	—	1·52	—	—	·07	—	—	—		20
21	—	—	—	—	—	—	—	·39	·03	—	—	—		21
22	—	—	—	—	·19	·12	—	·18	—	·24	—	—		22
23	—	—	—	·16	—	·02	—	—	·40	·03	—	—		23
24	—	—	—	·13	·04	·24	—	—	·25	—	—	—		24
25	—	—	—	—	—	—	—	—	·09	—	—	·10		25
26	—	—	—	·05	—	—	—	—	·04	·19	—	—		26
27	—	2·23	—	—	·11	—	—	—	—	—	—	·14		27
28	—	—	—	·21	—	—	—	—	—	·17	—	—		28
29	—		—	·41	—	—	·15	—	—	·01	—	—		29
30	—	×	—	·16	—	—	—	—	—	·02	—	·11		30
31	—	×	—	×	—	×	—	·10	×	—	×	—		31
TOTAL	1·55	3·32	2·70	1·12	1·11	2·42	1·01	·83	·94?	1·88	1·02	·40	Year's Total 18·30	
*Days with ·01 in. or more.	9	6	8	6	7	10	9	5	7	12	5	4	88	
*Days with .04 in. or more.	8	6	8	6	7	7	6	5	6	9	5	4	77	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) E Morgan.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1092

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

FILE. No. 853411/28.

Kept at Manor House Kings Sutton

in the County of Northants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	—	—	—	—	—	—	·34	·06	—	—	·53		1
2	·22	—	·09	—	—	—	—	—	·79	—	—	·16		2
3	·01	—	—	—	—	—	—	—	—	·28	—	·05		3
4	·09	—	·03	—	—	—	—	—	—	·09	·17	·43		4
5	—	—	—	—	·17	—	—	·22	—	·06	·03	·30		5
6	—	—	·13	—	·30	—	—	—	—	·18	—	·67		6
7	·07	—	—	—	—	—	—	·20	—	—	—	·33		7
8	—	—	—	—	·10	—	—	·04	—	—	·15	—		8
9	—	—	·14	—	—	—	—	—	—	—	·57	·48		9
10	—	—	·21	·14	—	—	—	·01	—	—	·21	—		10
11	·75	—	·20	·40	—	—	—	·02	—	—	—	·15		11
12	—	—	·10	—	—	—	·01	·01	—	—	—	·04		12
13	·40	—	—	·10	—	—	—	—	—	—	—	·30		13
14	·04	—	·31	—	—	·08	·64	—	—	—	·09	·32		14
15	—	—	·11	—	—	—	—	—	·43	·29	·39	·08		15
16	·16	—	·23	—	—	—	—	—	—	·09	—	—		16
17	—	—	—	—	—	—	—	—	—	·06	—	·26		17
18	·17	—	—	·18	—	—	·34	—	—	—	—	·06		18
19	—	—	·24	—	—	·09	—	—	·12	—	—	·05		19
20	—	—	·05	·11	—	·02	—	—	—	—	—	—		20
21	—	—	—	—	—	—	—	—	—	·15	—	—		21
22	—	—	—	—	—	—	—	—	·22	—	—	—		22
23	—	—	—	·14	—	·34	—	·46	—	—	—	·25		23
24	—	·36	·12	—	—	—	·30	—	·26	—	—	—		24
25	·16	—	—	·19	—	·15	—	—	—	·14	—	·45		25
26	—	—	·04	·05	—	·05	—	—	—	—	—	·06		26
27	—	·12	—	—	—	·04	—	—	—	—	—	·36		27
28	—	—	—	—	—	·02	—	·43	—	—	—	·44		28
29	—		—	—	—	—	·05	·12	·50	—	—	·02		29
30	—	×	—	—	—	—	—	—	—	—	—	·03		30
31	—	×	—	×	—	×	—	—	×	·15	×	·02	d	31
TOTAL	2·14	·48	2·00	1·31	·57	·79	1·34	1·85	2·38	1·49	1·61	5·84	Year's Total. 21·80	
* Days with .01 in. or more.	~~11~~	~~2~~	~~14~~	~~8~~	~~3~~	~~8~~	~~5~~	~~10~~	~~7~~	~~10~~	~~7~~	~~24~~	~~109~~	
* Days with .04 in. or more.	~~10~~	~~2~~	~~13~~	~~8~~	~~3~~	~~6~~	~~4~~	~~7~~	~~7~~	~~10~~	~~6~~	~~21~~	~~97~~	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) G. Morgan

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1092

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Manor House. Kings Sutton

in the County of Northants.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

„ Ground „ Sea Level ft.

Cgee

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	·03	—	—	·10	·08	—	—		1
2	—	—	·14	—	—	·01	—	—	—	—	—	·03		2
3	—	·11	—	—	—	·25	—	—	·14	·35	·24	—		3
4	—	—	—	·09	—	·14	—	—	·03	·43	—	—		4
5	—	·79	·09	—	—	·21	—	—	·09	—	—	—		5
6	—	·09	—	·40	—	·31	—	—	—	—	—	—		6
7	—	—	—	·34	—	·12	—	—	—	·13	·25	·20		7
8	—	—	—	·34	—	—	—	—	—	·14	·19	·03		8
9	—	—	—	·63	—	·32	—	—	—	·81	·60	—		9
10	—	—	—	·25	—	·04	—	—	—	—	·07	—		10
11	·16	·06	—	—	—	·05	—	—	—	—	·38	—		11
12	—	—	—	—	—	·65	—	—	—	—	·10	—		12
13	·12	·15	—	·14	·15	—	—	—	—	—	·02	—		13
14	—	—	—	—	—	·18	—	—	·15	—	·38	+		14
15	—	·10	—	·71	—	·40	—	—	·45	—	·25	+ ·26		15
16	—	—	·09	·06	—	·08	—	—	·02	—	·59	+ —		16
17	—	—	—	·09	—	·14	—	—	—	—	·54	—		17
18	—	—	—	·26	—	·09	·27	—	·25	—	·12	—		18
19	—	·01	—	·06	·40	·17	—	—	·10	—	·18	—		19
20	—	·32	—	·24	·35	·15	·10	—	—	—	·28	—		20
21	—	·29	—	—	—	—	·08	—	1·61	—	·07	—		21
22	—	·04	·04	·09	—	—	—	·03	·43	—	—	—		22
23	—	·07	·18	—	—	—	—	·47	·03	·40	—	+ —		23
24	—	·20	—	—	—	—	—	·03	—	—	—	+		24
25	·16	·10	—	·15	—	1·95	—	—	·65	—	—	+ 1·19		25
26	—	·07	—	—	—	—	—	·12	·08	—	—	+		26
27	—	·17	—	—	·07	—	—	—	·27	—	·16	+ 1·00		27
28	—	·09	—	—	·42	—	—	—	·23	—	—	—		28
29	—		—	—	·08	—	—	·04	·25	·02	·01	·23		29
30	—	×	—	·11	·14	—	—	·63	·10	·03	·37	·25		30
31	—	×	—	×	—	×	—	·14	×	1·07	×	·32		31
TOTAL	·44	2·66	·54	3·96	1·61	5·29	·45	1·46	4·38	3·46	4·80	3·51	Year's Total 32·56	
*Days with ·01 in. or more.	~~3~~	~~16~~	~~5~~	~~16~~	~~7~~	~~19~~	~~3~~	~~7~~	~~18~~	~~10~~	~~19~~	~~12~~	~~135~~	
*Days with .04 in. or more.	3	15	5	16	7	17	3	5	16	8	17	~~10~~ 12	12~~1~~8	123

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) G. Morgan.

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 1092

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Manor ~~House~~ Kings Sutton

in the County of Northamptonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·08	·12	·28	—	·08	·52	·03	—	—	·12	·05		1
2	—	—	·04	·02	—	·43	·36	—	—	—	·16	—		2
3	—	—	—	—	—	·02	—	·02	·12	—	·05	—		3
4	—	—	—	—	—	·08	—	—	·76	—	·03	·14		4
5	—	—	·06	—	—	—	—	·12	·10	—	—	—		5
6	—	—	—	—	—	·09	—	·06	·16	—	·15	—		6
7	—	—	·03	—	—	—	·10	—	—	—	·02	—		7
8	—	—	·25	—	—	—	—	—	·60	—	·37	·11		8
9	—	—	·14	—	—	—	·97	—	·19	—	—	—		9
10	—	—	—	—	—	—	·26	·12	—	—	—	—		10
11	—	—	—	·08	—	—	·16	—	·25	—	·38	—		11
12	—	—	—	·07	—	·27	·39	—	·32	—	·13	·18		12
13	—	—	—	·08	—	·39	—	—	—	—	—	·64		13
14	—	—	—	·25	—	·07	·73	—	—	—	·08	·63		14
15	—	—	—	—	—	—	·14	—	·24	—	·02	·23		15
16	—	·20	—	—	—	—	·02	—	—	—	·37	—		16
17	—	·57	—	—	—	—	·01	—	—	·11	·13	·07		17
18	—	·10	—	—	—	·04	·65	—	—	·06	·03	·08		18
19	·66	—	—	—	—	·27	·01	·04	—	·04	—	—		19
20	·04	·11	·04	·28	—	·30	·01	—	—	—	—	—		20
21	—	—	—	·47	—	·09	·02	—	·41	—	—	—		21
22	—	·49	·09	—	·40	—	·28	—	—	—	—	—		22
23	—	—	·28	—	—	—	·34	—	—	—	—	—		23
24	·16	·09	—	·20	—	—	·22	—	·34	·33	—	—		24
25	—	—	·18	—	—	—	·07	—	·21	—	·07	—		25
26	—	—	·20	—	—	—	·03	—	—	·09	—	—		26
27	—	—	—	—	—	—	·01	—	·04	—	—	—		27
28	·87	—	·08	—	—	—	·01	—	—	—	—	·09		28
29	·27	·10	·12	—	—	·16	·03	—	—	·05	·27	—		29
30	·12	✕	—	—	·20	—	·09	—	—	·35	—	~~·18~~		30
31	·46	✕	·20	✕	·03	✕	·04	—	✕	·34	✕	·18		31 "d"
TOTAL	2·58	1·74	1·83	1·73	·63	2·29	4·87	·39	3·74	1·37	2·38	2·40	Year's Total 25·95	[illegible]
* Days with .01 in. or more.	7	8	14	9	3	13	25	6	13	8	16	11	133	
* Days with .04 in. or more.	7	8	13	8	2	12	16	4	13	8	12	11	114	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. Morgan

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1092

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Manor House. Kings Sutton

in the County of Northamptonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	—	—	—	—	—	—	—	·05	·05	·30	·23		1
2	—	·13	—	·40	—	—	—	—	·02	—	—	·31		2
3	—	·12	—	—	·11	—	—	—	—	—	—	—		3
4	—	—	—	—	·05	—	—	—	—	—	—	·46		4
5	·18	—	—	—	—	—	—	—	—	—	—	—		5
6	·28	—	·43	·03	·15	—	—	—	—	—	—	—		6
7	—	·64	—	·26	—	—	—	—	—	—	—	—		7
8	—	·06	—	—	—	—	—	—	·29	—	·31	—		8
9	—	—	—	·23	—	—	·30	—	·30	—	—	—		9
10	—	—	·50	·65	—	—	—	—	—	—	—	·18		10
11	—	—	·18	—	·16	—	—	—	—	—	—	·04		11
12	·18	·25	—	—	·24	·05	—	·40	·15	—	—	·20		12
13	·10	·23	x ·65 x	·06	—	·35	—	·04	1·07	—	—	—		13
14	—	—		·08	—	—	—	·38	—	—	—	·06		14
15	·33	·07	—	·26	—	—	·80	·04	·29	—	—	—		15
16	—	·12	·42	·45	—	—	—	·05	—	—	—	—		16
17	·40	—	·47	·39	—	—	—	—	·50	—	—	—		17
18	·26	·13	—	—	—	·12	—	—	·20	—	·26	—		18
19	·11	·03	·26	·13	·09	·25	—	—	—	—	·09	·05		19
20	·37	·04	—	·51	·46	—	—	—	—	—	—	—		20
21	·24	·38	·10	—	—	—	—	—	—	—	—	—		21
22	·24	—	·02	—	·09	·33	·20	—	—	·70	·30	—		22
23	·22	·04	—	—	·03	—	·21	—	—	·34	—	—		23
24	·17	·35	·09	—	—	—	—	—	—	·42	—	—		24
25	·11	·30	—	—	·50	—	—	—	·09	·74	—	—		25
26	—	—	—	—	·14	—	—	—	—	·10	—	—		26
27	—	·20	—	·25	—	—	—	—	—	·78	—	—		27
28	—	·02	—	—	—	—	—	—	—	·03	—	—		28
29	—		—	—	—	—	—	—	—	·03	·08	·25		29
30	·34		—	—	—	—	—	—	—	—	·19	—		30
31	·26		—		—		—	—		·18		·04		31
TOTAL	3·88	3·11	3·12	3·70	2·02	1·10	1·51	·91	2·96	3·37	1·53	1·82	Year's Total 29·03	✓
* Days with .01 in. or more.	17	17	11	13	11	5	4	5	10	19	7	10	~~120~~	✓
* Days with .04 in. or more.	17	15	10	12	10	5	4	5	9	8	7	10	~~113~~ 112	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. Morgan

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations,

Station No. 1092

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at King's Sutton Manor House

in the County of Northants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 338 ft.

Nov W.D.? Copy by B.R.O.

Entries on Nov 11th + 27th est'd from nearby stns
" Dec 31st " " "
Accumulation on Dec 27th adjusted by nr. stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	·06	–					–	·42	–	·25		1
2	·09	–	–	·04					–	·56	–	–		2
3	–	–	–	–					–	·76	–	–		3
4	–	–	–	–					–	·33	–	·21		4
5	·04	–	–	–					–✓	·04	–	–		5
6	–x	–	–	–					–x	–x	–	–		6
7	·10x	–	–	–					·16x	·37x	–	·15		7
8	·17	–	–	–					·26	–	–	–		8
9	05	–	–	–					·30	·21	·04	·71		9
10	–x	–	–	–					·16	–	–	–		10
11	·50x	–	–	–					–	·03	(·20)	·41		11
12	·16	.02	–	–					·61	·36	06	–		12
13	–	·04	–	–					–	·01	–	·09		13
14	·34	–x	–	–					–	–	–	·21		14
15	·36x	–x	–	–					·02	–	–	·04		15
16	x	–x	–	–					–	–	–✓	–		16
17	–	·16x	–	–					–	–	–✓	–		17
18	–	–	–	–					–	–	–x	–		18
19	–	–	–	–					·02	–	–x	–		19
20	–	–	–	–					–	–	·90x	–		20
21	–	–	–	–					·16	–	✓–	–x		21
22	–	–	–	–					–	–	x	–x		22
23	–	–	–	–					–	–	–	–		23
24	–	–	·07	–					–	–	·33	–x		24
25	·11	·18	·07	–					·08	·18	x–	–x		25
26	·09	·37	·07	–					–	·15	–	·09		26
27	–x	·04	–	–					–	·04	(·25)	·95		27
28	·25x	–	–	–					·85	–	–	–x		28
29	·39		–	–					–	–✓	·21	–x		29
30	·03	✕	–	–					–	–x	–	·29x		30
31	·15	✕	–	✕		✕			✕	·20x	·22 ✕	18 ~~·84~~		31
TOTAL	2·83	·81	·27	·04					2·62	3·60	2·21 ~~1·76~~	3·58 ~~4·21~~	Year's Total	
* Days with .01 in. or more.	~~16~~ 19	~~6~~ 9	4	1					12 ~~10~~	17 ~~14~~	156	17 ~~12~~		
* Days with .04 in. or more.	~~15~~ 18	6	4	1					98	14 ~~12~~	116	17 ~~12~~		

Per Northants Natural History Soc.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Head Gardener

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1092

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Kings Sutton Manor, Banbury

in the County of Oxon

Diameter of Funnel of Gauge ....in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O 660617 from N.N.H.S return

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2				34										2
3														3
4				·49										4
5				·47		·04								5
6			·57											6
7	·65					·07								7
8	·07	·21	·21											8
9						·51								9
10	·33													10
11														11
12		·02	·28	·04										12
13														13
14	·42													14
15	·58	·21												15
16	·29		·05	·09										16
17	·14													17
18	·29													18
19	·14					·36								19
20	·05													20
21	·24	·25	·34											21
22	·37	·17												22
23				·14										23
24	·88		·03	·08										24
25														25
26	·86					·08								26
27		·25	·04											27
28		·05	·02											28
29														29
30		✕		1.02		·54								30
31		✕		✕		✕			✕		✕			31
TOTAL	5·31	1.16	1.54	2.67		1.50							Year's Total	n p imp.
* Days with .01 in. or more.	14	7	8	8		6								
* Days with .04 re.	14	6	6	8		6								

† Spare column, no entries required.

nstruction 3 (f) on other side.

(Signed) .... Mr. C. Warwick .... [P.T.O.

1098.

Section A for the entry of Daily Ob

AIR MINISTRY.—METE

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGISTER

1931.

1098

TOWCESTER - EASTON NESTON

1931 - 1940

Kept at Easton Neston Garde

in the County of Northampton

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, ,, Ground ,, Sea Level 325 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	x	x	x	04	04	x	x	x	10	x	x	x	1
2	07	05	x	65	x	x	x	03	78	02	x	02	2
3	01	02	x	22	x	x	x	03	72	x	56	10	3
4	x	x	x	10	x	x	24	1·00	15	x	07	x	4
5	x	01	x	08	06	55	x	x	06	x	02	36	5
6	x	14	x	05	x	03	24	x	x	16	26	02	6
7	x	x	x	01	x	x	01	25	x	02	05	02	7
8	02	04	06	05	x	05	01	51	x	x	17	01	8
9	x	28	01	01	x	18	x	01	x	x	25	01	9
10	x	04	x	x	x	01	31	x	01	x	x	x	10
11	12	15	x	x	x	01	x	x	06	x	17	x	11
12	02	03	x	01	x	x	03	x	27	x	x	x	12
13	x	x	x	x	x	x	12	02	x	x	03	x	13
14	x	03	x	x	16	11	83	37	x	x	01	02	14
15	x	04	x	05	17	x	28	37	15	x	x	x	15
16	03	20	x	11	27	24	x	10	x	x	x	x	16
17	05	41	x	65	30	01	x	x	x	01	x	x	17
18	06	03	x	35	x	05	03	18	04	x	37	x	18
19	03	x	x	40	x	25	12	x	x	x	01	x	19
20	x	04	01	11	x	x	01	06	x	01	x	01	20
21	06	03	x	x	54	x	x	x	02	x	x	x	21
22	05	x	x	x	02	x	x	01	04	x	01	x	22
23	12	x	x	03	30	11	x	02	x	x	14	07	23
24	x	x	02	08	32	x	05	x	x	x	x	x	24
25	x	x	x	52	03	x	49	x	x	x	05	x	25
26	x	01	x	32	x	x	20	x	x	x	14	x	26
27	10	59	x	01	48	x	02	x	x	x	23	x	27
28	10	24	x	11	09	x	x	x	x	03	01	21	28
29	02	X	~~x~~	~~x~~	03	~~x~~	10	~~x~~	~~x~~	20	01	~~x~~	29
30	16	X	~~x~~	~~x~~	~~x~~	~~x~~	~~x~~	~~x~~	~~x~~	~~x~~	~~x~~	~~x~~	30
31	22	X	~~x~~	X	~~x~~	X	~~x~~	~~x~~	X	~~x~~	X	02	31
TOTAL	1·24	2·38	·10	3·96	2·81	1·60	3·09	2·96	2·40	·45	2·56	·87	YEAR'S TOTAL 24·42
*Days with ·01 in. or more.	17	19	4	22	14	12	17	14	12	7	19	12	169
*Days with ·04 in. or more.	11	12	1	17	11	8	11	10	10	2	12	4	109

40-9999

(*Signed*) Fermor-Hesketh Estates.

Secretary.

P.T.O.

*See Instruction 2 (*f*) on other side.

1098.

Section **A** for the entry of Daily Ob

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METE~~OROLOGICAL OFFICE. BRITISH~~ RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Easton Neston Gardens.
in the County of Northampton.

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ Ground „ Sea Level 325 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	x	x	x	04	04	x	x	x	10	x	x	x	1
2	07	05	x	65	x	x	x	03	78	02	x	02	2
3	01	02	x	22	x	x	x	03	72	x	56	10	3
4	x	x	x	10	x	x	24	1·00	15	x	07	x	4
5	x	01	x	08	06	55	x	x	06	x	02	36	5
6	x	14	x	05	x	03	24	x	x	16	26	02	6
7	x	x	x	01	x	x	01	25	x	02	05	02	7
8	02	04	06	05	x	05	01	51	x	x	17	01	8
9	x	28	01	01	x	18	x	01	x	x	25	01	9
10	x	04	x	x	x	01	31	x	01	x	x	x	10
11	12	15	x	x	x	01	x	x	06	x	17	x	11
12	02	03	x	01	x	x	03	x	27	x	x	x	12
13	x	x	x	x	x	x	12	02	x	x	03	x	13
14	x	03	x	x	16	11	83	37	x	x	01	02	14
15	x	04	x	05	17	x	28	37	15	x	x	x	15
16	03	20	x	11	27	24	x	10	x	x	x	x	16
17	05	41	x	65	30	01	x	x	x	01	x	x	17
18	06	03	x	35	x	05	03	18	04	x	37	x	18
19	03	x	x	40	x	25	12	x	x	x	01	x	19
20	x	04	01	11	x	x	01	06	x	01	x	01	20
21	06	03	x	x	54	x	x	x	02	x	x	x	21
22	05	x	x	x	02	x	x	01	04	x	01	x	22
23	12	x	x	03	30	11	x	02	x	x	14	07	23
24	x	x	02	08	32	x	05	x	x	x	x	x	24
25	x	x	x	52	03	x	49	x	x	x	05	x	25
26	x	01	x	32	x	x	20	x	x	x	14	x	26
27	10	59	x	01	48	x	02	x	x	x	23	x	27
28	10	24	x	11	09	x	x	x	x	03	01	21	28
29	02	X	~~x~~	~~x~~	03	~~x~~	10	~~x~~	~~x~~	20	01	~~x~~	29
30	16	X	~~x~~	~~x~~	~~x~~	~~x~~	~~x~~	~~x~~	~~x~~	~~x~~	~~x~~	~~x~~	30
31	22	X	~~x~~	X	~~x~~	X	~~x~~	~~x~~	X	~~x~~	X	02	31
TOTAL	1·24	2·38	·10	3·96	2·81	1·60	3·09	2·96	2·40	·45	2·56	·87	YEAR'S TOTAL 24·42
*Days with ·01 in. or more.	17	19	4	22	14	12	17	14	12	7	19	12	169
*Days with ·04 in. or more.	11	12	1	17	11	8	11	10	10	2	12	4	109

40-9999

(Signed) Fermor-Hesketh Estates.
Secretary.

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1098

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Easton Neston

in the County of Northampton

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 375 ft.

Letter re low total 7/6/33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	05	x	03	66	05	x	07	x	48	01	04	1
2	x	x	x	12	12	x	x	x	02	01	03	17	2
3	x	x	x	23	05	x	x	x	22	x	01	x	3
4	02	x	x	14	x	x	x	x	x	x	19	x	4
5	25	01	05	x	x	05	08	x	04	x	x	x	5
6	40	x	06	09	02	x	01	x	15	x	x	x	6
7	x	x	16	34	01	x	x	x	02	x	x	x	7
8	x	01	02	09	x	x	x	x	19	06	x	x	8
9	10	06	x	08	01	x	x	x	x	x	x	x	9
10	14	03	02	15	07	x	x	x	09	02	x	x	10
11	x	01	x	05	05	05	05	16	x	04	02	01	11
12	20	x	x	x	16	x	x	x	03	36	03	x	12
13	04	x	x	11	x	x	45	x	03	02	04	x	13
14	18	x	x	18	02	x	01	x	x	01	03	01	14
15	01	x	x	10	18	x	x	01	x	03	x	03	15
16	24	x	x	41	16	x	x	x	x	x	x	x	16
17	x	x	x	02	x	x	12	x	x	06	x	x	17
18	x	x	x	x	03	x	x	x	04	x	02	x	18
19	x	x	x	x	x	x	x	x	03	14	01c	x	19
20	01	x	x	29	25	x	x	x	x	31	06	x	20
21	x	01	01	13	1·47	x	x	98	x	23	x	02	21
22	x	02	22	x	03	x	25	56	56	02	35	x	22
23	x	x	x	02	63	x	x	x	09	12	02	02	23
24	x	x	x	01	01	x	06	x	x	04	22	x	24
25	x	04	x	x	x	x	23	x	05	21	01	01	25
26	x	x	02	18	11	x	08	x	10	01	x	x	26
27	x	x	35	11	44	x	01	x	03	x	11	x	27
28	x	x	23	x	78	24	09	x	x	14	x	x	28
29	01	~~x~~	26	13	16	09	01	~~x~~	06	23	~~x~~	~~x~~	29
30	~~x~~	X	03	03	~~x~~	27	~~x~~	07	12	28	33	18	30
31	~~x~~	X	27	X	01	X	10	20	X	~~x~~	X	03	31
TOTAL	1·64	·24	1·70	3·04	5·43	·75	1·55	2·05	1·87	2·82	1·49	·52	YEAR'S TOTAL 23·10
*Days with ·01 in. or more.	13	9	13	25	23	6	14	7	18	21	16	10	173
*Days with .04 in. or more.	9	3	8	18	15	6	10	6	12	14	7	3	111

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) FERMOR-HESKETH ESTATES, SECRETARY.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1098

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Easton Neston, Towcester,
in the County of Northampton.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 325 ft.

N.B. for 10 yr. sheet. Gauge moved 18/6/33 (see back)
Catch in excellent agreement with neighbour stations.
18/3/34.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03	14	11	x	x	x	x	x	x	x	02	x		1
2	19	x	31	x	02	x	x	x	x	x	07	x		2
3	x	10	27	x	37	x	x	x	x	x	06	x		3
4	10	01	03	x	25	x	x	x	x	x	01	x		4
5	09	01	17	x	06	x	x	x	x	x	02	x		5
6	x	05	08	x	05	x	x	x	x	03	02	x		6
7	02	12	01	x	01	x	x	x	x	12	x	03		7
8	04	x	04	x	13	x	19	x	x	03	x	x		8
9	x	x	x	x	08	x	22	x	x	04	06	x		9
10	x	38	x	x	x	04	03	x	x	51	03	x		10
11	07	x	x	x	x	01	05	06	x	x	01	x		11
12	01	x	x	x	x	04	14	x	43	x	x	02		12
13	x	x	x	x	10	10	04	x	x	04	20	x		13
14	x	x	x	x	02	x	x	02	x	08	46	04		14
15	38	x	10	x	x	x	10	14	x	04	22	x		15
16	02	x	46	x	x	10	23	x	01	04	13	x		16
17	08	x	34	x	x	07	11	03	05	x	06	01		17
18	02	06	x	x	x	08	x	x	x	x	04	x		18
19	x	03	37	x	x	03	x	x	05	x	02	03		19
20	x	02	08	x	x	85	x	x	02	01	02	x		20
21	x	02	x	x	x	20	x	19	08	x	01	x		21
22	x	x	x	x	x	03	x	41	x	45	01	x		22
23	x	x	x	09	x	x	x	x	51	01	x	x		23
24	x	32	x	08	06	28	x	x	36	02	03	x		24
25	x	44	x	19	x	10	x	x	07	02	04	06		25
26	x	34	x	03	x	15	x	x	08	19	x	x		26
27	x	x	x	x	49	x	02	x	02	08	x	05		27
28	x x	x	x	x	17	x	01	x	01	33	x	08		28
29	05	~~x~~	~~x~~	13	~~x~~	~~x~~	33	~~x~~	~~x~~	14	~~x~~	02		29
30	17	~~x~~	05	~~x~~	~~x~~	~~x~~	05	~~x~~	01	02	~~x~~	09		30
31	02	~~x~~	09	~~x~~	~~x~~	~~x~~	01	09	~~x~~	03	~~x~~	~~x~~		31
TOTAL	1.29	2;04	2.51	.52	1.81	2.08	1.53	.94	1.7~~8~~0	2.23	1.54	.43	Year's Total 18.6~~8~~2	[illegible]
*Days with ·01 in. or more.	15	14	15	5	13	14	14	7	13	20	21	10	161	
*Days with ·04 in. or more.	9	9	~~14~~13	4	10	11	10	5	8	12	10	5	106	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Fermor-Hesketh Estates
Secretary.

[P.T.O.

File No. 257565/33.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1098

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Easton Neston Gardens

in the County of Northampton

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 325 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.05	X	X	X	X	X	X	.20	X	X	.03	.38		1
2	.12	X	.05	X	X	X	X	X	.61	.03	X	.19		2
3	.01	.05	X	.03	X	X	X	.07	X	.19	X	.02		3
4	.07	.02	.08	.34	.06	X	X	X	X	.14	.16	.39		4
5	X	X	.09	X	.05	X	X	.11	X	X	.04	.24		5
6	.02	X	.09	.06	.39	.08	X	X	X	.17	X	.60		6
7	.07	X	X	X	X	.04	X	.23	X	.06	X	.27		7
8	X	X	X	X	.12	.06	X	.06	.02	.01	.16	.02		8
9	X	X	.12	X	X	X	X	X	X	X	.91	.26		9
10	.01	X	.18	.15	X	X	X	.05	X	X	.29	.02		10
11	.58	X	.20	.20	X	X	X	.15	X	X	X	.24		11
12	X	X	.12	.04	X	X	.04	.11	X	X	X	.02		12
13	.34	X	.02	.02	X	X	1.02	.09	X	.03	.01	.50		13
14	.07	X	.27	X	.05	.08	X	.01	X	.11	.28	.35		14
15	.04	X	.17	X	.04	X	X	X	.95	.06	.16	.03		15
16	.14	X	.20	X	.07	X	X	X	X	.09	.02	.02		16
17	.01	X	X	X	.02	X	.02	X	.10	.12	.07	.22		17
18	.14	X	X	.20	X	X	.67	X	.01	X	X	.05		18
19	X	X	.19	.03	X	.06	X	X	.08	.03	X	.06		19
20	X	X	.03	.05	X	.01	X	X	X	X	.01	.02		20
21	X	X	.02	X	X	.11	.01	.03	.01	.10	X	.01		21
22	X	X	X	X	X	X	X	.25	.20	X	X	.03		22
23	X	X	X	.19	.14	.40	.02	X	X	.01	X	.26		23
24	X	.32	.07	.01	X	.03	.42	X	.30	X	X	.01		24
25	.17	.05	X	.08	X	.10	X	X	X	.07	X	.41		25
26	.02	X	.03	.04	X	.05	.05	X	.07	.03	X	.02		26
27	.03	.09	X	.01	X	.03	X	X	X	.10	X	.21		27
28	X	X	X	.14	X	.06	X	.40	X	.01	.04	.33		28
29	~~X~~	~~-~~	~~X~~	~~X~~	~~X~~	~~X~~	.31	.06	.27	.06	.02	~~X~~		29
30	.06	X	~~X~~	~~X~~	~~XX~~	~~X~~	~~X~~	.01	.02	~~X~~	~~X~~	.03		30
31	.02	X	~~X~~	X	~~X~~	X	.03	.02	X	.10	X	.04		31
TOTAL	1.97	.53	1.93	1.59	.94	1.11	2.59	1.85	2.64	1.52	2.20	5.25	Year's Total 24.12	
* Days with .01 in. or more.	19	5	17	16	9	13	10	16	12	20	14	30	181	
* Days with .04 in. or more.	12	4	13	11	8	10	6	12	8	13	9	18	124	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) FERMOR-HESKETH ESTATES, W.M. Secretary

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1098

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

--CR

File No. 257565/33.

Kept at Easton Neston, Towcester

in the County of Northamptonshire.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 325 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.22	-	-	.06	.01	.14	.02	-	.05	.15	.10	.06		1
2	-	-	-	.01	-	.12	-	-	-	.10	.01	.02		2
3	-	.28	.02	.02	-	.08	-	.05	.10	.36	.16	.05		3
4	-	-	-	.17	-	.10	-	-	.09	.20	.01	.04		4
5	-	.83	.06	.26	-	.33	.01	-	.06	.01	.05	.01		5
6	.01	.01	-	.37	-	.25	-	-	-	-	.01	-		6
7	.01	-	-	.40	-	.22	-	-	-	.15	.34	.14		7
8	-	-	-	.19	.01	.02	-	-	-	.11	.13	.06		8
9	-	-	-	.62	-	.42	-	-	-	.82	.29	-		9
10	-	-	-	.32	-	.03	-	-	-	-	.04	.02		10
11	.19	-	-	.02	-	.07	.24	-	-	-	.36	.02		11
12	.01	.04	-	-	-	.43	-	.02	-	-	.02	-		12
13	.06	.22	-	.05	.15	.12	-	-	-	-	-	-		13
14	-	-	-	.11	.12	.15	-	-	.21	-	.25	.05		14
15	-	.11	-	.56	.06	.15	-	-	.44	-	.24	.19		15
16	-	.04	.07	.10	-	.19	-	-	.13	.06	.52	.12		16
17	-	-	-	.02	-	.18	-	-	.01	.04	.54	-		17
18	-	.01	-	.23	.16	.09	.23	-	.26	.04	-	-		18
19	-	-	-	.10	.38	.15	.10	-	.06	.02	.20	-		19
20	.04	.14	-	.28	-	.05	.05	-	.03	.-	.18	-		20
21	.-	.26	.02	.03	-	-	-	-	.55	.03	.14	-		21
22	-	.03	.02	.04	-	-	-	.60	.55	-	-	-		22
23	-	.01	.10	-	-	-	-	.36	.02	.14	.02	-		23
24	.03	.22	.03	-	-	-	-	.01	.74	-	-	.40		24
25	.17	.05	-	.22	-	.78	-	.03	-	-	.01	.09		25
26	.02	.02	-	-	-	-	-	.25	.08	-	-	.57		26
27	-	.14	-	-	.50	-	-	-	.08	.04	.14	.94		27
28	-	.14	-	-	.12	-	-	.07	.16	.02	.02	.04		28
29	-	X	.02	-	-	-	-	.01	.19	-	.06	.15		29
30	.05	X	-	.09	.41	-	-	.60	.07	.18	.34	.22		30
31	-	X	-	X	.04	X	-	.08	X	1.22	X	.16		31
TOTAL	.81	2.55	.34	4.27	1.96	4.07	.65	2.08	3.88	3.69	4.18	3.35	Year's Total 31.83	
* Days with .01 in. or more.	11	17	8	23	11	21	6	11	20	18	25	20	191	
* Days with .04 in. or more.	6	12	3	18	9	19	4	7	17	14	18	16	143	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) FERMOR-HESKETH ESTATES, SECRETARY. [P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1098

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Easton Neston, Towcester
in the County of Northampton
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 325 ft.

File No.257565/33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.06	.08	.48	X	.04	.42	.02	X	X	.04	.03		1
2	.04	.08	.06	.03	X	.58	.74	.03	X	X	.19	X		2
3	.01	.01	X	X	.01	.36	.01	.01	.20	X	.10	.03		3
4	X	X	.12	X	X	.07	X	.01	.37	.01	.02	.10		4
5	.05	.01	.04	X	X	X	.02	.02	.11	X	X	.13		5
6	.07	X	X	X	.11	.08	.08	.18	.09	X	.08	.12		6
7	.10	X	.05	X	X	X	.04	X	.03	.01	X	X		7
8	.37	X	.21	X	X	X	X	X	.02	X	.34	.08		8
9	.46	X	.01	X	.01	X	.87	X	.11	.05	X	.01		9
10	.15	X	X	X	X	X	.48	.02	.12	.01	X	X		10
11	X	X	X	.01	X	X	.07	X	.01	X	.44	X		11
12	X	X	X	.10	X	.37	.44	X	.15	X	.11	.12		12
13	X	X	X	.02	X	.41	X	X	X	.05	.05	.33		13
14	X	.01	X	.25	X	.07	.85	X	.05	.05	X	.49		14
15	X	.03	X	.02	X	.01	.07	X	.07	X	X	.16		15
16	.06	.08	X	X	X	X	.03	X	X	X	.41	X		16
17	.02	.48	X	X	.05	X	.12	X	X	.08	.05	.06		17
18	X	.04	X	X	X	.19	.16	X	X	.05	.02	.05		18
19	.45	.06	.01	.08	X	.55	X	.07	X	.09	X	X		19
20	.11	.13	.06	.12	X	.04	.02	X	.55	X	X	X		20
21	X	X	.01	.18	.01	.98	.03	X	.17	X	X	X		21
22	.02	.54	.04	.02	.37	X	.24	X	X	X	X	.13		22
23	.02	X	.05	.09	.03	X	.19	X	X	.02	.01	X		23
24	.14	.12	X	X	.01	X	.18	X	.27	.30	X	X		24
25	.09	X	.15	.17	X	.02	.23	X	.21	.05	.04	.02		25
26	.01	.09	.27	.02	X	.08	.32	X	X	.06	.02	X		26
27	.04	X	.01	X	X	X	.02	X	.10	.11	X	X		27
28	.51	.03	.06	X	X	.01	.07	X	.01	X	X	.08		28
29	.46	.17	.13	~~X~~	.02	.08	.12	~~X~~	~~X~~	.03	.28	.04		29
30	.03		~~X~~	~~X~~	.22	.34	.07	~~X~~	~~X~~	.34	.04	.01		30
31	.49		.16		.01		.07	~~X~~		.54		.13		31
TOTAL	3.72	1.94	1.52	1.59	.85	4.28	5.96	.36	2.64	1.85	2.24	2.12	Year's Total 29.07	
* Days with .01 in. or more.	23	16	18	14	11	18	27	8	18	17	17	19	206	
* Days with .04 in. or more.	16	11	14	8	4	15	21	2	14	12	13	14	144	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) FERMOR-HESKETH ESTATES,
SECRETARY.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1098

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Easton Neston, Towcester

File Number 257565/33

in the County of Northampton.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 325 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.02	X	.01	X	X	.01	X	.08	X	.49	.38		1
2	.02	.09	.01	.49	X	X	.01	X	.01	X	X	.17		2
3	X	.06	X	X	.10	X	X	X	X	X	.01	.06		3
4	.08	.17	.01	.01	.01	X	.01	.01	X	X	X	.42		4
5	.18	X	.12	X	X	X	.02	X	X	X	X	.22		5
6	.15	.02	.40	.01	.11	X	.05	X	X	.04	.01	X		6
7	X	.72	.05	.21	.01	X	X	X	.01	X	X	X		7
8	X	.04	X	X	.08	X	X	X	X	X	.19	X		8
9	X	X	X	.22	.30	X	.25	X	.13	X	X	.15		9
10	X	.04	.10	.43	X	.16	.01	X	X	X	X	.13		10
11	X	X	.56	X	.49	.01	X	.27	X	X	X	.08		11
12	.08	.35	.09	X	.53	.23	X	.32	.12	X	X	.16		12
13	.16	.06	.35	X	X	.54	X	.02	.04	X	X	.02		13
14	X	.01	.28	.02	X	.01	X	.13	.04	X	X	.05		14
15	.31	.08	X	.22	X	X	1.95	X	.12	X	X	.02		15
16	.06	.11	.36	.45	X	X	X	.03	.14	X	X	01		16
17	.49	.01	.27	.24	X	X	X	X	.40	X	.02	X		17
18	.31	.11	X	.04	X	X	X	X	.42	.01	.21	.03		18
19	.10	.02	.10	.12	.03	.32	X	X	X	.01	.06	X		19
20	.43	.01	X	.46	.63	.17	X	X	.03	.01	X	X		20
21	.14	.35	.09	.02	.01	X	.10	.01	X	X	.02	.02		21
22	.18	.02	.17	X	.06	.30	.09	X	X	.34	.36	.02		22
23	.29	.01	.05	X	.22	X	.15	X	X	.72	.01	01		23
24	.20	.35	.04	X	.01	X	.02	X	.04	.32	X	01		24
25	.12	.22	.01	X	1.18	X	X	X	.01	.19	X	01		25
26	X	.38	.06	X	.06	X	X	X	X	.07	X	X		26
27	X	.15	X	.23	X	X	X	X	X	.81	X	X		27
28	X	.28	X	X	X	X	X	X	X	.01	X	.02		28
29	Snow)	X	~~X~~	~~X~~	~~X~~	.03	~~X~~	~~X~~	~~X~~	.02	.02	.08		29
30	.38)	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	.14	01		30
31	.29	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	.40	~~X~~	.04		31
TOTAL	4.03	3.68	3.12	3.18	3.83	1.77	2.67	.79	1.59	2.95	1.54	2.12	Year's Total 3127	
* Days with .01 in. or more.	20	25	19	16	16	9	12	7	14	13	12	23	186	
* Days with .04 in. or more.	19	17	16	11	11	6	6	3	10	8	6	12	125	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(Signed) FERMOR-HESKETH ESTATES,

W.M.

SECRETARY.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1098

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

File No. 257565/33.

Kept at Easton Neston, Towcester.

in the County of Northampton.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 325 ft.

Snow Dec.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	X	X	.08	X	X	.51	X	X	X	.10	X	.20		1
2	.07	X	.X	.06	.15	.09	X	X	X	.35	X	X		2
3	X	X	X	X	.10	X	X	X	.01	.68	.01	X		3
4	.04	X	X	X	X	.04	.05	X	X	.20	X	.10		4
5	X	X	X	X	X	X	.20	.01	.01	.08	.01	X		5
6	.03	.02	X	X	X	.01	.05	.08	.03	.14	X	.01		6
7	.06	X	X	X	X	.02	.38	.25	.19	.36	X	.14		7
8	.15	X	X	X	X	.25	.01	.06	X	.22	X	.02		8
9	.03	.02	X	X	X	X	.06	.16	X	X	X	.47		9
10	X	.05	.02	X	X	.49	.09	.30	X	.01	X	.04		10
11	.43	X	X	X	X	X	.01	X	X	.01	.15	.01		11
12	.11	.04	X	X	.04	X	X	1.80	X	.36	.01	X		12
13	.01	.08	X	X	X	X	X	X	X	.01	.05	.17		13
14	.27	.05	X	X	.06	X	.31	X	.03	.X	X	X		14
15	.06	X	X	X	X	X	.17	X	X	X	X	.29		15
16	.23	.01	.01	X	X	X	.01	X	X	.02	.01	.16		16
17	X	.09	X	X	.44	X	.17	X	.01	.08	.01	X		17
18	.03	X	X	X	.06	X	X	.04	.48	X	.29	X		18
19	X	X	X	X	X	X	X	.04	.05	X	.20	—		19
20	X	X	X	X	X	X	X	.03	.05	X	1.01	13		20
21	X	X	X	X	X	X	X	.03	X	X	.02	35		21
22	X	X	X	.01	X	X	X	.05	.01	X	.30	29		22
23	X	X	X	X	X	X	X	X	.01	X	X	03		23
24	X	X	.10	X	.05	X	X	X	.12	X	.02	—		24
25	.10	.12	.06	X	.02	X	.01	.21	.02	.08	.26	10		25
26	.12	.30	.07	X	.01	.01	X	X	.13	.21	X	20		26
27	.06	.02	X	.01	.23	.14	.24	.02	.43	.01	.33	—		27
28	.17	X	X	X	.38	.25	.02	.79	.08	X	.03	.11		28
29	.47	~~X~~	~~X~~	~~X~~	.24	~~X~~	~~X~~	~~X~~	.01	.02	.14	.12		29
30	.02		~~X~~	.01	~~X~~	~~X~~	~~X~~	~~X~~	.13	.03	.20	09 ~~Snow~~		30
31	.23		~~X~~		.23		~~X~~	~~X~~		.21		.42		31
TOTAL	2.69	.80	.34	.09	2.01	1.81	1.78	3.87	1.80	3.18	3.05	3.45	Year's Total 24.87	
* Days with .01 in. or more.	20	11	6	4	13	10	15	15	18	20	18	~~17~~ 21	~~167~~ 171	
* Days with .04 in. or more.	15	7	4	1	11	7	10	11	9	13	10	16 14	~~112~~ 114	

† Spare column, no entries required.

FERMOR-HESKETH ESTATES,

(*Signed*) .... SECRETARY [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1098

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Easton Neston, Towcester.

in the County of Northampton.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 325 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	x	x	.24	.12	x	x	.04	x	.13	x	.02		1
2	.02	x	x	.12	x	x	x	.44	.52	.02	.02	.01		2
3	.18	x	x	.17	x	x	x	.69	x	x	.22	.29		3
4	.04	x	.38	.36	x	x	.01	.54	x	.18	.06	.09		4
5	x	x	x	.87	33	x	.05	.59	x	.11	.25	.23		5
6	.60	x	.04	.04	x	x	.55	.03	x	x	x	x		6
7	.05	.08	X	x	x	x	.01	.01	x	x	.21	.18		7
8	x	.06	.20	x	x	x	.13	.12	x	.70	.08	.41		8
9	.05	.09	x	x	x	x	x	.09	x	.66	x	.14		9
10	.39	x	.02	x	x	36	x	.13	.02	.02	x	x		10
11	x	x	.15	x	x	.11	x	x	.02	x	.01	.01		11
12	x	.01	.05	x	x	.11	.05	x	x	x	.03	x		12
13	x	x	x	.02	x	.01	x	x	.05	.71	x	x		13
14	.39	x	.01	.03	.44	.04	.12	x	x	.07	.13	.01		14
15	.28	x	.09	.02	.46	.44	.12	x	.11	.91	.09	x		15
16	.40	x	.15	x	.08	.22	.20	x	x	.10 ✓	.28	x		16
17	.18	.01	.02	.01	.10	x	.03	x	x	3.16	.05	x		17
18	.07	.04	.03	x	x	.17	.47	x	x	.02	.54	x		18
19	.24	x	x	x	x	x	.28	x	.02	.01	x	.01		19
20	.19	.01	.26	x	.01	.04	.15	.92	.01	x	x	.01		20
21	.15	.20	.05	x	.18	.29	.10	.35	.06	x	x	x		21
22	.10	.18	x	x	x	.01	.02	.01	.01	x	.20	x		22
23	.02	x	x	.08	x	.02	.08	x	x	.05	.62	.02		23
24	.04	x	.01	.05	x	x	.04	x	x	.14	x	x		24
25	1.23	.13	.16	.01	x	x	.07	x	x	.02	.31	x		25
26	41	.02	.03	.01	x	.02	x	.12	x	.07	.44	.04		26
27	07	.08	.10	.02	x	x	.05	x	x	.07	x	x		27
28	03	.18	.11	.06	x	.02	x	.02	x	x	.16	.02		28
29	~~x~~	X	~~x~~	.52	.01	~~x~~	.15	~~x~~	~~x~~	.20	.01	.04		29
30	~~x~~	X	~~x~~	.51	~~x~~	.02	~~x~~	~~x~~	~~x~~	~~x~~	.03	~~x~~		30
31	~~x~~	X	~~x~~	X	~~x~~	X	.07	.01	X	~~x~~	X	~~x~~		31
TOTAL	5.14	1.09	1.86	3.14	1.73	1.88	2.75	4.11	.82	7.35	3.74	1.53	Year's Total 35.14	
* Days with .01 in. or more.	23	13	18	18	9	15	21	16	9	20	20	16	198	
* Days with .04 in. or more.	20	9	12	11	7	9	17	11	4	15	15	8	138	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

FERMOR-HESKETH ESTATES

(*Signed*)

SECRETARY.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1098

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

Kept at Easton Neston, Towcester

in the County of Northampton

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 325 ft.

Jan & Feb adj'd w. ref to nearby Stns

File No. 25765/33.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	x	x	x	.01	.01	x	x	x	x	x	.04	x		1
2	x	x	x	.32	x	x	.03	x	x	x	.92	x		2
3	xm	~~1.46~~ .20	x	.06	x	x	x	x	x	.13	.88	.05		3
4	x	.23	x	.31	x	x	.12	x	x	.19	.14	.06		4
5	x	x	x	x	.06	x	.04	x	x	.11	.79	.08		5
6	x	.19	x	x	.04	x	.04	x	x	.24	.25	x		6
7	.17	.16	x	.01	.02	x	.07	x	.03	x	x	.03		7
8	.01	.01	x	.06	x	x	.01	x	.03	.09	.04	.20		8
9	x	x	x	.01	x	x	.01	.04	.01	.03	.16	.08		9
10	x	x	x	x	x	x	1.08	.03	x	.07	.18	.10		10
11	x	x	.01	.04	x	x	.25	x	x	x	.70	.06		11
12	x	x	.04	x	x	x	.11	x	.06	x	.12	x		12
13	x	.04	.77	.02	x	x	.06	x	.05	x	.48	x		13
14	x	x	x	.10	.12	x	x	.01	.10	.05	x	.29		14
15	x	x	.05	.04	.13	x	.02	x	.04	.12	.21	x		15
16	x	.24	.30	.03	x	.01	.30	x	.15	.93	.63	.02		16
17	x	.03	.27	x	x	x	.02	x	x	x	x	x		17
18	x	.50	.42	.41	x	x	.10	.06	.01	.07	.14	.04		18
19	x	.12	.05	.11	x	x	.23	x	.10	x	.17	.04		19
20	x	.01	.01	.04	x	x	.03	.02	x	.07	x	x		20
21	.11	.01	.04	x	.30	x	.07	x	x	.10	.84	x		21
22	x	.01	.02	.01	.49	.32	x	x	.10	.01	.01	x		22
23	x	.19	.04	.01	.01	.10	x	x	.05	x	x	.05		23
24	x	x	x	.05	x	x	.15	x	x	.02	.01	.01		24
25	x	x	.05	x	x	x	.07	x	x	.04	x	x		25
26	.52	.05	x	.04	.04	.01	.42	x	x	x	x	x		26
27	.57	.04	x	.56	.04	x	.11	x	x	x	x	x		27
28	.60	.17	x	x	x	x	x	x	x	x	x	x		28
29	—	~~x~~	.08	.01	~~x~~	.01	~~x~~	~~x~~	~~x~~	~~x~~	~~x~~	.27		29
30	—	X	~~x~~	.77	~~x~~	~~x~~	~~x~~	~~x~~	~~x~~	.21	~~x~~	.02		30
31	.09	X	.01	X	~~x~~	X	~~x~~	~~x~~	X	.64	X	.01		31
TOTAL	2.07 ~~.81~~	2.20 ~~3.46~~	2.16	3.02	1.26	.45	3.34	.16	.73	3.12	6.71	1.41	Year's Total 26.63	✓
* Days with .01 in. or more.	4	17	15	22	11	5	22	5	12	18	19	17	167	^
* Days with .04 in. or more.	3	12	11	14	8	2	16	2	8	15	17	18	120	✓

* See Instruction 3 (f) on other side.

† Spare column, FERMOR-HESKETH ESTATES

(*Signed*) W. Mac SECRETARY. [P.T.O.

1093

Section **A** for the entry of D

AIR MINISTRY.-

FOR OFFICIAL USE.

AINFALL ORGANIZATION.

1093

BRACKLEY W.W.

1931-40

780208

FORM 1090.

REGIST 1931.

Kept at Brackley Wa

in the County of Northa

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·05	—	—	—	—	·14	—	—	—	1
2	·08	·10	—	·66	—	—	·01	·03	·79	—	·02	·01	2
3	·01	—	—	·23	—	—	—	·02	·56	—	·80	·12	3
4	—	—	—	·09	—	—	·30	·80	·04	·01	·10	—	4
5	—	—	—	·08	·04	—	—	—	·02	—	·01	·38	5
6	—	·21	—	·06	—	·85	·06	—	—	·22	·33	·05	6
7	—	—	—	—	—	·11	—	·30	—	—	·07	·04	7
8	—	·10	—	·02	—	·11	—	·29	—	·03	·24	—	8
9	—	·30	—	·05	—	·28	—	—	—	·01	·30	—	9
10	—	·01	—	—	—	·02	·10	·18	—	—	·05	—	10
11	·18	·12	—	—	—	—	—	—	·10	—	·12	—	11
12	·03	·08	—	—	—	·01	·11	·36	·01	—	—		12
13	—	—	·02	—	—	—	·10	·07	—	—	—	—	13
14	—	·08	—	—	·04	·10	·73	·44	—	—	·02	—	14
15	·02	·05	—	·07	·19	—	·37	·12	—	—	·02	·02	15
16	—	—	—	·14	·34	·38	—	·26	·12	—	—	—	16
17	·07	·40	—	·47	·39	·03	·15	·01	·05	—	—	—	17
18	·09	·15	—	·26	—	·07	—	·18	—	—	·44	—	18
19	—	·06	—	·34	—	·04	·10	·02	·03	—	·01	—	19
20	—	·02	—	·08	—	—	·01	·10	—	—	·01	—	20
21	—	—	·03	—	·46	—	—	·12	—	—	—	—	21
22	·15	—	—	—	·08	—	—	—	—	—	—	—	22
23	·05	·01	·05	·06	·36	·18	—	·01	·03	—	·25	·07	23
24	—	—	·01	·06	·34	·01	·05	—	—	—	—	·03	24
25	·02	—	—	·75	·05	—	·41	—	—	—	·06	—	25
26	—	—	—	·17	—	—	·19	—	—	—	·18	—	26
27	·12	·38	—	·03	·37	—	·14	—	—	—	·16	—	27
28	·18	·10	—	·07	·15	—	—	—	—	—	—	—	28
29	—	—	—	—	—	—	·14	—	—	·27	·02	·06	29
30	·14	×	—	—	—	—	—	·03	—	—	—	—	30
31	·27	×	—	×	·03	×	—	—	×	—	×	·03	31
TOTAL	1·41	2·17	·11	3·74	2·84	2·19	2·96	3·08	2·24	·55	3·21	·81	YEAR'S TOTAL 25·31
*Days with ·01 in. or more.	14	16	4	20	13	13	16	18	11	5	20	10	160
*Days with ·04 in. or more.	10	13	1	18	12	9	14	12	7	2	13	6	117

40-9999

* (Signed) W. M. Oldreive [P.T.O.

*See Instruction 2 (*f*) on other side.

1093

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Brackley Waterworks

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 470 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·05	—	—	—	—	·14	—	—	—	1
2	·08	·10	—	·66	—	—	·01	·03	·79	—	·02	·01	2
3	·01	—	—	·23	—	—	—	·02	·56	—	·80	·12	3
4	—	—	—	·09	—	—	·30	·80	·04	·01	·10	—	4
5	—	—	—	·08	·04	—	—	—	·02	—	·01	·38	5
6	—	·21	—	·06	—	·85	·06	—	—	·22	·33	·05	6
7	—	—	—	—	—	·11	—	·30	—	—	·07	·04	7
8	—	·10	—	·02	—	·11	—	·29	—	·03	·24	—	8
9	—	·30	—	·05	—	·28	—	—	—	·01	·30	—	9
10	—	·01	—	—	—	·02	·10	·18	—	—	·05	—	10
11	·18	·12	—	—	—	—	—	—	·10	—	·12	—	11
12	·03	·08	—	—	—	·01	·11	·36	·01	—	—		12
13	—	—	·02	—	—	—	·10	·07	—	—	—	—	13
14	—	·08	—	—	·04	·10	·73	·44	—	—	·02	—	14
15	·02	·05	—	·07	·19	—	·37	·12	—	—	·02	·02	15
16	—	—	—	·14	·34	·38	—	·26	·12	—	—	—	16
17	·07	·40	—	·47	·39	·03	·15	·01	·05	—	—	—	17
18	·09	·15	—	·26	—	·07	—	·18	—	—	·44	—	18
19	—	·06	—	·34	—	·04	·10	·02	·03	—	·01	—	19
20	—	·02	—	·08	—	—	·01	·10	—	—	·01	—	20
21	—	—	·03	—	·46	—	—	·12	—	—	—	—	21
22	·15	—	—	—	·08	—	—	—	—	—	—	—	22
23	·05	·01	·05	·06	·36	·18	—	·01	·03	—	·25	·07	23
24	—	—	·01	·06	·34	·01	·05	—	—	—	—	·03	24
25	·02	—	—	·75	·05	—	·41	—	—	—	·06	—	25
26	—	—	—	·17	—	—	·19	—	—	—	·18	—	26
27	·12	·38	—	·03	·37	—	·14	—	—	—	·16	—	27
28	·18	·10	—	·07	·15	—	—	—	—	—	—	—	28
29	—	—	—	—	—	—	·14	—	—	·27	·02	·06	29
30	·14	×	—	—	—	—	—	·03	—	—	—	—	30
31	·27	×	—	×	·03	×	—	—	×	—	×	·03	31
TOTAL	1·41	2·17	·11	3·74	2·84	2·19	2·96	3·08	2·24	·55	3·21	·81	YEAR'S TOTAL 25·31
*Days with ·01 in. or more.	14	16	4	20	13	13	16	18	11	5	20	10	160
*Days with ·04 in. or more.	10	13	1	18	12	9	14	12	7	2	13	6	117

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. M. Oldreive [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1093.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Brackley U.D.C. Waterworks

in the County of Northampton.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 470 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·02	—	·02	·57	·04	·04	·37	·03	·30	·01	·04	1
2	·02	—	—	·10	·15	—	—	—	·22	·15	·03	·18	2
3	—	—	—	·21	·06	—	—	—	—	—	—	—	3
4	·01	—	—	·20	—	—	—	—	—	—	·29	—	4
5	·23	·01	·03	—	—	—	·03	—	·09	—	—	—	5
6	·33	—	·01	·03	—	—	·14	—	·13	—	—	—	6
7	—	—	·14	·04	·06	—	—	—	·07	—	·38	—	7
8	—	·01	·03	·09	—	—	—	—	·26	·22	—	—	8
9	·20	·02	—	·06	·05	—	—	—	—	—	—	—	9
10	·13	·02	·02	·09	·04	—	—	—	·06	·07	—	—	10
11	—	—	—	·12	·03	·31	·03	·01	·01	—	·01	·01	11
12	·25	—	—	—	·18	—	—	—	·02	·46	·02	—	12
13	·08	—	—	·16	—	—	·19	—	·05	—	·03	·02	13
14	·20	—	—	—	—	—	—	·01	—	·01	·03	—	14
15	—	—	—	·04	·17	—	·01	—	—	·05	—	·01	15
16	·22	—	—	·28	·24	—	1·40	—	—	—	—	—	16
17	—	—	—	·01	—	—	·27	—	—	·06	—	—	17
18	—	—	—	—	·06	—	—	—	·12	—	·04	—	18
19	—	·01	—	—	·01	—	—	—	·03	·22	—	—	19
20	—	—	—	·21	·27	—	—	·30	—	·41	·12	—	20
21	·02	—	·06	·21	1·92	—	—	1·02	—	·28	—	·02	21
22	—	—	·30	—	·02	—	·21	—	·56	·09	·36	—	22
23	—	·01	—	—	·20	—	—	—	·07	·29	—	·03	23
24	—	—	—	·02	—	—	·27	—	·03	·03	·03	—	24
25	—	·03	—	—	—	·06	·07	—	·04	·33	·06	·01	25
26	—	—	·03	·15	·06	—	·06	—	·07	—	—	—	26
27	—	—	·43	·19	·39	·40	·09	—	·01	·15	·08	—	27
28	—	—	·30	·01	·70	—	·10	—	—	·09	—	·01	28
29	—	—	·32	·13	·25	·10	—	·34	·11	·22	·18	·01	29
30	—	×	·02	·05	—	·72	—	·15	·17	·08	·31	·35	30
31	—	×	·13	×	·01	×	·10	—	×	—	×	·04	31
TOTAL	1·73	·13	1·82	2·42	5·44	1·63	3·07	2·20	2·15	3·51	1·98	·73	YEAR'S TOTAL 26·81
*Days with ·01 in. or more.	12	8	13	22	21	6	15	7	20	19	16	12	171
*Days with .04 in. or more.	9	0	7	17	17	6	12	5	14	17	9	4	117

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. M. Oldreive.

P.T.O.

1093

COPY FOR OFFICIAL USE. M07

Section **A** for the entry of Daily Observations. Station No. 1093

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

RECEIVED 13 JAN 1934
TIME 1044
IF ACKNOWLEDGED
TRANSIT
FILE NO
ON

Kept at Brackley U.D.C. Waterworks.
in the County of Brackley Northants.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 470·11 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·14	·16	·03	—	—	—	—	—	—	—	—	—		1
2	·20	—	·35	—	·12	—	—	—	—	—	·06.	—		2
3	—	·22	·30	—	·14	—	—	—	—	—	·05	—		3
4	·16	—	—	—	·27	—	—	—	—	—	—	—		4
5	·01	·02	·27	—	—	—	—	—	—	—	—	—		5
6	—	·01	·11	—	·15	—	—	—	—	·03	—	—		6
7	·08	·18	·04	—	—	—	—	—	—	·09	·01	—		7
8	—	—	·04	—	—	—	·33	—	—	—	—	—		8
9	—	—	—	—	·06	—	·14	—	—	·02	·06	—		9
10	·02	·22	—	—	·01	·07	—	—	—	·64	·05	—		10
11	·11	—	—	—	—	·10	—	·05	—	—	—	—		11
12	—	—	—	—	—	—	—	—	·46	—	—	—		12
13	·03	—	—	—	·11	·08	·19	—	—	—	·20	—		13
14	—	—	—	—	—	—	·10	—	—	·34	·38	·02		14
15	·61	—	·05	—	—	·25	·02	·09	—	·01	·19	—		15
16	·04	—	·65	—	—	·14	·06	—	—	·01	·03	—		16
17	·05	—	·40	—	—	—	·01	·01	·04	—	·06	—		17
18	·06	—	—	—	—	·03	—	—	—	—	·01	—		18
19	—	·01	·31	—	—	—	—	—	·06	—	—	·02		19
20	—	—	·04	—	—	1·00	—	—	—	—	—	—		20
21	—	·53	—	—	·05	·18	—	·25	·08	—	—	—		21
22	·01	—	—	—	·05	—	—	·27	·02	·32	—	—		22
23	—	·28	—	·13	—	—	—	—	·18	—	—	—		23
24	—	—	—	·16	·04	·08	—	—	·20	·01	·01	—		24
25	—	·42	—	·27	—	·20	—	—	·11	—	·03	·07		25
26	—	·40	—	·11	—	—	—	—	·02	·09	—	·01		26
27	—	—	—	—	·08	—	—	—	·02	·16	—	·10		27
28	—	—	—	·12	·01	—	—	—	—	·16	—	·04		28
29	—	—	—	·18	—	—	·05	—	—	·01	—	—		29
30	·17	×	·10	·05	—	—	·05	—	—	—	—	·05		30
31	·02	×	·06	×	—	×	—	·12	×	·04	×	—		31
TOTAL	1·71.	2·45.	2·75.	1·02.	1·09.	2·13.	·94.	·79.	1·19.	1·93.	1·14.	·31	Year's Total 17·45 ✓	
*Days with ·01 in. or more.	15.	11.	14.	7.	12.	10.	9.	6.	10.	14.	13.	7.	128.	
*Days with .04 in. or more.	10.	8.	13.	7.	10.	9.	7.	5.	7.	8.	8.	4.	96	

40-9999
*See Instruction 2 (*f*) on other side

† Spare column, no entries required.
(*Signed*) W. M. Oldrieve

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1093

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Brackley Waterworks.

in the County of Northampton.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 470 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	—	—	—	—	—	—	·22	·08	—	·03	·45		1
2	·19	—	·08	—	·24	—	—	—	·76	·01	—	·19		2
3	·04	·03	—	—	—	—	—	·05	—	·25	—	·01		3
4	·07	—	·04	·35	·01	—	—	—	·01	·18	·15	·43		4
5	—	—	·11	—	·08	—	—	·14	—	—	·04	·30		5
6	—	—	·13	·04	·44	—	—	—	—	·18	—	·65		6
7	·05	—	—	—	—	·05	—	·19	—	·04	—	·35		7
8	—	—	—	—	·07	·06	—	·04	·03	—	·13	—		8
9	·01	—	·15	—	—	—	—	—	—	—	·81	·55		9
10	—	—	·20	·13	—	—	—	·02	—	—	·27	·02		10
11	·64	—	·19	·28	—	—	—	·02	—	—	—	·16		11
12	—	—	·08	·04	—	—	·03	·28	—	—	—	·01		12
13	·42	·01	—	·01	—	—	·53	·25	—	·02	·01	·44		13
14	·04	—	·28	—	—	·02	—	—	—	—	·19	·31		14
15	·04	—	·14	—	·01	—	—	—	·35	·23	·21	·05		15
16	·12	—	·23	—	—	—	—	—	—	·07	·03	·02		16
17	—	—	—	—	—	—	—	—	·16	·11	·05	·26		17
18	·16	—	—	·25	—	—	·45	—	—	—	—	·05		18
19	—	—	·20	·04	·02	·10	—	—	·14	·01	—	·07		19
20	—	—	·05	·10	—	—	—	—	—	—	—	—		20
21	—	—	—	—	—	·18	—	·02	—	·17	—	—		21
22	—	—	—	—	—	—	—	·25	·23	—	—	·09		22
23	—	—	—	·14	—	·40	—	—	—	—	—	·20		23
24	—	·25	·07	·03	—	·04	·30	—	·25	—	—	—		24
25	·17	—	—	·16	—	·10	—	—	—	·10	—	·47		25
26	·01	—	·01	·07	—	·06	—	—	·09	·01	—	·02		26
27	—	·08	—	·02	—	·07	—	—	—	·03	—	·25		27
28	·01	—	—	—	—	·06	—	·42	—	—	—	·38		28
29	—	—	—	—	—	—	·27	·10	·33	·01	—	·02		29
30	·04	×	—	—	—	—	—	—	·01	—	—	·04		30
31	·06	×	—	×	—	×	·08	·01	×	—	×	·02		31
TOTAL	2·11	·37	1·96	1·66	·87	1·14	1·66	2·01	2·44	1·42	1·92	5·81	Year's Total. 23·37	
* Days with .01 in. or more.	17	4	15	14	7	11	6	14	12	15	11	27	153	
* Days with .04 in. or more.	14	2	14	11	4	10	5	10	9	9	8	20	116	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. M. Oldreive.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 1093.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Brackley U.D.C. Waterworks.

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 470·11 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	—	—	·01	·02	·10	—	—	·07	·07	·14	—		1
2	—	—	—	—	—	·04	—	—	—	·15	—	·03		2
3	—	·15	·04	—	—	·16	—	—	·18	·27	·24	·08		3
4	—	—	—	·10	—	·19	—	—	·06	·69	—	—		4
5	—	·85	·05	—	—	·21	—	—	·07	·05	·02	·03		5
6	—	·02	—	·44	—	·32	—	—	—	—	—	—		6
7	—	—	—	·39	—	·23	—	—	—	·08	·24	·18		7
8	—	—	—	·30	—	·05	—	—	—	·23	·20	·05		8
9	—	—	—	·52	—	·36	—	—	—	·71	·47	·01		9
10	—	—	—	·35	—	·02	—	—	—	—	·13	—		10
11	·26	—	—	—	—	·04	·02	—	—	—	·34	—		11
12	—	·04	—	—	—	·45	—	—	·01	·01	·05	—		12
13	·05	·15	—	·06	·15	·04	—	—	—	—	·02	—		13
14	—	—	—	·09	·09	·14	—	—	·28	—	·42	·08		14
15	—	·12	—	·68	·05	·43	—	—	·42	—	·22	·15		15
16	—	·01	·08	·05	—	·07	—	—	—	·02	·51	·11		16
17	—	—	—	·05	—	·25	—	—	·22	·02	·59	—		17
18	—	·01	—	·28	—	·02	·19	—	·27	·08	·02	—		18
19	—	—	—	·14	·49	·20	·07	—	·12	—	·19	—		19
20	—	·31	—	·22	·06	·16	·09	—	·04	—	·21	—		20
21	—	·28	·01	·05	—	—	—	—	1·12	—	·07	—		21
22	—	·02	·03	·19	—	—	—	·04	·41	·02	—	—		22
23	—	—	·09	—	—	—	—	·60	—	·25	—	—		23
24	·02	·15	·03	—	—	—	—	·04	·74	·02	—	·48		24
25	·13	·14	—	·15	—	·98	—	—	—	—	—	·13		25
26	—	·04	—	—	—	—	—	·26	·09	—	—	·53		26
27	—	·13	—	—	·10	—	—	—	·10	·01	·16	·86		27
28	—	·29	—	—	·22	—	—	·24	·08	·02	—	·06		28
29	—		·02	—	—	—	—	—	·27	—	—	·21		29
30	—	×	—	·16	·25	—	—	·79	·05	·06	·29	·23		30
31	·02	×	—	×	—	×	—	·07	×	·96	×	·34		31
TOTAL	·63	2·71	·35	4·23	1·42	4·46	·37	2·04	4·60	3·72	4·53	3·56	Year's Total. 32·62	
* Days with .01 in. or more.	6	14	7	18	9	20	4	7	18	17	20	16	156	
* Days with .04 in. or more.	4	10	3	18	8	16	3	5	17	12	17	14	127	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. M. Oldreive.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1093.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Brackley. U.D.C. Waterworks

in the County of Brackley. Northants.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 470·11 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·12	·14	·39	—	·03	·30	·01	—	—	·06	·05		1
2	·01	·01	·04	·02	—	·57	·49	·07	—	—	·06	—		2
3	—	—	—	—	—	·04	·02	—	·27	—	·14	·01		3
4	—	—	·17	—	—	·01	—	—	·49	—	·03	·10		4
5	·13	—	·07	—	—	—	·01	·02	·15	—	—	·27		5
6	·08	—	—	—	·02	·07	·08	·16	·14	—	·09	—		6
7	·30	—	·04	—	—	—	·06	—	·02	—	·02	·02		7
8	·20	—	·24	—	—	—	—	—	—	—	·36	—		8
9	·59	—	·04	—	—	—	·66	—	·17	·07	·04	—		9
10	·10	—	—	—	—	—	·19	—	·17	—	—	·10		10
11	—	—	—	—	—	—	·26	—	·37	—	·35	—		11
12	—	—	—	·05	—	·34	·48	—	—	—	·28	·15		12
13	—	—	—	·03	—	·37	·02	—	—	·07	·07	·56		13
14	—	·03	—	·17	—	·06	·69	—	·29	·17	—	·56		14
15	—	—	—	·05	—	—	·37	—	·13	—	—	·26		15
16	—	·12	—	·09	—	—	—	—	—	—	·39	—		16
17	·08	·51	—	—	—	—	·01	—	—	·10	·17	·07		17
18	—	·02	—	—	—	·08	·14	—	—	·06	·01	—		18
19	·41	·08	—	·07	—	·04	—	·10	—	·02	—	—		19
20	·10	·09	·02	·13	—	·03	·05	—	·31	—	—	—		20
21	—	—	—	·30	—	·68	—	—	·21	—	—	—		21
22	·03	·51	·07	—	·50	—	·22	—	—	—	—	·06		22
23	—	—	·15	·08	·06	—	·24	—	—	·03	—	—		23
24	·14	·09	—	—	—	—	·21	—	·25	·33	—	—		24
25	·08	—	·20	·13	—	—	·12	—	·13	·02	·04	—		25
26	—	·08	·24	—	—	—	·01	—	—	·06	—	—		26
27	·06	—	·04	—	—	—	·01	—	·09	—	—	—		27
28	·65	·01	·18	—	—	—	·02	—	—	—	—	·10		28
29	·08	·10	·04	—	—	·13	—	—	—	·03	·26	·07		29
30	·10	✗	—	—	·18	·23	·08	—	—	·26	—	—		30
31	·49	✗	·09	✗	—	✗	·12	—	✗	·59	✗	·16		31
TOTAL	3·64	1·77	1·77	1·51	·76	2·68	4·86	·36	3·19	1·81	2·37	2·54	Year's Total 27·26	
* Days with .01 in. or more.	19	13	16	12	4	14	25	5	15	13	16	15	167	
* Days with .04 in. or more.	16	9	15	10	3	11	18	3	14	9	13	12	133	

† Spare column, no entries required.

(*Signed*) W. M. Oldreive.

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1093

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Brackley Waterworks

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 470·11 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	—	—	—	—	—	—	—	·08	—	·37	·29		1
2	·02	·14	—	·41	—	—	—	—	—	—	—	·28		2
3	·02	·13	—	—	·04	—	—	—	—	—	—	—		3
4	·06	·30	—	—	·01	—	—	—	—	—	—	·47		4
5	·14	—	·13	—	—	—	·02	—	—	—	—	—		5
6	·24	—	·30	·01	·09	—	·08	—	—	·03	·02	—		6
7	—	·79	—	·31	—	—	—	—	—	—	—	—		7
8	—	·06	—	—	·04	—	—	—	·01	—	·29	—		8
9	—	—	—	·09	·20	—	·14	—	·19	—	—	—		9
10	—	—	·56	·71	—	·27	·08	—	—	—	—	·24		10
11	—	—	·14	—	·32	—	·02	—	—	—	—	·05		11
12	—	·28	·06	—	—	·03	—	·22	·10	—	—	·14		12
13	·10	·06	·29	—	·30	·44	—	—	·28	—	—	·01		13
14	—	—	·28	·05	—	—	—	·23	·04	—	—	·06		14
15	·36	·08	—	·21	—	—	·93	—	·09	—	—	—		15
16	·04	·06	·32	·42	—	—	—	·05	·33	—	—	—		16
17	·46	—	·32	·28	—	·09	—	—	·86	—	—	—		17
18	·30	·11	—	·03	—	—	—	—	·30	·01	·20	·06		18
19	·13	·04	·21	·12	·04	·24	—	—	—	·01	·12	—		19
20	·40	·05	—	·47	·54	·18	—	—	—	·01	—	—		20
21	·20	·36	·08	·03	·03	—	·02	—	—	—	—	·05		21
22	·20	—	·06	—	·09	·19	·10	—	—	·49	·30	·02		22
23	·27	—	—	—	·18	—	·26	—	—	·59	—	—		23
24	·76	·40	·06	—	·03	—	—	—	·04	·31	·06	—		24
25	·19	·27	—	—	·75	—	—	—	·01	·10	—	·02		25
26	—	·55	—	—	·10	—	—	—	—	·04	—	—		26
27	—	·18	·04	·24	—	—	—	—	—	·86	—	—		27
28	—	—	—	—	—	—	—	—	—	·01	—	—		28
29	—	—	—	—	—	·03	—	—	—	·03	·06	·14		29
30	·35	✕	—	—	—	—	—	—	—	—	·28	—		30
31	·33	✕		✕		✕			✕	·14	✕	·05		31
TOTAL	4·09	3·86	2·85	3·38	2·76	1·47	1·65	·50	2·33	2·63	1·75	1·88	Year's Total	29·15 ✓
* Days with .01 in. or more.	20	17	14	14	15	8	9	3	12	13	9	14		148 ✓
* Days with .04 in. or more.	18	17	14	11	12	6	6	3	10	7	8	11		123 ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. M. Oldacre

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~1073~~ 1093

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Brackley Waterworks

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 471·36 ft.

Totals ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	·04	—	—	·27	—	—	—	·04	—	·22		1
2	·05	—	—	·04	·07	·03	—	—	—	·59	—	·02		2
3	—	—	—	—	·18	—	—	—	—	·68	—	—		3
4	·04	—	—	—	—	—	—	·01	—	·29	—	·14		4
5	—	—	—	—	—	—	·20	—	—	·07	—	—		5
6	·03	—	—	—	—	—	·03	—	·05	·04	—	—		6
7	·02	—	—	—	—	·07	—	·13	·17	·28	—	·13		7
8	·14	—	—	—	—	·23	·25	·18	—	·20	—	·02		8
9	·05	—	—	—	—	—	·12	·08	—	—	—	·50		9
10	·07	—	—	—	—	·05	·08	·22	—	—	—	·11		10
11	·40	·07	—	—	—	—	—	—	—	·02	·21	—		11
12	·12	—	—	—	·06	—	—	·43	—	·36	·05	—		12
13	—	·06	—	—	—	—	—	—	—	·02	·07	·38		13
14	·32	—	—	—	·04	—	·37	—	·03	—	—	—		14
15	·10	—	—	—	·02	—	·25	—	—	·02	—	·29		15
16	·27	—	—	—	—	—	—	—	—	—	—	·27		16
17	—	—	—	—	·05	—	·03	—	—	·09	·02	—		17
18	·04	—	—	—	·04	—	—	—	·94	—	·30	—		18
19	—	·10	—	—	—	—	—	·06	·10	—	·18	—		19
20	—	—	—	—	—	—	—	—	·05	—	·85	·02		20
21	—	—	—	—	—	—	—	—	—	—	·01	·19		21
22	—	—	—	—	—	·04	—	·03	—	—	·28	·22		22
23	—	—	—	—	—	—	·06	—	·09	—	—	·01		23
24	—	—	·09	—	·10	—	—	—	·07	—	·02	—		24
25	—	·13	·06	—	·12	—	·03	·08	—	·07	·25	—		25
26	·20	·32	·08	—	·03	—	—	—	·14	·17	—	·29		26
27	·05	·02	—	—	·12	·12	·29	·03	·97	—	·26	—		27
28	·15	·01	—	—	·42	·20	·01	·65	·04	—	·02	·06		28
29	·43	—	—	—	·35	—	·01	—	—	·01	·15	·16		29
30	·03	✕	—	—	—	—	—	—	·21	·03	·30	·14		30
31	·11	✕	—	✕	·21	✕	—	—	✕	·18	✕	·26		31
TOTAL	2·62	·71	·27	·04	1·81	1·01	1·73	1·90	2·86	3·11	2·97	3·93	Year's Total	22·46 ✓
* Days with .01 in. or more.	19	7	4	1	14	8	13	11	12	18	15	19	141	
* Days with .04 in. or more.	16	5	4	1	12	7	8	8	11	13	11	15	111	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. M. Oldreive

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1093.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Brackley

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 470·11 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	—	·01	·42	·29.	—	—	·02	·02	·04	·01	·02		1
2	·06	—	—	·04	—	—	—	·46	·43	—	—	—		2
3	·17	—	—	·20	—	—	—	·50	—	·01	·20	·29		3
4	·03	—	·53	·26	—	—	·03	·33	·04	·36	·03	·05		4
5	—	—	—	·68	·33	—	·02	·30	—	·15	·31	·13		5
6	·55	—	·02	·08	·10	—	·62	·05	—	—	—	·01		6
7	·06	·04	—	—	—	—	·02	—	—	—	·26	·19		7
8	—	·07	·20	—	—	—	·13	·45	—	·65	·13	·51		8
9	·06	·08	—	—	—	—	—	·07	—	·84	—	·20		9
10	·30	—	·01	—	—	·40	—	·14	·01	·04	—	—		10
11	—	—	·25	—	—	·09	—	—	·01	·01	·01	·01		11
12	—	·04	·03	—	—	·05	—	—	—	·01	·01	—		12
13	—	—	—	—	—	—	·08	—	·04	·72	—	—		13
14	·46	—	·01	·07	·16	·05	·16	—	—	·04	·07	—		14
15	·30	—	·04	—	·30	·39	·14	—	·02	·83	·06	—		15
16	·39	—	·10	·05	·07	·60	·19	—	—	·09	·34	—		16
17	·19	—	—	—	·12	—	·23	—	—	2·61 ✓	·02	—		17
18	·06	·04	·03	—	—	·34	·19	—	—	·01	·44	—		18
19	·27	—	—	—	—	—	·42	—	·02	—	—	—		19
20	·16	—	—	—	—	·06	·02	·20	—	—	—	—		20
21	·16	·22	·31	·04	—	·20	·31	·24	·02	—	—	—		21
22	·29	·23	·06	—	—	·08	—	—	·01	·01	·18	—		22
23	·02	—	·02	·10	—	·03	·18	—	—	·06	·60	—		23
24	·29	—	—	—	—	·01	·05	—	—	·06	—	—		24
25	·70	·12	·16	—	—	—	·10	—	—	—	·20	·02		25
26	·55	—	—	—	—	—	—	·14	—	·11	·05	·05		26
27	·02	·09	·08	—	—	·01	·05	—	—	·04	·05	—		27
28	·02	·15	·12	·03	—	·02	—	—	—	—	·24	·06		28
29	—	—	—	·50	—	—	·15	—	—	·13	—	—		29
30	—	✕	—	·54	—	·03	—	—	—	—	·03	—		30
31	—	✕	—	✕	—	✕	·04	—	✕	—	✕	—		31
TOTAL	5·15	1·08	1·98	3·01	1·37	2·36	3·13	$2·9\overset{0}{4}$	·62	6·72	3·74	1·54	Year's Total 33·60 ✓	
* Days with .01 in. or more.	23	10	17	13	7	15	20	12	10	21	20	12	180	
* Days with .04 in. or more.	19	10	10	12	7	10	15	11	3	16	14	8	135 ✓	

† Spare column, no entries required.

(*Signed*) W. M. Oldreive.

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1093

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Brackley

in the County of Northampton

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 470'11 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·05			**1**
2		·12		·14	·01						·74			**2**
3		·22		·12						·16	·63	·06		**3**
4		·09		·27						·13	·52	·08		**4**
5		·01			·03		·06			·08	·62			**5**
6	·09	·20			·05		·25			·18	·01			**6**
7	·18	·25									·04			**7**
8	·01								·03	·14	·11	·22		**8**
9							1·44	·02	·01	·03	·15	·06		**9**
10							·32	·02		·07	·71			**10**
11				·04		·02	·16				·05	·02		**11**
12			·07				·10		·08		·57			**12**
13		·03	·51	·01					·06					**13**
14			·05	·07	·18				·10	·10		·39		**14**
15			·02	·01	·08	·22	·01		·03	·25	·34	·01		**15**
16		·16	·33	·03			·40		·20	·90	·67	·01		**16**
17			·35	·40					·01					**17**
18	·01	·46	·43	·12			·02			·12	·14	·07		**18**
19		·16	·04	·01			·09		·11	·01	·22	·01		**19**
20		·01	·03				·18	·01		·04	·07			**20**
21	·04	·01	·03		·39					·09	·74			**21**
22		·20	·05	·01	·42	·19			·12	·01				**22**
23		·01	·06	·09	·23	·22						·05		**23**
24				·01			·10				·01			**24**
25			·03				·09							**25**
26	1·10	·09		·08			·31				·01			**26**
27	·06	·04		·07	·01									**27**
28	·36				·13									**28**
29			·10		·12							·35		**29**
30		✕		·20						·31		·01		**30**
31	·13	✕		✕		✕			✕	·69	✕			**31**
TOTAL	2·48	2·06	2·10	1·68	1·65	·65	3·53	·05	·75	3·31	6·40	1·34	Year's Total 26·00	
* Days with .01 in. or more.	7	12	14	12	9	4	13	2	8	15	17	9	122	
* Days with .04 in. or more.	6	10	9	10	8	3	12	0	6	13	16	8	103	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. M. Oldreive

[P.T.O.

FORM 1090. **B**

...of Station.

1093/3

1093/3

BRACKLEY (GLEBE HSE)

1938 - 40

780208

, The following register of me... this section and also the space for &c., is NOT required if da... relating to this register should be sent :—
values are given on the ot...

RAINFALL IN 1...

At Brackley (Glebe H...

In the County of ...Northa...

Rain Gauge
- Diameter of Funnel.........
- *Height of Top above Ground*......1...ft......—......in.
- *Height of Ground above Sea Level*......390......ft. from map

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·13				
FEB.	1·00				
MAR.	·35				
APRIL	·11				
MAY	1·75				
JUNE	1·51				
JULY	1·89				
AUG.	2·03				
SEPT.	2·39				
OCT.	3·29				
NOV.	3·12				
DEC.	3·98				
TOTAL	24·55	Print GB 15/4/39			

Signature ......C. Resenbach......Esq.

* See Instruction 3 *(f)* below.

...er......................in Summer......................

.... Distance.................. Direction from gauge............

.... Distance.................. Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

870577/39

to S.C.C. [illegible] 11/7/39

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

FORM 1090.

1093/3

B Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At Brackley (Glebe House)

In the County of Northants

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* — *in.*
- *Height of Ground above Sea Level* 390 *ft.* from map

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with 01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·13				
FEB.	1·00				
MAR.	·35				
APRIL	·11				
MAY	1·75				
JUNE	1·51				
JULY	1·89				
AUG.	2·03				
SEPT.	2·39				
OCT.	3·29				
NOV.	3·12				
DEC.	3·98				
TOTAL	24·55	Print GB 14/4/39			

Signature C. Reyersbach Esq.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.......in Summer.......

Nearest Railway Station....... Distance....... Direction from gauge.......

Nearest Parish Church at....... Distance....... Direction from gauge.......

Nature of objects nearest to gauge				
Height of objects	20			
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move....... Distance....... Direction.......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

870577/39

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91

S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 1093/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Brackley (Glebe House)

in the County of Northants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05	—	·01	·45	·32	—	·07	·03	tr	·04	tr	·02		1
2	·07	—	—	·05	tr	—	tr	·49	·43	·02	·01	·01		2
3	·14	—	—	·20	—	—	—	·44	·01	·01	·23	·26		3
4	·07	—	·50	·23	—	—	·03	·40	·05	·33	·04	·05		4
5	—	—	·01	·77	·38	—	·04	·34	—	·15	·32	·15		5
6	·55	—	·02	·07	·13	—	·62	·10	—	tr	tr	·01		6
7	·10	·05	—	—	—	—	·03	·01	—	—	·24	·18		7
8	Tr	·07	·24	—	—	—	·15	·51	—	·64	·16	·54		8
9	·05	·09	—	—	—	—	—	·07	—	·86	tr	·20		9
10	·31	tr	·04	—	—	·42	—	·16	·02	·04	—	tr		10
11	—	—	·20	—	—	·10	—	tr	·02	·01	tr	·01		11
12	—	·05	·04	—	·02	·05	—	—	—	tr	·02	—		12
13	—	—	Tr	·02	—	tr	·08	—	·05	·84	tr	—		13
14	·43	—	·02	·05	·14	·06	·20	—	tr	·03	·06	—		14
15	·31	—	·05	·02	·33	·33	·15	—	·04	·85	·03	—		15
16	·38	—	·12	·03	·09	·51	·16	—	tr	·06	·38	—		16
17	·20	·02	Tr	·03	·12	tr	·19	—	—	2·35	·03	—		17
18	·05	·05	·04	—	—	·35	·22	—	tr	·02	·46	tr		18
19	·25	tr	Tr	—	—	—	·45	—	·02	tr	—	—		19
20	·23	—	Tr	—	tr	·09	·05	·23	tr	—	—	tr		20
21	·11	·22	·35	·03	tr	·20	·76	·26	·02	—	—	—		21
22	·27	·24	·08	·02	—	·10	·01	tr	·01	·01	·18	·01		22
23	·02	tr	·03	·11	—	·03	·16	—	tr	·05	·59	—		23
24	·30	—	Tr	·15	—	·01	·10	tr	tr	·08	tr	tr		24
25	·77	·13	·20	tr	—	—	·11	—	—	—	·21	—		25
26	·66	—	·02	—	—	—	tr	·21	—	·11	·51	·05		26
27	·02	·09	·10	·01	—	·01	·06	tr	—	·04	·11	—		27
28	·02	·14	·12	·02	—	·06	·01	—	—	tr	·23	·05		28
29	tr	✕	—	·52	tr	—	·13	tr	—	·15	tr	—		29
30	—	✕	—	·53	—	·06	tr	—	—	tr	·03	—		30
31	—	✕	—	✕	—	✕	·03	—	✕	tr	✕	tr		31
TOTAL	5·36	1·15	2·19	3·31	1·53	2·38	3·81	3·25	·67	6·69	3·84	1·54	Year's Total 35·72	✓
* Days with .01 in. or more.	23	11	19	19	8	15	23	13	10	21	19	13	194	✓
* Days with .04 in. or more.	20	10	13	11	7	12	18	11	4	15	14	8	143	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Cecil Ryersbach

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1093/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Brackley
in the County of Northants
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	tr	—	·01	·02	—	—	—	—	—	·06	—		1
2	—	·14	—	·08	tr	—	·01	—	—	—	·77	—		2
3	·01	·22	—	·21	—	—	tr	—	—	·16	·53	·05		3
4	—	·09	—	·38	—	—	tr	—	—	·12	·62	·08		4
5	—	·01	—	—	·01	—	·06	—	—	·10	·61	·15		5
6	·09	·21	—	—	·09	—	·06	—	—	·19	·28	tr		6
7	·18	·26	—	·01	·02	—	·20	—	·04	tr	—	·01		7
8	tr	tr	—	·01	—	tr	tr	—	tr	·14	·04	·22		8
9	—	—	—	tr	—	·01	·01	·02	·01	·04	·11	·04		9
10	—	—	—	—	—	—	1·40	·04	tr	·08	·17	·10		10
11	—	—	tr	·05	—	tr	·29	tr	—	—	·65	·03		11
12	—	tr	·10	·01	—	tr	·17	—	·09	tr	·05	—		12
13	—	·04	·56	·02	—	—	·11	—	·08	—	·61	tr		13
14	—	tr	·07	·07	·19	—	tr	tr	·11	·11	tr	·34		14
15	—	—	·04	·03	·09	·17	·01	—	tr	·22	·32	tr		15
16	·04	·19	·37	·04	—	tr	·38	—	·21	·87	·69	·02		16
17	—	tr	·39	—	—	·01	·01	—	·03	·01	tr	—		17
18	tr	·46	·50	·40	—	—	·03	·02	tr	·15	·13	·07		18
19	—	·17	·05	·11	—	—	·12	tr	·15	tr	·21	·03		19
20	—	·04	·04	·01	—	tr	·20	·02	—	·04	·06	—		20
21	·07	·02	·04	—	·33	—	·01	tr	—	·10	·68	—		21
22	tr	·01	·05	·01	·47	·26	—	—	·10	tr	tr	—		22
23	—	·18	·08	·09	·18	·20	—	tr	tr	tr	·01	·04		23
24	tr	tr	—	·02	—	—	·12	—	—	tr	tr	·01		24
25	tr	—	·03	tr	tr	—	·13	—	—	·01	—	tr		25
26	1·00	·10	·02	·08	·04	tr	·31	—	—	tr	—	—		26
27	·68	·04	—	·09	·02	—	·01	tr	tr	tr	—	—		27
28	·36	·15	—	tr	·10	—	tr	tr	—	—	—	—		28
29	—	·01	·11	tr	·12	tr	—	—	—	—	—	·37		29
30	tr	✕	tr	·20	tr	—	—	—	—	·30	—	·01		30
31	·13	✕	·01	✕	—	✕	—	—	✕	·61	✕	tr		31
TOTAL	2·56	2·37	2·46	1·93	1·68	·65	3·64	·10	·82	3·25	6·60	1·60	Year's Total 27·66	
* Days with .01 in. or more.	9	18	16	21	13	5	20	4	9	17	19	16	167	
* Days with .04 in. or more.	8	14	13	12	9	3	13	1	7	15	18	10	123	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

110 1100

Section **A** for the entry of Daily Obser

AIR MINISTRY.—METEOR

FORM 1090.

REGISTER C

1110 —

HARGRAVE HALL

1931- 1940

78 02 08

FOR OFFICIAL USE.

ORGANIZATION.

Kept at Hargrave Hall

in the County of Northants.

Diameter of Funnel of Gauge............in.

Height of top of Gauge above Ground............ft.

,, Ground ,, Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January ... following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·18				1
2				·67					·76				2
3									·58			·16	3
4		·21	·20	·14		·42		·65			·35		4
5					·27		·15		·16				5
6										·21			6
7													7
8								1·68				·46	8
9										·03			9
10						·21	·06						10
11				·04							·78		11
12		·51	·09					·75	·32				12
13													13
14													14
15	·33												15
16													16
17					1·90	·41	1·12		·24		·45		17
18		·85		·57				1·49					18
19									·07				19
20				·68									20
21	·45												21
22													22
23												·10	23
24			·04				·30				·67		24
25		·70		·42	·56	·07	·71		·11				25
26							·20						26
27				·72									27
28	·68												28
29												·28	29
30		X		·22	·02				·02		·04		30
31		X		X		X	·25		X	·26	X		31
TOTAL	1·46	2·27	·33	3·46	2·75	1·11	2·79	4·57	2·44	·50	2·29	1·00	YEAR'S TOTAL 24·97
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999 M

*See Instruction 2 (f) on other side

(Signed) K Murchison

[P.T.O.

110 1100

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hargrave Hall

in the County of Northants.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·18				1
2				·67					·76				2
3									·58			·16	3
4		·21	·20	14		·42		·65			35		4
5					·27		·15		·16				5
6										·21			6
7													7
8								1·68				·46	8
9										03			9
10						21	·06						10
11				04							·78		11
12		51	·09					·75	·32				12
13													13
14													14
15	·33												15
16													16
17					1·90	·41	1·12		·24		·45		17
18		85		57				1·49					18
19									·07				19
20				68									20
21	·45												21
22													22
23												·10	23
24			·04				·30				·67		24
25		·70		·42	·56	07	·71		·11				25
26							·20						26
27				·72									27
28	·68												28
29												·28	29
30		✕		22	·02				·02		·04		30
31		✕		✕		✕	·25		✕	26	✕		31
TOTAL	1·46	2·27	·33	3·46	2·75	1·11	2·79	4·57	2·44	·50	2·29	1·00	YEAR'S TOTAL 24·97
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*) K Murchison [P.T.O.

1100

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hargrave Hall

in the County of Northants.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2												·23	2
3								·48			·38		3
4													4
5	·51	·05		1·00	·93		·20			·67			5
6									1·52				6
7													7
8													8
9													9
10						·12		·10					10
11			·26			·26	·43				·04		11
12		·06					·66			·55			12
13	·36			·57									13
14									·24				14
15					·79								15
16								·62				·06	16
17										·86			17
18													18
19		·03											19
20	·18						·33						20
21													21
22			·55				·12		·52		·44		22
23				1·35								·05	23
24					1·46			·39					24
25										·41	·37		25
26	·02	·10											26
27									·57				27
28			·63				·82						28
29					·72			·66					29
30		×				·21				·61	·22		30
31		×		×		×			×		×	·19	31
TOTAL	1·07	·24	1·44	2·92	3·90	·59	2·56	2·25	2·85	3·10	1·45	·53	YEAR'S TOTAL 22·90
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Sir K. Murchison

[P.T.O.

1100

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hargrave Hall
in the County of Northants

Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				–									1
2													2
3		·33	·55		·53								3
4													4
5							·43						5
6	·22									·44	·41		6
7			·41										7
8									·29				8
9					·68								9
10													10
11		·25						·06					11
12							·73						12
13	·19					·31						·12	13
14													14
15			1·01		·07			·12			1·24		15
16						·17							16
17							·32			·31			17
18													18
19									·24				19
20	·70	·43				1·20							20
21								·39					21
22			·11			·43		·38			·10		22
23					·16				·72				23
24				·11					·16				24
25				·27			·04					·16	25
26										·15			26
27													27
28		·55		·07									28
29					·05							·20	29
30		X		·37		·12			·33		·13		30
31	·29	X	·34	X		X		·09	X	·50	X		31
TOTAL	1·40	1·56	2·42	·82	1·49	2·23	1·52	1·04	1·74	1·40	1·88	·48	YEAR'S TOTAL 17·98
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

M

(Signed) K. Hutchison

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1100

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hargrave Hall

in the County of Northants

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2								·10			21			2
3	·27									·40				3
4			·19									1·58		4
5				·21					·47					5
6														6
7					·36	·15		·30						7
8						·12								8
9						·14				·05				9
10														10
11				·23								1·12		11
12			1·17											12
13							1·46							13
14														14
15	·80								1·50	·43				15
16														16
17							·33	·39			1·42			17
18												·37		18
19						·16			·05					19
20														20
21			·09	·28		·09								21
22														22
23						·08				·11				23
24	·13				·23		·32							24
25				·38					·56					25
26												·78		26
27		·83				·09		1·06						27
28			·08			·07								28
29	·06			·27			·43		·20	·02				29
30		×										·12		30
31		×		×		×			×		×			31
TOTAL	1·26	·83	1·53	1·37	·59	·90	2·54	1·85	2·78	1·01	1·63	3·97	Year's Total 20·26	
*Days with ·01 in. or more.														
*Days with .04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) K. Murchison

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1100

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hargrave Hall

in the County of Northants

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3	·20													3
4				·97		·39				·63				4
5												16		5
6									·21		1·33			6
7								·21		·41				7
8	·18		·17											8
9							·05							9
10														10
11						·62				44				11
12				·99							·62	·21		12
13		·22												13
14									·31					14
15	·08								·26					15
16														16
17				·83										17
18						·93	·36			·17		44		18
19		·20												19
20									·42		1·42			20
21									·49					21
22			·13		·42									22
23	·26			·57				·55						23
24									1·66					24
25						·46				·03		1·34		25
26		·67						·20			·35			26
27									·12					27
28	·08				·48				·22					28
29				·30					·74					29
30		X							·20			·41		30
31		X	19	X		X		·64	X	·91	X			31
TOTAL	·80	1·09	·49	3·66	·90	2·40	·41	1·60	4·63	2·59	3·72	2·56	Year's Total 24·85	
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) K. Murchison

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1100

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Hargrave Hall

in the County of Northants

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										–	·38	–		1
2			·30				·69			–	–	·15		2
3	·14			·31					·38	–	–	–		3
4					·16	·97				–	–	–		4
5								·29		–	–	–		5
6			·13							–	–	–		6
7							2·32			–	–	–		7
8									·34	–	·36	·27		8
9						·54				–	–	–		9
10	·86			·19						–	–	–		10
11		Total for Feb. given on March card.								–	·21	–		11
12							·65	·15		–	–	–		12
13			·21			·65				–	–	·22		13
14							·76			–	–	·24		14
15									·38	–	·13	–		15
16							·21			·08	–	·11		16
17	·14			·59		·53				–	–	–		17
18					·44			·16		–	–	–		18
19										·28	–			19
20			·08							–	–	–		20
21						1·32				–	–	–		21
22										–	–	·13		22
23									·36	–	–	–		23
24	·38						·48			·26	·66	–		24
25				·59		·18				–	·14	–		25
26										–	–	–		26
27			·42							·13	–			27
28	1·02								·24	–	–	–		28
29					·05	·61				·09	·34	–		29
30		×		·16						–	–	·13		30
31	·35	×	·15	×	·20	×	·63		×	·45	×	·8		31
TOTAL	2·89	1·84	1·29	1·84	·85	4·80	5·74	·60	1·70	1·29	2·22	1·33	Year's Total. 26·39	
* Days with .01 in. or more.										6				
* Days with .04 in. or more.										6				

40-9999

† Spare column, no entries required.

✓

* See Instruction 2 (f) on other side.

(*Signed*) K. Hutchinson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1100.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Hargrave.

in the County of Northants

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

June 19th estimated from nearby stations

Sept 25th - Oct 21st no rain 27 days.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14				-		-	-			·47			1
2	-			·45	-		-	-						2
3	-				-		-	-						3
4	·18		·52	·15	·08		-	·10						4
5	-	·50			-		-	-	-					5
6	-				-		-	-				2·05		6
7	-			·17	·07		·07	-						7
8	-				-		-	-			·24			8
9	-			·29	·45		·21	-						9
10	-			·15	-	44	-	-						10
11	-		1·50		·71	-	-	-						11
12	-	·44			·35	-	-	2·21						12
13	·20				-	·35	-	·63	·30			·47		13
14	-				-	-	-	·55						14
15	-			·22	-	-	·61	-						15
16	·30			·17	-	-	-	-						16
17	·19			·21	-	-		-	1·55		·05			17
18	·23	·72	1·29		-	-		-			·37	·05		18
19	-				-	(·24)	-	-			·08			19
20	·30			·39	·05	·27	-	·08						20
21	·12				·55	-	·23	-						21
22	·24				-	-	-	-		·30	·24			22
23	·25				·40	-	·14	-		·32				23
24	·19				-	-		-		·14				24
25	-	1·04	·18		·82	-	-	-	·16	·27				25
26	-				·19	-		-		-		·16		26
27	-			·15	-	-		-		·94				27
28	-				-	-		-		-				28
29	-				-	-	-	-		·08	·09			29
30	·50	☒	nil		-	-	-	-		-	·15			30
31	·20	☒		☒	-	☒	-	-	☒	·09	☒			31
TOTAL	3·04	2·70	3·49	2·37	3·67	1·30 ~~1·06~~	1·26	3·57	2·01	2·14	1·69	2·73	Year's Total 29·95	
* Days with .01 in. or more.	13	-		10	10	-	5	5		7				
* Days with .04 in. or more.	13	-		10	10	-	5	5		7				

† Spare column, no entries required.

(Signed) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1100

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1938

Copy by B.R.O.

Kept at Hargrave

in the County of Northants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 273 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–					.11			–			.19		1
2	.13				.08				–					2
3	–				.10			–	–					3
4	.05								.07					4
5	–						.26		.02	1.46	.07			5
6	.08								.21					6
7	.10	.23							.04			.82		7
8	.12							1.55	.08					8
9	–					.24			–					9
10	–					.12			–			.02		10
11	.45								–			–		11
12	.12				.03				–	.60	.06	.02		12
13	–						.53		–			.11		13
14	–				.07				.11			.01		14
15	–							.65	–			.22		15
16	.37								–			.29		16
17	–				.11				–			–		17
18	–	.12			.31		.26		.27	.11	1.03	–		18
19	–								–			–		19
20	–								.08			–		20
21	–								–			.10		21
22	–					.07			–			.30		22
23	–								.08			.04		23
24	–		04						.38		.66	.03		24
25	.10	.50						1.28	.01	.27		.04		25
26	.08								.08			.10	61	26
27	–		.13		38	.12	.26		.63			.05		27
28	.27				70	.21			–		.67	.04		28
29	.59	X		.07	.16				.01			.13		29
30	–	✕		.04	.11	.25		.03	.17	.22		.05		30
31	.13	✕		✕		✕			✕		✕	.49		31
TOTAL	2.59	.85	.17	.11	2.04	1.12	1.31	3.51	2.24	2.66	2.49	3.05	Year's Total 22.14	
* Days with .01 in. or more.	13		2	2	10									
* Days with .04 in. or more.	13		2	2	9									

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Kenneth Murchison

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1100

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hargrave Hall

in the County of Northants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 273 ft.

Feb & Mar. corr for W.D.

Copy by B.R.O.

Entries on Jan 24 & 25 adj. by ref. to nearby obs.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	–	·25	·25	–	–	–		·39			·02		1
2	–	–	–	4		–	–	·72	·58		·22	–		2
3	·16	–	–	4	·20	–	–	·23	–	·51				3
4	·14	–	–	4		–		·41 ✓	–			1·25		4
5	–	–	·23	4 ·74		–	·34	·54 ✓	–		·30			5
6	·54	–	–	–	–	–		–	–					6
7	·04	–	–	–	–	–	·03	–	–			·29		7
8	–	·04	–	–	–	–	·09	·10	–	·99				8
9	–	·03	·10	–	–	–	–	·12	–		·25			9
10	·43	·06	–	–	–	·35	–	–	·04					10
11	–	–	–	–	–		–	–	·02					11
12	–	–	–	–	–		–	–		·73		·45		12
13	–	–	·32	–		1·06	·15	–	·24					13
14	·29	–	–	·02			·01	–		·07	·53			14
15	·15	–	–	·04	·63		·59	–		·39				15
16	·27	–	–	·01			–	–	–	·40				16
17	·19	–	·71	·12		·50	–	–	–					17
18	·14	–	✓ –	–	–		–	–	–	·17	·64			18
19	·26	–	4 –	–	–	·06	·93	–	–					19
20	·03	–	–	–	–	·04	·12	·20	–	·02				20
21	·18	–	·06	–	·04		·06	–	·13			·05		21
22	·26	·07	·22	✓	–	·09	–	–	·05		·57			22
23	·03	·19	·08	–	–	–	·19	–	–					23
24	·81 ~~·21~~	–	·09	✓	–	–	·02	–	–	·34	·05			24
25	·12 ~~·72~~	–	·31	·20	–	–		·61	–		·25			25
26	·65	·17	–	4	–	–		·04	–		–	·20		26
27	·01	·02	·21	–	–	·01	·15	·01	–		·44			27
28	–	·01	·09	4	–	·05		–	–					28
29	–	– ·25	–	4 ·78	–		·18	·01	–	·41				29
30	–	✕	·01	4	–	·07	·01	–	–					30
31	–	✕	–	✕	–	✕	·21	·08	✕	·01	✕	–		31
TOTAL	4·71	·84 ~~·59~~	1·83 ~~2·06~~	2·16	·87	2·23	3·08	3·07	1·45	4·04	3·25	2·26	Year's Total 29·79	
* Days with .01 in. or more.	20	~~8~~ 9	~~13~~ 15	15										
* Days with .04 in. or more.	16	~~5~~ 6	~~12~~ 12	14										

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1100

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Hargrave

in the County of Northants.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 273 ft.

Copy by B.R.O.

Jan cord for snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					✓				–	–	·14	–		1
2				·25	·15				–	–	·74	–		2
3		✓		✓			–		–	·12	·92	·09		3
4	Nil	✓		–					–	·18	·23	✓		4
5			Nil	–	✓	Nil	·11		–	✓	·63	·07		5
6	✓	✓			✓		·10		–	·30	·07			6
7	✓	✓		✓	·18		·04		–	✓		–		7
8				·05 ~~1·00~~		·03			–	·15	·03	·25		8
9							–	·03	·05	✓	·14	·28		9
10	·42						·38	·03	–	·03	·07	·30		10
11			✓				·08	✓	–	–	·58			11
12			✓		–	Nil	·08	·01	·07	–	·01	–		12
13		(1·15)	1·22	✓					·03	–	·50			13
14			✓	✓	·18		–		·02	–		·30		14
15				1·00	·06		·09	–		–	·05			15
16			✓				·48		✓	·73	·62	–		16
17		✓	✓			Nil	·02		·12		·05			17
18		✓	✓	✓				✓		·04	·13	·05		18
19		✓	✓	✓			·08	·13	✓		–			19
20		✓				·02	·05	✓		·07	–	·05		20
21	~~1·15~~ 1·80				·28	Nil	✓		–	✓	·80			21
22			✓		✓	✓			·32	·06	–	·		22
23		✓		·13	✓	·57	·30	–	–		–	·05		23
24			·78	✓			✓		–	·05	–			24
25		✓					✓	–	–	✓	–			25
26	✓	·35		·03		Nil	·47		–	–	·02	·03		26
27	✓						·23	·02	–	–	–			27
28	✓	✓			·18		–	–	–	–	–	–		28
29			✓	·01	✓	Nil	–	–	–	–	–	·26		29
30	✓			✓			–	–	–	·72	–	–		30
31							–	–				·08		31
TOTAL	~~1·57~~ 2·22	1·50	2·00	1·47	1·03	·62	3·51	·22	·61	2·45	5·73	1·81	Year's Total ~~22·52~~ 23·17	
* Days with .01 in. or more.	6	11	10	13	11	4	16	6	7	15	18	13	130	
* Days with .04 in. or more.	6	9	8	10	9	2	14	2	5	11	15	12	103	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Sir K. Murchison

[P.T.O.

1095

1095

SILVERSTONE

1931- 1940

48 02 08

Section **A** for the entry of Daily
AIR MINISTRY.—ME

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGISTER

31.

Kept at SILVERSTONE

in the County of NORTHAMP

Diameter of Funnel of Gauge 5 i

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

mulations
arch
~~Sturch 18/2/32~~

7/2/32

THE MORNING MEASUREMEN Y.

An observer who does not conform to this rule *on January 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·42	[illegible]	·09							·31		1
2		·08		·65							·08	·03	2
3				·20							·55	·18	3
4		·10									·12		4
5		·06		·20			·35			·05	·06		5
6				·06			·28			·24			6
7						·68				·07		·37	7
8		·29				·10				·03	·53	·04	8
9		·30				·21					·30		9
10					·08	·05					·08		10
11	·15	·17	·20			·02					·15		11
12				·09			·15						12
13							·18		·45				13
14					·09	·10	·98						14
15		·20					·18				·06	·03	15
16				·22					·16				16
17		·32			·87	·39							17
18	·14	·20				·18					·42		18
19	·07			1·05			·36						19
20				·08					·05				20
21	·07				·51	·50							21
22	·07	·08							·02		·15		22
23				·07		·11			·20		·20		23
24									·01				24
25	·13										·08		25
26				1·05			·66				·18		26
27	·12			··			·10	Total for month	·05				27
28	·14	~~·77~~		·09		for period							28
29							·16				·26		29
30		×											30
31		×		×	1·35	×		4·00	×		×	·31	31
TOTAL	·98	2·99 ~~2·22~~	·20 ~~·97~~	3·85	2·90	2·34	3·40	4·00	·94	·39	3·53	·96	YEAR'S TOTAL 26·48
*Days with ·01 in. or more.	9	11	2	12	5	10	10	?	7	4	16	6	92
*Days with ·04 in. or more.	9	11	2	12	5	9	10	?	6	4	16	5	89

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) John P. Osborne

[P.T.O.

1095

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at SILVERSTONE

in the County of NORTHAMPTONSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 400 ft.

Feb & March amended for accumulations

~~See March and examine them~~

~~[illegible] 7/2/32~~

Sturch 18/2/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·42	[illegible]	·09							·31		1
2		·08		·65							·08	·03	2
3				·20							·55	·18	3
4		·10									·12		4
5		·06		·20			·35			·05	·06		5
6				·06			·28			·24			6
7						·68				·07		·37	7
8		·29				·10				·03	·53	·04	8
9		·30				·21					·30		9
10					·08	·05					·08		10
11	·15	·17	·20			·02					·15		11
12				·09			·15						12
13							·18		·45				13
14					·09	·10	·98						14
15		·20					·18				·06	·03	15
16				·22					·16				16
17		·32			·87	·39							17
18	·14	·20				·18					·42		18
19	·07			1·05			·36						19
20				·08					·05				20
21	·07				·51	·50							21
22	·07	·08							·02		·15		22
23				·07		·11			·20		·20		23
24									·01				24
25	·13										·08		25
26				1·05	for period		·66	Total for month			·18		26
27	·12			..			·10		·05				27
28	·14	·77		·09									28
29		×					·16				·26		29
30		×											30
31		×		×	1·35	×		4·00	×		×	·31	31
TOTAL	·98	~~2·22~~ 2·99	~~·97~~ ·20	3·85	2·90	2·34	3·40	4·00	·94	·39	3·53	·96	YEAR'S TOTAL 26·48
*Days with ·01 in. or more.	~~9~~	~~11~~	~~2~~	~~12~~	~~5~~	~~10~~	~~10~~	~~?~~	~~7~~	~~4~~	~~16~~	~~6~~	~~92~~
*Days with ·04 in. or more.	~~9~~	~~11~~	~~2~~	~~12~~	~~5~~	~~9~~	~~10~~	~~?~~	~~6~~	~~4~~	~~16~~	~~5~~	~~89~~

40-9999

(Signed) John P. Osborne

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932. 758820/27

Kept at Silverstone

in the County of Northamptonshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 400 ft.

Now OK

Jan, Mar, April N.G.

Days N.G.

Allocations made for accumulations as under.
Additions suggested to accumulations on 906. 22/3/33
Observer agrees other points but confirms July 13'. f 758820/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05			·70	·04					·03	·03	1
2					·12						·04		2
3				(·49×) ~~1·79~~	·05					·31 ~~·71~~			3
4				·15					(·20)			·19	4
5							·09		·11				5
6			·12				·06		·16		·23		6
7			·17	·11			·07		·08				7
8		·02							·31				8
9											·06		9
10		·10	·04	·31	·08					·14			10
11				·10			·06		·07	·09		·06	11
12					·26	·07			·09	·47			12
13				·15			~~1·79~~ ·79 ✓Stat.				·13	·06	13
14											·02		14
15													15
16	(+1·50)			+·50						·06			16
17	·25			·45			·21			·07			17
18									·08				18
19									·05	·18			19
20				·29						·35	·13	·03	20
21				·13	(+·50)							·04	21
22			·19		2·16 ×				·56		·38		22
23			·20		·31					·48			23
24			·03				·35			·03	·15		24
25		·04					·07		·15	·24			25
26				·22	·15		·06		·13				26
27				·17			·12				·17		27
28						·20	·21						28
29					1·50 ×	·16			·09				29
30		×		~~·20~~		·50			(·40)	·57	·45		30
31	~~(1·50)~~	×	(1·30)	×	·03	×	(·20)	(1·86)× ~~2·26~~	×		×	·40	31 (26·13)
TOTAL	(1·75) ~~·25~~	~~·21~~ ✓	2·05 ~~·75~~	3·07 ~~3·87~~	(5·86) ~~5·36~~	~~·97~~ ✓	2·29 ~~2·09~~	(1·86) ~~2·26~~	2·48 ~~1·88~~	2·99 ~~3·39~~	~~1·79~~	~~·81~~	YEAR'S TOTAL ~~23·63~~
*Days with ·01 in. or more.	1	4	6	11	10	5	11	1×	12	12	11	7	91
*Days with ·04 in. or more.	1	3	5	11	9	5	11	1×	12	11	9	5	83
40-9999	(1·75)	·21	(2·05)	(3·07)	(5·86)	·97	(~~2·09~~ 2·29)	(1·86)	(2·48)	(2·99)	1·79	·81	(~~23·63~~ 26·13)

*See Instruction 2 (*f*) on other side,

(Signed) John P. Osborne Esq.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A.** for the entry of Daily Observations. Station No. 1095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933. 758820/27.

Kept at SILVERSTONE

in the County of Northamptonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		'17	·08								·16		'41	1
2			'39		'09						·05		'48	2
3					'20						·04		'24	3
4					'32								'32	4
5		'21	·52		·02						'01		'76	5
6		'10	'18		'07					'01			'36	6
7		'15								'11			'26	7
8	'50		'06		'08		'22			'01			'87	8
9					'20		'20			·02	·07		'49	9
10						'16	·04			'55			'75	10
11	'08					'05		'06					'19	11
12		·21				'06	'08		'40		·02		'77	12
13					'13	'38	'23			'10	'25		1·09	13
14					'04					·15	·44		'63	14
15	'67		'13				'04	'10			·08		1·02	15
16			'57			'17	'18			'18	'04		1·14	16
17						'05	'03		'05		·075		0·20	17
18	·10					'05					·015		0·165	18
19		·04	·63						'05		'01		0·73	19
20		·04	'05			1·10			·01		·015		1·215	20
21		·02				·18		'09	·09				0·38	21
22						·17		'41		'35			0·93	22
23				'16		·02			'60				0·78	23
24				·10	'06	·20			·22	'01			0·59	24
25				'21		·07				'01	'03	·06	0·38	25
26		1·34		·08					'12	·15			1·69	26
27					'32					'20		'10	0·62	27
28				·10	·10					'10			0·30	28
29				·18			'23			·11			0·52	29
30	·25	X	'02				'05		'02	·02		·14	0·50	30
31	'02	X	'10	X		X	'02	'09	X	'06	X		0·29	31
TOTAL	1·72	2·28	2·73	0·83	1·58	2·66	1·32	0·75	1·56	2·14	1·30	0·30	Year's Total 19·17 ✓	
*Days with ·01 in. or more.	~~6~~	~~9~~	~~11~~	~~6~~	~~12~~	~~13~~	~~11~~	~~5~~	~~9~~	~~17~~	~~15~~	~~3~~	~~117~~	
*Days with .04 in. or more.	5	8	10	6	11	12	9	5	7	12	9	3	97	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) John P. Osborne.

[P.T.O.

FORM 1090. **B** Monthly Summary.

***,* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 193.....

At SILVERSTONE

In the County of NORTHAMPTONSHIRE

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* – *in.*
Height of Ground above Sea Level 400 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·72	·67	15	6	5
FEB.	2·28	1·34	26	9	8
MAR.	2·73	·63	19	11	10
APRIL	0·83	·21	25	6	6
MAY	1·58	·32	14, 27	12	11
JUNE	2·66	1·10	20	13	12
JULY	1·32	·23	13, 29	11	9
AUG.	0·75	·41	22	5	5
SEPT.	1·56	·60	23	9	7
OCT.	2·14	·55	10	17	12
NOV.	1·30	·44	14	15	9
DEC.	0·30	·14	30	3	3
Total	19·17			117	97

Signature John P. Osborne

*See Instruction 2 (*f*) below.

C **Particulars of Station.**

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
SILVERSTONE COUNCIL SENIOR SCHOOL
TOWCESTER

Hour of observation by the clock—in Winter 9 in Summer 10

Nearest Railway Station Towcester Distance 4 m. Direction from gauge SN

Nearest Parish Church at SILVERSTONE Distance 200 yd. Direction from gauge N

Nature of objects nearest to gauge	wall	open fence flowers	pergola	plants fence
Heights of objects	10′	1′–4′	10′	3′–5′
Distances ..	10′	15′	15′	15
Directions from gauge ..	N	S	E	W.

If gauge has been moved during the year state—

Date of move........ Distance........ Direction........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

26th Feb. 1·34" rain – On 24th 25 snowstorms

19, 20, 21 April: snow & hail – too small in quantity to be measured

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\begin{matrix}17\\18\end{matrix}\Big\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

No. 7
5 JAN 1934

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

COPY FOR OFFICIAL USE.

Dup

Section **A** for the entry of Daily Observations. Station No. 1095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

758820/27

Kept at SILVERSTONE

in the County of Northamptonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 400 ft.

Duplicate

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·17	·08								·16		·41	1
2			·39		·04						·05		·48	2
3					·20						·04		·24	3
4					·32								·32	4
5		·21	·52		·02						·01		·76	5
6		·10	·18		·07					·01			·36	6
7		·15								·11			·26	7
8	·50		·06		·08		·22			·01			·87	8
9					·20		·20			·02	·07		·49	9
10						·16	·04			·55			·75	10
11	·08					·05		·06					·19	11
12		·21				·06	·08		·40		·02		·77	12
13					·13	·38	·23			·10	·25		1·09	13
14					·04					·15	·44		·63	14
15	·67		·13				·04	·10			·08		1·02	15
16			·57			·17	·78			·18	·04		1·14	16
17						·05	·03		·05		·07		·20	17
18	·10					·05					·015		·165	18
19		·04	·63						·05		·01		·73	19
20		·04	·05			1·10			·01		·015		1·215	20
21		·02				·18		·09	·09				·38	21
22						·17		·41		·35			·93	22
23				·16		·02			·60				·78	23
24				·10	·06	·20			·22	·01			·59	24
25				·21		·07				·01	·03	·06	·38	25
26		1·34		·08					·12	·15			1·69	26
27					·32					·20		·10	·62	27
28				·10	·10					·10			·30	28
29				·18			·23			·11			·52	29
30	·25	×	·02				·05		·02	·02		·14	·50	30
31	·02	×	·10	×		×	·02	·09	×	·06	×		·29	31
TOTAL	1·72	2·28	2·73	0·83	1·58	2·66	1·32	0·75	1·56	2·14	1·30	0·38	Year's Total 19·17	
*Days with ·01 in. or more.	6	9	11	6	12	13	11	5	9	17	15	3	117	
*Days with .04 in. or more.	5	8	10	6	11	12	9	5	7	12	9	3	97	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) John P. [illegible]

[P.T.O.

FORM 1090.

B Monthly Summary.

‚ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193

At SILVERSTONE

In the County of Northamptonshire

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* – *in.*
Height of Ground above Sea Level 400 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·72	·67	15	6	5
FEB.	2·28	1·34	26	9	8
MAR.	2·73	·63	19	11	10
APRIL	0·83	·21	25	6	6
MAY	1·58	·32	4 27	12	11
JUNE	2·66	1·10	20	13	12
JULY	1·32	·23	13 29	11	9
AUG.	0·75	·41	22	5	5
SEPT.	1·56	·60	23	9	7
OCT.	2·14	·55	10	17	12
NOV.	1·30	·44	14	15	9
DEC.	0·30	·14	30	3	3
Total	19·17			117	97

Signature Sol. P. Osbourne./

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
SILVERSTONE COUNCIL SENIOR School
TOWCESTER

Hour of observation by the clock—in Winter 9 in Summer 10

Nearest Railway Station Towcester Distance 4m Direction from gauge N

Nearest Parish Church at SILVERSTONE Distance 200yds Direction from gauge N.

Nature of objects nearest to gauge	wall	open fence flowers	pergola	plants
Heights of objects	10'	1'-4'	10'	3'-5'
Distances ..	10'	15'	15'	15'
Directions from gauge ..	N	S	E	W.

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any **record of rainfall** not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

26th Feb. 1·34" rain On 24·25 snowstorms

19. 20. 21 April: snow & hail - too small in quantity to be measured.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O. 3 JAN 35

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at SILVERSTONE

in the County of NORTHAMPTONSHIRE

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06							·21	·02		·03	·50		1
2	·10		·08						·72	·03		·16		2
3	·02	·05						·14		·20				3
4	·06	·01	·05	·48					·01	·16	·19	·45		4
5	·005		·09		·10			·13		·10	·05	·31		5
6	·005		·12	·05	·40	·06				·16		·65		6
7	·07					·08		·26		·08		·32		7
8					·10	·09		·05	·02		·18			8
9			·13								·95	·27		9
10			·25	·12				·07			·34			10
11	·60		·29	·15				·07				·23		11
12			·07	·04				·10				·03		12
13	·39			·02			·59	·16				·65		13
14	·02									·07	·35	·40		14
15			·29						·54	·07	·15			15
16	·18		·14							·06	·03			16
17			·21		·03				·13	·09	·08	·27		17
18	·28			·27			·89					·04		18
19				·13		·06			·10			·09		19
20			·21	·08										20
21			·04			·14		·03		·11				21
22								·25	·22					22
23				·18	·10	·38	·005					·31		23
24		·39		·02		·05	·39		·31					24
25	·19		·07	·15		·23				·08		·42		25
26				·06		·08	·03		·08	·01				26
27	·03	·07				·22				·06		·30		27
28				·04		·20		·41				·27		28
29							·20	·13	·25	·03	·03	·02		29
30	·06	×							·03					30
31	·01	×		×		×	·10	·04	×	·06	×	·03		31
TOTAL	2·08	·52	2·04	1·79	·73	1·59	2·205	2·05	2·43	1·37	2·38	5·73	Year's Total. 24·915	
* Days with .01 in. or more.	14	4	14	14	5	11	6	14	12	16	11	21	142	
* Days with .04 in. or more.	10	3	14	12	4	11	5	13	8	13	8	17	118	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) John P. Osborne.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A.** for the entry of Daily Observations. Station No. 1095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

Kept at SILVERSTONE

in the County of NORTHAMPTONSHIRE

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 400 ft.

DUP

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06							·21	·02		·03	·50	·82	1
2	·10		·08						·72	·03		·16	1·09	2
3	·02	·05						·14		·20			·41	3
4	·06	·01	·05	·48					·01	·16	·19	·45	1·41	4
5	·005		·09		·10			·13		·10	·05	·31	·785	5
6	·005		·12	·05	·40	·06				·16		·65	1·445	6
7	·07					·08		·26		·08		·32	·81	7
8					·10	·09		·05	·02		·18		·44	8
9			·13								·95	·27	1·35	9
10			·25	·12				·07			·34		·78	10
11	·60		·29	·15				·07				·23	1·34	11
12			·07	·04				·10				·03	·24	12
13	·39			·02			·59	·16				·65	1·81	13
14	·02									·07	·35	·40	·84	14
15			·29						·54	·07	·15		1·05	15
16	·18		·14							·06	·03		·41	16
17			·21		·03				·13	·09	·08	·27	·81	17
18	·28			·27			·89					·04	1·48	18
19				·13		·06			·10			·09	·38	19
20			·21	·08									·29	20
21			·04			·14		·03		·11			·32	21
22								·25	·22				·47	22
23				·18	·10	·38	·005					·31	·975	23
24		·39		·02		·05	·39		·31				1·16	24
25	·19		·07	·15		·23				·08		·42	1·14	25
26				·06		·08	·03		·08	·01			·26	26
27	·03	·07				·22				·06		·30	·68	27
28				·04		·20		·41				·27	·92	28
29							·20	·13	·25	·03	·03	·02	·66	29
30	·06	×							·03			·01	·10	30
31	·01	×		×		×	·10	·04	×	·06	×	·03	·24	31
Total	2·08	·52	2·04	1·79	·73	1·59	2·205	2·05	2·43	1·37	2·38	5·73	Year's Total. 24·915	
* Days with .01 in. or more.	14	4	14	14	5	11	6	14	12	16	11	21	142	
* Days with .04 in. or more.	10	3	14	12	4	11	5	13	8	13	8	17	118	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) John P. Osborne.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

758820p7

Kept at SILVERSTONE

in the County of Northamptonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·15		tr.	·04	·01	·15			·20	·16	·09	·01	·81	1
2						·10	·01		tr	·09		·02	·22	2
3		·19	·06	tr. sleet		·10		·08	·14	·30	·18	·12	1·17	3
4				·15		·12			·01	·18	·01		·47	4
5		·91	·05	·13		·05			·07	·01	·04	·01	1·27	5
6				·40		·30					·01		·71	6
7				·40		·25					·33	·18	1·16	7
8				·21	tr.	·02		·02		·31	·18	·06	·80	8
9				·60	tr	·42				·42	·34		1·78	9
10				·46		·02					·01	·01	·50	10
11	·21					·09		tr			·36		·66	11
12		·03				·43		·01	·01		·01		·49	12
13	·06	·12		·05	·14	·16					·01		·54	13
14				·15	·14	x			·24		·28	·09	·90	14
15		·13		·58	·05	·39			·32		·26	·18	1·91	15
16			·07	·10		·04			·13	·09	x	·09	·52	16
17		·02		·03		·15			·04		1·16		1·40	17
18		·02		·26	tr.	·06	·20		·25	·06	·01		·86	18
19	tr.			·16	·35	·20	·05		·26	·03	·22		1·27	19
20	tr.	·25		·14		·08	·16		·02		·26		·91	20
21		·24	·02	·02					·71		·13		1·12	21
22		·03	·05	·02				x	·49				·59	22
23		tr. snow	·10					·88	·01		tr		·99	23
24	·11	·22	·03					·02	·63	·20	·01	·42	1·64	24
25	·15	·02		·16				·04	·02			·40	·79	25
26	snow tr	·03				·70		·20	·11			·64	1·68	26
27	snow tr.	·13			·55				·08	·16	·17	·62	1·71	27
28		·23			·15				·30	·02		·03	·73	28
29								·02	·21		·03	·19	·45	29
30	·05	×		·12	·62			·70	·04	·12	·29	·29	2·23	30
31		×		×	tr	×		·09	×	1·19	×	·11	1·39	31
TOTAL	·73	2·57	·38	4·18	2·01	3·83	·42	2·06	4·29	3·34	4·39	3·47	Year's Total. 31·67	
* Days with .01 in. or more.	6	15	7	20	8	20	4	~~10~~ 11	22	15	~~23~~ 24	18	~~168~~	171
* Days with .04 in. or more.	6	9	5	17	7	~~18~~ 19	3	~~6~~ 7	17	12	~~15~~ 16	13	~~128~~	131

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) John P. Osborne

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

758820/27

Kept at SILVERSTONE

in the County of Northamptonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·09	·03	·40			·80	·07			·02	·03	1·46	1
2	·01	·02	·02	·03			·79				·16		1·03	2
3						·80	·05	·01	·25		·09	·01	1·21	3
4									·37		·02	·10	·49	4
5	·11		·16				·11	·02				·24	·64	5
6	·14				·09	·09	·02	·19	·12		·08	·01	·74	6
7	·28						·03		·03		·01	·01	·36	7
8	·18				trace				·02		·22	·07	·49	8
9	·57		·30				1·20		·25	·08	·01	·01	2·42	9
10			·01				·18	·04	·02	·01		·01	·27	10
11			·01				·07		·13		·39		·60	11
12				·07	trace		·61		·08		·10		·86	12
13				trace		·75	trace	trace		·04	·06	·43	1·28	13
14				·24		·07	·82	trace	·08	·03		·46	1·70	14
15				·05			·20		·10		·01	·20	·56	15
16		·13					·01				·36	·02	·52	16
17	·07	·48			·12		·10			·12	·09	·05	1·03	17
18		·03				·15	·19			·02	·01	·05	·45	18
19	·49	·08	trace	·08		·16				·03			·84	19
20	·07	·12	·04	·15					·87				1·25	20
21				·28		·80	·04						1·12	21
22	·03	·54	·06		·50		·25	·09	·02		·01	·12	1·62	22
23	·02	·01	·09	·11	·01		·18			·02			·44	23
24	·15	·10		trace	·03		·20		·26	·35			1·09	24
25	·10		·19	·13		·03	·28		·13	·06	·05	·01	·98	25
26	·01	·11	·29			·06	·12			·05	·01		·65	26
27	·05						·03		·08	·12			·28	27
28	·60	·01	·21				·03		·02			·09	·96	28
29	·13	·19	·01			·10				·01	·23	·06	·73	29
30	·05	✕			·18	·26	·09			·73	·04		1·35	30
31	·44	✕	·20	✕	·06	✕	·10		✕	·01	✕	·21	1·02	31
TOTAL	3·52	1·91	1·62	1·54	·99	3·27	6·50	·42	2·83	1·68	1·97	2·19	Year's Total 28·44	
* Days with .01 in. or more.	20	13	14	10	7	~~11~~ 14	25	6	17	15	20	20	~~178~~	181
* Days with .04 in. or more.	15	9	9	9	5	~~10~~ 13	20	4	13	8	12	12	~~126~~	129

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) John P. Osborne [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at SILVERSTONE

in the County of NORTHAMPTONSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01		·02	·03					·09		·49	·36		1
2	·02	·12	trace	·54								·09		2
3		·09	·01	·01	·08		·02					·06		3
4	·11	·21					trace					·65		4
5	·15		·12				·02				·05			5
6	·18	✗			·15		·08			·03	·04			6
7		✗·80	·50	·27	trace									7
8		·05			✗						·25	trace		8
9			·01	·29	✗·25		·15		·14			·11		9
10		·01	·60	·60		·19	·01					·10		10
11			·07		·50		trace							11
12	·10	✗	·07		·39		·01	✗	·10			·20		12
13	·15	✗·37			·01	·83		✓	·07					13
14		·01	·56	·02				✗	·04			·06		14
15	·38	·09		·14			1·13		·10					15
16		·11	·28	✗				✗						16
17	·50	·02	·30	✗·75										17
18	·29	·11				·06			·99		·23			18
19	·14	·02	·24	·20	·09	·20	trace				·06	·05		19
20	·41			·35	·62	·04			·01					20
21	·19	·34	·06	trace	·02		·07					·04		21
22	·44		·05		·07	·21	·25			·79	·42	·02		22
23	·04	·01	·08		·22					·22	·04			23
24	·19	·42			·03					·29				24
25	·15	·28	trace		1·11				·05	·24				25
26		·46	·06		·05					·08				26
27		✗·24		·26						·95				27
28		snow ✗	trace			·01				·03				28
29						·02				·04	·02	·14		29
30	·38							·90			·15	·02		30
31	·30									·16		·02		31
TOTAL	4·13	3·76	3·03	3·46	3·59	1·56	1·74	·90	1·59	2·83	1·75	1·92	Year's Total 30·26	✓
* Days with .01 in. or more.	19	22 ~~19~~	18	13 ✓	15 ✓	8	11	~~5~~ 4	9	10	10	14	~~147~~	153
* Days with .04 in. or more.	17	17 ~~14~~	13	~~9~~ 10	~~11~~ 12	6	5	~~4~~ 3	8	8	9	11	~~112~~	119

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) John P. Osborne

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at SILVERSTONE

in the County of NORTHAMPTONSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 400 ft.

notified w.f.7.

corr for Dec 19-26 snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					trace	·26				·38		·21		1
2	·06		·02	trace	·13	·06								2
3		trace			·14	trace			·01	·46				3
4	·06			·07		·07	·04			·13		·13		4
5							·32		trace					5
6	·04	trace				·02	·06	·49	·14	·14				6
7	·02						·25	·32	·20	·22		·06		7
8	·12					·33		·39	trace	·15		·03		8
9	·06	·01					·01	·24				·48		9
10		·06				·20	·05	·17				·08		10
11	·42							trace			·19			11
12	·15				·06			·87		·30	·01			12
13		·08								trace	·07	·21		13
14		·06			·08		·30		·08					14
15							·33	trace		·02		·28		15
16	·57		trace				trace							16
17		·10			·36		·04	trace	trace	·09	·02	·18		17
18	·03				·05			trace	·55		·30			18
19								·06	·07					19
20								trace	·07		1·21	Snow		20
21								trace			trace	Snow		21
22				trace		trace		·06			·30	(1·10)		22
23	·01			trace	·03				·08		trace			23
24			·11		·12				·09		·01			24
25	·10	·12	·04		·12			·13	·08	·07	·28	Snow		25
26	·11		·13	trace	·04			trace	·12	·10		~~1·12~~		26
27	·05	·34			·52	·11	·22	·04	·32		·40			27
28					·09	·15	·02	·63	·09			·12		28
29					·29	trace		trace		·02	·17	·12		29
30	·72	✕		trace	trace	trace			·13	·02	·21	·16 snow		30
31	·17	✕		✕	·26	✕			✕	·17	✕	·32		31
TOTAL	2·69	0·77	0·30	0·07	2·29	1·20	1·64	3·40	2·03	2·27	3·17	(3·48) ~~3·62~~	Year's Total ~~23·[illegible]~~	23·33
* Days with .01 in. or more.	16	9	5	6	16	12	12	11	17	14	12	19 ~~18~~	~~148~~	149
* Days with .04 in. or more.	13	5	3	1	13	7	9	11	13	11	9	~~17~~ 16	~~113~~	112

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) John P. Blunt [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at SILVERSTONE

in the County of NORTHAMPTONSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			trace		·17			·04					·21	1
2	trace			·50				·50	·60	·07	·02		1·69	2
3	·29			·22				·52		·03		·28	1·34	3
4			·46	·28			·03	·65	·37	·01		·12	1·92	4
5				·71	·27		·02	·39		·17	·56	·17	2·29	5
6	·63			·02	·01		·66	·03		·18			1·53	6
7		·07					—	·02			·24	·18	·51	7
8		·07	·18				x ·16	·57			·17		1·15	8
9	·07	·08								1·44		·54	2·13	9 1381
10	·44					·33		·23	·02	·02			1·04	10
11						·07			·05			·02	·14	11
12		·02	·19			·09					·04		·34	12
13				·02			·07		·04	·75			·88	13
14			·02	·07	·31	·08	·14				·10		·72	14
15	·71			·03	·35	·50	·26		·08	·90	·12		2·95	15
16	·40		·13		·11	·29	·45			·19	·28		1·85	16
17	·19	·01	·01		·11	·01	·25			2·54	·03		3·15	17
18	·07	·05	·04			·22	·37			·02	·59		1·36	18
19	·27	trace					·84		·02				1·13	19
20	x					·02	·21	·46					·69	20 1321
21	·34	x	·30			·36	1·15	·45	·04				2·64	21
22	·19	x ·41	·04								·20		·84	22
23	·02			·08		·05	·17			·06	·68		1·06	23
24	x			·05			·05			·15			·25	24
25	x	·10	·28	·01			·09			·02	x		·50	25
26	1·80		·03					·07		·05	·73		2·68	26
27		·11	·11	·03			·05			·03			·33	27
28		·18	·09	·08							·20		·55	28
29	·08			·35			·17			·18	·01	—	·79	29
30				·42		·19					·13	—	·74	30
31							·06	·01				x ·12	·19	31 1059
TOTAL	5·50	1·10	1·88	2·87	1·33	2·21	5·20	3·94	1·22	6·81	4·10	1·43	Year's Total 37·59	
* Days with .01 in. or more.	17	11 10	13	15	7	12	19 ✓	13	8	18	17 ✓	7	~~160~~	157 "2"
* Days with .04 in. or more.	15	9 8	10	10	6	10	17	9	4	12	14 12	6	~~119~~	~~122~~

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) John P. Osborn [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Jan & Feb. apportioned.

Kept at SILVERSTONE

in the County of NORTHAMPTONSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		snow tr.			·02						x			1
2				·40			·02			·01	x			2
3		x (·50)		·32						·16	x	·05		3
4		x		·09			·02			·14	x 1·92	·09		4
5				·25	·04		·16			·14	x	·16		5
6		x			·04		·04			·17	x ·91			6
7	·25	·18			·03		·04							7
8				·07			·03			·09		·25		8
9				·02			·02		·08	·02		·18		9
10							·82			·08	·38	·07		10
11			·01	·05			·20	·06			·72			11
12			·06				·15		·12		·03			12
13		snow	·42				·18		tr.		·50			13
14			·66	·06	·10				·12	·05				14
15				·01			·02		·06	·10		·37		15
16	tr.	x		·03			·63		·15	·90	·98			16
17		snow	·67											17
18		" x	·53	·46			·30				·07	·07		18
19		x ·83	·14				·21		·12		·22	·04		19
20			·02		·28		·02	·06		·16	·06			20
21	snow x			·16	·41		·04			·13	·76			21
22	snow	·03		·01	·09	·29			·11	·01		·06		22
23				·02		·13								23
24		·17		·06			·09							24
25							·05							25
26	snow x	·08			·05		·23							26
27	" x " (2·70)			x	·05		·11			·02				27
28	" x	·17		·50										28
29	" "			·01	·01	tr						·33		29
30	" x	✕		·40						·27				30
31	x ~~3·2~~	✕		✕		✕			✕	·67	✕			31
TOTAL	~~3·43~~ 2·93	~~1·46~~ 1·96	2·51	2·92	1·12	·42	3·38	·12	·76	3·12	6·55	1·67	Year's Total 27·48	
* Days with .01 in. or more.	~~9~~ 7	~~9~~ 14	8	~~18~~ 19	11	2	21	2	7	17	~~14~~ 15	11	~~129~~	134
* Days with .04 in. or more.	~~9~~ 7	~~8~~ 10	6	~~12~~ 13	8	2	15	2	7	13	~~13~~ 14	11	~~106~~	108

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) John P. Bloxall

[P.T.O.

1094/5

SILVERSTONE
THE CHANTRY

1935 - 1940

780208

Section **A** for the entry of Dail
AIR MINISTRY.—M ... NFALL ORGANIZATION.

Station No. 1094/5

FORM 1090.

REGIST ... 1935.

Kept at The Chantry Silv

in the County of Northampt

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Level

/3 corrected [illegible] for 1st estimates [illegible] 7/36 ph.

THE MORNING MEASUREME

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following (·10)

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·4	—	0·28	—	0·13	0·1	—	—	0·26	0·13	0·17	0·35		1
2	0·16	—	—	0·6	0·1	0·11	0·2	—	—	0·9	0·8	0·1		2
3	—	—	—	—	—	0·10	—	—	—	0·28	0·1	0·1		3
4	—	0·16	0·4	—	—	0·30	—	0·7	0·18	0·21	0·18	0·10		4
5	—	—	—	0·6	—	0·5	—	—	0·1	0·7	—	—		5
6	—	0·84	0·4	0·16	—	0·5	0·3	—	0·8	—	0·4	0·2		6
7	—	0·2	—	0·10	—	0·31	—	—	—	—	0·30	—		7
8	—	—	—	0·36	—	0·26	—	—	—	0·10	0·7	0·18		8
9	—	—	—	0·22	—	0·3	—	0·2	—	0·17	0·17	0·5		9
10	—	—	—	0·65	—	0·41	—	—	—	0·70	0·32	0·1		10
11	—	—	—	0·35	—	0·3	—	—	—	—	0·4	—		11
12	0·15	—	—	—	—	0·10	0·20	—	—	—	0·34	—		12
13	0·1	0·4	—	—	—	0·45	—	0·1	—	—	0·2	—		13
14	0·5	0·13	—	0·5	0·14	0·16	—	—	0·1	—	0·1	—		14
15	—	—	—	0·15	0·15	0·23	—	—	0·27	—	0·32	0·2		15
16	—	0·15	—	0·52	0·4	0·20	—	—	0·31	—	0·25	0·16		16
17	—	—	0·9	0·10	—	0·3	—	—	0·5	0·9	0·68	0·1		17
18	—	—	—	0·3	—	0·19	0·1	—	0·3	—	0·40	—		18
19	—	—	—	0·21	0·11	0·2	0·10	—	0·30	0·5	0·1	~~—~~ 0	Snow	19
20	—	—	—	0·17	0·24	0·20	0·13	—	0·15	0·2	0·22	0·10	Snow	20
21	0·1	0·28	—	0·11	—	0·9	—	—	—	—	0·23	—		21
22	—	0·26	0·2	0·1	—	—	—	—	0·60	0·3	0·11	—		22
23	—	0·2	0·3	0·3	—	—	—	0·41	0·50	0·17	—	—		23
24	—	—	0·13	—	—	—	—	0·45	0·7	—	0·2	—		24
25	0·2	0·21	0·3	—	—	—	—	0·1	0·73	—	—	0·37	Snow	25
26	0·10	0·2	—	0·17	—	0·72	—	0·3	~~—~~	—	—	0·22		26
27	—	0·3	—	—	—	—	—	0·24	0·12	—	0·1	0·43		27
28	—	0·13	—	—	0·54	—	—	—	0·20	0·2	0·17	0·81		28
29	—		—	—	0·5	—	—	0·1	0·25	0·1	—	0·4		29
30	—	×	0·2	—	0·53	—	—	67	0·17	0·2	0·2	0·18		30
31	0·5	×	—	×		×	—		×	0·1	×	0·20		31
TOTAL	~~58~~	·28 ~~2X8~~	68	·13 ~~35X~~	·01 194	~~404~~	49	·26 ~~X99~~	·13 ~~419~~	·17 ~~217~~	·35 ~~519~~	·10 ~~327~~	Year's Total. ~~3023~~	30·29.
* Days with .01 in. or more.	·54 [illegible]	2·46 ~~13~~ ~~X~~ 14	·40 ~~9~~ 4 8	3·64 ~~19~~ 3 20	1·82 ~~19~~ ~~X~~	4·03 ~~22~~ 21	6 8	2·25 ~~11~~ 12	4·06 19 ~~8~~	2·21 17 ~~6~~	5·37 25 ~~X~~	3·02 19 ~~8~~	~~50~~	179
* Days with .04 in. or more.	6	10	5 4	17	8 9	14	3	6 7	16	11	18	13	12 ~~X~~ 9	

o.k. - [illegible]

40-9999

* See Instruction 2 (f) on other side. MISS A.M. WOOD

† Spare column, no entries required.

(Signed) Mary B. Wood

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1094/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Chantry Silverstone
in the County of Northamptonshire

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level ~~500~~ — ft.

Northants/3
adjusts days
— 450 from 1" map.
corrected for LWD
for 1st estimates
written 7/36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following (·10)

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0-4	–	0·28	–	0·13	0-1	–	–	0-26	0-13	0·17	0-35		1
2	0-16	–	–	0-6	0-1	0-11	0·2	–	–	0-9	0-8	0-1		2
3	–	–	–	–	–	0-10	–	–	–	0·28	0-1	0-1		3
4	–	0-16	0-4	–	–	0·30	–	0-7	0·18	0-21	0·18	0-10		4
5	–	–	–	0-6	–	0-5	–	–	0-1	0-4	–	–		5
6	–	0-84	0-4	0-16	–	0-5	0·3	–	0-8	–	0-4	0-2		6
7	–	0-2	–	0-10	–	0-31	–	–	–	–	0-30	–		7
8	–	–	–	0·36	–	0-26	–	–	–	0-10	0-7	0-18		8
9	–	–	–	0·22	–	0·3	–	0-2	–	0-14	0-14	0 5		9
10	–	–	–	0·65	–	0·41	–	–	–	0·40	0·32	0-1		10
11	–	–	–	0-35	–	0·3	–	–	–	–	0·4	–		11
12	0·15	–	–	–	–	0·16	0·20	–	–	–	0-34	–		12
13	0-1	0-4	–	–	–	0-45	–	0-1	–	–	0-2	–		13
14	0-5	0·13	–	0-5	0-14	0-16	–	–	0-1	–	0-1	–		14
15	–	–	–	0-15	0·15	0-23	–	–	0-27	–	0-32	0-2		15
16	–	0-15	–	0-52	0-4	0-20	–	–	0-31	–	0-25	0·16		16
17	–	–	0-9	0-10	–	0-3	–	–	0-5	0-9	0-68	0-1		17
18	–	–	–	0·3	–	0·19	0-1	–	0-3	–	0·40	–		18
19	–	–	–	0-21	0-11	0-2	0-10	–	0-30	0-5	0-1	~~–~~0	Snow	19
20	–	–	–	0-19	0-24	0-20	0·13	–	0-18	0-2	0-22	0-10	Snow	20
21	0-1	0-28	–	0-11	–	0-9	–	–	–	–	0-23	–		21
22	–	0-26	0-2	0-1	–	–	–	–	0-60	0-3	0-11	–		22
23	–	0-2	0-3	0-3	–	–	–	0-41	0-50	0·17	–	–		23
24	–	–	0-13	–	–	–	–	0-45	0-7	–	0·2	–		24
25	0-2	0-21	0-3	–	–	–	–	0-1	0-73	–	–	0-37	Snow	25
26	0·10	0-2	–	0-17	–	0-72	–	0-3	–	–	–	0·22		26
27	–	0-3	–	–	–	–	–	0-24	0-12	–	0-1	0-43		27
28	–	0-13	–	–	0-54	–	–	–	0-20	0·2	0-17	0-81		28
29	–		–	–	0 5	–	–	0-1	0·25	0-1	–	0-4		29
30	–	X	0·2	–	0-53	–	–	·67	0-17	0·2	0·2	0·18		30 o.k.
31	0-5	X	–	X		X	–		X	0-1	X	0·20		31
TOTAL	~~58~~	·28 ~~2XP~~	68	·13 ~~33X~~	·07 194	~~40X~~	49	·26 ~~X99~~	·13 ~~419~~	·17 ~~217~~	·35 ~~519~~	·10 ~~327~~	Year's Total. ~~3023~~	30·29.
* Days with .01 in. or more.	·54 ~~3~~ 9	2·46 ~~13~~ 14	·40 ~~9~~ 48	3·64 ~~19~~ 3 20	1·82 ~~10~~ 9 X	4·03 ~~23~~ 21	6 8	2·25 ~~11~~ 12	4·06 19 8	2·21 17 ~~6~~	5·37 25 ~~X~~	3·02 19 ~~6~~	~~56~~	179
* Days with .04 in. or more.	6	~~9~~ 10	5 4	~~16~~ 17	8 9	17	3	6 7	16	11	18	13	12 ~~X~~ 9	

40-9999

* See Instruction 2 (f) on other side. MISS A.M. WOOD

† Spare column, no entries required.

(Signed) Mary B. Wood

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1094/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at The Chantry Silverstone Towcester

in the County of Northamptonshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Comp. for W. D (2 days).

Dec 31st est. by sun shine.

Day 10.

B. A.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following (.12)

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·20	0·5	0·2	—	—	0·21	0·14	0·15	—	—	0·32	0·26		1
2	0·20	0·47	0·19	0·23	—	0·5	0·24	0·5	—	—	0·50	0·3		2
3	0·3	0·10	0·6	0·6	—	0·10	0·87	0·8	—	—	0·3	0·4		3
4	0·2	—	0·2	0·3	—	0·50	0·89	—	—	—	0·20	Trace		4
5	—	—	Trace	—	—	0·5	0·7	—	0·25	—	0·7	0·2		5
6	—	—	0·17	—	—	0·3	—	—	0·25	—	0·3	0·12		6
7	0·10	—	0·8	—	—	—	0·7	0·2	0·10	—	Trace	0·11 Snow		7
8	0·18	—	—	—	0·10	0·9	0·14	0·19	0·12	—	0·8	0·4 Snow		8
9	0·24	—	0·5	—	—	—	~~0·10~~	Trace	0·2	—	0·2	0·2		9
10	0·17	—	0·24	—	Trace	—	—	—	—	Trace	0·38	0·10		10
11	0·57	—	0·1	—	—	—	0·98	—	0·25	0·8	0·3	0·2		11
12	0·8	—	—	—	—	—	0·18	—	Trace	0·1	Trace	—		12
13	—	—	—	Trace	—	—	0·9	—	0·13	—	0·40	0·1		13
14	—	—	—	0·7	—	0·37	0·56	—	0·6	—	0·11	0·13		14
15	—	—	—	0·6	—	0·30	Trace	—	—	0·5	0·9	0·44		15
16	—	0·1	—	0·20	—	0·7	0·77	—	0·12	0·3	Trace	0·64		16
17	—	—	—	0·5	—	Trace	0·23	—	0·9	—	0·1	0·25		17
18	0·6 ✓	0·11	—	Trace	—	—	Trace	—	—	—	0·39	0·2		18
19		0·42	—	—	0·10	—	0·10	—	—	0·10	0·12	0·8		19
20	—	0·4	—	—	—	0·14	0·18	—	—	0·3	0·1	0·9		20
21	0·45	0·11	Trace	0·25 ✓	—	0·15	—	0·11	—	Trace	—	Trace		21
22	—	0·4	0·5		—	—	0·3	—	0·80	—	Trace (fog)	Trace		22
23	0·7	—	Trace	0·27	Trace	0·93	Trace	—	0·3	—	Trace (fog)	—		23
24	0·1	0·52	0·5	Trace	0·55	—	0·25	—	—	0·40	Trace (fog)	0·12		24
25	—	—	0·8	0·13	Trace	—	0·19	—	—	0·10	—	0·1		25
26	0·15	0·10	—	—	0·2	—	0·23	—	0·26	—	—	Trace		26
27	0·10	0·10	0·20	0·13	—	0·8	0·28	—	0·13	0·5	0·6	Trace		27
28	0·1	—	0·25	Trace	—	Trace	0·4	—	—	0·9	0·1	Trace		28
29	0·5	—	0·1	—	—	—	0·2	—	0·11	Trace	Trace	Trace		29
30	0·55	·02	0·13	—	—	—	0·3	—	0·1	0·3	— ·26	0·10		30
31	0·13	·19	0·6	=	·21	·14 ~~·24~~	0·2 ·15	=		·32		0·5		31
TOTAL	·05 ·47 ~~327~~	~~197~~	·23 ~~167~~	~~148~~	·05 ~~77~~	~~309~~	·05 ~~257~~	~~60~~	~~273~~	·50 ~~107~~	~~264~~	·12 ~~273~~	Year's Total ~~2959~~	28·74 in
* Days with .01 in. or more.	20 ~~4~~	12 ~~1~~	16 ~~4~~	11 ~~7~~	6 ~~7~~	~~X~~ 14	25 ~~4~~	4 ~~6~~	3 16	13 ~~4~~	7 19	21 ~~7~~	~~38~~	177 ✓
* Days with .04 in. or more.	16 ✓	10	~~12~~ 13	9 ~~10~~ ✓	5 ~~8~~	13	25 ~~20~~	3 ~~8~~	13	9 ~~7~~	~~12~~ 11	~~15~~ 14	137	✓
	3·49	1·76	1·69	1·25	1·03	3·21	6·52	·40	2·73	1·70	2·31	2·56		

*See Instruction 3 (f) on other side.

...e column, no entries required.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1094/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Silverstone (The Chantry)

in the County of ....

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground.......ft.......in.

,, Ground ,, Sea Level ....ft.

B. A.

Corr for aiiths 2 days. § 10.1.38.

Part corrected for W.D. f.M.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·5	0·27	0·4	—	—	—	—	Trace	0·10	—	0·41	0·30		1
2	0·19	0·28	0·4 Snow	—	—	—	—	—	0·1	—	Trace	0·23		2
3	0·2	0·1	Trace	Trace	0·12	—	2	—	—	—	Trace	0·3		3
4	0·8	0·13	Trace	0·52	0·2	—	2	Trace	—	—	Trace	0·51		4
5	0·2	0·11	0·2	—	—	—	—	—	—	Trace	Trace	0·7		5
6	Trace	0·24	—	Trace	0·15	—	0·1	—	—	0·3	0·3	0·1		6
7	0·19	Trace	0·9	Trace	Trace	—	0·11	—	0·2	Trace	Trace	—		7
8	0·17	Trace	0·9	—	0·8	Trace	—	—	—	Trace	0·24	0·2		8
9	—	0·76	0·19	0·27	0·19	—	0·17	—	15	Trace	—	0·8		9
10	—	0·6	Trace	0·27	0·1	0·21	0·1	—	—	—	—	0·14		10
11	Trace	Trace	0·1	—	0·40	—	0·2	—	[illegible]	Trace	—	0·4		11
12	Trace	0·1	0·14	—	0·36	0·32	—	46	0·10	—	Trace	0·15		12
13	0·13	Trace	0·52 Sh	—	Trace	0·39	—	0·3	0·10	—	—	0·3		13
14	0·15	0·30	0·8	—	—	—	—	0·16	0·35	—	—	0·2		14
15	0·1	0·9	0·17	0·3	—	—	0·162	—	0·18	—	Trace	0·3		15
16	Trace	0·1	0·38	0·25	—	—	—	0·8	0·36	—	—	0·1		16
17	0·39	0·11	—	0·44	—	—	—	—	0·36	Trace	Trace	—		17
18	0·2	0·8	0·29	0·4	—	0·9	—	—	0·34	fog 0·1	0·23	Trace		18
19	0·49	0·1	0·32	0·19	0·8	0·21	—	—	—	fog 0·1	0·11	0·2		19
20	0·25	0·12	Trace	0·50	0·52	0·4	—	—	Trace	fog 0·1	—	0·6		20
21	0·11	0·2	0·25	0·2	Trace	—	0·8	—	Trace	Trace	0·1	0·2		21
22	0·44 Show	Trace	—	—	0·7	0·21	0·25	—	—	0·60	0·40	0·2		22
23	0·20	0·34	0·5	—	0·29	—	0·1	—	—	0·47	0·1	Trace		23
24	0·24	—	0·8	—	0·3	—	—	—	0·5	0·21	—	0·1		24
25	0·29	0·1	0·3	—	0·14	—	—	—	0·1	0·21	—	0·1		25
26	0·18	0·43	0·3	—	0·7	—	—	—	Trace	0·10	—	0·1		26
27	0·15	0·29	—	0·25	—	—	—	—	—	0·83	Trace	Trace		27
28	Trace	0·44	0·3	Trace	—	—	—	—	—	0·2	—	0·3		28
29	Trace	·04	Trace	—	—	0·3	—	—	—	0·3	0·3	0·8		29
30	[illegible]	✕ ·14	—	—	—	—	—	—	—	Trace	0·20	0·1		30
31	0·5 ·37 ·36	✕ 3·75	— 2·75	✕	—	✕	—	—	✕	0·15	✕	0·5		31
TOTAL	4·13 ~~3·82~~ ~~3·77~~	~~4·12~~ 4·02	~~2·93~~ ~~2·73~~	2·78	3·53	1·50	2·33	·43	1·76	2·68 ~~2·61~~	1·67	1·98	Year's Total ~~29·47~~	29·59 ~~29·83~~
* Days with .01 in. or more.	22 ~~24~~	22 ~~26~~	18 ~~20~~ ~~25~~	11 ~~1~~	15 ~~13~~	8	11	4	13	13	10	26 ~~16~~	~~158~~	~~175~~ 173
* Days with .04 in. or more.	18	16	13 ~~15~~	9	12 ~~11~~	7	5	3	10	7	6 ~~4~~	11	116	~~116~~ 117

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Mary B. Lock

[P.T.O.

Section **A** **for the entry of Daily Observations** **Station No.** 1094/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Chantry Silverstone, Towcester

in the County of Northamptonshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

B.A. H.P. Day

west

Dec 20–26 adjusted to snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	Trace	—	0·1	—	—	0·26	—	—	—	0·05	—	0·24		1
2	0·05	—	Trace	0·07	0·10	0·05	—	—	—	0·52	—	—		2
3	—	Trace	—		0·15	Trace	—	—	0·2	0·62	—	0·01		3
4	0·04	—	Trace	—	—	—	0·08	—	—	0·25	—	0·14		4
5	0·06	Trace	—	—	—	Trace	0·23	—	0·03	0·06	Trace	Trace		5
6	0·05	Trace	—	Trace	—	0·01	0·05	0·42	0·10	0·17	Trace	0·01		6
7	0·1	—	Trace	—	—	0·2	0·24	0·42	0·15	0·30	—	0·15		7
8	0·12	—	—	—	—	0·32	0·01	0·31	—	0·22	—	0·03		8
9	0·05	0·02	—	—	—	0·1	0·09	0·30	—	—	—	0·44		9
10	0·07	0·06		—	—	0·15	0·09	0·11	—	Trace	—	0·08		10
11	0·45	Trace	—	—	—	—	—	—	—	Trace	0·20	0·01		11
12	0·16	snow 0·2	—	—	0·6	—	—	0·63	—	0·41	0·07	Trace		12
13	0·02	snow 0·13	—	—	—	—	—	—	—	0·03	—	0·22		13
14	0·31	snow 0·4	—	—	0·07	—	0·30	Trace	0·06	—	—	0·01		14
15	0·09	—	—	—	—	—	0·28	Trace	—	0·03	Trace	0·26		15
16	0·29	—	Trace	—	—	—	0·01	—	—	0·1	Trace	0·19		16
17	—	snow 0·05	—	—	0·36	—	0·04	—	0·01	0·9	0·02	—		17
18	0·05	0·02	—	—	0·05	—	—	0·2	0·80	—	0·30	—		18
19	Trace	—	—	—	—	—	—	0·06	0·08	Trace	0·20	—		19
20	Trace	—	—	—	—	—	—	0·1	0·1	Trace	0·93	(·05)		20
21	Trace	—	—	—	—	—	—	0·03	Trace	~~—~~	0·02	(·44)		21
22	0·01	—	Trace	0·1	—	0·01	—	0·2	Trace	Trace	0·28	(·25) ~~0·68~~ (·10)	Snow	22
23	0·1	—	0·12	—	—	—	Trace	—	0·08	Trace	Trace	(·03)		23
24	Trace	Trace	—	—	0·02	—	—	—	0·8	—	0·02	(·03) ~~0·3~~	Snow	24
25	0·11	0·13	0·16	—	0·06	—	Trace	0·16	0·15	0·07	0·28	(·10) ~~0·35~~		25
26	0·14	0·32	0·14	Trace	0·04	0·01	0·23	—	0·12	0·16	—	(·20) ~~0·37~~	Snow & rain	26
27	0·07	0·03	Trace	—	0·33	0·17	—	0·02	0·31	0·01	0·41	Trace		27
28	0·18	—	—	—	0·32	0·24	0·03	0·08	0·05	—	0·02	0·12		28
29	0·52		—	Trace	0·28	0·01	—	—	0·01	0·02	0·18	0·14		29
30	0·03	✕	—	0·1	0·03	—	—	—	0·15	0·04	0·22	0·03		30
31	0·15	✕	—	✕	0·25	✕	—	—	✕	0·25	✕	0·44		31
TOTAL	2·97 ~~2·86~~	·72	33	·09	2·12	126	168	259	221	331	3·15 ~~353~~	(3·65) ~~318~~	Year's Total ~~2388~~	24·08 ~~2561~~
* Days with .01 in. or more.	24 ~~6~~	10 ~~5~~	4 ~~1~~	3 ~~2~~	14 ~~2~~	12 ~~6~~	13 ~~3~~	14 ~~5~~	17 ~~5~~	19 ~~5~~	14 ~~4~~	~~21~~ 24	~~51~~	~~165~~ 168
* Days with .04 in. or more.	18 ~~17~~	5	3	1	12	6	10	9	12	14 ~~12~~	10	16 ~~14~~	~~111~~	~~114~~ 116

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Mary B. Lort

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. 1094/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Silverstone (The Chantry)

in the County of Northants

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Days ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	1	—	1	42	15	—	—	6	56	5	Trace	3		1
2	3	—	Trace	7	1	—	—	51	2	2	2	1		2
3	22	—	—	21	—	—	—	45	23	—	25	25		3
4	14	—	45	30	2	—	3	50	—	16	4	13		4
5	14	—	1	62	25	—	1	40	—	17	25	17		5
6	65	1	Trace	2	1	—	66	3	—	Trace	1	—		6
7	4	13	—	—	—	—	2	1	—	—	25	25		7
8	Trace	8	18	—	—	—	14	35	—	62	16	39		8
9	7	Trace	Trace	—	—	—	—	10	—	70	1	20		9
10	45	—	2	—	1	36	—	15	2	2	Trace	1		10
11	Trace	1	16	—	Trace	6	—	—	7	Trace	Trace	—		11
12	Trace	—	4	—	—	9	—	—		1	5	Trace		12
13	—	—	Trace	3	—	Trace	9	—	—	71	10	Trace		13
14	43	—	1	5	31	10	12	—	5	5	1	Trace		14
15	31	—	8	3	34	55	25	—	Trace	79	10	1		15
16	40	—	13	—	13	21	58	—	8	10	27	—		16
17	20	7	2	—	13	Trace	32	—	Trace	3·2·0	4	—		17
18	7	4	4	—	—	32	31	—	—	2	55	Trace		18
19	28	Trace	—	—	—	—	83	—	Trace	1	1	Trace		19
20	32	—	2	—	7	4	23	23	2	Trace	Trace	—		20
21	7	20	31	—	—	30	10·2	100	—	Trace	—	Trace		21
22	22	18	4	—	—	1	Trace	—	3	Trace	22	1		22
23	2	1	1	3	—	3	23	—	Trace	4	65	—		23
24	—	Trace	13	8	—	1	3	—	—	12	Trace	—		24
25	42	13	2	4	—	—	8	—	—	1	34	—		25
26	52	Trace	13	1	—	—	—	8	—	7	50	4		26
27	3	12	9	1	—	2	5	—	—	2	~~25~~	—		27
28	2	18	8	7	Trace	8	—	—	—	Trace	20	6	Snow	28
29	—		Trace	43	—	—	16	—	—	18	1	—		29
30	—	×	—	44	—	8	—	—	—	Trace	12	—		30
31	—	×	—	×	—	×	5	Trace	×	1	×	—		31
TOTAL	6 505	1.10 ~~117~~	198	286	1.43 ~~163~~	226	521	389	108	7.08 ~~718~~	416	156	Year's Total ~~37.85~~ 37.65	
* Days with .01 in. or more.	23 ~~5~~	12 ~~4~~	21 ~~8~~	17 ~~6~~	11 ~~7~~	15 ~~4~~	20 ~~4~~	13 ~~2~~	9 ~~4~~	22 ~~8~~	23 ~~6~~	13 ~~5~~	199 ~~60~~	
* Days with .04 in. or more.	18	~~9~~ 8	13	11	7	11	16 ~~17~~	11	5	14	14	8	139 ~~141~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) .... P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1094/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at The Chantry Silverstone

in the County of Northamptonshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

BA W-G.

July, Sept & Oct corrected for Errors

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	10	23	1	1	—	—	—	—	—	5	—		1
2	—	9	—	30	—	—	2	—	—	2	76	—		2
3	—	20	—	3	—	—	—	—	—	47	83	5		3
4	—	7	—	24	—	—	1	—	—	15	32	6		4
5	—	1	—	—	6	—	20	—	—	11	67	11		5
6	7	20	—	—	2	—	4	—	—	19	21	—		6
7	18	17	—	Trace	Trace	—	4	—	5	—	—	—		7
8	Trace	Trace	—	6	—	—	7	—	—	8	3	22		8
9	—	—	—	1	—	—	3	1	4	3	13	13		9
10	—	—	—	Trace	—	—	80	2	—	8	20	8		10
11	—	—	2	4	—	Trace	19	—	—	—	72	3		11
12	—	5	4	Trace	—	—	15	—	11	1	2	—		12
13	—	—	Trace	2	—	—	19	—	3	—	56	—		13
14	—	—	3	5	10	—	—	—	11	10	—	31		14
15	2	—	7	2	9	—	2	—	—	10	20	1		15
16	—	14	35	—	—	—	71	—	20	91	61	1		16
17	—	—	30	—	—	—	—	—	—	~~10~~	2	—		17
18	—	46	53	40	—	—	22	—	—	16	6	5		18
19	—	12	10	15	—	—	26	—	—	5	23	3		19
20	—	2	5	2	—	Trace	2	—	—	5	5	—		20
21	10	2	11	—	28	—	3	—	14	15	72	—		21
22	—	2	5	Trace	40	28	—	—	—	1	—	—		22
23	—	16	9	2	10	15	—	—	—	—	1	3		23
24	—	Trace	—	6	Trace	—	10	—	—	1	—	—		24
25	1	—	6	—	—	—	7	—	—	3	—	—		25
26	103	8	—	5	5	—	21	—	—	—	—	—		26
27	31	5	—	42	3	—	11	—	—	—	—	—		27
28	20	10	—	Trace	Trace	—	—	—	—	—	—	—		28
29	5	—	10	—	5	—	—	—	—	—	—	35		29
30	8		—	30	—	—	—	—	—	27	—	—		30
31	10		4		—		—	—		63		—		31
TOTAL	2·15	2·05	2·76	2·26	1·19	·43	3·149 70	·03	1·68 ~~18~~	3·31 ~~81~~	6·40	1·49	Year's Total ~~2·33~~	26·12
* Days with .01 in. or more.	11~~2~~	18~~4~~	17~~2~~	18~~7~~	11~~8~~	~~1~~ 2	21~~6~~	~~3~~2	7~~1~~	21~~6~~	20~~8~~	14~~5~~	~~42~~	162
* Days with .04 in. or more.	9	14	15	11	8	2	15	-	6	~~13~~ 14	~~14~~ 16	9 ~~4~~	~~114~~	119

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(Signed) D. Mary B. Wood [P.T.O.

109 1094

Section **A** for the entry of Daily Observa

FOR OFFICIAL USE.

AIR MINISTRY.—METE ANIZATION.

FORM 1091.

REGISTE 31.

BATCHSLIP

STD JOB:
MET-ARCH

BATCH :
METZ001

ENTRY 113 ---
VERIFY ---

Kept at Hazelborough Woo rch

in the County of Northampton

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

„ Ground „ Sea Level

7/2/32

THE MORNING MEASUREMENT IS CREDI DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1			8.3								2.1		1
2					3.1				11.2				2
3				.3	2.5		2.5	11.6	29.1				3
4		5.2				5.3		3.5			2.3		4
5		3.1				1.0	3.1	3	3.1		2.5	2.1	5
6				3.2	3.2	1.4	2.5		2.5		4.1		6
7		6.1		2			1.2				5.1		7
8		3.2	3.2					15.2			7.3		8
9		2.1	4.1		2.4	1.5		3.2			6.4	.4	9
10		3.1			5.3		3.1	18.3			13.2		10
11		7.2	11.6		4.5	10.2	1.3				4.4		11
12	2.1	2.1		.4	3.1	8.4	8.3	1.5	2.0		1.2	1.3	12
13	1.3	8.3				4.1	10.4	2.1	1.5				13
14		1.2	.3		6.2	3.5	11.6	4.1			1.3		14
15	2.1	4.1		4.2	5.3	8.4		12.3			5.1	2.3	15
16	3.1	1.5		3.1	10.3	2.1		2.1			3.2	1.5	16
17	8.2	3.1		4.4	6.5			3.1	.3		4.5	3.1	17
18	1.5			10.1	4.5	6.5	3.5		1.3		7.3		18
19				16.4		9.8	2.7	2.4	4.2	1.2	6.5		19
20		5.2		9.3		1.2	1.3	8.2			3.2	.3	20
21	1.4		.2	7.1	1.3			12.6					21
22				6.2			3.1						22
23	4.5			10.3	6.3				.5		4.3		23
24	2.1			5.1	15.5		3.5						24
25				20.1	20.6		4.4						25
26		8.2		21.6	.4		3.5						26
27		7.1		3.2						1.4	2.1		27
28	4.1	9.2		5.3			1.1		.3	2.1		8.3	28
29	3.2			4.5	3.1		2.1			3.2		11.5	29
30	6.1	X		2.3			1.4					1.4	30
31	4.7	X		X		X			X		X		31
TOTAL	44.4	80.0	27.7	137.3	~~78.1~~ 104.1	63.4	~~70.5~~ 70.6	100.5	56.0	7.9	86.1	~~31.3~~ 32.2	YEAR'S TOTAL 810.2
Days with 0·2 mm. or more.	13	17	6	20	18	13	19	15	11	4	19	10	165
Days with 1·0 mm. or more.	13	17	4	17	17	13	19	14	8	4	19	8	153
(144w)	1.75	3.15	1.09	5.41	4.10	2.50	2.78	3.96	2.20	.31	3.39	1.27	31.91

40—9999 M

X (Signed) G. H. Gulliver

FORESTRY COMMISSION

109

1094

Section **A** for the entry of Daily Observ

FOR OFFICIAL USE.

AIR MINISTRY.—MET ORGANIZATION.

FORM 1091.

REGISTE 1931.

1094

HAZELBOROUGH WOODS

1931. 1940

78 02 08

Kept at Hazelborough Wo

in the County of Northampto

March

7/2/32

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

" Ground " Sea Level

1/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1			8.3								2.1		1
2					3.1				11.2				2
3				·3	2.5		2.5	11.6	29.1				3
4		5.2				5.3		3.5			2.3		4
5		3.1				1.0	3.1	·3	3.1		2.5	2.1	5
6				3.2	3.2	1.4	2.5		2.5		4.1		6
7		6.1		·2			1.2				5.1		7
8		3.2	3.2					15.2			7.3		8
9		2.1	4.1		2.4	1.5		3.2			6.4	·4	9
10		3.1			5.3		3.1	18.3			13.2		10
11		7.2	11.6		4.5	10.2	1.3				4.4		11
12	2.1	2.1		·4	3.1	2.4	8.3	1.5	2.0		1.2	1.3	12
13	1.3	8.3				4.1	10.4	2.1	1.5				13
14		1.2	·3		6.2	3.5	11.6	4.1			1.3		14
15	2.1	4.1		4.2	5.3	8.4		12.3			5.1	2.3	15
16	3.1	1.5		3.1	10.3	2.1		2.1			3.2	1.5	16
17	8.2	3.1		4.4	6.5			3.1	·3		4.5	3.1	17
18	1.5			10.1	4.5	6.5	3.5		1.3		7.3		18
19				16.4		9.8	2.7	2.4	4.2	1.2	6.5		19
20		5.2		9.3		1.2	1.3	8.2			3.2	·3	20
21	1.4		·2	7.1	1.3			12.6					21
22				6.2			3.1						22
23	4.5			10.3	6.3				·5		4.3		23
24	2.1			5.1	15.5		3.5						24
25				20.1	20.6		4.4						25
26		8.2		21.6	·4		3.5						26
27		7.1		3.2						1.4	2.1		27
28	4.1	9.2		5.3			1.1		·3	2.1		8.3	28
29	3.2			4.5	3.1		2.1			3.2		11.5	29
30	6.1	✕		2.3			1.4					1.4	30
31	4.7	✕		✕		✕			✕		✕		31
													YEAR'S TOTAL
TOTAL	44.4	80.0	27.7	137.3	104.1 ~~78.1~~	63.4	70.6 ~~70.5~~	100.5	56.0	7.9	86.1	32.2 ~~31.3~~	810.2
Days with 0·2 mm. or more.	13	17	6	20	18	13	19	15	11	4	19	10	165
Days with 1·0 mm. or more.	13	17	4	17	17	13	19	14	8	4	19	8	153
(144w)	1.75	3.15	1.09	5.41	4.10	2.50	2.78	3.96	2.20	·31	3.39	1.27	31.91

40—9999 M

(Signed) G. H. Gulliver

FORESTRY COMMISSION

109 1094

Section A for the entry of Daily Observations.

716857/26

FOR OFFICIAL USE.

FORM 1091.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at Hazelborough Woods

in the County of Northamptonshire

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

" Ground " Sea Level..........ft.

See March

7/2/32

Letter Sent 26/1/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1			8.3							–	2.1		1
2					3.1				11.2				2
3				.3	2.5		2.5	11.6	29.1				3
4		5.2				5.3		3.5			2.3		4
5		3.1				1.0	3.1	.3	3.1		2.5	2.1	5
6				3.2	3.2	1.4	2.5		2.5		4.1		6
7		6.1		.2			1.2				5.1		7
8		3.2	3.2					15.2			7.3		8
9		2.1	4.1		2.4	1.5		3.2			6.4	.4	9
10		3.1			5.3		3.1	18.3			13.2		10
11		7.2	11.6		4.5	10.2	1.3				4.4		11
12	2.1	2.1		.4	3.1	2.4	8.3	1.5	2.0		1.2	1.3	12
13	1.3	8.3				4.1	10.4	2.1	1.5				13
14		1.2	.3		6.2	3.5	11.6	4.1			1.3		14
15	2.1	4.1		4.2	5.3	8.4		12.3			5.1	2.3	15
16	3.1	1.5		3.1	10.3	2.1		2.1			3.2	1.5	16
17	8.2	3.1		4.4	6.5			3.1	.3		4.5	3.1	17
18	1.5			10.1	4.5	6.5	3.5		1.3		7.3		18
19				16.4		9.8	2.7	2.4	4.2	1.2	6.5		19
20		5.2		9.3		1.2	1.3	8.2			3.2	.3	20
21	1.4		.2	7.1	1.3			12.6					21
22				6.2			3.1						22
23	4.5			10.3	6.3				.5		4.3		23
24	2.1			5.1	15.5		3.5						24
25				20.1	20.6		4.4						25
26		8.2		21.6	.4		3.5						26
27		7.1		3.2						1.4	2.1		27
28	4.1	9.2		5.3			1.1		.3	2.1		8.3	28
29	3.2			4.5	3.1		2.1			3.2		11.5	29
30	6.1	X		2.3			1.4					1.4	30
31	4.7	X		X		X			X		X		31
TOTAL	44.4	80.0	27.7	137.3	104.1 ~~78.1~~	63.4	70.6 ~~70.5~~	100.5	56.0	7.9	86.1	32.2 ~~34.3~~	YEAR'S TOTAL 810.2
Days with 0·2 mm. or more.	13	17	6	20	18	13	19	15	11	4	19	10	165
Days with 1·0 mm. or more.	13	17	4	17	17	13	19	14	8	4	19	8	153
(144w)	1.75	3.15	1.09	5.41	4.10	2.50	2.78	3.96	2.20	.31	3.39	1.27	31.91

40—9999 M

(Signed) G. H. Gulliver

FORESTRY COMMISSION

(P.T.O.)

716857/26.

Section A for the entry of Daily Observations.

FOR OFFICIAL USE 1094

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1922.

Northants 7/3.

Kept at Hazelborough Woods

in the County of Northants

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 241 ft.

1931 / Bigup.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2·1			2·0	18·1	·4	-	1·4		9·5			1
2				1·9	2·5			·3	2·1	5·2		3·1	2
3				7·7					3·2	1·4	1·1		3
4				2·0					1·3		6·5		4
5	3·2		1·8	·2									5
6	8·3		1·2	2·1									6
7	4·1		4·7	1·9	·4								7
8	·3		1·2	3·2						4·5			8
9	2·0			2·2						·3			9
10	1·4	2·1		2·3	3·1								10
11	2·5	1·2		1·5	2·0		2·1				1·0	·4	11
12	4·7	·3			4·2		3·2			10·4	2·1		12
13	3·1			2·5						3·6		2·2	13
14	1·4				1·7						·2		14
15				2·6	5·1				4·1			·5	15
16	1·5			7·3	3·5								16
17				2·1			3·5						17
18							4·2					·6	18
19				1·3						4·2			19
20		·1		8·1	8·5		1·3	14·5					20
21			5·5	3·5	49·0		·5	15·3		3·5			21
22			·3		2·0		2·1	14·2		4·2	5·2		22
23	1·3		4·1		5·1		1·3		9·4	9·2			23
24		·4					3·5		2·1	4·1			24
25			·4		·4		5·1		5·1	5·3	4·1		25
26			·6	4·3	3·3		3·4			2·1			26
27			11·1		10·1		4·2		2·1		1·3		27
28			6·2		19·3	6·5	1·3		1·1	4·2	2·2		28
29			8·3	3·1	3·5	6·3	2·1		·4	10·3		5·1	29
30		×	2·4	·3	1·1	9·1	3·2		2·3	3·1	3·1	·4	30 d
31		×	3·1	×	·3	×	2·1	4·2	×		×		31
TOTAL	35·9	4·1	50·9	62·1 ~~63·1~~	143·2	22·3	43·1	49·9	3 3~~2~~·2	85·1	26·8	13·3	YEAR'S TOTAL 569·9
Days with 0·2 mm. or more.	~~13~~	~~4~~	~~14~~	~~21~~	~~20~~	~~4~~	~~16~~	~~6~~	~~11~~	~~17~~	~~10~~	~~7~~	~~143~~
Days with 1·0 mm. or more.	12	2	11	19	17	3	15	5	10	16	9	3	122
(144w)	1·41	·16	2·00	2·44	5·64	·88	1·70	1·96	1·31	3·35	1·06	·52	22·43

40—9999.

(Signed) FORESTRY COMMISSION

[P.T.O.

Circ. G. sent 21·4.

1094

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1933.

Kept at Hazelborough Woods
in the County of Northants

Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level..........ft.

Letter sent 8/6/34 re low totals for August & October, No reply by 4/7/34, so return adjusted September & October estimated by surrounding station.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2·1	1·1		–			–			~~·4~~	1·7		1
2			2·3							~~·3~~	3·2		2
3			11·5		0·2						·3		3
4	1·3		2·1		2·1						1·5		4
5	2·0		1·4		1·0						1·3		5
6		3·4			3·1					(0·8)	·2		6
7		9·3			1·1					(2·6) ~~1·1~~	5·2		7
8	5·0	1·1								(0·3)			8
9		·2					1·2			(1·0)	2·3		9
10		6·1					·4			(15·3) ~~3·1~~	4·6		10
11		1·3				1·1		(1·3)					11
12		·4				1·0			9·5				12
13						4·5	9·4			(0·5)			13
14	2·1				1·3		4·1			8·3			14
15	12·4		1·3				2·3	(2·6)		·7	·4		15
16			6·1		2·1	·1	3·4			1·3	2·5		16
17	2·1		11·5			·2	4·4	(0·8)	·8		2·4		17
18	1·3		2·1			·4			·4				18
19			12·3			·3		~~5·1~~					19
20			2·1			35·1			2·4				20
21						8·1		(6·4)		(0·3)			21
22						2·1		(7·6)		(8·9) ~~1·3~~			22
23		8·3				3·2		~~3·1~~	4·1	(0·3)			23
24		10·6		3·2		2·4			10·3	·6			24
25		9·2		6·4					4·0	(0·6)		1·3	25
26		10·1		5·3						(4·1) ~~1·5~~		3·2	26
27		1·3		2·0	7·3					4·3		2·1	27
28		3·4			2·1		·4			6·1			28
29				5·1			1·3			(2·6)			29
30	4·1	×	2·0				4·1					2·5	30
31	2·3	×	1·0	×		×		2·7	×	(1·0)	×	·4	31
	1·37	2·59	2·19	·87	·80	2·30	1·22	·84	1·24	2·35	1·01	·37	YEAR'S TOTAL
TOTAL	~~34·7~~	~~65·8~~	~~55·7~~	~~22·0~~	~~20·3~~	~~58·5~~	~~31·0~~	~~[illegible]~~ (21·4)	~~31·5~~	~~[illegible]~~ (59·6)	~~25·6~~	~~9·5~~	(1475)
*Days with 0·2 mm. or more.	10	11	12	5	9	11	10	(6)	7	(19)	12	5	(120)
*Days with 1·0 mm. or more.	10	12	12	5	8	8	8	~~[illegible]~~ (5)	5	(11)	9	4	(97)

(144w)

40-9999

(Signed) G. H. Gulliver

[P.T.O.

1094

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934.

Kept at Hazelborough Woods

in the County of Northants

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Excellent agreement with neighbouring stations. 28/3/35.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1		-	·2					5·9	·3				1
2	3·2		·5						17·6	1·2		14·5	2
3	1·1							4·3		6·4		4·5	3
4	3·5		1·7	10·3						4·5	1·5	5·6	4
5			5·3	·5				3·8		3·1	3·2	6·3	5
6			2·1		12·3	2·1				4·2		16·1	6
7					·4	3·2		6·2				7·9	7
8			2·1		·3	2·3					5·8	·3	8
9								1·0			16·4	5·2	9
10	2·1		5·2	1·0				1·3			9·3	1·6	10
11	4·5		6·5	5·2								5·2	11
12	3·4		1·5					1·2			·6	2·1	12
13	4·1		2·1				13·1	9·1		1·2	1·3	15·4	13
14	5·3		4·0			·4				3·1	7·5	7·3	14
15			4·3						13·5		3·7	2·2	15
16			2·1		·1					2·3		5·1	16
17	1·3		1·5						3·5			2·1	17
18			1·4	8·4		·3	16·8						18
19			6·2	1·2		2·6		3·1	2·8				19
20			2·1			·3		5·2					20
21						2·1			2·1			1·3	21
22									4·2	·2		2·4	22
23						10·3	·3		1·3			5·0	23
24		10·3				·9			5·8			·5	24
25	1·1	·2		7·3		10·2	7·1			4·5		10·1	25
26	2·1			5·6		·9			2·5	·4		1·3	26
27	8·4	1·3	·3			2·7						3·2	27
28	·5	·4						9·2	2·3	1·5		3·0	28
29	·4						6·3	3·2	6·5	·9		3·1	29
30	·3	×							·6			2·4	30
31		×		×		×	2·9	1·3	×	1·5	×	·3	31
TOTAL	1·63 41·3	·48 12·2	1·93 49·1	1·56 39·5	·52 13·1	1·51 28·3	1·88 46·5	2·16 54·8	2·48 63·0	1·38 35·0	1·94 49·3	5·28 134·0	YEAR'S TOTAL 22·70
*Days with 0·2 mm. or more.	15	4	18	8	3	13	6	13	13	14	9	27	143
*Days with 1·0 mm. or more.	12	2	15	7	1	8	5	13	11	11	8	24	117

(144w)
40-9999

M

(Signed) G. H. Gulliver

[P.T.O.

COPY FOR OFFICIAL USE.

1094

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1935.

Kept at Hazelborough Woods

in the County of Northants

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3·3		3·1	·6	1·3	2·1			2·3	4·1	27·1	5·1	1
2		1·2	·4	·2		2·3			1·3	1·5	2·3	1·2	2
3		4·1	·2					1·8	2·3	2·1	4·5	·5	3
4						1·8				1·4		5·2	4
5		23·2		5·0		2·2			1·2	3·1	1·4	3·1	5
6				10·3		12·1					1·2	·3	6
7				9·1		·7					10·5	4·1	7
8				5·3						2·1	4·2	1·6	8
9		·4		14·3			6·2			4·3	3·1	·4	9
10				10·2		16·1				23·1	4·2		10
11				1·0		3·3					2·1	1·2	11
12	5·2	·6				10·1					4·3	·5	12
13	1·3	4·0		3·3		3·1					5·4		13
14		3·8		1·3	5·5	4·2				1·3	7·1		14
15				14·5	1·2	5·3			8·3	1·5	9·3		15
16			1·3	3·1	·6	2·3			11·5	2·1	15·1	9·1	16
17		·4	·2			3·1	2·1		·5		12·2		17
18	·2	·3	·4		1·3		1·0		6·8	3·1	3·0		18
19	·3			3·3	8·0		1·2		2·1	·4	2·1		19
20		7·0		3·5		3·5	·5		3·4	3·1	7·0		20
21		7·5	4·3	·3					17·1		3·1		21
22		·3	·5	·4				5·1	12·4				22
23		·4						16·1	2·1		·5		23
24	1·0	5·0		·4				·5	18·2		3·1	9·0	24
25		·6		4·3		20·2		2·3		1·5	1·1	10·1	25
26	·7	·4		1·1				5·1	3·1	2·1	2·3	18·1	26
27	·3	7·2			14·2				·7	1·6	4·1	18·4	27
28		1·3			4·3			·7	4·1	1·3	3·5	3·1	28
29				2·3					7·3	2·1	3·0	4·4	29
30	·4	X			15·8			19·1	2·1	1·3	2·1	6·0	30
31		X		X	·8	X		5·4	X	3·4	X	3·1	31
TOTAL	12·7	67·7	10·4	93·8	53·0	92·4	11·0	56·1	10~~4~~6·8	66·5	148·9	104·5	YEAR'S TOTAL
*Days with 0·2 mm. or more.	9	18	8	21	10	16	5	9	19	21	28	20	184
*Days with 1·0 mm. or more.	4	10	3	16	8	15	4	7	17	20	27	16	147
	·50	2·67	·41	3·69	2·09	3·64	·43	2·21	4·20	2·62	5·86	4·11	32·43

(144W)

40-9999

(Signed) G. H. Gulliver for Forestry Commission

[P.T.O.

query sent for Aug.

1094

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1936.

Kept at Hazelborough Woods

in the County of Northants

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1		✓	3·4 ✓	12·8		2·5	13·1	3·4	—	–	2·8	1·2	1
2	·4	✓	✓			11·3	15·5	2·5	—	–	3·1	–	2
3	2·1						·7	1·1	3·5	–	–	2·1	3
4	1·2		✓					·5	2·4	–	1·2	3·2	4
5	3·1		✓						3·6	2·1	–	6·8	5
6	5·2				2·5	·5	·6	3·2	7·2	–	1·5	—	6
7	1·1		3·1			2·1	·5	2·2	—	–	1·2	2·6	7
8	4·0		4·2	1·4					—	2·5	9·1	–	8
9	16·3			·4			31·7		5·2	3·2	—	–	9
10	·2						4·3		2·3	·4	2·3	–	10
11	·3			·7		·5	3·1		2·5	·5	8·9	–	11
12				2·1		8·5	14·3		4·1	–	3·2	4·2	12
13				2·3		8·3	·4		—	4·5	1·6	10·2	13
14		✓		·3		1·5	15·0		·5	·4	—	8·2	14
15							10·5		2·3	–	·3	12·3	15
16		✓					1·2		1·1	–	9·8	3·3	16
17		✓ ✓			2·3		3·1		·4	3·1	3·2	1·2	17
18		15·2		·5		3·1	1·5		1·5	·7	–	—	18
19	10·1	2·1		1·2		3·7	4·1	2·8	—	2·2	–	1·3	19
20	4·3			5·1			2·0		7·3	–	–	–	20
21	1·6	1·2		10·3		25·1	3·3		6·2	–	–	–	21
22	1·4	·5			12·2		·2		—	–	–	1·2	22
23	·7	14·1	8·1	2·7		·3	6·3		—	–	1·5	–	23
24	1·1	2·5			2·1		5·4		·6	2·1	–	–	24
25	1·5		3·1	3·4			5·7		·5	4·3	–	–	25
26	4·1	3·1	9·2				·5		—	8·4	1·3	–	26
27	11·4						·8		—	–	–	1·2	27
28	4·0						1·4		—	–	–	2·1	28
29	5·1	3·1	1·4			2·3	·6		—	1·2	–	1·2	29
30	2·1	×	8·1		4·1	5·1	3·5		—	2·3	1·4	2·4	30
31	6·3	×	3·2	×	·4	×	3·4		×	14·1	×	3·1	31
TOTAL	87·6	41·8	43·8	43·2	23·6	74·8	152·7	~~13·7~~ 15·7	51·2	62·0	51·9	67·8	YEAR'S TOTAL 704 67
*Days with 0·2 mm. or more.	23	~~8~~ 13	~~9~~ 12	13	6	14	28	7	17	16	16	18	183 ✓
*Days with 1·0 mm. or more.	19	~~7~~ 11	~~9~~ 11	9	5	11	20	6	13	12	15	18	150 ✓
	3·45	1·65	1·72	1·70	·93	2·94	6·01	·62	2·02	2·06 ins	2·04	2·67	27·80

(144W)

40-9999

(Signed) G. H. Gulliver

[P.T.O.

1094

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at Hazelborough Woods

in the County of Northants.

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3.2	1.2	7.1		–	–	–	–	3.7	–	1.4	10.2	1
2	2.1	2.4	2.2	15.8	–	–	1.3	–	–	–	1.3	5.2	2
3	–	3.5	4.1		–	–	–	–	–	–	–	6.5	3
4	1.7	6.5	1.5		–	–	–	–	–	–	2.1	–	4
5	5.6	–	2.3		–	–	1.0	–	–	–	–	–	5
6	4.8	3.1	4.3	5.2	3.1	–	2.1	–	–	–	4.2	3.2	6
7	–	16.4	10.2	1.6	–	–	–	–	.7	–	.1	–	7
8	–	4.2	.6		.2	–	–	–	–	–	2.1	2.1	8
9	–	–	2.1	4.2	–	–	–	–	3.8	–	5.1	1.3	9
10	–	–	1.6	22.4	–	5.6	3.4	–	–	–	–	10.3	10
11	–	–		.6	8.4	–	1.3	–	–	–	–	5.1	11
12	3.8	4.3		1.3	4.3	1.2	–	–	.6	–	–	2.0	12
13	3.3	4.1	4.2	.4	.5	17.1	–	7.1	1.3	–	–	5.1	13
14	–	3.1	9.1	.5	–	–	–	9.3	–	–	–	–	14
15	9.7	2.1	3.2	2.1	–	–	35.5	–	4.2	–	–	–	15
16	15.1	1.4	8.4	15.1	–	–	–	–	14.1	–	–	–	16
17	5.4	1.2	.6	6.5	–	–	–	–	10.2	–	–	–	17
18	6.1	1.3	.3		–	–	2.3	–	8.1	–	–	–	18
19	4.6	0.3	2.4		3.1	6.7	–	–	–	–	–	–	19
20	9.2	10.1		10.5	–	3.1	1.2	–	–	–	–	–	20
21	7.4	–	3.5		10.6	–	1.6	–	–	–	–	5.2	21
22	5.1	–	.5	3.4	2.1	3.2	7.5	–	–	6.4	–	1.3	22
23	5.2	–	1.4		4.5	–	–	–	–	18.2	10.1	–	23
24	6.1	12.6	.6		–	–	–	–	.7	5.8	–	–	24
25	2.6	7.2			24.6	–	–	–	.9	7.2	8.2	–	25
26	–	10.6	4.5	3.4	–	–	–	–	–	5.1	–	–	26
27	0.8	7.2	1.4	.6	–	–	–	–	–	18.4	–	–	27
28	–	3.2		3.4	–	–	–	–	–	4.2	–	3.3	28
29	–	–			–	–	–	–	–	–	–	9.3	29
30	7.5	×	.3		–	–	–	–	–	3.1	6.1	2.1	30
31	9.1	×		×	–	×	–	–	×	1.2	×	–	31
TOTAL	118.4	106.0	76.4	97.0	61.4	36.9	57.2	16.4	48.3	69.6	35.7	72.2	YEAR'S TOTAL
*Days with 0·2 mm. or more.	21	21	24	1~~6~~7	10	6	10	2	11	9	10	15	156
*Days with 1·0 mm. or more.	20	20	18	13	~~9~~8	6	10	2	7	9	9	15	137
(144w) 40-9999	4.66	4.17	30.1	38.2	2.42	1.45	2.25	.65	1.90	2.74	1.41	2.84	37.32

(Signed)..........

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1094

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1938.

Kept at Harelborough Woods.
in the County of Northants.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 441 * ft.

Query sent re Nov + Dec totals
* ht. corr. from O.S map 4/39. 1/2/39 R
COPY BY B.R.O.
Observer agrees to amendments. 8/2/39.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	–	–			·2	4·3	1·1	–	–	–	–	4·1		1
2	–	–		2·1	·3	6·1	–	–	–	3·1	–	3·0		2
3	–	–			6·3	8·3	–	–	–	19·3	3·4	2·1		3
4	1·3	–		·3			–	–	·6	15·1	1·3	3·2		4
5	–	–					4·0	–	–	–	–	2·1		5
6	5·4	–					3·1	4·2	5·2	–	–	4·5		6
7	4·1	–					5·6	6·5	–	5·1	–	3 ~~8~~·3		7
8	2·8	–					1·1	1·4	–	8·4	–	10·4		8
9	1·2	·8					2·5	8·3	–	–	–	–		9
10	–	–					3·1	10·1	–	–	–	3·4		10
11	– x	–					–	7·1	–	–	3·5	–		11
12	– x	–					2·3	18·3	–	2·1	–	–		12
13	14·1	2·3			2·1		–	–	–	1·3	2·1	5·4		13
14	4·2	1·4			1·6		6·1	–	1·2	·5	–	3·1		14
15	6·4	·8					7·3	–	–	–	4·5	6·2		15
16	8·4	3·5					–	–	–	–	2·3	2·1		16
17	·5	1·3			7·3		–	–	–	–	–	3·5		17
18	1·2	–			1·8		·5	–	12·3	–	6·5	–		18
19	–	–					–	–	–	–	7·1	–		19
20	–	–					–	–	2·7	–	19·3	–		20
21	–	–					–	–	–	–	1·2	–		21
22	6·3	–					–	1·4	–	–	7·0	8·9		22
23	5·4	–	3·5				–	–	1·3	2·1	–	10·3		23
24	–	–			·9		–	–	2·6	·5	3·1	1·0 ~~8·3~~		24
25	–	–	3·8		1·8		–	5·1	–	8·4	5·0	2·0		25
26	8·3	6·4			·9		–	–	·1	9·3	–	–		26
27	1·1	–				7·3	1·1	3·1	3·1	–	–	5·4		27
28	1·4	–			4·1	4·1	4·2	12·3	9·4	–	4·1	3·0 ~~19·3~~		28
29	2·1	×			8·4		1·1	–	3·4	–	5·3	3·5 ~~20·2~~		29
30	10·2	×		·4	10·8		–	–	2·1	5·4	5·0	7·3		30
31	–	×		×	1·8	×	–	–	×	·3	×	8·2		31
TOTAL	84·4	16·5	7·3	2·8	48·3	30·1	43·1	77·8	44·0	80·9	80 ~~52~~·7	106·9 ~~151·2~~	Year's Total. ~~640·2~~	621·9 ~~25·21~~ 24·479
* Days with 0.2 mm. or more.	1~~8~~9	7	2	3	14	5	14	11	12	14	1~~1~~6	22	133 8	
* Days with 1.0 mm. or more.	1~~7~~8	5	2	1	10	5	13	11	10	11	1~~1~~6	22	24 ~~119~~	

(144w) * See Instructions 2 (f) on other side. † Spare column, no entries required.

40-9999

3·32 ins ·65 ·29 ·11 1·90 1·19 1·70 3·06 1·73 3·19 ~~3·11~~ 3·18 ~~5·96~~ 4·17 ~~25·20~~ 25·21

(Signed) G. H. Gulliver.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1094

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Hazelborough Woods.
in the County of Northants

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 4~~2~~71 ft.

April adj. by surr'd stns. - queried 16/6/-

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	–	–	7.3	10.6	6.5	–	–	1.1	.1	1.5	.6	–		1
2	4.3	–	–	1.1	–	–	–	16.5	13.8	–	.8	1.8		2
3	2.8	–	–	5.4	–	–	–	11.1	.3	1.4	–	2.4		3
4	–	–	11.5	– X	–	.	–	14.2	1.7	4.6	1.2	2.3		4
5	–	–	.3	15.1	7.1	–	1.5	7.5	–	5.6	12.1	3.6		5
6	16.1	–	–	2.2	.4	–	15.8	2.2	–	.3	–	–		6
7	.5	3.6	4.6	–	–	.	–	2.5	–	–	6.0	6.8		7
8	–	1.8	–	–	–	–	3.7	9.2	–	15.5	3.5	10.3		8
9	2.4	2.1	–	–	–	–	–	1.7	–	19.3	–	5.0		9
10	9.9	–	–	–	–	59	–	5.0	.8	–	–	–		10
11	.1	–	4.5	–	–	36	–	.	.5	–	–	–		11
12	–	1.7	.8	–	–	56	–	.	–	–	–	–		12
13	–	–	–	1.5	–	1.4	–	.	1.6	21.6	2.3	–		13
14	10.8	–	.6	.5	7.3	.8	5.8	.	–	1.8	–	–		14
15	7.4	–	2.1	.7	8.6	9.9	6.2	.	2.1	19.6	–	–		15
16	9.9	–	3.3	.4	5.8	11.1	9.8	.	–	1.5	9.7	–		16
17	5.0	.5	.5	–	–	1.9	6.5	.	–	63.5	1.0	–		17
18	2.2	1.0	–	–	–	1.0	6.9	.	.2	.5	13.5	–		18
19	5.6	–	1.2	–	–	3.0	–	.	.6	1.0	.9	–		19
20	7.8	4.5	–	–	.4	–	6.5	8.7	–	–	–	–		20
21	1.0		6.8	.4	–	2.1	38.3	29.0	.8	–	–	–		21
22	5.1	2.0	1.7	.6	–	6.7	2.1	.	.3	–	–	–		22
23	.4	–	.4	2.8	–	.3	3.2	.	–	1.2	19.9	–		23
24	6.4	–	–	.8	–	.3	2.8	.	–	1.2	–	–		24
25	17.6	1.6	2.1	~~16~~.0	–	–	1.8	.	–	–	8.6	–		25
26	19.5	–	2.9	.2	–	–	–	2.3	–	.9	13.0	1.8		26
27	1.8	2.3	2.4	.1	–	–	1.1	.	–	.8	.2	–		27
28	.3	5.3	4.4	1.7	–	–	.7	.	–	–	5.5	.8		28
29	–		–	8.2	–	–	–	.	–	4.2	–	–		29
30	–	×	–	16.3	–	4.2	.9	.	–	–	5.6	–		30
31	–	×	–	×	–	×	2.2	.7	×	–	×	–		31
TOTAL	136.9	2.64	57.4	69 ~~78~~.6	36.1	57.8	115.8	111.7	22.8	166.0	104.4	34.8	Year's Total. 939.7	
* Days with 0.2 mm. or more.	21	11	18	20 ~~18~~	7	14	18	14	11	19	16	9	178	
* Days with 1.0 mm. or more.	18	10	13	12 ~~11~~	5	14 12	16	13	3	15	16	9	142	

(144w) * See Instructions 2 (f) on other side. † Spare column, no entries required.

40-9999 5.39 1.04 2.26 ~~3.09~~ 2.74 1.42 2.28 4.56 4.40 .90 6.53 4.11 1.37 37.00

(Signed)........................

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
Station No. 1094 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 19~~39~~ 40.

Kept at Hazelborough Woods
in the County of Northants
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 241 ft.

Reminder ~~sent~~ for Sept - dec. values sent today. [illegible] 30/12
B. R. O.
Nov. monthly total corrected for with 441 survey.
A.G.S.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	-	-	-	·4	-	-	-	-	-	-	8·0			1
2	-	-	-	5·6	2·0	-	1·9	-	-	-	10·8	✓		2
3	-	3·1	-	5·0	-	-	-	-	-	5·1	12·2	✓		3
4	-	5·5	-	4·5	-	-	·8	-	-	4·3	12·8	✓		4
5	-	-	-	-	-	-	2·1	-	-	-	13·4	✓		5
6	1·9	-	-	-	3·1	-	1·5	-	-	3·5	5·2			6
7	5·2	5·5	-	·4	-	-	·9	-	2·6	4·9	4·7			7
8	-	5·1	-	·4	7·1	-	1·4	-	-	2·5	-	✓		8
9	-	0·3	-	-	-	-	-	-	·8	-	6·2	✓		9
10	-	-	-	·1	-	-	26·9	·2	-	1·2	7·8	✓		10
11	-	-	-	1·7	-	-	4·4	-	-	·9	8·9	✓		11
12	-	0·2	3·0	-	-	-	2·6	-	3·2	-	7·4			12
13	-	1·5	13·2	-	-	-	4·0	-	-	-	7·6			13
14	-	-	4·2	1·9	-	-	-	tr	-	1·3	-	32·7 ✓		14
15	-	-	2·1	-	-	-	·4	-	1·4	6·1	6·2			15
16	-	8·3	4·7	-	3·7	-	13·1	-	6·4	7·5	10·0	✓		16
17	0·8	1·0	10·4	-	2·5	3·1	·8	-	-	8·5	7·1			17
18	-	7·3	12·1	11·7	-	-	4·9	1·6	1·1	-	6·3	✓		18
19	-	2·2	2·7	3·6	-	-	3·0	·2	-	6·3	-	✓		19
20	-	-	1·4	-	-	·5	4·7	-	2·0	8·6	5·9	✓		20
21	2·8	-	1·6	-	7·8	-	·9	-	-	-	15·2			21
22	0·8	1·5	5·2	·6	12·4	7·0	-	-	3·5	-	-			22
23	-	5·2	1·6	-	1·5	3·5	-	·4	-	-	2·6	✓		23
24	-	-	-	1·5	-	-	2·6	-	-	7·9	-			24
25	-	-	0·1	-	-	-	1·4	-	-	-	-			25
26	20·5	1·3	0·4	4·2	1·2	-	5·1	-	-	-	2·4	-		26
27	20·1	-	-	9·5	0·6	-	-	-	-	-	-			27
28	18·5	-	-	-	-	-	4·3	·2	-	-	-			28
29	-	3·4	2·9	-	2·5	-	-	-	-	-	2·9	✓		29
30	-	✕	-	-	-	-	-	-	-	2·7	-	·2 ✓		30
31	2·4	✕	0·1	✕	-	✕	-	-	✕	-	✕	·5 ✓		31
TOTAL	73·0	51·4	65·7	51·1	44·4	14·1	88·0	2·6	21·0	71·3	163·6 ~~164·4~~	33·4	Year's Total 679·6	
* Days with 0.2 mm. or more.	9	15	14	15	11	4	21	5	8	15	21	17	154	
* Days with 1.0 mm. or more.	7 ✓	13 ✓	13 ✓	10 ✓	10 ✓	3 ✓	16 ~~21~~ ✓	1 ✓	7	14	21	12	127	

61·5
61

"d"

(141w) * See Instruction 2 (f) on other side. † [illegible]lumn, no entries required, except year's total.

40-9999. 2·87 ✓ 2·02 ✓ 2·59 ✓ 2·01 ✓ 1·75 ✓ ·56 ✓ 3·46 ✓ ·10 ✓ 0·83 2·80 6·43 1·31 ~~26[illegible]~~ 26·73

(Signed) Forestry Commission

[P.T.O. ✓

1096

Section **A** for the entry of Daily Obs

AIR MINISTRY.—METEC

FORM 1090.

REGISTER

1096

LOIS WEEDON VIC:

1931-1940

480208

OPY FOR OFFICIAL USE.

ORGANIZATION.

Kept at Lois Weedon Vicarage

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

,, Ground ,, Sea Level 4

THE MORNING MEASUREMENT

An observer who does not conform to this rule sho the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·03	–	·06	·03	·01	–	–	·15	–	–	–	1
2	·10	·12	–	·64	–	–	–	·06	·60	·01	–	·03	2
3	·02	Trace	–	·19	–	–	Trace	·03	·58	–	·57	·11	3
4	–	·07	–	·14	–	–	·29	·58	·17	–	·04	–	4
5	–	–	–	·12	·03	·68	·04	·01	·08	·01	·61	·35	5
6	–	·20	–	·08	–	·03	·10	–	–	·23	·27	·04	6
7	–	·01	–	·01	–	·03	–	·25	–	·06	·09	·03	7
8	Trace	·06	·04	·04	Trace	·05	–	·57	–	Trace	·19	–	8
9	·01	·13	–	·04	–	·25	–	·01	–	–	·28	–	9
10	·01	·09	Trace	–	·01	·02	·18	·19	–	–	·06	–	10
11	·14	·14	–	–	–	·02	–	–	·11	–	·30	–	11
12	·04	·06	–	Trace	–	–	·12	·08	·40	–	·01	–	12
13	–	–	–	–	–	–	·02	·04	–	·01	–	–	13
14	·02	·08	–	–	·07	·09	·53	·69	–	–	·01	–	14
15	–	·09	–	·05	·26	–	·21	·27	–	–	·04	·04	15
16	–	·64 }	–	·16	·37	·30	–	·20	·12	–	–	–	16
17	·02		–	·58	·35	·11	·16	–	·05	Trace	–	–	17
18	·10	·03	Trace	·40	·01	·08	·05	·20	–	–	·36	–	18
19	·04	·04	–	·40	–	·05	·11	·05	·04	–	–	–	19
20	Trace	·06	–	·12	–	–	–	·10	–	–	·02	·01	20
21	·09	Trace	–	Trace	·46	–	–	·03	–	–	·01	–	21
22	·06	–	–	–	·04	–	–	–	·01	–	–	–	22
23	·12	Trace	·01	·07	·34	·13	–	·02	·17	–	·12	·09	23
24	–	–	·01	·08	·34	·03	·08	–	·01	–	Trace	Trace	24
25	–	·01	–	·67	·04	–	·35	–	–	–	·05	–	25
26	·02	·01	–	·32		–	·25	–	–	–	·16	–	26
27	·09	·68	–	·02	·45	–	·05	–	–	–	·33	–	27
28	·14	·15	–	·07	·10	–	–	–	–	·05	·02	·12	28
29	·02	×	–	–	·06	–	·13	–	–	·23	·02	–	29
30	·13	×	–	–	–	–	·01	–	–	–	–	–	30
31	·13	×	–	×	–	×	–	–	×	·01	×	·04	31
TOTAL	1·30	2·70	·06	4·26	2·96	1·88	2·68	3·28	2·49	·61	2·96	·86	YEAR'S TOTAL 26·04
*Days with ·01 in. or more.	19	21	3	21	16	15	17	18	13	8	21	10	182
*Days with ·04 in. or more.	12	16	1	19	12	9	15	13	11	4	14	7	133

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. T. Ivens

[P.T.O.

4 years' average 26.60

1096.

Section **A** for the entry of Daily Ob

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931. .

Kept at Lois Weedon Vicarage

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·03	–	·06	·03	·01	–	–	·15	–	–	–	1
2	·10	·12	–	·64	–	–	–	·06	·60	·01	–	·03	2
3	·02	Trace	–	·19	–	–	Trace	·03	·58	–	·57	·11	3
4	–	·07	–	·14	–	–	·29	·58	·17	–	·04	–	4
5	–	–	–	·12	·03	·68	·04	·01	·08	·01	·61	·35	5
6	–	·20	–	·08	–	·03	·10	–	–	·23	·27	·04	6
7	–	·01	–	·01	–	·03	–	·25	–	·06	·09	·03	7
8	Trace	·06	·04	·04	Trace	·05	–	·57	–	Trace	·19	–	8
9	·01	·13	–	·04	–	·25	–	·01	–	–	·28	–	9
10	·01	·09	Trace	–	·01	·02	·18	·19	–	–	·06	–	10
11	·14	·14	–	–	–	·02	–	–	·11	–	·30	–	11
12	·04	·06	–	Trace	–	–	·12	·08	·40	–	·01	–	12
13	–	–	–	–	–	–	·02	·04	–	·01	–	–	13
14	·02	·08	–	–	·07	·09	·53	·59	–	–	·01	–	14
15	–	·09	–	·05	·26	–	·21	·27	–	–	·04	·04	15
16	–	·64 }	–	·16	·37	·30	–	·20	·12	–	–	–	16
17	·02		–	·58	·35	·11	·16	–	·05	Trace	–	–	17
18	·10	·03	Trace	·40	·01	·08	·05	·20	–	–	·36	–	18
19	·04	·04	–	·40	–	·05	·11	·05	·04	–	–	–	19
20	Trace	·06	–	·12	–	–	–	·10	–	–	·02	·01	20
21	·09	Trace	–	Trace	·46	–	–	·03	–	–	·01	–	21
22	·06	–	–	–	·04	–	–	–	·01	–	–	–	22
23	·12	Trace	·01	·07	·34	·13	–	·02	·17	–	·12	·09	23
24	–	–	·01	·08	·34	·03	·08	–	·01	–	Trace	Trace	24
25	–	·01	–	·67	·04	–	·35	–	–	–	·05	–	25
26	·02	·01	–	·32	–	–	·25	–	–	–	·16	–	26
27	·09	·68	–	·02	·45	–	·05	–	–	–	·33	–	27
28	·14	·15	–	·07	·10	–	–	–	–	·05	·02	·12	28
29	·02	×	–	–	·06	–	·13	–	–	·23	·02	–	29
30	·13	×	–	–	–	–	·01	–	–	–	–	–	30
31	·13	×	–	×	–	×	–	–	×	·01	×	·04	31
TOTAL	1·30	2·70	·06	4·26	2·96	1·88	2·68	3·28	2·49	·61	2·96	·86	YEAR'S TOTAL 26·04
*Days with ·01 in. or more.	19	21	3	21	16	15	17	18	13	8	21	10	182
*Days with ·04 in. or more.	12	16	1	19	12	9	15	13	11	4	14	7	133

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

4 years' average 26.60

1096

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Lois Weedon Vicarage

in the County of Northamptonshire

Station number 1096.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·04	–	·07	·69	·05	·06	·34	·05	·43	·02	·01	1
2	Trace	–	–	·12	·09	–	–	·01	·14	·09	·02	·18	2
3	–	–	–	·30	·11	–	Trace	–	·10	·01	Trace		3
4	·02	–	–	·07	Trace	–	–	–	–	–	·27		4
5	·23	Trace	·07	Trace	·01	Trace	·03	·01	·08	–	–		5
6	·39	–	·06	·06	–	–	·02	–	·25	–	–		6
7	–	–	·15	·08	·02	–	·06	–	·08	–	–	Trace	7
8	–	–	·04	·13	–	–	–	–	·20	·14	–		8
9	·07	·08	–	·08	·04	–	–	–	–	·02	–		9
10	·20	·06	·04	·13	·06	–	–	–	·12	·04	–		10
11	·01	·03	–	·11	·03	·15	·05	·02	·02	·06	·03	·02	11
12	·18	–	–	Trace	·20		Trace	–	·09	·53	·03	Trace	12
13	·06	·02	–	·12	Trace		·73	–	·01	·04	·07	·02	13
14	·25	Trace	–	·09	–		·01	Trace	–	·01	·03	–	14
15	·01	–	–	·09	·21		–	·01	–	·02	–	·03	15
16	·14	–	–	·37	·22		·41	–	–	{ ·07	–		16
17	–	–	–	·02	–		·21	–	–		–		17
18	–	–	–	–	·04		–	–	·04	–	–		18
19	–	–	–	–	Trace		–	–	·03	·16	·08		19
20	–	–	–	·26	·29		·01	·33	–	·35	·09	·01	20
21	–	·02	·14	·22	2·01		–	1·23	–	·25	–	·02	21
22	·02	–	·25	·02	·07		·14	–	·74	·08	·43	Trace	22
23	–	·01	·04	–	·22		·02	–	·13	·17	–	·02	23
24	–	–	–	Trace	·01		·07	–	·02	·02	·12	Trace	24
25	–	·05	–	–	–		·39	–	·05	·21	·02	–	25
26	–	–	·01	·10	·13		·08	–	·08	·01	Trace	–	26
27	–	–	·34	·13	·40		·01	–	·04	·03	·11	–	27
28	–	–	·20	·06	·75	·38	·17	·11	–	·09	–	·01	28
29	–	–	·28	·14	·16	–	Trace	·17	·10	·27	·01	·02	29
30	–	✕	·06	·03	Trace	·72	–	·20	·41	·16	·52	·25	30
31	·01	✕	·30	✕	·02	✕	·24	·10	✕	–	✕	·05	31
TOTAL	1·63	·31	1·98	2·80	5·78	1·30	2·71	2·53	2·78	3·26	1·85	·64	YEAR'S TOTAL 27·57*
*Days with ·01 in. or more.	14	8	14	23	22	4	18	11	21	24	15	12	186
*Days with ·04 in. or more.	9	4	13	20	17	4	12	7	17	18	8	3	132

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) E. V. Fenn [P.T.O.

*5 yrs average 26·79.

1096

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1096.~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at Lois Weedon Vicarage.

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 400. ft.

June wrongly plotted as 8 instead of 18.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·13	·02	—	—	—	—	—	—	—	·02	—	1
2	·20	Tr	·33	—	·09	—	—	—	—	—	·06	—	2
3	—	·17	·32	—	·12	—	—	—	—	—	·05	—	3
4	·16	·01	·03	—	·31	—	—	—	—	—	·04	—	4
5	·14	·01	·14	—	·05	—	—	—	—	—	Trace	—	5
6	Tr	·12	·12	—	·08	—	—	—	—	·04	·01	·01	6
7	·02	·16	—	—	Trace	—	·02	—	—	·09	Trace	—	7
8	·06	Tr	·06	—	·07	—	·33	—	—	·01	—	—	8
9	—	—	—	—	·20	—	·26	—	—	·04	·06	—	9
10	—	·29	—	—	Trace	·04	·02	—	—	·56	·02	—	10
11	·12	·01	—	—	—	·01	—	·05	—	—	—	—	11
12	·02	—	—	—	·01	·07	·08	—	·43	—	—	—	12
13	·02	—	—	—	·11	·15	·24	—	—	·04	·26	—	13
14	·01	—	—	—	·05	—	·01	·01	—	·15	·30	·04	14
15	·44	—	·12	—	—	—	·55	·15	—	·01	·11	Tr	15
16	·06	—	·60	—	—	·16	·10	—	·01	·19	·03	—	16
17	—	—	·40	—	—	·06	·04	·06	·05	—	·12	—	17
18	—	·04	—	—		·08	—	—	—	—	·02	—	18
19	—	·01	·28	—	—	·04	—	—	·10	—	—	·03	19
20	—	·06	·06	—	—	·43	—	—	—	—	·01	—	20
21	—	·02	—	—	·10	·39	—	·30	·10	·02	Trace	—	21
22	—	—	—	—	—	·12	—	·39	—	·25	—	—	22
23	—	—	—	·11	—	·04	—	—	·38	Trace	—	—	23
24	—	·44	—	·13	·07	·10	—	—	·34	·02	·03	—	24
25	—	·57	—	·31	—	·09	—	—	·04	·01	·07	·03	25
26	—	·48	—	·09	—	—	—	—	·03	·20	—	·02	26
27	—	·01	—	—	·30	—	·01	—	·03		·01	·05	27
28	—	—	—	·31	·06	—	·02	—	·01	·25	—	·06	28
29	·02	×	—		—	—	·23	—	—	·02	—	·01	29
30	·21	×	·03	·07	—	—	·04	—	—	Trace	—	·06	30
31	·02	×	·12	×	—	×	·01	·09	×	·11	×	—	31
TOTAL	1·68	2·53	2·63	1·02	1·62	1·78	1·96	1·05	1·52	2·01	1·22	·31	YEAR'S TOTAL 19·33
*Days with ·01 in. or more.	15	16	14	7	14	14	15	7	11	17	17	9	156
*Days with ·04 in. or more.	9	10	11	7	13	13	9	6	7	11	9	4	109

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. V. Ke

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1096

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Lois Weedon Vicarage.
in the County of Northants:
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	—	—	—	—	—	—	·20	—	—	·08	·45		1
2	·14	—	·09	—	·01	—	—	—	·50	·04	·01	·21		2
3	·02	·03	—	·03	—	—	—	·05	—	·21	—	·01		3
4	·09	·01	·05	·53	·01	—	—	—	—	·11	·20	·37		4
5	—	—	·11	·01	·07	—	—	·14	—	·03	·04	·23		5
6	·01	—	—	·06	·35	·10	—	Tr	—	·17	—	·67		6
7	·07	—	—	—	—	·04	—	·22	—	·05	—	·19		7
8	—	—	—	—	·10	·05	—	·04	·02	—	·19	·01		8
9	—	—	·10	—	—	—	—	—	—	—	·71	·42		9
10	—	—	·19	·14	—	—	—	—	—	—	·19	·02		10
11	·44	—	·21	·25	—	—	—	·09	—	—	—	·11		11
12	—	—	·20	·05	—	—	·02	·09	—	—	—	·04		12
13	·34	—	·03	·04	·01	—	·64	·22	—	·03	·01	·35		13
14	·02	—	·26	—	·03	·01	—	Tr	—	·07	·30	·25		14
15	·03	—	·15	—	·05	—	—	—	·11	·15	·18	·05		15
16	·13	—	·11	—	·03	—	—	—	—	·09	·01	·03		16
17	·01	—	—	—	—	—	—	—	·15	·10	·03	·22		17
18	·14	—	—	·20	—	—	·26	—	—	—	·01	·08		18
19	Tr	—	·20	·05	—	·08	—	—	·08	·02	—	·07		19
20	—	—	·01	·09	—	·01	Tr	Tr	—	Tr	—	·02		20
21	—	—	·01	·01	—	·13	Tr	·01	—	·06	—	·01		21
22	—	—	—	—	—	—	—	·12	·22	—	—	·02		22
23	—	—	—	·16	·10	·40	Tr	—	—	—	—	·32		23
24	—	—	·08	·01	—	·06	·52	—	·26	·01	—	·01		24
25	·16	·33	—	·10	—	·86	—	—	Tr	·07	—	·37		25
26	—	·01	·03	·03	—	—	·05	—	·06	·01	—	·04		26
27	·04	—	—	—	—	·10	—	—	Tr	·07	—	·22		27
28	Tr	·11	—	·04	—	·20	—	·39	—	—	·02	·28		28
29	—	·01	—	—	—	—	·28	·04	·31	·03	Tr	Tr		29
30	·05	X	—	—	—	—	Tr	—	·02	—	—	·03		30
31	·08	X	—	X	—	X	·10	·07	X	·06	X	·02		31
													Year's Total.	
TOTAL	1·82	·50	1·83	1·80	·76	2·04	1·87	1·68	1·73	1·38	1·98	5·12	22·51	average 7 years 25·11
* Days with .01 in. or more.	17	6	16	17	10	12	7	13	10	19	14	30	171	
* Days with .04 in. or more.	12	2	12	12	5	10	6	12	8	13	8	20	120	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. T. Fenn

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section A for the entry of Daily Observations. Station No. 1096

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Lois Weedon Vicarage

in the County of Northampton.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

„ Ground „ Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
1935	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	·18	tr	·01	·03	·02	·10	–	–	·10	·19	·08	·02		1	
2	tr	–	–	–	–	·02	–	–	–	·13	·01	·04		2	
3	–	·13	·07	·01	–	·28	–	·01	·17	·24	·20	·12		3	
4	–	–	–	·13	–	·13	–	–	·04	·43	·01	·03		4	
5	–	1·04	·08	·14	–	·08	–	–	·06	tr	·03	·01		5	
6	·01	·07	–	·32	–	·21	–	–	–	[illegible] ×	tr	–		6	–
7	–	·05	–	·40	–	·11	–	–	–	·07 ×	·27	·15		7	·07
8	–	~~·08~~	–	·18	tr	·03	–	·04	–	·15 ×	·16	·06		8	·15
9	–	–	–	·53	–	·32	–	–	–	·90	·48	·03		9	
10	tr	–	–	·19	–	·03	–	–	–	–	·14	tr		10	
11	·16	–	–	·03	–	·07	·12	–	–	–	·33	·01		11	
12	tr	·01	–	–	–	·70	–	·01	tr	–	·07	–		12	
13	·07	·11	–	·07	·17	·03	–	–	–	–	tr	–		13	
14	–	–	–	·03	·09	·18	–	–	·19	–	·23	·08		14	
15	–	·11	–	·63	·06	·38	–	–	·42	–	·26	·13		15	
16	–	·01	·07	·09	–	·25	–	–	·14	·07	·62	·11		16	
17	–	–	–	·03	–	·23	–	–	·02	tr	·52	–		17	
18	–	–	–	·25	·01	·08	·18	–	·23	·04	–			18	
19	tr	·01	–	·11	·39	·16	·13	–	·08	·07	·20	} ·04		19	
20	·03	·15	–	·18	tr	·08	·15	–	·06	–	·27	–		20	
21	–	·22	·02	·05	–	tr	–	–	·81	·03	·12	–		21	
22	–	·03	·02	·29	–	–	–	·03	·69	–	–	–		22	
23	–	·01	·10	tr	–	–	–	·77	–	·24	tr	–		23	
24	·02	·21	·03	–	–	–	–	·02	·75	·03	–	} ·41		24	
25	·08	·03	–	·20	–	1·08	–	·01	tr	–	–	·11		25	
26	·01	·03	–	–	–	–	–	–	·09	·01	·01	·59		26	
27	–	·17	–	–	·16	–	–	·60	·07	·02	·14	·91		27	
28	–	·08	·02	–	·50	–	–	·06	·13	·01	·01	·04		28	
29	–	×	–	–	–	–	–	·09	·31	–	·03	·13		29	
30	·04	×	–	·10	·50	–	–	·57	·05	·16	·27	·19		30	
31	–	×	–	×	·04	×	–	·20	×	1·02	×	·23		31	
TOTAL	·60	2·47	·42	3·99	1·94	4·55	·58	2·35	4·41	3·81	4·46	3·44	Year's Total 33·02		
* Days with .01 in. or more.	9	18	9	22	10	21	4	12	19	18	23	23	188		
* Days with .04 in. or more.	5	11	4	17	8	17	4	7	18	13	17	16	137		

40-9999.

* See Instruction 2 (f) on other side.

× Oct 6 –
7 ·07
8 ·15

† Spare column, no entries required

(*Signed*) .... [P.T.O.

8 years average 26·10

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1096

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Lois Weedon Vicarage

in the County of Towcester Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.08	.05	.40	–	.03	.36	.02	–		.07	.05		1
2	.04	–	.04	.02	Tr	.55	.55	.05	–		.06	.01		2
3	.01	–	–	–	–	.05	.01	.01	.35		.14	.02		3
4	–	–	.11	–	–	.02	–	Tr	.38		.03	.11		4
5	.09	–	.06	–	–	–	.02	.02	.12		–	.08		5
6	.06	–	–	–	.10	.08	.15	.23	.10		.11	.19		6
7	.31	–	.04	–	–	–	.06	Tr	–		.02	–		7
8	.10	–	.27	–	.01	–	–	–	.04	.03	.38	.10		8
9	.39	–	.02	–	–	–	.80	–	.09	.03	.01	.03		9
10	.12	–	–	–	–	–	.27	.01	.17	.03	–	Tr		10
11	–	–	–	Tr	–	–	.07	–	.07		.34	–		11
12	–	–	–	.07	Tr	.31	.50	–	.28		.13	.14		12
13	–	–	–	.02	–	.24	–	–	–	.08	.06	.28		13
14	–	–	–	.23	–	.07	.29	–	.09	.06	–	.56		14
15	–	.03	–	.06	–	.02	.37	–	.33		Tr	.16		15
16	.11	.08	–	.07	–	–	.02	–	–		.42	Tr		16
17	.05	.48	–	–	.05	–	.04	–	–	.08	.09	.08		17
18	–	.02	–	–	–	.13	.15	–	–	.03	.04	.05		18
19	.38	.06	Tr	.05	–	.10	–	.09	–	.06		Tr		19
20	.11	.10	.03	.16	–	.01	.02	–	.38	Tr				20
21	–	–	.02	.21	–	.72	.03	–	.20					21
22	.02	.61	.06	–	.30	–	.19	–	–			.12		22
23	Tr	.01	.11	.10	.02	–	.27	–	–					23
24	.11	.14	–	–	.01	–	.06	–	.27	.35				24
25	.09	–	.20	.22	–	.01	.08	–	.16	.07		Tr		25
26	Tr	.12	.29	.03	–	.03	.11	–	.01	.05	.06			26
27	.04	–	.04	–	–	–	.02	–	.15	.08				27
28	.52	.04	.07	–	–	–	.03	–	.01			.07		28
29	.14	.21	.06	–	.02	.14	.01	–	–	.03	.27	.09		29
30	.03	✕	–	–	.24	.18	.08	–	–	.31	.03	Tr		30
31	.50	✕	.15	✕	.07	✕	.12	–	✕	.64	✕	.12		31
TOTAL	3.25	1.98	1.62	1.64	.82	2.69	4.68	.43	3.20	1.93	2.26	2.26	Year's Total 26.76	
* Days with .01 in. or more.	21	13	17	13	9	17	27	7	18	15	17	18	192	
* Days with .04 in. or more.	17	10	14	10	5	11	19	3	16	10	13	15	143	

40-9999.

Average. 26.17.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) E. V. Fenn

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 1096

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193~~8~~7

Kept at Lois Weedon Vicarage, Towcester

in the County of Northants

Diameter of Funnel of Gauge 5 in in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.03	.01	.02	-	-	-	-	.08	-	.45	.36		1
2	.01	.09	tr	.48	-	-	-	-	tr	-	-	.23		2
3	-	.10	.01	.01	.08	-	-	tr	-	-	.01	.05		3
4	.07	.13	-	tr	.01	-	-	-	-	-	-	.55		4
5	.14	tr	.16	-	.14	-	.04	-	-	-	-	.01		5
6	.21	.01	.33	.02	-	-	.09	-	-	.07	.02	-		6
7	-	.73	-	.25	.01	-	-	-	.02	-	-	-		7
8	-	.06	-	tr	.04	-	-	-	-	-	.28	.05		8
9	-	-	tr	.18	.24	-	.16	-	.15	-	-	.09		9
10	-	.01	.45	.72	-	.21	.03	-	-	-	-	.10		10
11	-	-	.07	-	.41	tr	.02	-	-	-	-	.12		11
12	.07	.27	.08	-	.40	.06	tr	.43	.11	-	-	.14		12
13	.13	.07	.20	-	tr	.42	-	.01	.13	-	-	.02		13
14	-	-	.56	-	-	-	-	.17	.06	-	-	.08		14
15	.22	.09	-	.24	-	-	.75	-	.16	-	-	-		15
16	.14	.11	.37	.45	-	-	-	.04	.48	-	-	.03		16
17	.41	.01	.28	.23	-	-	-	-	.44	-	.01	-		17
18	.29	.11	.17	.02	-	.07	-	-	.27	-	.24	-		18
19	.18	.03	.15	.15	.10	.24	.02	-	.01	.02	.06	.05		19
20	.38	-	tr	.35	.57	.10	-	tr	-	-	-	-		20
21	.14	.34	.13	.02	.03	-	.11	-	-	.01	.02	.04		21
22	.14	.01	.07	-	.06	.30	.10	-	-	.44	.31	.02		22
23	.29	-	.03	-	.15	-	.17	-	-	.63	.09	-		23
24	.15	.37	.02	-	.03	-	.01	-	.05	.26	-	.01		24
25	.36	.22	-	-	.63	-	-	-	.02	.15	.01	-		25
26	-	.32	.03	-	.11	-	-	-	-	.03	-	.01		26
27	.03	.14	.09	.37	-	-	-	-	-	.93	-	-		27
28	-	.02	-	-	-	-	-	-	-	.02	-	.03		28
29	.06	X	-	-	-	.07	-	-	-	.02	.03	.10		29
30	.30	✕	-	-	-	-	-	-	-	tr	.16	.02		30
31	.32	✕	-	✕	-	✕	-	-	✕	.15	✕	.02		31
TOTAL	4.10	3.27	3.21	3.51	3.01	1.47	1.50	.65	1.98	2.73	1.69	2.13	Year's Total 29.25	✓
* Days with .01 in. or more.	22	22	19	15	16	8	11	4	13	12	13	22	177	✓
* Days with .04 in. or more.	20	15	14	10	12	8	7	3	10	7	7	13	126	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) E. V. Fenn [P.T.O.

Ten years' average – 26.48

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1096

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Lois Weedon Vicarage

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr	—	—	—		·34	—	—	—	·03	—	·25		1
2	·07	Tr	—	·05	—	·02	—	—	—	·48	—	Tr		2
3	Tr	—	—	—	·15	·01 ~~·08~~	—	—	—	·60	·01	—		3
4	·07	—	—	Tr	·13	·01	·04	·08	—	·25	—	·08		4
5	—	—	—	—	—	— ~~·02~~	·33	·02	—	·07	—	—		5
6	·03	·05	—	—	—	Tr	·07	·01	·05	·07	—	—		6
7	·02	—	—	—	—	·05	·25	·40	·08	·28	—	·11		7
8	·15	—	—	—	—	·28	·02	·34	Tr	·20	—	·04		8
9	·04	·02	—	—	—	— ~~·08~~	·09	·16	—	—	—	·47		9
10	}	·07	—	—	—	·16	·14	·50	—	—	—	·10		10
11	} ·45	Tr	—	—	—	—	·01	—	—	Tr	·16	·01		11
12	·11	·01	—	—	·05	—	·01	·74	—	·39	·03	—		12
13	—	·08	—	—	Tr	—	—		—	·01	·04	·31		13
14	·15	·04	—	—	·06	—	·32	—	·05	—	—	·01		14
15	·06	—	—	—	Tr	—	·20	—	—	Tr	Tr	·22		15
16	·24	·02	·01	—	Tr	—	·05	—	—	Tr	·01	·19		16
17	—	·09	—	—	·28	—	·04	—	·06	·10	·03	—		17
18	·02	—	—	—	·06	·03	·03	—	·69	—	·25	—		18
19	—	—	—	—	—		—	·07	·15	—	·15	—		19
20	—	—	—	—	—		—	—	·02	—	·85	—		20
21	Tr	—	—	—	—		—	·02	—	—	·02	·43		21
22	—	—	—	Tr	—		—	·05	·01	—	·27	·25		22
23	—	—	—	—	—	Tr	·14	—	·08	—	—	·02		23
24	—	—	·07	—	·03		— ~~·01~~	—	—	—	·01	·03		24
25	·10	·13	·05	—	·06		·02	·12	—	·08	·19	·10		25
26	·13	·23	·10	—	·02		—	Tr	·18	·17	—	·12		26
27	·06	·03	—	·01	·24	·19	·25	·03	·47	·03	·34	—		27
28	·17	—	—	—	·51	·22	·03	·69	·11	—	·03	·12		28
29	·47		—	·02	·22	—	—	—	—	·02	·12	·12		29
30	·03	✗	—	Tr	·02	—	—	—	·19	·03	·22	·15		30
31	·19	✗	—	✗	·19	✗	—	—	✗	·21	✗	·30		31
TOTAL	2·56	·77	·23	·08	2·02	1·33	2·04	3·23	2·14	3·04	2·73	3·43	Year's Total 23·60	✓
* Days with .01 in. or more.	19	11	4	3	14	10	18	14	13	17	17	21	161	✓
* Days with .04 in. or more.	15	7	3	1	11	6	12	10	11	13	10	17	116	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. V. Fenn

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1096

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Lois Weedon Vicarage

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 400 ft.

3/40 letter re gauge

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·01	·39	·14	–	·05	·02	·02	·16	–	·04		1
2	·05	–	–	·07	tr	–	–	·38	·40	–	·02	–		2
3	·18	–	–	·16	–	–	–	·61	–	·02	·22	·23		3
4	·03	–	·58	·36	·01	–	–	·53	–	·28	·04	·10		4
5	–	–	–	·40	·27	–	–	·64	–	·17	·27	·13		5
6	·53	–	·03	·01	tr	–	·46	·04	–	tr	tr	–		6
7	·07	·12	–	–	–	–	·04	·02	–	–	·19	·21		7
8	tr	·07	·17	–	–	–	·17	·09	–	·52	·08	·41		8
9	·03	·06	–	–	–	–	–	·06	–	·68	tr	·12		9
10	·28	tr	·06	–	–	·29	–	·21	·02	·07	–	tr		10
11	tr	–	·15	–	–	·06	–	–	–	tr	tr	·02		11
12	–	tr	·02	–	·02	·11	–	–	·02	–	·02	–		12
13	–	–	–	·01	–	tr	·06	–	·06	·66	–	–		13
14	·30	–	·01	·02	·30	·07	·11	–	tr	·05	·09	–		14
15	·40	–	·05	·02	·22	·45	·31	–	·03	·87	·06	·01		15
16	·23	–	·16	·02	·09	·58	·24	–	–	·01	·33	–		16
17	·15	·03	·02	–	·10	tr	·08	–	–	2·48	·05	–		17
18	·05	·02	·03	–	–	·42	·19	–	–	·03	·59	–		18
19	·25	tr	–	–	–	–	·47	–	·02	–	–	–		19
20	·21	–	·01	–	–	–	tr	·14	tr	–	–	tr		20
21	·08	·15	·24	·01	·01	·37	·02	·70	–	–	–	–		21
22	·17	·21	·02	·02	–	·04	·02	tr	·09	tr	·16	·01		22
23	·02	–	·01	·10	–	·04	·16	–	–	·06	·66	–		23
24	·30	–	·02	·03	–	·02	·01	–	–	·10	tr	–		24
25	·72	·11	·13	tr	–	–	·09	–	–	·01	·22	–		25
26	·57	·08	·02	·01	–	–	–	·04	–	·14	·39	·01		26
27	·03	·05	·10	–	–	·03	·05	–	–	·10	·06	–		27
28	·01	·20	·15	·07	–	–	·02	tr	–	–	·19	·09		28
29	–	×	tr	·42	tr	–	·15	–	–	·17	·01	–		29
30	–	×	–	·57	–	–	–	–	–	tr	·07	–		30
31	–	×	–	×	–	×	·20	–	×	·02	×	–		31
TOTAL	4·66	1·03	1·99	2·69	1·16	2·48	2·90	3·48	·66	6·60	3·72	1·38	Year's Total 32·75	
* Days with .01 in. or more.	22 ~~17~~	11	21	18	9	12	20	13	8	20	20	12	186	
* Days with .04 in. or more.	17	8	10	9	6	10	16	11	3	15	17	8	130	

† Spare column, no entries required.

(*Signed*) E. T. Fenn

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1096

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Lois Weedon Vicarage

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 400 ft.

up low 1939

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·05	–	Tr	·01	–	–	–	–	–	·06	–		1
2	–	·09	–	·24	–	–	·02	–	–	–	·75	–		2
3	–	·21	–	·08	–	–	–	–	–	·13	·78	·04		3
4	–	·10	–	·27	–	–	·05	–	–	·20	·25	·07		4
5	–	·02	–	–	·05	–	–	–	–	·14	·67	·07		5
6	·08	·18	–	–	·03	–	·03	–	–	·24	·27	·01		6
7	·11	·16	–	·02	·02	–	·18	–	·04	–	–	–		7
8	–	–	–	·03	–	–	–	–	·01	·15	·04	·20		8
9	–	–	–	–	–	·18	·01	·05	·02	·06	·13	·13		9
10	–	–	–	–	–	–	1·14	·08	–	·01	·17	·07		10
11	–	–	·02	·05	–	·12	·12	–	–	–	·57	·05		11
12	–	Tr	·04	·02	–	–	·21	–	·12	–	·02	–		12
13	–	·05	·62	·03	–	–	·03	–	·02	–	·40	–		13
14	–	tr	·02	–	·15	–	–	Tr	·13	·06	–	·22		14
15	–	–	·07	·01	·09	–	·01	–	·02	·41	·28	·01		15
16	·06	·21	·29	·05	–	Tr	·34	–	·19	·88	·76	·02		16
17	–	–	·34	–	–	–	tr	–	–	·01	–	–		17
18	tr	·47	·39	·42	–	–	·08	·06	·01	·09	·14	·06		18
19	–	·15	·07	·11	–	–	·23	–	·09	Tr	·11	·02		19
20	–	–	·01	–	–	–	·02	–	–	·06	·04	–		20
21	·08	·02	·16	–	·40	–	·03	Tr	–	·10	1·10	–		21
22	–	–	·06	–	·42	·27	–	–	·23	·02	–	–		22
23	–	·22	·08	·03	·13	·23	–	–	·02	–	–	·06		23
24	–	–	Tr	·04	–	–	·10	–	–	·01	–	·03		24
25	–	–	·02	–	–	–	·02	–	–	Tr	–	–		25
26	1·16	·07	·02	·07	·05	–	·35	–	–	–	–	–		26
27	·54	·03	–	·15	·01	–	·03	–	–	–	–	–		27
28	·34	·17	–	·01	·10	–	–	–	–	–	–	–		28
29	–	–	·08	–	·23	·01	–	–	–	–	–	·33		29
30	·05	✕	–	·36	–	–	–	–	–	·16	–	·01		30
31	·06	✕	·01	✕	–	✕	–	–	✕	·59	✕	·01		31
TOTAL	2·48	2·20	2·30	1·99	1·69	·81	3·00	·19	·90	3·32	6·54	1·41	Year's Total 26·83	Print
* Days with .01 in. or more.	9	16	17	18	13	5	19	3	12	18	18	18	166	wt
* Days with .04 in. or more.	9	13	11	11	9	4	10	3	6	14	17	11	118	

2·15

Print

† Spare column, no entries required.

(Signed) E. L. Fenn

* See Instruction 3 (f) on other side.

[P.T.O.

1097

Section **A** for the entry of Daily O COPY FOR OFFICIAL USE.
AIR MINISTRY.—METE L ORGANIZATION.

FORM 1090.

REGISTER

1094 —

MISS GRANT-IVES
BRADDEN HSE
1931 - 1940

480208

Kept at Miss Grant-Ives
in the County of Northants

Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground
,, Ground ,, Sea Level 4

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	tr	·01	tr	·05	·03	—	—	—	·17	—	—	—	1
2	·09	·08	—	·71	—	tr	—	·06	·72	·02	·03	·02	2
3	·01	·02	—	·24	—	—	·01	·03	·70	—	·78	·14	3
4	—	·06	—	·13	—	—	·28	·74	·20	tr	·06	—	4
5	—	·01	—	·10	·04	·56	·01	·01	·09	tr	·02	·38	5
6	—	·18	—	·07	—	·07	·68	—	tr	·21	·24	·03	6
7	—	—	—	—	tr	tr	tr	·36	—	·06	·06	·03	7
8	·01	·06	·04	·06	·01	·07	·01	·65	—	tr	·16	—	8
9	—	·22	—	·02	—	·24	—	·03	—	—	·30	—	9
10	·02	·05	·01	—	·01	·03	·22	·17	·03	—	·04	—	10
11	·15	·17	—	—	—	·02	—	—	·09	—	·24	tr	11
12	·05	·02	—	—	—	—	·14	·12	·35	—	—	—	12
13	tr	—	·01	—	—	—	·02	·14	tr	—	—	—	13
14	·02	·07	—	—	·05	·08	·70	·34	—	—	·04		14
15	tr	·07	—	·06	·21	tr	·15	·31	—	—	·02	·04	15
16		·09	—	·16	·22	·34	—	·24	·14	—	—	—	16
17	·05	·40	—	·59	·36	·06	·17	—	·02	tr	—	—	17
18	·10	·02	—	·41	—		·11	·20	—	—	·42	—	18
19	·04	·03	—	·36	—	·25	·26	·08	·02	—	—	—	19
20	—	·04	tr	·11	—	—	—	·14	—	tr	·02	·01	20
21	·09	tr	tr	tr	·46	—	—	·01	—	—	—	—	21
22	·07	—	—	—	·03	—	—	tr	·02	—	—	—	22
23	·13	·01	tr	·06	·33	·09	—	·02	·03	—	·17	·08	23
24	tr	—	·01	·09	·32	—	·17	—	·01	—	—	tr	24
25	—	tr	—	·66	·05	—	·40	—	—	—	·07	tr	25
26	·01	·01	—	·33	—	—		—	—	—	·17	tr	26
27	·10	·65	—		·40	—	·24	—	—	—	·25	tr	27
28	·13	·18	—	·11	·09	—	—	—	—	·04	·01	·12	28
29	·03	×	—	—	·07	—	·13	—	—	·26	·02	—	29
30	·13	×	—	—	—	—	·01	tr	—	—	—		30
31	·21	×	—	×	—	×	—	—	×	—	×	·02	31
TOTAL	1·44	2·45	·07	4·32	2·68	1·81	3·21	3·65	2·59	·59	3·12	·87	YEAR'S TOTAL 26·80
*Days with ·01 in. or more.	20	22	4	20	16	12	19	18	14	5	20	10	180
*Days with ·04 in. or more.	12	14	1	18	12	10	14	13	8	4	14	5	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ursula Grant-Ives [P.T.O.

1097

Section **A** for the entry of Daily O … COPY FOR OFFICIAL USE.

AIR MINISTRY.—METE … OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Miss Grant-Ives

in the County of Northants

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ~~ft~~ 10 in.

,, Ground ,, Sea Level 420 ft.

Total for days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	tr	·01	tr	·05	·03	—	—	—	·17	—	—	—	1
2	·09	·08	—	·71	—	tr	—	·06	·72	·02	·03	·02	2
3	·01	·02	—	·24	—	—	·01	·03	·70	—	·78	·14	3
4	—	·06	—	·13	—	—	·28	·74	·20	tr	·06	—	4
5	—	·01	—	·10	·04	·56	·01	·01	·09	tr	·02	·38	5
6	—	·18	—	·07	—	·07	·18	—	tr	·21	·24	·03	6
7	—	—	—	—	tr	tr	tr	·36	—	·06	·06	·03	7
8	·01	·06	·04	·06	·01	·07	·01	·65	—	tr	·16	—	8
9	—	·22	—	·02	—	·24	—	·03	—	—	·30	—	9
10	·02	·05	·01	—	·01	·03	·22	·17	·03	—	·04	—	10
11	·15	·17	—	—	—	·02	—	—	·09	—	·24	tr	11
12	·05	·02	—	—	—	—	·14	·12	·35	—	—	—	12
13	tr	—	·01	—	—	—	·02	·14	tr	—	—	—	13
14	·02	·07	—	—	·05	·08	·70	·34	—	—	·04		14
15	tr	·07	—	·06	·21	tr	·15	·31	—	—	·02	·04	15
16		·09	—	·16	·22	·34	—	·24	·14	—	—	—	16
17	·05	·40	—	·59	·36	·06	·17	—	·02	tr	—	—	17
18	·10	·02	—	·41	—		·11	·20	—	—	·42	—	18
19	·04	·03	—	·36	—	·25	·26	·08	·02	—	—	—	19
20	—	·04	tr	·11	—	—	—	·14	—	tr	·02	·01	20
21	·09	tr	tr	tr	·46	—	—	·01	—	—	—	—	21
22	·07	—	—	—	·03	—	—	tr	·02	—	—	—	22
23	·13	·01	tr	·06	·33	·09	—	·02	·03	—	·17	·08	23
24	tr	—	·01	·09	·32	—	·17	—	·01	—	—	tr	24
25	—	tr	—	·66	·05	—	·40	—	—	—	·07	tr	25
26	·01	·01	—	·33	—	—		—	—	—	·17	tr	26
27	·10	·65	—		·40	—	·24	—	—	—	·25	tr	27
28	·13	·18	—	·11	·09	—	—	—	—	·04	·01	·12	28
29	·03	×	—	—	·07	—	·13	—	—	·26	·02	—	29
30	·13	×	—	—	—	—	·01	tr	—	—	—		30
31	·21	×	—	×	—	×	—	—	×	—	×	·02	31
TOTAL	1·44	2·45	·07	4·32	2·68	1·81	3·21	3·65	2·59	·59	3·12	·87	YEAR'S TOTAL 26·80
*Days with ·01 in. or more.	20	22	4	20	16	12	19	18	14	5	20	10	180
*Days with ·04 in. or more.	12	14	1	18	12	10	14	13	8	4	14	5	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ursula Grant-Ives [P.T.O.

1097

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1097

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Bradden

in the County of Northamptonshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground — ft 10" in.

,, Ground ,, Sea Level 420 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·04	—	·08	·63	·04	·05	·13	·03	·25	·01	·01	1
2	·01	—	—	·13	·15	—	—	tr	·27	·06	·05	·23	2
3	tr	—	—	·22	·03	—	·01	—	tr	·01	—	tr	3
4	·02	tr	—	·20	tr	—	—	—	—	—	·25	—	4
5	·28	tr	·08	tr	·01	tr	·05	tr	·08	—	—	—	5
6	·42	—		·09	—	—	·01	—	·25	—	—	—	6
7	—	—	·24	·12	·02	tr	·18	—	·05	·01	—	—	7
8	—	tr	·03	·14	tr	—	—	—	·24	·11	—	·01	8
9	·16	·04	—	·10	·02	—	—	—	—	—	—	—	9
10	·19	·06	·05	·18	·08	—	—	—	·12	·04	tr	—	10
11	tr	·01	—	·09	·05	·02	·05	—	—	·03	·02	·01	11
12	·24	—	—	—	·20	—	—	—	·05	·52	·04	tr	12
13	·07	·01	—	·14	tr	—	1·84	—	·02	·03	·06	·02	13
14	·24	tr	—	·61	—	—	·01	—	—	·03	·02	—	14
15	·01	—	—	·09	·23	—	—	—	—	·04	—	·02	15
16	·18	—	tr	·37	·19	—	·01	—	—	x	—	tr	16
17	—	—	—	·01	—	—	·24	—	—	x·09	—	tr	17
18	—	—	—	—	·04	—	—	—	·03	—	·04	—	18
19	—	·01	—	tr	tr	—	—	—	—	·20	·01	—	19
20	—	—	—		·26	—	tr	·48	·02	·35	·08	tr	20
21	·01	tr	·12	·48	1·92	—	—	·90	—	·26	·01	·02	21
22	tr	tr	·25	·02	·04	tr	·17	—	·68	·07	·48	—	22
23	—	—	·01	—	·23	—	·01	—	·09	·16	—	·03	23
24	—	—	—	·02	·05	—	·09	—	·02	·03	·20	tr	24
25	—	·04	—	—	—	·04	·38	—	·05	·26	·03	·01	25
26	—	—	·03	·11	·12	—	·17	—	·08	·01	·01	—	26
27	—	—	·38	·13	·37	—	·01	—	·01	·02	·14	—	27
28	—	—	·26	·02	·79	·24	·16	·02	—	·12	tr	tr	28
29	—	—	·33	·09	·20	·14	·01	·04	·06	·31	~~·57~~	·01	29
30	tr	✕	·03	·04	tr	·57	·01	·22	·37	·22	·49	·24	30
31	—	✕	·29	✕	·01	✕	·19	—	✕	—	✕	·05	31
TOTAL	1·89	·21	2·10	3·48	5·64	1·05	3·65	1·79	2·52	3·23	1·94	·66	YEAR'S TOTAL 28·16
*Days with ·01 in. or more.	13	7	14	24	22	6	20	6	19	25	17	12	185
*Days with ·04 in. or more.	9	4	?10	?20	17	5	12	5	13	?16	10	3	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ursula Grant-Ives

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1097

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bradden House, Towcester

in the County of Northamptonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·11	·18	·05	–	–	–	tr	–	–	–	·05	–		1
2	·24	–	·32	–	·02	–	–	–	–	–	·07	–		2
3	–	·16	·32	–	·35	–	–	–	–	–		–		3
4	·19	·01	·05	–	·28	–	–	–	–	–	·03	–		4
5	·11	·02		–	·07	–	–	–	–	–	·01	–		5
6	–	·09	·34	–	·07	–	–	–	–	·02	·01	·01		6
7	·04	·17	–	–	·01	–	tr	–	–	·10	tr	–		7
8	·04	tr	·05	–	·07	–	·25	–	–	·01	–	–		8
9	–	–	–	–	·18	–	·26	–	–	·04	·05	–		9
10	tr	·35	–	–	–	·04	·02	tr	–	·60	·04	–		10
11	·06	tr	–	–	–	·04	–	·05	–	–	–	tr		11
12	·02	–	–	–	·04	·05	·08	–	·46	–	–	·01		12
13	·01	–	–	–	·09	·17	·18	tr	tr	·03	·23	–		13
14	tr	–	–	–	·05	–	·01	–	–	·10	·30	·03		14
15	·46	–	·10	–	–	–	·02	·13	–	·02	·09	–		15
16	·04	tr	·60	–	–	·18	·42	–	tr	·10	·08	–		16
17	·06	tr	·38	–	–	·01	·06	·05	·06	–	·09	·01		17
18	·03	·05	tr	–	–	·08	–	–	–	–	·02	–		18
19	–	·02	·49	–	–	·05	–	–	·08	–	tr	·02		19
20	–	·04	·07	–	–	·70	–	tr	·02	–	·01	–		20
21	–	·03	–	–	·01	·23	–	·20	·15	·01	tr	–		21
22	–	tr	–	–	–	·15	–	·39	–	·43	–	–		22
23	–	–	–	·13	–	·02	–	–	·52	·01	–	–		23
24	–	·42	–	·08	·08	·17	–	–	·38	·02	·02	–		24
25	–	·69	–	·28	–	·08	–	–	·02	·01	·07	·04		25
26	–	·49	–	·06	–	–	–	–	·05	·21	–	·01		26
27	–	–	–	–	·39	–	·02	–	·01		–	·06		27
28	–	–	–	·09	·18	–		–	·01	·30	–	·07		28
29	·02	×	–	·16	–	–	·27	–	–	·09	–	tr		29
30	·18	×	·04	·03	–	–	·04	–	tr		–	·08		30
31	·02	×	·11	×	–	×	·01	·09	×	·09	×	–		31
TOTAL	1·63	2·72	2·92	·83	1·89	1·97	1·64	·91	1·76	2·19	1·17	·34	Year's Total 19·97	
*Days with ·01 in. or more.	16	14	14	7	15	14	14	6	11	20	17	10	158	
*Days with ·04 in. or more.	11	10	14	6	12	12	9	6	7	12	10	4	113	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Ursula Grant-Ives

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1097

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Bradden House

in the County of Northamptonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 10 in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	tr	–	–	–	–	–	·19	–	–	·03	·48		1
2	·13	–	·08	–	–	–	–	tr	·61	·03	tr	·20		2
3	·01	·03	–	tr	–	–	–	·09	tr	·21	–	·01		3
4	·08	·01	·06	·38	·02	–	–	–	tr	·11	·18	·38		4
5	tr	–	{ ×	tr	·07	–	–	·15	–	tr	·04	·23		5
6	tr	–	{ ·21 ×	·06	·43	·10	–	tr	–	·20	–	·68		6
7	·08	–	–	–	–	·04	–	·23	–	·05	–	·29		7
8	–	–	–	–	·09	–	–	·05	·03	–	·18	tr		8
9	tr	–	·10	tr	tr	–	–	tr	–	–	·80	·45		9
10	tr	–	·18	·13	–	–	–	tr	–	–	·20	·04		10
11	·60	–	·20	·20	–	–	–	·13	–	–	tr	·18		11
12	tr	–	·17	·04	–	–	·01	·11	–	–	–	·02		12
13	·42	–	{ ×	·03	tr	–	1·04	·24	–	·02	tr	·40		13
14	·04	–	{ ·31 ×	tr	·04	·04	–	·01	–	·11	·26	·25		14
15	·02	–	·46	–	·05	–	–	–	·39	·10	·16	·05		15
16	·14	·01	·19	–	·02	T	–	–	–	·10	·01	·01		16
17	·01	–	–	–	tr	–	tr	–	·08	·10	·04	·28		17
18	·18	–	·01	·30	–	–	·16	–	tr	–	–	·07		18
19	–	–	·19	·06	–	·08	–	–	·07	·01	–	·09		19
20	–	–	·01	·05	–	tr	–	·01	tr	–	–	tr		20
21	tr	–	·01	·01	–	·12	–	·02	–	·09	–	·01		21
22	–	–	–	–	–	–	–	·18	·23	–	–	·02		22
23	–	tr	–	·18	·10	·39	·01	–	tr	–	–	·24		23
24	tr	·34	·07	·02	·02	·05	·24	–	·28	–	–	·01		24
25	·17	·01	–	·09	–	·72	–	–	–	·09	–	·41		25
26	·01	–	tr	·03	–	·08	·07	–	·09	·01	–	·02		26
27	·04	·08	–	{ –	–	·01	–	–	–	·09	–	·26		27
28	–	tr	–	{ ·13	–	·15	tr	·34	–	·01	·03	·29		28
29	–	–	–	tr	–	–	·28	·03	·28	·02	tr	·01		29
30	·06	×	–	–	–	–	–	tr	·02	–	–	·02		30
31	·07	×	–	×	–	×	·04	·06	×	·05	×	·04		31
TOTAL	2·10	·48	1·95	1·71	·84	1·78	1·85	1·84	2·08	1·40	1·93	5·44	Year's Total. 23·40	
* Days with .01 in. or more.	17	6	17	~~16~~ 15	9	11	8	15	10	18	11	29	~~166~~	166
* Days with .04 in. or more.	13	3	~~14~~ 12	11	6	10	6	11	8	12	8	20	122	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1097.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bradden House

in the County of Northamptonshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 10" in.

„ Ground „ Sea Level 420 ft.

All day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	–	tr	–	·02	·09	·02	–	·09	·19	·09	·02		1
2	–	–	–	·03	–	·04	–	–	–	·14	·01	·07		2
3	–	·21	·02	–	–	·12	–	·02	·19	·28	·19	·07		3
4	–	–	–	·14	–	·09	–	–	·04	·11	–	·03		4
5	–	·92	·05	·25	–	·14	tr	–	·07	tr	·03	·01		5
6	–	·06	–	·33	–	·27	–	–	–	–	–	tr		6
7	tr	–	–	·38	–	×	–	–	–	·12	·30	·16		7
8	–	–	–	·19	tr	·19	–	·02	–	·14	·16	·07		8
9	–	–	–	·62	tr	·37	–	–	–	·99	·43	·04		9
10	–	–	–	·22	–	·03	–	–	–		·06	·02		10
11	·20	–	–	·04	–	·08	·23	–	–	–	·33	·01		11
12	·01	·02	–	–	–	·48	–	·02	–	–	·65	–		12
13	·06	·15	–	·05	·15	·04	–	–	–	–	–	–		13
14	–	–	–	·04	·14	·20	–	–	×	–	·32	·07		14
15	–	·12	–	·61	·04	·37	–	–	×	–	·24	·18		15
16	–	·03	·06	·07	tr	·19	–	–	×·84	–	·62	·16		16
17	–	tr	–	·03	–	·19	–	–	·01	·01	·58	–		17
18	–	tr	–	·23	·02	×	·28	–	·27	·03	tr	–		18
19	tr	tr	–	·15	·36	·22×	·11	–	·08	·03	·18	–		19
20	·02	·18	–	·17	–	·07	·06	–	·03	–	·23	–		20
21	–	·27	·02	×	–	tr	–	–	·76	·02	·13	–		21
22	–	·02	·02	·15×	–	–	–	·12	·61	–	–	–		22
23	–	·01	·10	–	–	–	–	·67	·01	·21	·01	–		23
24	·03	·20	·03	–	–	–	–	·02	·78	–	–	×·47		24
25	·15	·02	–	·22	–	·48	–	·01	–	–	–	·18		25
26	·01	·02	–	tr	–	–	–	·29	·09	–	–	·48		26
27	–	·16	–	–	·38	–	–	–	·08	·03	·16	·85		27
28	–	·26	–	–	·14	–	–	·05	·14	·04	·02	·04		28
29	–	✕	·01	–	–	–	–	·04	×	–	·07	·16		29
30	·05	✕	–	·11	·34	–	–	·64	×·34	·17	·31	·22		30
31	tr	✕	–	✕	·05	✕	–	·07	✕	1·09	✕	·25		31
TOTAL	·72	2·65	·31	4·03	1·64	3·66	·70	1·97	4·43	3·60	4·52	3·56	Year's Total 31·79	
* Days with .01 in. or more.	9	16	8	21 ✓	10	21 ✓	5	12	20 ✓	16	22	21 ~~22~~	181	
* Days with .04 in. or more.	5	10	3	19 ✓	8	~~20~~ 19	4	7	17	11	18	16	137	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. Grant-Ives [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1097

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Bradden House

in the County of Northamptonshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 10" in.

,, Ground ,, Sea Level 420 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	·07	·04	·03	—	·04	·51	·01	—	—	·03	·05		1
2	·03	·02	·07	·03	—	·62	·74	·06	—	tr	·13	·01		2
3	tr	tr	—	—	—	13	·01	·01	·16	—	·10	·02		3
4	tr	—	·12	—	—	·02	tr	—	·37	tr	·02	·11		4
5	·12	—	·05	—	—	—	·02	·02	·12	—	—	·31		5
6	·07	—	—	—	·12	·09	·10	·21	·11	—	·10	·02		6
7	·28	—	·04	—	tr	tr	·03	—	·02	tr	·01	·01		7
8	·17	—	·25	—	—	—	—	—	·02	·02	·40	·09		8
9	·48	—	·01	—	—	—	1·11	—	·19	·05	·01	·02		9
10	·17	—	—	—	—	—	·27	tr	·05	·01	—	—		10
11	—	—	—	·01	—	—	·07	tr	·06	—	·39	—		11
12	—	—	—	·05	tr	·31	·48	—	·26	—	·16	·14		12
13	—	—	—	·05	—	·36	tr	tr	{	·04	·05	·37		13
14	—	·01	—	28	—	07	58	tr	·17	·06	—	·59		14
15	—	·01	—	·03	—	·01	·08	—	tr	—	·01	·22		15
16	·04	·07	—	·01	—	—	·02	—	—	—	·44	·01		16
17	—	·53	—	—	·08	—	·15	—	—	·09	·14	·06		17
18	·46	·02	—	—	—	·16	·17	—	—	·05	·03	·05		18
19	·10	·08	—	·07	—	·12	tr	·09	—	·04	—	—		19
20	—	·10	·02	·14	—	—	·01	—	·32	·01	—	—		20
21	—	—	tr	·22	·01	·96	·03	—	·27	—	—	—		21
22	·03	·61	·05	tr	·28	—	·25	—	—	—	—	·12		22
23	·01	tr	·05	·11	·02	—	·29	—	—	tr	—	—		23
24	·13	·10	—	tr	tr	—	·09	—	·35	·34	—	—		24
25	·09	—	·18	·21	—	·03	·08	—	·16	·05	·03	·01		25
26	tr	·10	·29	—	—	·06	·07	—	·01	·09	—	—		26
27	·05	—	—	—	—	—	·02	—	·11	—	—	—		27
28	·52	·02	·08	—	—	—	·03	—	tr	·10	—	·09		28
29	·16	·15	·07	—	·02	·12	tr	—	—	·02	·31	·08		29
30	·04		—	—	·19	·19	·07	—	—	·30	·07	·01		30
31	·51		·15		·01		·08	—		·64		·15		31
													Year's Total	
TOTAL	3·38	1·89	1·47	1·64	·73	3·29	5·36	·40	2·85	1·91	2·43	2·54	27·89	✓
* Days with .01 in. or more.	20	14	15	13	8	16	26	6	17 ~~18~~	16	18	22	191	✓
* Days with .04 in. or more.	16	9	13	9	4	13	18	3	14	12	10	14	135	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) U. Grant-Ives

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1097

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Bradden House

in the County of Northamptonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 10 in.

,, Ground ,, Sea Level 420 ft.

Ack ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	✓	tr	·02	·	-	tr	-	·09	-	·45	·38		1
2	·01	·14 ✗	tr	·59	-	-	tr	-	-	-	-	·22		2
3	-	·07	·01	-	·05	-	tr	-	·01	-	-	·05		3
4	·07	·18	-	·01	·02	-	·01	tr	-	-	-	·65		4
5	·20	-	·10	-	·	-	·02	-	-	-	-	·02		5
6	·24	·01	·37	·02	·11	-	·05	-	-	·06	·02	-		6
7	-	·82	-	·27	·01	-	tr	-	-	-	-	-		7
8	-	·05	-	tr	·04	tr	-	-	-	-	·24	✗		8
9	-	-	·01	·28	·28	-	·29	-	·12	-	-	·22 ✗		9
10	-	-	·64	·67	tr	·15	·03	·	-	-	-	✗		10
11	-	-	·11	tr	·51	tr	·01	·23	-	-	-	·22 ✗		11
12	✗	·35	·09	-	·47	·11	-	·58	·13	-	-	? ✗		12
13	·21 ✗	·07	·36	tr	tr	·60	-	·03	·21	-	-	? ✓		13
14	-	-	·38	·01	-	-	-	·16	·06	-	-	·29 ✗		14
15	·34	·10	tr	·23	-	-	1·02	-	·20	-	-	·01		15
16	·02	·10	·38	·52	-	-	-	·05	·25	-	-	-		16
17	·52	·02	·27	·20	-	-	-	-	·22	-	tr	-		17
18	·29	✗	·03	·02	-	·03	-	-	·33	-	·28	·03		18
19	·15	·14 ✓	·18	·15	·10	·22	·03	tr	tr	-	·05	-		19
20	·45	·01	tr	·39	·53	·03	-	-	tr	-	-	-		20
21	·16	·34	·11	·02	·01	-	·12	tr	-	·02	-	·02		21
22	·17	-	·10	-	·06	·35	·09	-	-	·61	·35	·02		22
23	·28	-	·04	-	·18	-	·17	-	-	·53	·03	-		23
24	·17	·34	·04	-	·03	-	·01	-	·03	·28	-			24
25	·24	·22	tr	-	·78	-	-	-	·02	·25	-	·02		25
26	tr	·37	·05	-	·16	-	-	-	-	·19	tr	-		26
27	·01	·30	·08	·24	-	-	-	-	-	·80	-	✓		27
28	-	·01	-	-	-	-	-	-	-	·02	-	·13 ✗		28
29	·06	X	-	-	-	·03	-	-	-	·02	·03	-		29
30	·29	✕	-	-	-	·01	-	-	-	-	·14	-		30
31	·31	✕	-	✕	·	✕	-	-	✕	·22	✕	·03		31
TOTAL	4·25	3·64	3·35	3·64	3·34	1·53	1·85	1·05	1·67	3·00	1·59	2·26	Year's Total 31·17	✓
* Days with .01 in. or more.	22 ✓	~~22~~ 21	19	16	16	9	12	5	12	11	9	20	172	✓
* Days with .04 in. or more.	19	15	16	10	12	5	6	4	9	8	6	11	121	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) U. Grant-Ives

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1097

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bradden House . Towcester

in the County of Northamptonshire,

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 10" in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 8

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·06	-	-	·24	-	-	-	·11	-	·24		1
2	·06	tr	-	·05	·14	·09	-	-	-	·47	-	tr		2
3	-	-	-	tr	·12	tr	-	-	tr	·73	·01	-		3
4	·05	-	-	tr	-	·04	·07	-	-	·25	-	·12		4
5	-	-	-	-	-	-	·24	-	tr	·06	-	-		5
6	·03	·04	-	-	-	{	·03	·09	·04	·07	-	-		6
7	·05	-	-	-	-	·03	·20	·18	·12	{	-	·14		7
8	·15	-	-	-	-	·25	{	·26	-	·63	-	·02		8
9	·04	·02	-	-	-	-	·08	·14	-	-	-	·44		9
10	·01	·10	-	-	-	·44	·14	1·10	-	-	-	·07		10
11	·43	-	-	-	-	-	·01	-	-	tr	·18	·01		11
12	·15	·03	-	-	·05	-	tr	1·22	-	·37	·02	-		12
13	·01	·05	-	-	tr	-	-	-	-	-	·05	·26		13
14	·25	{	-	-	·07	-	·42	-	-	-	-	-		14
15	·08	·06	-	-	-	-	·32	-	-	-	-	·30		15
16	·28	tr	·01	-	-	-	·02	tr	-	·09	-	·15		16
17	-	·11	-	-	·35	-	·06	-	·05	-	-	tr		17
18	·03	-	-	-	·03	-	-	·02	·69	-	·28	-		18
19	tr	-	-	-	-	-	-	·06	·01	-	·18	-		19
20	tr	-	-	-	·01	-	-	-	·04	-	·95	·04		20
21	tr	-	-	-	-	-	-	·04	-	-	·02	{		21
22	-	-	-	tr	-	-	-	·06	-	-	·30	·56		22
23	-	-	-	-	-	-	-	-	·03	-	·01	-		23
24	-	-	·09	-	·02	-	-	-	·09	-	-	·03		24
25	·11	·14	·05	-	·02	-	·02	·19	·01	·08	·27	·14		25
26	·13	·29	·13	tr	·04	tr	·26	-	·18	·20	-	·08		26
27	·08	·03	-	-	·21	·18	-	{	·68	·02	·38	-		27
28	·17	tr	-	-	·39	·32	·02	·69	-	-	-	·13		28
29	·51	x	-	-	·24	-	·01	-	-	·02	·18	·13		29
30	·03	✕	-	tr	·02	-	-	-	·25	·03	·22	·13		30
31	·25	✕	-	✕	·24	✕	-	-	✕	·25	✕	·37		31
TOTAL	2·90	·87	·34	·05	1·95	1·59	1·90	4·05	2·19	3·38	3·05	3·36	Year's Total 25·63	✓
* Days with .01 in. or more.	21	11	5	1	15	9	16	13	12	16	14	20	153	✓
* Days with .04 in. or more.	16	7 ~~6~~	4	1	10	7	9	12	9	13	10	17	11~~4~~5	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. Grant-Ives

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1997

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bradden House Towcester

in the County of Northamptonshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 420 ft.

Aug

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	tr	·32	·12	–	–	✓	·01	·14	–	·04		1
2	·02	–	–	·07	–	–	tr	·43	·47	·01	·02	·01		2
3	·20	–	–	·22	–	–	–	·63	–	tr	×	·30		3
4	·05	–	·56	·32	·01	–	·02	·46	–	·23	·29	·08		4
5	–	–	✓	·60	·24	–	tr	·61	–	·21	·26	·20		5
6	·58	–	·25	·02	–	–	·60	·03	–	–	–	–		6
7	·02	·12	–	–	–	–	·04	·03	–	tr	·20	·20		7
8	–	·07	·25	–	–	–	·16	·08	–	·54	·06	·44		8
9	·06	·08	–	–	–	–	–	·05	–	·73	–	·17		9
10	·36	–	·04	–	–	·32	–	·23	·02	·06	–	–		10
11	tr	tr	·13	–	–	·05	–	–	–	–	–	·01		11
12	–	·01	·03	–	–	·12	–	–	–	–	·02	–		12
13	–	–	–	·02	tr	tr	·06	–	·07	·73	–	–		13
14	·37	–	·03	–	·40	·02	·14	–	–	·03	·15	–		14
15	·27	–	·07	·03	·30	·48	·18	–	·07	·97	×	–		15
16	·49	–	×	–	·07	·31	·18	–	–	·11	·35	·02		16
17	·19	·02	·15	–	·08	tr	·02	–	–	3·22	·05	–		17
18	·06	·05	·05	–	–	·26	·20	–	–	·02	·67	–		18
19	·25	–	–	–	–	–	·42	–	·02	tr	–	·01		19
20	·22	–	·01	–	–	·01	·10	·28	–	–	–	–		20
21	·08	·20	·29	–	·08	·30	1·58	·40	·08	tr	–			21
22	·26	·23	·01	tr	–	·02	·02	–	·03	–	·24			22
23	·02	–	tr	·10	–	–	·10	–	–	·03	·62			23
24	·25	–	tr	·06	–	·03	·01	–	–	·15	–	·01		24
25	·99	·13	·15	–	–	–	·10	–	–	·02	·31	–		25
26	·70	–	·03	·07	–	–	–	·13	–	–	·41	·01		26
27	·05	·11	·09	·03	–	·03	×	–	–	×	tr	tr		27
28	·01	·21	·10		–	·01	·06	·01	–	·18	·18	·05		28
29	–	–	–	·55	tr	–	·15	–	–	×	–	–		29
30	–	✕	–	·53	–	·03	–	–	–	·20	·06	–		30
31	–	✕	–	✕	–	✕	·12	tr	✕	tr	✕	·03		31
TOTAL	5·52	1·23	2·04	2·94	1·30	1·99	4·26	3·37	·77	7·58	3·89	1·58	Year's Total 36·47	
* Days with .01 in. or more.	23	11	19	15	8	14	21	14	8	20	18	15	186	
* Days with .04 in. or more.	18	9	13	11	7	7	16	11	4	14	15	8	133	

† Spare column, no entries required.

(*Signed*) Ursula Grant-Ives

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1097

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Accs. Totals

Kept at Bradden

in the County of Northants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 10 in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	·01	-	tr	-	-	-	-	-	-	·05	-		1
2	-	·12	-	·31	-	-	·03	-	-	·01	·82	-		2
3	-	·22	-	·06	-	-	-	-	-	·14	·60	-		3
4	-	·09	-	·33	-	-	·09	-	-	·20	·43	·13		4
5	-	·01	-	-	·05	-	·02	-	-	·14	·64	·09		5
6	·07	·18	-	-	·04	-	·02	-	-	·21	·30	tr		6
7	·16	·20	-	-	-	-	·10	-	·03	-	-	·03		7
8	tr	-	-	·09	-	·02	-	-	·02	·12	·03	·20		8
9	-	-	-	-	-	·03	·01	·05	-	·04	·15	·09		9
10	-	-	-	-	-	-	·79	·04	·03	-	·19	·10		10
11	-	-	·01	·05	-	·03	·15	-	-	-	·66	-		11
12	-	-	·66	-	-	-	·16	-	·11	-	·10	-		12
13	-	·02	·67	·02	-	-	·02	-	·07	-	·41	-		13
14	-	tr	·01	·12	·17	-	-	tr	·11	·05	-	·30		14
15	-	-	✓	✓	·17	-	·01	-	·02	·22	·26	·01		15
16	·05	·25	·35	·05	-	-	·46	-	·17	·86	·69	-		16
17	-	·01	·37	-	-	-	tr	-	-	·11	-	-		17
18	-	·50	·35	·39	-	-	·16	·05	-	-	·10	·06		18
19	-	·13	·06	·10	-	-	·26	-	·10	-	·17	·03		19
20	-	·01	✓	·01	-	tr	·01	·01	-	·07	·04	-		20
21	·07	·01	x	-	·25	-	·11	-	-	·12	1·02	-		21
22	tr	·01	·14	-	·46	·34	-	-	·47	·01	-	-		22
23	-	·22	·05	tr	·04	·08	-	-	·03	-	-	-		23
24	-	-	-	·05	-	-	·20	-	-	·01	-	·07		24
25	tr	-	·03	-	-	-	-	-	-	-	-	-		25
26	1·03	-	-	-	·04	-	·60	-	-	-	-	-		26
27	·68	·06	-	·44	·01	-	·18	-	-	-	-	-		27
28	·87	·17	-	-	tr	-	-	-	-	-	-	-		28
29	-	tr	·09	·01	·19	·01	-	-	-	tr	-	·33		29
30	·09	×	-	·69	-	-	-	-	-	·25	-	·01		30
31	·12	×	·02	×	-	×	-	-	×	·76	×	·01		31
TOTAL	3·13	2·22	2·21	2·72	1·42	·51	2·78	·15	1·16	3·32	6·66	1·46	Year's Total 27·74	
* Days with .01 in. or more.	9	18	15 ~~16~~	16	10	6	19	4	11	17	18	14	107	
* Days with .04 in. or more.	9	11	10	11	9	2	12	3	6	14	17	9	113.	

2.79

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) U. Grant-Ivs.

P.T.O.

Section **A** for the entry of Daily Ob

AIR MINISTRY.—METE

FORM 1090.

REGISTER

1099

ROADE

1931- 1935

78 02 08

FOR OFFICIAL USE.

ORGANIZATION.

1099

142

Kept at Roade

in the County of Northants.

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft

,, Ground ,, Sea Level ....

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·20										1
2				·77					·79				2
3											·47		3
4								·54					4
5						·63						·36	5
6										·24			6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14							·88						14
15													15
16													16
17													17
18													18
19													19
20													20
21					·67								21
22													22
23													23
24													24
25													25
26													26
27		·63											27
28													28
29													29
30		×											30
31	·28	×		×		×			×		×		31 d
TOTAL	1·59	2·31	0·37	3·92	2·85	1·87	3·63	3·16	2·57	0·50	2·88	0·88	YEAR'S TOTAL 26·53
Days with ·01 in. or more.	~~14~~	~~15~~	~~2~~	~~17~~	~~12~~	~~11~~	~~15~~	~~16~~	~~10~~	~~3~~	~~15~~	~~7~~	~~137~~
Days with ·04 in. or more.	14	11	2	16	11	8	12	11	10	3	15	6	119
40-9999	40·4	58·7	9·3	99·5	72·4	47·6	92·1	80·3	65·3	12·7	73·2	22·3	673·8

(Signed)..........

[P.T.O.

1099

142

Section **A** for the entry of Daily Ob

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Roade

in the County of Northants.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·20										1
2				·77					·79				2
3											·47		3
4								·54					4
5						·63						·36	5
6										·24			6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14							·88						14
15													15
16													16
17													17
18													18
19													19
20													20
21					·67								21
22													22
23													23
24													24
25													25
26													26
27		·63											27
28													28
29													29
30		×											30
31	·28	×		×		×			×		×		31 d
													YEAR'S TOTAL
TOTAL	1·59	2·31	0·37	3·92	2·85	1·87	3·63	3·16	2·57	0·50	2·88	0·88	26·53
Days with ·01 in. or more.	~~14~~	~~15~~	~~2~~	~~17~~	~~12~~	~~11~~	~~15~~	~~16~~	~~10~~	~~3~~	~~15~~	~~7~~	~~137~~
Days with ·04 in. or more.	14	11	2	16	11	8	12	11	10	3	15	6	119
40-9999	40·4	58·7	9·3	99·5	72·4	47·6	92·1	80·3	65·3	12·7	73·2	22·3	673·8

(Signed) .... [P.T.O.

1099

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

142

REGISTER OF RAINFALL IN 1932.

Kept at Roade

in the County of Northants

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										·71			1
2													2
3													3
4													4
5													5
6	·37												6
7													7
8													8
9													9
10		·08											10
11							·42						11
12													12
13													13
14													14
15													15
16				·67									16
17													17
18													18
19													19
20								·66					20
21					1·46								21
22									·36				22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×				·32					·37	·24	30
31		×	·37	×		×			×		×		31
TOTAL	1·82	0·26	2·08	3·27	6·03	·78	2·39	1·99	2·67	3·84	1·68	0·66	YEAR'S TOTAL 27·47
*Days with ·01 in. or more.	10	6	12	22	19	5	16	8	19	21	14	8	160
*Days with ·04 in. or more.	10	3	10	21	19	5	14	6	17	16	12	6	139
40-9999	46·3	6·7	52·8	83·0	153·2	19·9	60·7	50·6	67·9	97·5	42·4	16·7	

(Signed).......... [P.T.O.

*See Instruction 2 (*f*) on other side.

1099

Section A **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

442.

Kept [illegible] Roade

in the County of Northants

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 394 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5					·39								5
6													6
7													7
8													8
9													9
10										·50			10
11													11
12													12
13													13
14											·53		14
15	0·37												15
16			·48										16
17													17
18													18
19													19
20						·86							20
21													21
22								·39					22
23									·54				23
24		·54											24
25													25
26													26
27													27
28													28
29				·22			·54						29
30		X										·08	30
31		X		X		X			X		X		31
TOTAL	1·48	2·29 ✓	2·70 ✓	0·72 ✓	1·53 ✓	2·37 ✓	1·35 ✓	0·87 ✓	1·87 ✓	1·88 ✓	1·55 ✓	0·39 ✓	YEAR'S TOTAL 19·00
*Days with ·01 in. or more.	~~13~~	~~12~~	~~13~~	~~5~~	~~10~~	~~13~~	~~9~~	~~6~~	~~10~~	~~11~~	~~11~~	~~6~~	?small d ~~119~~ ✓
*Days with ·04 in. or more.	12	12	12	5	10	10	8	6	9	9	9	5	107 ✓
40-9999	37·6	58·2	68·6	18·3	38·9	60·3	34·4	22·1	47·4	47·8	39·4	9·9	~~482~~

(*Signed*)..........

[P.T.O.

*See Instruction 2 (*f*) on other side.

P

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No ~~443~~ 1099

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Roade

in the County of Northants

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 394 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2									·57					2
3														3
4				·37						·19				4
5														5
6					·39							·60		6
7														7
8														8
9											·52			9
10														10
11	·56		·26											11
12														12
13							·75							13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23						·26								23
24		·33												24
25														25
26														26
27														27
28								43						28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	1·91 ✓	·51 ✓	1·86 ✓	1·57	·67 ✓	·85 ✓	2·14 ✓	1·5~~8~~4 ✓	1·~~24~~ 83	1·24 ✓	2·06 ✓	5·00 ✓	Year's Total 21·~~20~~ 18 ✓	
*Days with ·01 in. or more.	15	5	13	12	8	10	4	8	~~1~~ 9	11	11	21	~~127~~ ✓	
*Days with ·04 in. or more.	12	3	12	10	3	10	4	8.	~~10~~ 7	10	11	17	107 ✓	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Sect A for the entry of Daily Observations.

Station No. 1099

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

142

Kept at Roade

in the County of Northants

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level 394 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.32													1
2														2
3														3
4														4
5		0.73												5
6														6
7														7
8														8
9				0.61										9
10														10
11							0.26							11
12														12
13														13
14														14
15														15
16														16
17											1.17			17
18														18
19														19
20														20
21														21
22								1.16						22
23			0.13											23
24									1.06					24
25						1.55								25
26														26
27					0.82									27
28														28
29														29
30		×												30
31		×		×		×			×	1.14	×			31
TOTAL	0.85	2.56	0.14	3.89	1.75	4.17	0.48	2.14	4.43	3.40	3.83	2.06	Year's Total 29.70	
*Days with ·01 in. or more.	6	10	1	18	6	18	3	8	15	10	14	17	~~126~~	
*Days with ·04 in. or more.	5	10	1	17	6	18	3	6	14	10	13	13	~~116~~	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

111

1101

Section **A** for the entry of Daily Observ

AIR MINISTRY.—ME ORGANIZATION.

FORM 1091.

FOR OFFICIAL USE.

REGISTE 1931.

1101
SALCEY FOREST.
1931-1940

78 0209

Kept at Salcey Forest

in the County of Northampton

Diameter of Funnel of Gauge..........

Height of top of Gauge above Ground..........

" Ground " Sea Level ....

cancellation

March

4/2/32

...ial figures +
+ glass measure. (says can was leaky) (+ glass broken when he took over)
25/2/32.

THE MORNING MEASURE ...OUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

March to Sep

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1			7·3	1·0	·5				21·1				1
2				17·5	·4				19·2	·4		·6	2
3				3·3	2·9			·4	4·1		5·4	3·0	3
4		5·0		1·7			2·5	16·0	0·6		·8		4
5		4·1		1·2	·6	16·0	·8				2·4	8·3	5
6				1·0		·9	1·3			4·8	4·9		6
7		5·9		·1		·2	·2	12·1		·1	·6	·8	7
8		3·6	3·6	·5		1·3		6·9			5·0		8
9		2·1	4·0			2·1					5·8	·3	9
10		3·0				·2	7·4	6·7	1·1		1·5		10
11		7·4	10·1			·2					4·0		11
12	1·9	2·1		·4			·4		6.4				12
13	1·4	8·4					1·5	·3					13
14		1·0	·4		·9	3·0	16·4	8·3			·8		14
15	2·3	3·6		2·5	4·1		4·7	22·3			·4	·5	15
16	2·8	1·4		·5	11·0	2·2		4·5	3·7				16
17	8·5	5·6		8·8	9·3	4·0	3·2		0.2				17
18	1·3	2·7		6·6	·3	2·0	·5	6·8			8·8		18
19				10·4		5·2	·4	·8	4.6		·2	·2	19
20		·1		3·1				3·0			·3		20
21	1·4		·1	·3	16·6			·2			·1		21
22					·5				0.2		·2		22
23	4·4				8·1	1·5			1.1		3·7	·3	23
24	2·1			3·5	4·4	·1	1·0		0.4				24
25		·2		8·4	·8		11·3				2·8		25
26				4·7			3·7				2·9		26
27		14·7		·2	1·5		·4				5·5		27
28	3·9	·7		·2	·8					·4	·4	4·3	28
29	3·3				·4		3·1			4·2	·8	·1	29
30	6·2	X											30
31	4·6	X		X		X		3·3	X		X	·5	31
													YEAR'S TOTAL
TOTAL	44·1	71·6	25·5	75·9	63·1	38·9	58·8	91·6	65·7	9·9	57·3	18·9	621·3
Days with 0·2 mm. or more.	13	17	5	20	17	13	17	14	12	4	21	10	163
Days with 1·0 mm. or more.	13	15	4	14	8	9	11	10	8	2	12	3	109
(144w)	1·74	2·82	1·00	2·99	2·48	1·53	2·31	3·61	2·59	·39	2·26	·74	24·46

40—9999. M

(Signed) H. E. Sher
FORESTRY COMMISSION

[P.T.O.

111 1101

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.**

FORM 1091.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19~~2~~31.

Kept at Salcey Forest

in the County of Northamptonshire

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

906 sent 18/2/32 suggesting cancellation of 10.1 on 11/3/31. See March

JStarch.

Observer confirms original figures & requests new inner can & glass measure. (says can was leaky & glass broken when he took over)

JStarch 25/2/32.

4/2/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

march [illegible]

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1			7.3	1.0	.5				21.1				1
2				17.5	.4				19.2	.4		.6	2
3				3.3	2.9			.4	7.1		5.4	3.0	3
4		5.0		1.7			2.5	16.0	0.6		.8		4
5		4.1		1.2	.6	16.0	.8				2.4	8.3	5
6				1.0		.9	1.3			4.8	4.9		6
7		5.9		.1		.2	.2	12.1		.1	.6	.8	7
8		3.6	3.6	.5		1.3		6.9			5.0		8
9		2.1	4.0			2.1					5.8	.3	9
10		3.0				.2	7.4	6.7	1.1		1.5		10
11		7.4	10.1 ✓			.2					4.0		11
12	1.9	2.1		.4			.4		6.4				12
13	1.4	8.4					1.5	.3					13
14		1.0	.4		.9	3.0	16.4	8.3			.8		14
15	2.3	3.6		2.5	4.1		4.7	22.3			.4	.5	15
16	2.8	1.4		.5	11.0	2.2		4.5	3.7				16
17	8.5	5.6		8.8	9.3	4.0	3.2		0.2				17
18	1.3	2.7		6.6	.3	2.0	.5	6.8			8.8		18
19				10.4		5.2	.4	.8	4.6		.2	.2	19
20		.1		3.1				3.0			.3		20
21	1.4		.1	.3	16.6			.2			.1		21
22					.5				0.2		.2		22
23	4.4				8.1	1.5			1.1		3.7	.3	23
24	2.1			3.5	4.4	.1	1.0		0.4				24
25		.2		8.4	.8		11.3				2.8		25
26				4.7			3.7				2.9		26
27		14.7		.2	1.5		.4				5.5		27
28	3.9	.7		.2	.8					.4	.4	4.3	28
29	3.3				.4		3.1			4.2	.8	.1	29
30	6.2	✕											30
31	4.6	✕		✕		✕		3.3	✕		✕	.5	31
TOTAL	44.1	71.6	25.5	75.9	63.1	38.9	58.8	91.6	65.7	9.9	57.3	18.9	YEAR'S TOTAL 621.3
Days with 0·2 mm. or more.	13	17	5	20	17	13	17	14	12	4	21	10	163
Days with 1·0 mm. or more.	13	15	✓4	14	8	9	11	10	8	2	12	3	109
(144w)	1.74	2.82	1.00	2.99	2.48	1.53	2.31	3.61	2.59	.39	2.26	.74	24.46

40—9999. M

(Signed) H. [illegible]

FORESTRY COMMISSION

[P.T.O.

1101

FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1932.

Kept at Salcey Forest

in the County of Northants.

Diameter of Funnel of Gauge............in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Record found satisfactory after new g & measure installed in April. Earlier months built up by comparison. Observer informed & concurs. 14/3/33.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	·5	1·1		1·3	13·5	·8	1·9	12·8	·4	7·8	·1	·8	1
2				3·2	2·5				3·4	3·8	1·3	5·7	2
3				7·5	2·6				·4				3
4	·3			3·0							4·7		4
5	2·7	·4			·6	2·4	4·5		1·8				5
6	3·1		·5	·7	·9		·1		2·6				6
7			2·9	3·1	·6		2·5		1·1				7
8		·3	·3	1·0					20·7	1·3			8
9	1·4	1·4		·4	·2				1·1	·1			9
10	1·4	·4	·3	1·7	2·6				2·4				10
11				·6	1·5	4·4	7·4	13·8	·4		·4		11
12	3·0				3·3				·4	8·0	·9		12
13	1·0	·5		2·6			3·5		1·3	2·1	1·3	·1	13
14	3·1			·8	·5		·2			·5	·7		14
15				1·7	7·4		·1	·6		·9			15
16	2·1			10·3	5·3							·4	16
17				·1			2·9			1·0			17
18				·3	·6				2·5		·2		18
19		·5		·1					1·1	5·9	·4		19
20				3·5	5·7			10·1		8·3	1·0		20
21	·4		1·8	1·4	26·5			20·5		5·9		·4	21
22	·2		7·4	·3	·5		4·8		12·6	1·9	9·5	1·3	22
23		·4	·1		·2				1·7	5·3	·6		23
24					·2		8·8		·8	1·6	5·8		24
25		1·6					13·2		·3	5·6	·4	·1	25
26			·6	7·7	3·4		2·8		1·7	·1			26
27			3·8	3·8	9·8		1·2		·4		1·8		27
28			1·8		17·0	·4	3·2			1·9			28
29			3·5	2·3	3·5	2·3	·2	2·4	·8	7·1	·2		29
30	·2	✕			·3	5·5		3·7	5·2	6·5	9·7	5·4	30
31		✕	6·3	✕		✕	1·7	·2	✕		✕	1·4	31 (23·30)
TOTAL	(1·76) 19·4	·26 6·6	(1·65) 29·3	2·26 57·4	4·30 109·2	·62 15·8	2·32 59·0	2·52 64·1	2·48 63·1	2·98 75·6	1·54 39·0	·61 15·6	YEAR'S TOTAL 554·1
Days with 0·2 mm. or more.	13	9 ~~6~~	11	21	24	6	15	8	22	18	16	7	170
Days with 1·0 mm. or more.	8	3	7	15	14	4	13	6	14	16	8	4	112

(144W)

40-9999

(Signed) H. C. Dyer

[P.T.O.

1101

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1933.

Feb 24th - 26th estimated for snowfall. Obs. notified 19/2/34

Kept at Salcey Forest
in the County of Northants

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.7	3.9	3.9	–							.7		1
2	5.7		6.5		.3						.3		2
3		3.0	7.3		5.3						.6		3
4	5.1	.1	.4		7.7								4
5	2.0		5.7		3.4						.2		5
6		1.2	3.7		3.7					.4	.5		6
7	.8	2.2	.3		.5					2.5	.4	.3	7
8	.6		2.4		2.7		4.2			.2			8
9		.5			1.6		4.3			.4	2.3		9
10	.1	6.1				.7	1.7			13.1	.5		10
11	1.8					1.1	.1	1.5				3.0	11
12						3.0	1.0		11.3			.3	12
13	.6				2.1	4.3	2.5			.1	6.0		13
14	.5				.9		~~.3~~			1.6	12.2	.8	14
15	10.4		2.5				.3	1.3		.4	12.3		15
16	1.7		11.0		.1	3.0	2.6		.1	.4	3.0		16
17	.7	.3	7.3			1.8	1.1		1.0		3.4		17
18	2.1	2.3				1.4					.3		18
19			3.9			.9			3.0		.2		19
20		.8	1.2			27.6			.3		.2		20
21		1.2				.9		4.3	4.1	.1	.1		21
22						9.6		9.9	.2	7.0	.1		22
23				2.5		.1			18.0	.1			23
24		(12.7)		2.1	2.0	58			7.9		.3	1.8	24
25		(10.2)		6.0		3.7			1.3	.8	.6		25
26		(7.6) ~~.6~~		1.2		19.0			4.1	4.1			26
27					6.6		.5		1.4	1.9		1.2	27
28				.9	2.5				.1	6.8		2.4	28
29	1.0			3.9			14.6			2.7			29
30	6.2	×	.7				.8					1.8	30
31	1.7	×	2.1	×		×		2.8	×	2.6	×		31
TOTAL	1.68 42.7	(2.05) ~~27.0~~ (52.1)	2.32 58.9	.65 16.6	1.55 39.4	3.26 82.9	1.33 33.7	.78 19.8	2.08 52.8	1.78 45.2	1.74 ~~44.2~~	.46 11.6	YEAR'S TOTAL ~~19.08~~ (19.68)
*Days with 0·2 mm. or more.	16	13	15	6	13	14	11	5	11	15	12	8	145
*Days with 1·0 mm. or more.	11	10	12	5	10	11	8	5	9	9	6	5	101

(144W)
40-9999

M

(Signed) H. C. Dyer

[P.T.O.

1101

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934.

Kept at Salcey Forest

in the County of Northants

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1·7							3·1	·1		2	8·7	1
2	3·7		1·1						14·8	·4	·1	3·9	2
3	·1	1·5		2·1						3·7		·6	3
4	1·2	·3	2·0	5·2					2·8	4·6	4·4	7·5	4
5			1·8		·9			1·9			1·6	5·2	5
6	·2		2·5	·9	8·2	1·4				3·9		17·8	6
7	1·3		·1			1·4		4·9		2·1	·1	6·1	7
8					2·2	3·8		1·4	·8		3·1	·1	8
9	·3		1·7					·4			22·2	7·0	9
10	·1		4·2	3·2				1·7			7·8	·4	10
11	11·2		6·8	2·2				7·1				7·4	11
12			1·7	·4				4·1				·3	12
13	6·5	·2	·4	·3			23·5	1·0		·7	·1	20·3	13
14	·4		5·1		1·0					2·5	7·5	6·5	14
15	·6		3·3		·7			·1	17·0		3·7	1·3	15
16	3·2	·2	3·7		·7					3·8	·5	·2	16
17	·1				·1			·5	2·5	3·7	3·4	3·5	17
18	7·0			6·9			15·1		1·1			1·1	18
19			2·6	·6		1·5			1·2	1·0			19
20			·9	·9									20
21			·2			3·0		·5		2·3		1·5	21
22							·4	2·8	5·6			3·8	22
23				5·0	2·1	6·0	·2						23
24		6·3	2·7	1·4		·7	6·0		7·9			7·8	24
25	4·7	1·1		1·9						1·5		·6	25
26	·1			2·3		1·2	·4		1·8	·3		7·0	26
27		2·6		·5		3·2				2·3		8·2	27
28				6·0		·6		12·3			1·5		28
29							6·5	1·1	4·5	·5	·6		29
30	1·0	×					·2	·6	·3			·5	30
31	·2	×		×		×			×	1·2	×	1·6	31
TOTAL	1·72 43·6	·48 12·2	1·61 40·8	1·57 39·8	·63 15·9	·90 22·8	2·06 52·3	1·71 43·5	2·38 60·4	1·36 34·5	2·24 56·8	5·07 128·9	YEAR'S TOTAL 21·73
*Days with 0·2 mm. or more.	15	7	16	16	7	10	8	15	12	16	12	25	159
*Days with 1·0 mm. or more.	10	4	13	10	4	8	4	11	10	12	9	19	114

(144W)

40-9999

M

(Signed) H. C. Dyer

P.T.O.

1101

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1935.

Kept at Salcey Forest
in the County of Northants

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	7·4			1·0		4·1	·4		1·8	1·2	2·7	2·0	1
2						·5				2·1	·2	·2	2
3		10·0	1·0	1·8		·9		1·3	2·5	11·3	5·8		3
4				4·4		2·1			3·9	2·1	·1	·7	4
5		18·2	1·0	3·3		1·5	·8		2·1		2·4	·2	5
6				8·4		5·4					·2	·4	6
7	·3	·4		9·6		1·0				2·6	10·6	4·1	7
8				4·4	·1	·1		9·3		6·1	2·6	·6	8
9				11·9		10·5				18·7	5·7	·3	9
10		1·2		7·1		·1					1·0	·2	10
11	4·3			·6		1·7	13·5				7·3	·3	11
12	·4	1·0				7·5		·4	·6		·7		12
13	2·5	6·1		·8	5·4	·4					·2		13
14				1·8	7·1	4·7			3·9		5·5	1·3	14
15		2·5		10·5	·9	5·6			6·8		6·7	4·4	15
16		·8	3·4	2·4	·1	3·8			2·4	2·1	14·6	2·9	16
17				·2		4·0					11·3		17
18				4·5		2·9	4·5		6·6	·9			18
19	·1	4·1		3·7	11·2	3·5	1·2		1·9	·3	4·3		19
20	·2			6·1	·1	1·5	·5		·8		2·9		20
21			·4	2·6					16·0	·5	4·2		21
22		5·5	·6	1·2				3·2	15·9				22
23		·3	2·3					23·3		3·6	·1	·6	23
24	·4	7·1	·9					·2	29·0		·2	6·2	24
25	4·5	·5		4·5		20·7		·5			·1	4·1	25
26	·8							3·6	2·2	·2		10·8	26
27	·2	3·5			8·7				4·0	·3	3·3	20·3	27
28		3·4			2·2				2·7	·1	·5	1·4	28
29			·8						10·0		1·6	2·9	29
30	1·6	×		·4	3·7			13·1	·6	2·9	7·4	3·7	30
31		×		×		×		4·7	×	30·0	×	3·0	31
TOTAL	22·7	64·6	10·4	91·2	39·5	82·5	20·9	59·6	113·7	85·0	102·2	70·6	YEAR'S TOTAL
*Days with 0·2 mm. or more.	11	15	8	22	7	19	6	10	19	16	24	22	179
*Days with 1·0 mm. or more.	5	11	4	18	6	16	3	7	16	11	18	13	128
(144W)	·89	2·54	·41	3·59	1·56	3·25	·82	2·35	4·48	3·35	4·02	2·78	30·04

40-9999

(Signed) H. G. Dyer

P.T.O.

1101

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1936.

Kept at Salcey Forest

in the County of Northants.

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	.6	2.1	1.8	14.6		4.7	17.1	.2	–	–	.7	.4	1
2	1.0	.5	1.6	.6		8.0	17.8	.9	–	–	4.2	.2	2
3	.1	.3			.1	3.0			2.2	–	3.6	.5	3
4		.2	3.0			.1		.2	10.2	–	1.0	2.1	4
5	2.1		.6				.4	.5	1.0	–	–	3.4	5
6	3.4				8.3	2.5	1.5	4.3	1.3	–	1.1	.2	6
7	10.0		.9			.6	.3		–	–	–	–	7
8	3.6		5.0		.2				–	–	5.5	2.7	8
9	9.7		.2		.2	.1	27.0		–	3.1	–	.2	9
10	3.8				.3		9.4	.4	9.2	.3	–	.2	10
11				1.7			5.4	.2	–	–	9.8	–	11
12				3.6		10.3	10.8		4.5	–	1.1	2.8	12
13				.3	.7	9.8	.2		–	1.7	1.5	4.5	13
14		.6		6.1		1.4	15.8		5.3	.5	–	7.8	14
15		.2		7.6		1.1	6.9		5.8	–	–	2.1	15
16	1.1	2.2		.2			.8		–	–	13.2	.4	16
17	1.3	7.7			.3		1.2		–	2.0	1.9	1.0	17
18		1.5				1.1	4.3		–	1.8	.3	–	18
19	10.0	.6	.4	1.7		7.3		1.6	–	4.7	–	–	19
20	.4	2.8	1.0	4.2		3.1	.7		12.7	.1	–	–	20
21				3.4	.9	17.3	.4		11.5	–	–	–	21
22	.3	13.0	1.9	.1	12.5		4.9		–	–	.2	4.3	22
23			.6	2.7	.5		3.1		–	.9	.2	–	23
24	3.4	4.2					7.2		7.5	10.4	–	–	24
25	2.4	.1	3.6	3.6		.5	4.3		7.2	.6	1.3	1.0	25
26		1.8	6.8	.3		2.3	3.5		0.1	1.9	.3	–	26
27	1.0		.2				.8		5.9	3.1	–	–	27
28	14.6	.5	1.9				2.1		0.6	–	–	1.9	28
29	17.8	5.4	2.2		.2	3.0	4.2		–	1.6	7.3	1.0	29
30	.8	×			3.9	3.6	2.2		–	7.6	.3	.2	30
31	14.6	×	3.2	×		×	2.2		×	10.4	×	2.1	31
TOTAL	102.0	43.7	34.9	50.7	28.1	79.8	6.08 154.5	8.3	85.0	50.7	53.7	39.0	YEAR'S TOTAL 730.4
*Days with 0.2 mm. or more.	20	16	17	14	11	17	27	8	14	~~16~~ 15	18	21	198
*Days with 1.0 mm. or more.	16	9	11	10	3	15	20	2	13	11	12	13	135
(144w)	4.02	1.72	1.37	2.00	1.11	3.14	6.08	.33	3.35	2.00 ins	2.11	1.54	28.77

40-9999

(Signed) H. G. Dyer

[P.T.O.

1101

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at Salcey Forest

in the County of Northants.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2·4	0·6			–	–	–	–	2·8	–	14·5	9·0	1
2	0·6	1·9		14·8	–	–	·01	–	·2	–	–	3·0	2
3	TR	0·9		0·1	4·5	–	–	–	–	–	·1	2·1	3
4	2·0	5·1	x	0·1	0·2	–	–	–	–	–	–	15·6	4
5	3·2	–	3·3		–	–	0·2	–	–	–	–		5
6	3·0	–	11·8	0·1	3·2	–	2·2	–	–	·0·3	·5		6
7	–	18·0		5·2	0·2	–	1·0	–	·3	–	–		7
8	–	1·2			0·3	–	–	–	~~4·5~~	–	5·3	1·0	8
9	–	–	·04	7·4	10·3	–	7·4	·01	4·5	–	–	3·6	9
10	·2	1·3	11·7	4·8	0·2	5·6	1·0	–	–	–	–	3·4	10
11	–	–	2·8	0·3	16·0	–	0·2	·03	–	–	–	3·3	11
12	1·5	7·9	3·0		9·5	1·2	–	15·8	2·9	–	–	4·0	12
13	4·3	1·8	8·3	0·1	–	12·4	–	3·4	·9	–	–	·9	13
14	0·1	0·4	3·8	0·0	–	1·0	–	7·5	·8	–	–	·9	14
15	5·3	2·5		5·8	–	–	29·1	–	1·6	–	–	·5	15
16	2·1	3·3	6·5	8·5	–	–	–	·8	7·8	–	–	·4	16
17	6·2	0·7	12·9	6·3	–	–	–	–	2·3	–	·5		17
18	5·1	2·7	0·7	0·5	–	–	–	–	20·0	–	7·3	·4	18
19	2·3	0·7	3·2	1·9	0·6	13·6	–	–	1·3	·2	2·0		19
20	4·6	–		11·2	18·5	4·9	–	–	–	·2	–	·2	20
21	4·3	8·3	3·2	0·3	–	–	2·8	–	–	–	·3	·3	21
22	6·0	–	0·6		0·5	4·6	2·2	–	–	7·1	10·8	·4	22
23	5·5	–	1·4		8·7	–	4·3	–	–	18·7	·3		23
24	4·6	8·8	0·6		0·4	–	·2	–	1·4	8·3	–		24
25	3·3	3·6	0·4		28·5	–	–	–	·3	13·8	–		25
26	–	8·0	2·4		9·8	–	–	–	–	1·8	–		26
27	0·3	2·8	0·1	6·5	–	–	–	–	–	21·2	·1		27
28	–	2·0			–	–	–	–	–	1·3	–		28
29	0·8	–			–	–	–	–	–	1·1	·3	3·3	29
30	7·6	×			–	1·0	–	·4	–	–	4·8		30
31	6·8	×		×	–	×	–	–	×	4·9	×	1·2	31
TOTAL	82·1	82·5	77·1	74·5	111·4	44·3	50·7	28·3	47·5	79·0	46·8	53·5	YEAR'S TOTAL
*Days with 0·2 mm. or more.	23	21	18	14	16	8	11	~~3~~6	14	12	11	9	163
*Days with 1·0 mm. or more.	19	16	13	10	9	8	8	3	9	9	6	11	121
(144W) 40-9999	3·23 ins	3·25	3·04	2·93	4·39	1·74	2·09	1·11	1·85	3·11	1·84	2·11	30·60

(Signed)..........................

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1101

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1938.

Kept at Salcey Forest.
in the County of Northants.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 370 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	–	–				7.0	2.5	–	–	1.4	–	3.6		1
2	0.7	–		1.4	4.3	4.6	–	–	–	9.5	.1	0.2		2
3	–	–		.3	2.8		–	–	.3	16.2	.3	–		3
4	2.0	–				0.1	.6	–	–	4.9	–	3.0		4
5	0.1	–					6.5	1.0	.1	2.1	–	–		5
6	0.8	0.1					1.3	24.2	2.1	3.2	–	–		6
7	4.4	–				0.1	4.7	13.2	2.4	9.4	–	3.3		7
8	3.4	–				5.1	1.2	0.8	–	5.3	–	1.4		8
9	1.2	1.0					–	21.2	–	–	–	11.5		9
10	–	1.4	0.4			3.5	4.3	1.9	–	–	–	1.5		10
11	11.6	–					–	–	–	0.1	3.3	–		11
12	3.3	0.6			1.4		–	31.4	–	7.5	.2	–		12
13	–	2.9					–	–	–	0.5	.7	3.1		13
14	7.0	–			1.7		3.6	–	1.0	–	–	–		14
15	2.1	–					3.8	–	–	0.5	.1	5.2		15
16	5.3	0.2		.1			.6	–	–	0.1	.7	6.9		16
17	–	2.3			2.5		1.9	–	.2	2.6	.6	–		17
18	0.6	–			3.6		–	1.2	13.9	–	8.2	–		18
19	–	–					–	1.5	1.5	–	4.1	–		19
20	–	–			.8		–	0.4	.7	–	18.5	3.5		20
21	–	–					tr	0.3	.7	–	.6	13.3		21
22	–	–		.1			–	0.6	–	–	8.1	6.9		22
23	–	–					–	–	–	–	–	0.8		23
24	–	–	1.8		.9		–	–	6.2	–	.6	–		24
25	2.2	2.8	1.8		1.1		tr	1.7	–	2.2	8.1	10.5	1.38	25
26	2.6	9.3	3.3	.5			–	–	4.2	5.8	–	–		26
27	1.7	0.5		.2	2.6	4.1	6.4	0.2	4.6	0.3	8.4	2.8		27
28	4.6	0.2			13.1	5.0	.4	25.4	3.1	–	–	2.9		28
29	12.3	×		1.2	5.5		.1	–	0.6	0.1	2.8	–		29
30	0.4	×		.5			–	–	3.3	0.9	4.0	2.8		30
31	4.5	×		×	5.9	×	–	–	×	4.7	×	10.8		31
TOTAL	70.8	21.3	7.3	4.3	46.2	29.5	37.9	125.0	44.3	77.3	69.4	94.0	Year's Total. 627.3	24.70
* Days with 0.2 mm. or more.	19	10	4	6	12 13	8 6	13	15	14	17	16	19	152	✓
* Days with 1.0 mm. or more.	15	6	3	2	11	6	10	10	10	13	9	17	112	✓

(144 w) * See Instructions 2 (f) on other side. † Spare column, no entries required.

40-9999 2·79 ins 84·29 ·17 1·83 1·16 1·49 4·92 1·74 3·04 2·73 3·70 24·69 70

(Signed) E. L. Dyer.

2.73

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1101

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Copy by B.R.O.

Kept at Salcey Forest.
in the County of Northants
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 370 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	-	-	-	8.4	3.6	-	-	1.8	.4	1.0	-	.4		1
2	0.6	-	-	1.4	-	-	-	17.0	7.8	.4	1.2	.2		2
3	7.4	-	-	3.7	-	-	-	14.5	.2	-	7.4	5.5		3
4	0.8	-	8.0	9.5	-	-	0.2	8.2	-	1.2	1.5	1.9		4
5	-	-	-	12.8	5.0	-	4.8	22.7	-	4.3	5.5	13.0		5
6	15.5	-	.5	1.3	-	-	13.2	0.4	-	.7	-	-		6
7	1.3	3.0	-	-	-	-	0.8	tr	-	tr	6.5	3.9		7
8	-	1.2	4.4	-	-	-	3.2	7.2	-	12.5	4.3	9.8		8
9	1.0	2.8	-	-	-	-	-	1.7	-	27.2	-	2.9		9
10	8.8	-	tr	-	-	10.1	-	4.2	.5	1.4	-	-		10
11	-	-	5.0	-	-	10.0	-	.	.3	1.8	-	0.2		11
12	0.1	0.3	.2	-	.2	1.2	-	-	-	-	.4	-		12
13	-	-	-	.2	-	1.0	0.5	.	1.3	17.0	-	-		13
14	9.7	-	.3	-	15.5	2.5	2.5	.	tr	1.4	2.6	.7		14
15	6.5	-	1.0	.4	10.5	7.2	1.0	-	1.2	19.4	1.3	-		15
16	6.8	-	3.3	-	2.2	9.3	7.9	-	-	2.6	8.5	-		16
17	3.6	0.1	.2	.3	1.9	-	3.7	.	-	45.5	0.6	-		17
18	2.7	0.4	1.7	-	-	6.1	10.6	tr	.2	1.0	15.1	-		18
19	6.0	-	-	-	-	-	16.7	-	.3	tr	-	.3		19
20	3.7	-	-	-	.1	3.3	1.0	41.2	-	-	-	.3		20
21	2.8	3.1	6.5	-	.5	5.7	2.2	10.6	1.9	-	-	-		21
22	6.0	3.6	3.6	-	-	0.3	0.4	tr	.3	-	4.2	-		22
23	1.3	-	-	1.0	-	0.4	3.5	-	-	2.7	14.0	-		23
24	5.0	-	.1	.5	-	tr	1.4	-	-	1.5	-	.		24
25	27.3	2.9	5.5	.2	-	-	1.3	-	-	-	8.2	.		25
26	16.1	0.3	1.0	2.4	-	.	-	5.4	-	1.2	10.6	3.2		26
27	1.4	1.1	2.8	-	-	0.4	1.2	.	-	1.3	.3	-		27
28	0.2	4.5	2.9	1.1	-	0.7	0.2	.01	-	.4	4.5	2.0		28
29	-	-	.1	14.6	.1	-	4.5	.	-	5.7	.2	-		29
30	-	✕	-	14.6	-	0.4	-	.	-	tr	.6	-		30
31	-	✕	-	✕	-	✕	1.8	tr	✕	-	✕	.		31
TOTAL	133.6	23.3	47.1	72.4	39.6	58.6	82.6	135.0	14.4	150.2	100.8	44.3	Year's Total 901.9 ~~1031.9~~	✓
* Days with 0.2 mm. or more.	22	12	16	16	8	15	22	13	~~X~~ 11	21	20	14	189	✓
* Days with 1.0 mm. or more.	19	8	12	11	6	10	17	11	4	18	16	8	139	✓
	5.26	92	1.85	2.85	1.56	2.31	3.25	5.31	.57	5.92	3.97	1.74	35.51	

(144w) * See Instructions 2 (f) on other side. † Spare column, no entries required.

40-9999 (Signed)............ [P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1101

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Salcey Forest

in the County of Northants

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 370 ft.

Letter sent for August & September values today. 14/11/40

B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	-	0·3	-	-	0·2	-	-	-	-	-	1·0	-		1
2	-	1·9	-	5·8	-	-	1·0	-	-	·3	23·6	·4		2
3	-	5·5	-	3·9	-	-	-	-	-	3·3	17·1	1·3		3
4	-	2·4	-	4·9	-	-	2·5	-	-	3·7	10·3	1·4		4
5	-	-	-	-	0·5	-	3·1	-	-	2·2	17·0	2·1		5
6	2·7	5·2	-	-	1·7	-	2·1	-	-	4·9	5·3	-		6
7	5·6	4·5	-	0·2	1·2	-	3·0	-	·4	-	-	1·0		7
8	-	0·2	-	1·7	-	-	0·2	-	1·5	3·7	·5	4·7		8
9	-	-	-	0·3	-	2·5	0·5	·2	1·2	·3	·8	1·9		9
10	-	-	-	-	-	-	25·5	·9	-	·8	5·2	2·8		10
11	-	-	0·1	1·2	-	1·6	2·0	-	-	-	19·2	2·9		11
12	-	0·5	2·3	-	-	-	1·4	-	1·4	-	6·0	-		12
13	-	1·0	20·4	0·4	-	-	1·2	-	1·3	·3	15·7	-		13
14	-	-	1·8	1·9	6·4	-	-	-	2·6	·8	-	7·5		14
15	-	-	1·2	0·8	2·0	1·6	1·9	-	·4	4·0	3·6	·1		15
16	1·8	4·7	8·8	0·2	-	-	8·8	-	4·6	21·5	16·0	·2		16
17	-	0·2	6·3	-	-	-	0·6	-	-	·1	·2	-		17
18	0·2	11·5	8·8	10·4	-	-	2·2	1·0	-	1·3	1·0	1·5		18
19	-	3·7	0·7	5·0	-	-	6·3	-	3·0	·1	3·9	1·1		19
20	-	0·1	0·3	0·9	-	-	0·3	-	-	1·6	1·0	·2		20
21	3·4	0·3	0·8	-	5·2	-	3·2	-	-	1·5	18·6	-		21
22	0·8	-	1·6	0·2	10·3	10·0	-	-	4·5	·2	-	-		22
23	-	4·7	0·8	0·5	2·5	7·6	-	-	1·0	-	·2	2·0		23
24	-	-	-	1·9	-	-	4·1	-	-	-	·1	·4		24
25	-	-	2·4	-	-	-	5·2	-	-	1·4	-	-		25
26	24·0	1·2	0·3	-	1·0	·6	13·6	-	-	·1	-	-		26
27	15·0	1·5	-	12·1	1·9	-	2·5	-	-	-	-	-		27
50.9 28	9·0	4·0	-	0·1	2·6	-	-	-	-	-	-	-		28
51 29	-	0·2	2·0	-	7·7	·1	-	-	-	-	-	6·5		29
30	2·0	✕	-	·5 ·5 14·5	-	-	-	-	-	5·0	-	·5		30
31	0·9	✕	-	✕	-	✕	-	-	✕	13·9	✕	·1		31
													Year's Total	
TOTAL	65·4	53·6	58·6	66·9	43·2	24·0	91·2	2·1	21·9	71·0	166·3	38·6	702·8	✓
* Days with 0.2 mm. or more.	11	19	15	19	13	6	22	3	11	19	20	18	176	✓
* Days with 1.0 mm. or more.	8	13	10	11	11	5	18	1	9	13	16	13	128	✓

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 2·57 2·11 2·31 2·63, 1·70, ·95, 3·59, (Signed) Forestry Commission [P.T.O.

·08 ·86 2·80 6·55 1·52 ~~27·63~~ 27·67

1102

1102

BLISWORTH

CRIEFF HSE

1931- 1940

480209

Section **A** for the entry of Daily Obser

AIR MINISTRY.—METEOR

FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTER O

Kept at Blisworth (Crieff Hou

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft

,, Ground ,, Sea Level 35

THE MORNING MEASUREMENT I

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02	·04 S.	·02	·03	—	—	—	—	—	—	—	1
2	·08	·05	—	·71	—	·01	—	—	·15	·05	·01	·08	2
3	·02	·02	—	·19	—	—	·01	·03	·76	—	·57	·11	3
4	·01	·05 S.	—	·10	—	—	·20	·37	·69	—	·07	—	4
5	—	·03 S.	—	·08	·10	·59	—	·01	·13	—	·02	·38	5
6	—	·19 S.	—	·03	—	·03	·12	—	·09	—	·20	·02	6
7	—	—	—	—	—	·06	·14	·28	—	·16	·11	·01	7
8	—	·07	·07 S.	·06	—	·05	—	·37	—	—	·12	—	8
9	—	·32	—	—	—	·17	—	·02	—	—	·22	·01	9
10	·02	·01	·01 S.	—	—	·02	·11	·28	—	—	·03	—	10
11	·15	·12	—	—	—	·01	·02	—	·08	—	·26	—	11
12	·03	·06 S.	—	·01	—	—	·03	·01	·27	—	—	—	12
13	·02	—	—	—	—	—	·02	·06	—	—	—	—	13
14	—	·07 S.	·03	—	·08	·10	1·14	·38	—	—	·04	—	14
15	—	·07	—	·09	·20	—	·07	·50	—	—	·02	·03	15
16	·02	·11 S.	—	·12	·18	·25	—	·13	·16	·01	·01	—	16
17	·03	·36 S.	—	·61	·42	—	·13	—	·02	—	—	—	17
18	·07	·12 S.	—	·42	·01	·13	·06	·18	—	—	·34	—	18
19	·02	—	—	·27	—	·13	·02	·05	·06	—	·01	·01	19
20	·01	·02	—	·08	—	—	·11	·13	—	·01	·01	·01	20
21	·07	—	—	—	·63	—	—	—	—	—	—	—	21
22	·06	—	—	—	·02	—	—	·03	·02	—	—	—	22
23	·11	—	—	·02	·43	·06	—	—	·05	—	·13	·06	23
24	—	—	·02	·15	·23	—	·05	—	·01	—	—	—	24
25	—	·02	—	·48	·03	—	·58	—	—		·07	—	25
26	—	—	—	·23	—	—	·18	—	—	—	·14	—	26
27	·08	·71	—	—	·39	—	·04	—	—	—	·27	·02	27
28	·09	·12 S.	—	·04	—	—	—	—	—	·05	·03	·23 S.	28
29	·01		—	—	·03	—	·15	—	—	·23	·01	·05 S.	29
30	·24 S.	✕	—	—	—	—	—	—	—	—	·01	·01 S.	30
31	·24	✕	—	✕	—	✕	·01	—	✕	—	✕	·04	31
TOTAL	1·39	2·54	·17	3·71	2·78	1·61	3·19	2·83	2·49	·49	2·70	1·07	YEAR'S TOTAL 24·97
*Days with ·01 in. or more.	21	20	5	19	14	13	20	16	13	6	23	15	185
*Days with ·04 in. or more.	10	14	2	15	9	9	14	11	10	3	13	7	117

40-9999

M

*See Instruction 2 (*f*) on other side.

(Signed) Alfd Westley

P.T.O.

1102

Section **A** **for the entry of Daily Observations.** FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Pisworth (Crieff House)

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 351 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02	·04 S.	·02	·03	–	–	–	–	–	–	–	1
2	·08	·05	–	·71	–	·01	–	–	·15	·05	·01	·08	2
3	·02	·02	–	·19	–	–	·01	·03	·76	–	·57	·11	3
4	·01	·05 S.	–	·10	–	–	·20	·37	·69	–	·07	–	4
5	–	·03 S.	–	·08	·10	·59	–	·01	·13	–	·02	·38	5
6	–	·19 S.	–	·03	–	·03	·12	–	·09	–	·20	·02	6
7	–	–	–	–	–	·06	·14	·28	–	·16	·11	·01	7
8	–	·07	·07 S.	·06	–	·05	–	·37	–	–	·12	–	8
9	–	·32	–	–	–	·17	–	·02	–	–	·22	·01	9
10	·02	·01	·01 S.	–	–	·02	·11	·28	–	–	·03	–	10
11	·15	·12	–	–	–	·01	·02	–	·08	–	·26	–	11
12	·03	·06 S.	–	·01	–	–	·03	·01	·27	–	–	–	12
13	·02	–	–	–	–	–	·02	·06	–		–	–	13
14	–	·07 S.	·03	–	·08	·10	1·14	·38	–	–	·04	–	14
15	–	·07	–	·09	·20	–	·07	·50	–	–	·02	·03	15
16	·02	·11 S.	–	·12	·18	·25	–	·13	·16	·01	·01	–	16
17	·03	·36 S.	–	·61	·42	–	·13	–	·02	–	–	–	17
18	·07	·12 S.	–	·42	·01	·13	·06	·18	–	–	·34	–	18
19	·02	–	–	·27	–	·13	·02	·05	·06	–	·01	·01	19
20	·01	·02	–	·08	–	–	·11	·13	–	·01	·01	·01	20
21	·07	–	–	–	·63	–	–	–	–	–	–	–	21
22	·06	–	–	–	·02	–	–	·03	·02	–	–	–	22
23	·11	–	–	·02	·43	·06	–	–	·05	–	·13	·06	23
24	–	–	·02	·15	·23	–	·05	–	·01	–	–	–	24
25	–	·02	–	·48	·03	–	·58	–	–	–	·07	–	25
26	–	–	–	·23	–	–	·18	–	–	–	·14	–	26
27	·08	·71	–	–	·39	–	·04	–	–	–	·27	·02	27
28	·09	·12 S.	–	·04	–	–	–	–	–	·03	·03	·23 S.	28
29	·01		–	–	·03	–	·15	–	–	·23	·01	·05 S.	29
30	·24 S.	×	–	–	–	–	–	–	–	–	·01	·01 S.	30
31	·24	×	–	×	–	×	·01	–	×	–	×	·04	31
TOTAL	1·39	2·54	·17	3·71	2·78	1·61	3·19	2·83	2·49	·49	2·70	1·07	YEAR'S TOTAL 24·97
*Days with ·01 in. or more.	21	20	5	19	14	13	20	16	13	6	23	15	185
*Days with ·04 in. or more.	10	14	2	15	9	9	14	11	10	3	13	7	117

40-9999

M

*See Instruction 2 (*f*) on other side.

(Signed) Alfd Westley

P.T.O.

1102

Section A for the entry of Daily Observations. **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Blisworth (Cliff House)
in the County of Northampton
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 351 ft.

Station No 1102.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·04	—	·08	·63	·05	·05	·08	·04	·16	·01	·02	1
2	·05	·01	—	·12	·15	—	—	—	·22	·11	·03	·20	2
3	—	—	—	·24	·05	—	—	—	—	·01	—	—	3
4	·03	—	—	·26	·01	—	—	—	—	—	·22	—	4
5	·31	·01	·03	—	·02	·03	·16	—	·07	—	—	—	5
6	·39	—	·06	·13	—	—	—	—	·22	—	—	—	6
7	·02	·01	·16	·15	—	—	·01	—	·03	—	—	—	7
8	—	·01	·01	·11	—	—	—	—	·32	·08	—	·02	8
9	·12	·03s.	·01	·11	·06	—	—	—	—	·01	—	—	9
10	·11	·06s.	·04	·09	·09	—	—	—	·13	·01	—	—	10
11	·01	·03s.	—	·07	·08	·09	·07	·07	·01	·03	·02	—	11
12	·19	—	—	·01	·18	—	—	—	·03	·62	·04	—	12
13	·09	·02	—	·10	—	—	·29	—	·05	·04	·07	·01	13
14	·20	·01	—	·05	·05	·01	·01	—	—	·02	·04	—	14
15	·01	·01	—	·10	·23	—	—	·01	—	·04	—	·02	15
16	·22	—	—	·38	·19	—	—	—	—	—	—	—	16
17	—	·01	—	·01	—	—	·11	—	—	·08	·01	—	17
18	—	—	—	—	·03	—	—	—	·03	—	·04	—	18
19	—	·01	—	—	—	—	—	—	·03	·22	·02	—	19
20	—	—	—	·18	·26	—	—	·50	—	·32	·06	—	20
21	·01	—	·10	·13	1·34	—	—	1·32	—	·25	—	02	21
22	·01	—	·30	·05	·03	—	·39	—	·62	·06	·36	—	22
23	—	·01	·13	—	·40	—	·01	—	·11	·11	·06	·02	23
24	—	—	—	—	—	—	·09	—	·02	·08	·22	·01	24
25	·01	·03	—	—	—	—	·34	—	·05	·18	·01	—	25
26	—	—	·02	·18	·14	—	·21	—	·06	—	—	·01	26
27	—	—	·35	·13	·33	—	·03	—	·03	—	·09	·01	27
28	—	—	·22	·01	·89	·10	·14	—	—	·11	·01	—	28
29	—	—	·30	·11	·12	·07	—	·22	·03	·35	—	—	29
30	—	✕	·03	·01	—	·45	·07	·23	·54	·31	·38	19	30
31	·01	✕	·33	✕	—	✕	·07	·01	✕	—	✕	·05	31
TOTAL	1·82	·30	2·09	2·81	5·28	·79	2·05	2·44	2·64	3·20	1·69	·58	YEAR'S TOTAL 25·69
*Days with ·01 in. or more.	18	15	15	24	21	6	16	8	20	22	18	12	195
*Days with ·04 in. or more.	9	2	10	20	17	5	12	6	12	17	11	3	124

40-9999

M

*See Instruction 2 (*f*) on other side.

(Signed) Alfd Westley

P.T.O.

1102

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No 1102

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Blisworth

in the County of Northampton

File No 667 327/26

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 351 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.15	.19	—	—	—	—	—	—	—	.01	—	1
2	.19	—	.33	—	.01	—	—	—	—	—	.04	—	2
3	—	.11	.32	—	.38	—	—	—	—	—	.04	—	3
4	.14	—	.02	—	.29	—	—	—	—	—	—	—	4
5	.10	.04	.17	—	.10	—	—	—	—	—	—	—	5
6	.01	.07	.10	—	.09	—	—	—	—	.02	—	—	6
7	.03	.12	.03	—	.01	—	—	—	—	.08	—	.01	7
8	.01	—	.07	—	.07	—	.17	—	—	.02	—	—	8
9	—	—	—	—	.05	—	.22	—	—	.03	.06	—	9
10	.01	.33	—	—	—	.05	.02	.01	—	.54	.01	—	10
11	.05	—	—	—	—	.01	.18	.05	—	—	—	—	11
12	.01	—	—	—	.01	.05	.06	—	.45	—	—	—	12
13	.01	—	—	—	.08	.05	.13	—	—	.02	.20	—	13
14	.02	—	—	—	.05	—	—	—	—	.05	.44	.03	14
15	.43	—	.11	—	—	—	.12	.12	—	.01	.31	—	15
16	.04S.	—	.63	—	—	.16	.23	—	.01	.01	.05	—	16
17	.06S.	—	.35	—	.01	.07	—	—	.05	—	.06	.01	17
18	.05	.04S.	—	—	—	.06	—	—	—	—	.04	—	18
19	.01	.03 S.	.38	—	—	.01	—	—	.06	—	.01	.02	19
20	—	.06 S.	.09	—	—	1.00	—	—	—	—	.01	.01	20
21	—	.04S.	—	—	—	.09	—	.08	.07	—	.01	—	21
22	—	—	—	—	—	.07	—	.44	—	.41	—	—	22
23	—	—	—	.10	—	.01	—	—	.50	.02	—	—	23
24	—	.37S.	—	.10	.08	.15	—	—	.36	.02	—	—	24
25	—	.63SR	—	.24	—	.05	—	—	.11	.01	.03	.06	25
26	—	.35	—	.03	—	.33	—	—	.06	.18	.01	.01	26
27	—	.02	—	—	.22	—	.01	—	.07	.11	—	.02	27
28	—	—	—	.03	.03	—	.01	—	.01	.20	—	.08	28
29	.02	—	—	.17	—	—	.28	—	—	.10	—	.01	29
30	.22	✕	.03	.02	—	—	.06	—	.01	—	—	.11	30
31	.03	✕	.12	✕	—	✕	—	.09	✕	.08	✕	—	31
TOTAL	1.52	2.36	2.94	.69	1.48	2.16	1.49	.79	1.76	1.91	1.33	.37	YEAR'S TOTAL 18.80
*Days with .01 in. or more.	20	14	15	7	15	15	12	6	12	18	16	11	161
*Days with .04 in. or more.	10	12	12	4	10	12	9	5	9	9	9	3	104

40-9999

*See Instruction 2 (*f*) on other side,

D M

(*Signed*) Alfd Westley

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1102

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Blisworth

in the County of Northampton

File No. 667327/26

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 351 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	–	–	–	–	–	–	·17	–	–	·02	·37		1
2	·11	–	·05	–	–	–	–	·01	·53	·04	–	·18		2
3	·01	·02	–	·05	–	–	–	·21	–	·14	–	·02		3
4	·07	·02	·07	·21	·02	–	–	–	–	·10	·19	·33		4
5	–	–	·08	·01	·05	–	–	·09	–	–	·03	·19		5
6	·01	–	·07	·05	·34	·03	–	–	–	·16	–	·57		6
7	·04	–	·01	–	–	·08	–	·17	–	·05	–	·25		7
8	–	–	–	–	·09	·04	–	·08	·01	–	·14	·02		8
9	–	–	·11	–	–	–	–	·01	–	–	·77	·23		9
10	–	–	·12	·13	–	–	–	·02	–	–	·20	·04		10
11	·49	–	·19	·12	–	–	–	·19	–	–	·01	·21		11
12	–	–	·07	·04	–	–	·01	·05	–	–	–	·04		12
13	·31	–	·03	–	–	–	·78	·09	–	·02	–	·44		13
14	·02	–	·23	–	·02	–		·02	–	·07	·32	·32		14
15	·03	–	·27	–	·07	–	–	–	·73	–	·16	·02		15
16	·13	–	·14	–	·02	–	–	–	–	·12	·02	·01		16
17	–	–	–	·01	–	–	–	–	·11	·09	·05	·22		17
18	·14	–	·01	·24	–	–	·19	–	·01	–	·01	·04		18
19	–	–	·13	·01	–	·04	–	–	·05	·02	·01	·02		19
20	–	–	·02	·05	–	·01	–	–	–	–	–	·01		20
21	·01	–	·01	·01	–	·09	–	·01	–	·06	–	·01		21
22	–	–	–	–	–	–	–	·18	·12	–	–	·03		22
23	–	–	–	·20	·10	·29	·03	·01	–	–	–	·22		23
24	–	·30	·07	·06	–	·04	·48	–	·23	–	–	·01		24
25	·13	·04	–	·08	–	·34	–	–	–	·07	–	·36		25
26	·01	–	·01	·02	–	·06	·04	–	·06	·01	–	·02		26
27	–	·075.	–	–	–	–	–	–	–	·08	–	·15		27
28	–	·01	–	·16	–	·02	–	·38	–	–	·03	·28		28
29	–	–	–	·01	–	–	·19	·03	·23	·01	·01	·01		29
30	·05	×	–	–	–	–	·01	–	·02	·01	–	·01		30
31	·02	×	–	×	–	×	·01	·08	×	·04	×	·05		31
TOTAL	1·62	·46	1·69	1·46	·71	1·04 ✓	1·74	1·80	2·10	1·09	1·97	4·68	Year's Total 20·36	✓
*Days with ·01 in. or more.	17	6	19	18	8	11	9	18	11	17	15	31	180	
*Days with ·04 in. or more.	10	3	13	12	5	8	5	11	8	12	7	19	113	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) Alfd Westley

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** X **Station No.** 1102

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Blisworth

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 351 ft.

File no 667327/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	–	–	·05	·01	·13	·02	–	·01	·14	·09	·04		1
2	–	·01	–	–	–	·05	–	–	–	·08	·01	·03		2
3	–	·33	·01	·01 s.	–	·06	–	–	·10	·23	·16	·05		3
4	–	–	–	·05 SR	–	·05	–	–	·05	·35	·02	–		4
5	–	·78	·02	·24 SR	–	·12	·05	–	·07	·06	·03	·01		5
6	–	·02	–	·35	–	·20	–	–	–	–	·01	–		6
7	–	–	–	·39	–	·22	–	–	–	·20	·31	·15		7
8	–	–	–	·18	–	·01	–	·04	–	·04	·15	·03		8
9	–	–	–	·60	–	·42	–	–	–	·91	·25	·01		9
10	–	–	–	·20	–	·02	–	–	–	–	–	·01		10
11	·12	–	–	–	–	·07	·16	–	–	·02	·36	·02		11
12	·01 s.	·02	–	–	–	·48	–	·01	–	–	·01	–		12
13	·06	·18	–	·02	·18	·10	–	–	–	–	–	·01		13
14	–	–	–	·07	·16	·15	–	–	·18	–	·19	·05 s.		14
15	–	·10	–	·50	·03	·16	–	–	·41	–	·23	·23 SR		15
16	–	·07	·05	·09	–	·24	–	–	·11	·06	·74	·09 s.		16
17	–	–	–	–	–	·18	–	–	·01	–	·40	–		17
18	–	–	–	·21	·04	·10	·14	–	·23	·02	–	–		18
19	·01	–	–	·09	·35	·10	·11	–	·04	·04	·10	·01		19
20	·01	·10	–	·25	–	·05	·01	–	·02	–	·17	–		20
21	–	·21	·01	·02	–	–	–	–	·50	·02	·21	·01		21
22	–	·02	·01	–	–	–	–	·06	·54	–	–	–		22
23	·01	–	·09	–	–	–	–	·85	·02	·14	–	·10 s.		23
24	·01	·20	·02	–	–	–	–	–	·79	·01	–	·24 SR		24
25	·16 SR	·05	–	·23	–	2·50	–	·02	–	–	–	·25		25
26	·03 s.	·03 SR	–	–	–	–	–	·23	·06	–	–	·40		26
27	·02 s.	·13 SR	–	–	·61	–	–	–	·10	·02	·15	·87		27
28	–	·14	–	–	·08	–	–	–	·09	–	·02	·02		28
29	·01	–	·02	–	–	–	–	·01	·25	–	·05	·15		29
30	·05	×	–	·04	·09	–	–	·60	–	·13	·32	·19		30
31	–	×	–	×	·01	×	–	·10	×	1·20	×	·14		31
TOTAL	·72	2·39	·23	3·59	1·56	5·41	·49	1·92	3·58	3·67	3·98	3·11	Year's Total. 30·65	✓
* Days with .01 in. or more.	13	16	8	19	10	21	6	9	19	18	22	24	185	
* Days with .04 in. or more.	5	11	2	16	7	19	4	6	15	13	16	14	128	

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) Alfd Westley

P.T.O.

COPY FOR OFFICIAL USE.

Sec n **A** for the entry of Daily Observations. Station No. 1102

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Blisworth Crieff House
in the County of Northants
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft.........in.
,, Ground ,, Sea Level 361.........ft.

Copy in B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.05	.04	42		.02	22	.01	-	-	.04	.02		1
2	.03	.05	.07	.03		.46	.80	.05	-	.01	24	-		2
3	.01	.01				.45		.01	.14	-	.05	03		3
4			.15			.06		.01	.32	-	.02	.07		4
5	.06		.02				.02	.02	.02	-	-	.16		5
6	.10				.24	.11	.06	.17	.07	-	.10	.01		6
7	.32		.03				.03	.01	.01	-	-	.04		7
8	.15		.22		.01				-	-	.30	.06		8
9	.60		.01			.01	.80		.14	.06	-	.01		9
10	.11						.53		.03	.01	-	-		10
11				.01			.16		.07	-	.40	-		11
12				.11		.39	.38	.01	.09	-	.12	.11		12
13				01	.02	.28	.05		-	.06	.08	.34		13
14		.02		.26		.03	.66		.09	.01	-	.50		14
15		.02		03		.01	.17		.10	-	-	.18		15
16	.03	06					.03		-	-	.47	.02		16
17	.05	.48			.05		.11		.	.08	05	.06		17
18		.02				.14	.11		-	.08	.01	.03		18
19	.45	.05		.10		.29	.01	.05	.	.12	-	-		19
20	.13	.14	.02	.10		02	.02		.52	-	-	-		20
21				.16		43	.03		.58	-	-	-		21
22	.04	.60	.04		.33		.26		.	-	-	.07		22
23	.03		.05	08	.01		.19		-	.01	-	.01		23
24	.15	09		01			.11		.19	.24	-	-		24
25	.10		22	.18		06	.16		.21	.08	14	.01		25
26		.10	.24			03	.07		-	.03	.03	-		26
27	.03		.02				01		.13	.08	.01	-		27
28	.73	.02	.10				.07		-	-	-	.07		28
29	.19	.14	.03			.08	.02		-	.04	.29	.06		29
30	.05	✕	.01		.17	.37	06		-	.39	.02	.01		30
31	.62	✕	.11	✕	.01	✕	.08		✕	.39	✕	.15		31
TOTAL	4.01	1.85	1.38	1.50	.84	3.74	5.22	.34	2.71	1.69	2.37	2.01	Year's Total 27.66	
* Days with .01 in. or more.	22	15	17	13	8	18	28	9	16	16	17	22	201	
* Days with .04 in. or more.	16.	10.	10.	8	4	12	20.	3.	13	11	12	13	132	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1102

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Blisworth, Crieff House

in the County of Northants

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	–			–	–	.01	–	.08	–	.41	.33		1
2	.02	.09	.01	.49	–	–	–	–	–	–	.01	.15		2
3	–	.05			.06	–	–	–	–	–	.01	.07		3
4	.06	.15		.01	–	–	–	–	–	–	–	.69		4
5	.19	–	.12		–	–	.01	–	–	–	–	–		5
6	.16	–	.49	.01	.14	–	.02	–	–	.04	.02	–		6
7	–	.75	.01	.18	.02	–	–	–	–	–	–	–		7
8	–	.02			.09	–	–	–	–	–	.15	.02		8
9	–	–	.01	.27	.27	–	.31	–	.14	–	–	.13		9
10	–	.08	.61	.52	–	.17	.01	–	–	–	–	.13		10
11	–	–	.12	.01	.65	.01	–	.14	–	–	–	.17		11
12	05	.32	.10		.46	.21	–	.94	.12	–	–	.12		12
13	.16	.06	.31		.01	.42	–	.01	.02	–	–	.01		13
14	.01	.01	.23	.01	–	.04	–	.13	.06	–	–	.02		14
15	.31	.13		.21	–	–	1.42	–	.12	–	–	.02		15
16	.01	.07	.24	.53	–	–	–	.02	.21	–	–	.01		16
17	.46	.02	.30	.23	–	–	–	–	.12	–	.01	–		17
18	.25	.11		.03	–	–	–	–	.27	.01	.21	.01		18
19	.14	–	.11	.10	.03	.21	–	–	–	.01	.08	.02		19
20	.38	–		.39	.72	.10	–	–	.05	.01	–	.03		20
21	.14	.32	.07	.03	–	–	.13	–	–	–	–	.03		21
22	.23	.02	.10		.03	.35	.09	–	–	.45	.34	.02		22
23	.20	–	.03		.24	–	.15	–	–	.67	.01	.01		23
24	.18	.32	.02		.01	–	–	–	.04	.28	–	.01		24
25	.14	.33	.01		1.33	–	–	–	.01	.15	–	.01		25
26	–	.20	.04		.12	–	–	–	–	.13	–	.01		26
27	03	.22		.24	–	–	–	–	–	.65	–	–		27
28	–	.07			–	–	–	–	–	.02	–	.02		28
29	.06	–			–	–	–	–	–	.02	.01	.07		29
30	.30	✕			–	.03	–	–	–	.01	.12	.01		30
31	.26	✕		✕	–	✕	–	–	✕	.23	✕	.03		31
TOTAL	3.77	3.34	2.93	3.26	4.18	1.54	2.15	1.24	1.24	2.68	1.38	2.15	Year's Total 29.86	✓
* Days with .01 in. or more.	23	20	19	16	15	9	9	5	12	14	12	26	180	✓
* Days with .04 in. or more.	18	16	13	10	10	7	5	3	10	8	6	9	115	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1102

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1938

Kept at Blisworth, Crieff House

in the County of Northants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 351 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·03			·28	–	–	–	·05	–	·20		1
2	·06	–		·06	·15	·14	–	–	–	·46	·01	–		2
3	–	–			·08		–	–	–	·67	·01	–		3
4	·02	–				·02	·04	·16	–	·23	–	·13		4
5	–	–					·28	·02	–	·07	–	–		5
6	·03	·01				·02	·07	·20	·09	·23	·01	–		6
7	·08	–				·01	·41	·52	·18	·29	–	·17		7
8	·15	–				·23	·02	·05	–	·23	–	–		8
9	·02	·03				·02	·03	·19	–	–	–	·45		9
10	–	·04				·12	·11	·38	–	–	–	·05		10
11	·43	–					–	·03	–	·01	·13	·01		11
12	·13	–			·03		–	2·30	–	·35	–	–		12
13	–	·125					–	–	–	·01	·06	·14		13
14	·23	–			·04		·33	–	·04	–	–	·01		14
15	·10	–					·15	–	–	–	–	·24		15
16	·22	·015					–	–	–	·01	·01	·19		16
17	–	·09			·23		·04	–	·02	·08	·01	–		17
18	·03	–			·09		–	·05	·41	–	·22	–		18
19	–	–					–	·03	·03	–	·15	–		19
20	–	–					–	–	·05	–	·79	·08		20
21	–	–					–	–	–	–	·02	·29		21
22	–	–					–	·02	–	–	·28	·19		22
23	–	–					–	–	·08	·01	·01	·03		23
24	–	–	08		·02		–	–	·14	–	·01	–		24
25	·09	·09	·035		·03		·01	·13	·01	·05	·24	·14		25
26	·13	·28	·07				–	–	·14	·21	–	·08	81	26
27	·06	·02	·01		·26	·19	·21	·01	·26	·01	·36	–		27
28	·11	–			·27	·27	·02	·88	·04	–	·02	·15		28
29	·47	X			·20		·01	–	–	·01	·12	·09		29
30	·02	✕			·01	·01	–	–	·11	·04	·17	·15		30
31	·17	✕		✕	·22	✕	–	–	✕	·20	✕	·38		31
TOTAL	2·55	·69	·22	·06	1·63	1·31	1·73	4·97	1·60	3·22	2·63	3·14	Year's Total 23·78	✓
* Days with .01 in. or more.	19	9	5	1	13	11	14	15	14	20	19	20	160	✓
* Days with .04 in. or more.	14	5	2	1	9	6	9	10	11	14	10	17	108	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) Alfred Westley

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1102

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Blisworth, Crieff House

in the County of Northants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 351 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	·31	·07	–	–	·01	–	·13	–	·02		1
2	·01	–	–	·08	–	–	–	·35	·49	–	·03	·01		2
3	·185	–	–	·18	–	–	–	·74	–	·03	·22	·28		3
4	·045	–	·27	·28	–	–	·01	·50	–	·18	·07	·09		4
5	–	–	–	·61	·21	–	–	·84	–	·20	·24	·20		5
6	·61	–	–	–	–	–	·49	·02	–	–	–	–		6
7	·02	·09	–	–	–	–	·02	–	–	–	·20	·22		7
8	–	·05	·19	–	–	–	·17	·30	–	·75	·04	·37		8
9	·03	·10	–	–	–	–	–	·06	–	·58	–	·13		9
10	·39	·01	·01	–	–	·29	–	·18	–	·02	–	·01		10
11	–	–	·11	–	–	·55	–	·01	–	–	–	·01		11
12	–	–	·05	–	·01	·06	–	–	–	–	·03	–		12
13	–	–	–	·01	–	–	·04	–	·05	·63	–	–		13
14	·37	–	·01	·01	·43	·03	·13	–	–	·08	·12	·01		14
15	·24	–	·06	·01	·30	·37	·04	–	·17	·78	·09	–		15
16	·38	–	·08	–	·03	25	·22	–	–	·23	·26	–		16
17	·14	·01	·01	–	·08	–	·15	–	–	3·09	·03	–		17
18	·08	·02	·02	–	–	·15	·46	–	–	·02	·58	–		18
19	·20	–	–	–	–	–	·51	–	·02	·01	–	·01		19
20	·20	–	–	–	–	·06	·13	1·01	–	–	–	·01		20
21	·04	·17	·24	–	·02	·47	1·08	·46	·07	–	–	–		21
22	·17	·17	·07	–	–	·01	·02	–	–	–	·23	·01		22
23	·03	–	–	·03	–	·02	·08	·01	–	·06	·65	·01		23
24	·14	–	–	·03	–	–	–	–	–	·07	–	–		24
25	1·18	·11	·12	–	–	–	·07	–	–	·01	·36	–		25
26	·54	·01	·02	·01	–	–	–	·33	·02	·05	·35	·05		26
27	·02	·07	·08	·01	–	·01	·03	–	–	·06	–	–		27
28	·01	·13	·08	·08	–	–	·01	·01	–	–	·17	·05		28
29	–		–	·40	·01	–	–	–	–	·17	–	–		29
30	–	✕	–	·28	–	·02	·14	–	–	·01	·03	·01		30
31	–	✕	–	✕	–	✕	·31	–	✕	–	✕	–		31
TOTAL	5·02	·94	1·42	2·33	1·16	2·29	4·11	4·83	·82	7·16	3·70	1·50	Year's Total 35·28	
* Days with .01 in. or more.	22	12	16	15	9	13	20	15	6	21	18	18	185	
* Days with .04 in. or more.	16	8	11	8	5	8	15	10	4	15	14	8	122	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1102 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1[illegible]0

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Blisworth (Crieff House)
in the County of Northants
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 351 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. ✓

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	-	-	-	-	-	-	-	·05	-		1
2	-	·06	-	·29	-	-	·03	-	-	·01	·77	·01		2
3	-	·53	-	·06	-	-	-	-	-	·11	·84	·04		3
4	·01	·03	-	·16	-	-	·10	-	-	·17	·12	·03		4
5	-	-	-	-	·05	-	·02	-	-	·10	·75	·06		5
6	·07	22	-	-	·01	-	·01	-	-	16	·23	-		6
7	·17	·11	-	·01	·02	-	34	-	·01	-	-	-		7
8	-	-	-	03	-	-	·01	-	-	·08	·02	·20		8
9	-	-	-	02	-	-	·01	·04	·01	·03	·12	·07		9
10	-	-	-	-	-	-	1·37	·02	-	·04	·17	·20		10
11	-	-	·01	03	-	-	·08	-	-	-	·74	·04		11
12	-	-	·03	-	-	-	·10	-	·04	-	·15	-		12
13	-	·04	·53	·01	-	-	·02	-	·02	-	·42	·01		13
14	-	-	·12	·05	·19	-	-	·01	·08	04	-	·23		14
15	-	-	·06	·03	·11	·02	·02	-	·02	·13	·13	-		15
16	·06	16	·38	01	-	-	·38	-	·15	1·12	·61	·02		16
17	-	-	·23	-	-	-	·06	-	·01	·01	-	·01		17
18	-	·45	·39	·37	-	-	·05	·05	-	·05	·11	·04		18
19	-	·13	·05	10	-	-	·14	-	·06	·01	·19	·02		19
20	-	·01	-	·03	-	·01	-	·01	-	·06	-	·01		20
21	·06	·01	·01	-	·22	-	03	-	-	·06	1·04	-		21
22	·04	·02	·03	-	·39	·32	-	-	·12	·01	-	-		22
23	-	-	·03	·01	·09	·18	-	-	·01	-	-	·03		23
24	-	·19	-	·04	-	-	·10	-	-	·01	·01	·01		24
25	-	-	·03	-	-	-	·09	-	-	·03	-	-		25
26	·82	-	-	·02	·04	-	·48	-	-	-	-	-		26
2·37 27	·26	·01	-	34	·07	-	·22	-	-	-	-	-		27
24 28	·68	·06	-	·01	·05	-	-	-	-	-	-	-		28
29	-	·11	·06	-	·09	·02	-	-	-	-	-	·28		29
30	·11	×	-	·59	-	-	-	-	-	·19	-	·02		30
31	·50	×	·01	×	-	×	-	-	×	·64	×	·01		31
TOTAL	2·78	2·15	1·97	2·21	1·33	·55	3·69	·13	·53	3·06	6·47	1·34	Year's Total 26·21	✓
* Days with .01 in. or more.	11	17	15	20	12	5	21	5	11	21	18	20	176	✓
* Days with .04 in. or more.	10 ✓	11 ✓	8 ✓	9 ✓	10 ✓	2 ✓	13 ✓	2 ✓	5 ✓	14 ✓	16	9	109	✓

† Spare column, no entries required.

(*Signed*) C. Westley Esq.

* See Instruction 3 (f) on other side.

[P.T.O.

7°

1102/7

LITCHBOROUGH REC.

1937-1940

780209

Section **A** for the entry of Daily Obs

AIR MINISTRY.—METE

Station No. 1102/7

LL ORGANIZATION

FORM 1090

REGISTER

7

rounding stations AB.

ORM.

ONTHLY

Kept at ...Litchborough.

in the County of ......Northants.

Diameter of Funnel of Gauge.......5.........in.

Height of top of Gauge above Ground....1....f

,, Ground ,, Sea Level 4

THE MORNING MEASUREMENT S

DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.01	-	Tr.	-	-	.01	-	.04	-	.36	.35		1
2		.08	Tr.	.56	-	-	-	-	tr	-	-	.20		2
3		.15	.01	-	.12	tr	-	-	tr	-	.01	.03		3
4		.13	-	-	-	-	tr	.01	-	-	-	.60		4
5		-	.17	-	-	-	.01	-	-	-	tr	.04		5
6		Tr.	.40	.02	.11	-	.05	-	-	.10	.02	-		6
7		.71	-	.21	.01	-	-	-	.02	-	-	-		7
8		.06	-	Tr.	.07	-	tr	-	-	-	.23	.02		8
9		-	.01	.22	.23	tr	.17	-	.13	-	-	.09		9
10		.06	.97	.50	-	.14	.02	tr	-	-	tr	.10		10
11		-	.04	-	.62	.01	tr	.01	-	tr.	-	.17		11
12		.35	.08	-	.49	.13	-	.97	.10	-	-	.15		12
13	Gauge installed 26. Jan. 1937	.05	.28	-	-	.41	-	.06	.11	-	-	-		13
14		-	.18	.01	-	.02	-	.20	.08	-	-	tr		14
15		.13	-	.19	-	-	.59	-	.21	-	-	-		15
16		.07	.29	.46	-	-	-	.01	.21	-	-	-		16
17		Tr.	.28	.25	-	-	-	-	.11	-	tr	-		17
18		.12	.08	Tr.	-	-	-	tr	.44	tr.	.26	-		18
19		.01	.10	.16	.09	.22	tr	-	-	.01	.08	-		19
20		.01	-	.39	.55	.02	-	-	-	.01	-	.09		20
21		.33	.06	Tr.	.01	-	.13	tr	-	.01	.01	-		21
22		-	.12	-	.04	.39	.13	-	-	.50	.39	-		22
23		Tr.	.01	-	.16	-	.12	-	-	.56	.01	.01		23
24		.27	.03	-	.04	-	.01	-	-	.22	-	-		24
25		.23	Tr.	-	.62	-	-	-	.04	.17	-	.01		25
26	-	.18	.03	-	.01	-	-	-	-	.06	-	-		26
27	-	.24	.03	.24	-	-	-	-	-	.82	tr	-		27
28	Tr.	.01	Tr.	-	-	tr	-	-	-	.02	-	-		28
29		✕	-	-	-	.02	-	-	-	.01	.01	-		29
30	.32	✕	-	-	-	.03	-	.02	-	-	.10	-		30
31	.28	✕	-	✕	-	✕	-	-	✕	.28	✕	.01		31
TOTAL	in (3.75) ~~.60~~	3.20 ✓	3.17 ✓	3.21 ✓	17 3.26	1.39 ✓	1.24 ✓	1.28 ✓	1.49 ✓	2.77 ✓	1.48 ✓	1.87 ✓	Year's Total (25")	Small d 28.02 ~~28~~
* Days with .01 in. or more.	(23) ~~(2)~~	20	19	12	15	10	10	7	11	13	11	14	165 (~~144~~)	
* Days with .04 in. or more.	(18) ~~(2)~~	16.	13	10	12	5	6	3	10	8	6	9	116 (~~100~~)	

Incomplete annual total

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(~~Signed~~ Rev) Charles Everitt Green.* [P.T.O.

* per River Nene Catchment Board

70.

Travelling Form

Section **A** for the entry of Daily Observations

Station No. 1102/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Litchborough

in the County of Northants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 485 ft.

Jan est'd from surrounding stations

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.01	-	Tr.	-	-	.01	-	.04	-	.36	.35		1
2		.08	Tr.	.56	-	-	-	-	tr	-	-	.20		2
3		.15	.01	-	.12	tr	-	-	tr	-	.01	.03		3
4		.13	-	-	-	-	tr	.01	-	-	-	.60		4
5		-	.17	-	-	-	.01	-	-	-	tr	.04		5
6		Tr.	.40	.02	.11	-	.05	-	-	.10	.02	-		6
7		.71	-	.21	.01	-	-	-	.02	-	-	-		7
8		.06	-	Tr.	.07	-	tr	-	-	-	.23	.02		8
9		-	.01	.22	.23	tr	.17	-	.13	-	-	.09		9
10		.06	.97	.50	-	.14	.02	tr	-	-	tr	.10		10
11		-	.04	-	.62	.01	tr	.01	-	tr.	-	.17		11
12		.35	.08	-	.49	.13	-	.97	.10	-	-	.15		12
13	Gauge installed 26. Jan. 1937	.05	.28	-	-	.41	-	.06	.11	-	-	-		13
14		-	.18	.01	-	.02	-	.20	.08	-	-	tr		14
15		.13	-	.19	-	-	.59	-	.21	-	-	-		15
16		.07	.29	.46	-	-	-	.01	.21	-	-	-		16
17		Tr.	.28	.25	-	-	-	-	.11	-	tr	-		17
18		.12	.08	Tr.	-	-	-	tr	.44	tr.	.26	-		18
19		.01	.10	.16	.09	.22	tr	-	-	.01	.08	-		19
20		.01	-	.39	.55	.02	-	-	-	.01	-	.09		20
21		.33	.06	Tr.	.01	-	.13	tr	-	.01	.01	-		21
22		-	.12	-	.04	.39	.13	-	-	.50	.39	-		22
23		Tr.	.01	-	.16	-	.12	-	-	.56	.01	.01		23
24		.27	.03	-	.04	-	.01	-	-	.22	-	-		24
25		.23	Tr.	-	.62	-	-	-	.04	.17	-	.01		25
26	-	.18	.03	-	.01	-	-	-	-	.06	-	-		26
27	-	.24	.03	.24	-	-	-	-	-	.82	tr	-		27
28	Tr.	.01	Tr.	-	-	tr	-	-	-	.02	-	-		28
29		✕	-	-	-	.02	-	-	-	.01	.01	-		29
30	.32	✕	-	-	-	.03	-	.02	-	-	.10	-		30
31	.28	✕	-	✕	-	✕	-	-	✕	.28	✕	.01		31
TOTAL	(3·75)	3.20	3.17	3.21	~~3.26~~ 17	1.39	1.24	1.28	1.49	2.77	1.48	1.87	Year's Total (25")	~~28~~ 28.02
* Days with .01 in. or more.	(23) ~~2~~	20	19	12	15	10	10	7	11	13	11	14	165 (~~144~~)	
* Days with .04 in. or more.	(18) ~~2~~	16.	13	10	12	5	6	3	10	8	6	9	116 (~~100~~)	

Rough

Small d

Incomplete annual total

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(~~Signed~~ Per) Charles Everitt Green* [P.T.O.

* per River Nene Catchment Board

70 "Travelling form – River Nene"

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1102/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at ~~Litchborough Rectory~~

in the County of ~~Northants~~

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

corrected for audit.

TRAVELLING FORM.
VAL... ...ED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.11	–	.03	–	–	.24	–	tr	–	.05	–	.24		1
2	.05	–	–	.07	.18	.10	.01	–	–	.36	–	–		2
3	–	–	–	–	.06	–	–	–	.01	.71	–	–		3
4	–	–	–	.01	–	.01	.09	–	–	.24	–	.14		4
5	.05	–	–	–	–	–	.19	.22	.01	.20	–	–		5
6	.03	.01	–	–	–	.01	.10	.08	.04	.17	.01	–		6
7	.10	–	–	–	–	.01	.14	.31	.12	.20	–	.14		7
8	.17	–	–	–	–	.25	.01	.11	–	.24	–	–		8
9	.02	.04	.01	–	–	.02	.02	.08	–	–	–	.49		9
10	–	.06	–	–	–	.30	.13	.23	–	–	–	.06		10
11	.40	.01	–	–	–	–	–	–	–	tr	.15	tr		11
12	.11	.01	–	–	.04	–	–	1.58	–	.43	.02	–		12
13	–	.08	–	–	–	–	–	–	–	–	.06	.25		13
14	.16	–	–	–	.05	–	.35	–	.07	–	–	–		14
15	.06	.03	–	–	–	–	.21	tr	–	–	–	.21		15
16	.25	tr	.01	–	–	–	.01	–	–	tr	.01	–		16
17	–	.05	–	–	.47	–	.02	–	.01	.10	.01	–		17
18	.02	–	–	–	.07	–	–	.04	.65	–	.23	–		18
19	.01	–	–	–	–	–	–	.04	.02	–	.16	–		19
20	–	tr	–	–	–	–	–	.01	tr	tr	.70	.01		20
21	–	–	–	–	–	–	–	.01	–	–	.02	.18		21
22	–	–	–	–	–	tr	–	.02	tr	–	.25	.16		22
23	–	–	–	–	tr	–	–	–	.05	–	–	tr		23
24	–	–	.10	–	.03	–	–	–	.10	–	.01	–		24
25	.10	.13	.04	–	.21	–	.02	.10	.01	.05	.23	.12	5 2	25
26	.12	.29	.08	–	.42	tr	–	–	.12	.18	–	.05		26
27	.07	.03	–	tr	.02	.15	.20	–	.30	.03	.42	–		27
28	.17	–	–	–	.16	.13	.03	.72	.03	–	.03	.11		28
29	.51	✗	–	.06	–	–	tr	–	–	.02	.12	.11		29
30	.03	✗	–	.02	.21	.01	–	–	.16	.02	.21	.14		30
31	.10	✗	–	✗	–	✗	–	–	✗	.22	✗	.35		31
TOTAL	2.64 ~~2.6"~~	0.74 ~~0.7"~~	(0.37) ~~0.3"~~	(0.13) 0.1"	1.92 ~~1.9"~~	1.23 ~~1.2"~~	1.33 ~~1.5"~~	3.55 ~~3.6"~~	✓ 1.70	✓ 3.22	✓ 2.64	✓ 2.76	Year's Total 22.33 ✓	
* Days with .01 in. or more.	21✓	11✓	6✓	4✓	12✓	11✓	15✓	14✓	15	16	17	16	158 ✓	
* Days with .04 in. or more.	16✓	6✓	3✓	1✓	10✓	6✓	8✓	11✓	9	13	10	15	108 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Rev. Charles Everitt Green

per River Nene Catchment Board

P.T.O.

70 Travelling Forms – River Nene Catchment Bd.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1102/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

TRAVELLING FORM
VALUES FORWARDED

Kept at ~~Litchborough Rectory~~

in the County of ~~Northamptonshire~~

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	–	.01	.27	.06	–	–	.06	.01	.24	–	.01		1
2	.02	–	–	.02	–	–	–	.34	.37	–	–	.01		2
3	.16	–	–	.15	–	–	–	.71	–	.01	.23	.19		3
4	.02	–	.45	.23	–	–	.02	.42	–	.20	.06	.12		4
5	–	–	–	.28	.20	–	.01	.51	–	.18	.19	.12		5
6	.58	–	.01	–	tr	–	.39	.01	–	–	–	–		6
7	.02	.14	–	–	–	–	.04	.01	–	tr	.16	.23		7
8	–	.06	.17	–	–	–	.13	.32	–	.45	.05	.45		8
9	.03	.10	–	–	–	–	–	.10	–	.64	–	.13		9
10	.31	–	.02	–	–	.22	–	.17	.02	.03	–	–		10
11	–	–	.11	–	–	.05	–	–	.02	–	tr	–		11
12	–	.01	.01	–	.01	.07	–	–	–	–	.01	.01		12
13	–	–	–	–	–	tr	.04	–	.03	.58	.01	–		13
14	.33	–	.02	.07	.44	.10	.15	–	tr	.02	.11	.01		14
15	.35	–	.04	.02	.13	.43	.19	–	.03	.76	.15	–		15
16	.19	–	.12	tr	.08	.57	.23	–	tr	.10	.22	–		16
17	.14	.02	.01	–	.10	–	.05	–	–	3.26	.03	–		17
18	.03	.03	.02	–	–	.30	.17	–	tr	.01	.56	–		18
19	.25	–	–	–	–	–	.50	–	–	–	–	tr		19
20	.21	–	tr	–	–	tr	.04	.88	.01	–	–	.01		20
21	.05	.19	.26	–	.02	.61	.10	.70	.07	–	–	–		21
22	.19	.13	.01	.01	–	.01	.02	–	.03	–	.21	.01		22
23	.01	–	–	.07	–	.05	.11	–	–	.06	.67	tr		23
24	.26	–	–	.04	–	–	.02	–	–	.15	–	–		24
25	.84	.10	.15	tr	–	.01	.09	tr	–	.02	.33	–		25
26	.40	.04	.01	.01	–	–	–	.09	–	.11	.34	–		26
27	.02	.04	.05	–	–	.02	.06	–	–	.08	tr	.02		27
28	.02	.18	.13	.05	–	tr	.02	.01	–	–	.18	.07		28
29	–		–	.36	tr	–	.13	–	–	.18	.01	–		29
30	–		–	.28	–	.03	–	–	–	tr	.03	–		30
31	–		–		–		.17	.01		–		–		31
TOTAL	4.44	1.04	1.60	1.86	1.04	2.47	2.68	4.34	0.59	7.08	3.55	1.39	Year's Total 32.08	
* Days with .01 in. or more.	23	12	18	14	8	13	22	15	9	19	19	14	186	
* Days with .04 in. or more.	14	9	9	10	6	9	17	11	2	14	14	7	122	

IMPORTANT — P.T.O.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Rev. ~~Charles Everitt Green~~ per River Nene Catchment Bd.

P.T.O.

70

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1102/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Litchborough Rectory

in the County of Northamptonshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	.07	–	.02	.01	–	–	–	–	–	.05	tr		1
2	–	.09	–	.31	–	–	tr	–	–	.01	.76	–		2
3	–	.25	–	.21	–	–	–	–	–	.13	.70	.03		3
4	–	.03	–	.20	–	–	.15	–	–	.17	.20	.04		4
5	–	.11	–	–	.05	–	.10	–	–	.13	.57	.07		5
6	.06	.20	–	–	.04	–	.01	–	.01	.19	.29	tr		6
7	.06	.15	–	–	.02	–	.30	–	–	–	tr	.02		7
8	tr	–	–	.04	tr	tr	–	–	–	.11	.02	.20		8
9	–	–	–	–	–	tr	tr	.01	.01	.05	.11	.07		9
10	–	–	tr	–	–	–	.72	.06	–	.01	.15	.12		10
11	–	–	.01	.05	–	tr	.13	–	–	–	.68	.07		11
12	–	tr	.01	–	–	tr	.17	–	.05	tr	.29	.02		12
13	–	.04	.59	.02	–	–	.03	–	.09	–	.31	–		13
14	–	–	.01	.08	.14	–	–	tr	.11	.05	tr	.23		14
15	–	–	.03	.04	.11	–	.02	–	.01	.33	.22	–		15
16	.01	.08	.35	.02	–	tr	.33	–	.13	.91	.65	.02		16
17	–	–	.32	–	–	–	.04	–	–	tr	.01	–		17
18	tr	.44	.31	.35	–	–	.17	.09	.01	.10	.08	.05		18
19	–	.11	.04	.11	–	–	.17	–	.10	tr	.13	.03		19
20	–	.06	.01	.01	–	tr	.01	.02	–	.09	.04	tr		20
21	.05	.01	.02	–	.27	–	.05	tr	–	.10	1.22	–		21
22	–	.01	.03	tr	.47	.28	–	–	.11	.01	tr	–		22
23	–	.24	.03	.02	.01	.21	–	–	tr	–	tr	.05		23
24	tr	tr	–	.03	–	–	–	–	–	tr	.01	.02		24
25	–	tr	tr	tr	–	–	.01	–	–	.02	tr	tr		25
26	.51	.04	–	.05	.05	tr	1.27	–	–	–	–	–		26
27	1.05	.04	–	.75	.01	–	.06	–	–	–	–	–		27
28	.33	.10	–	tr	.12	–	–	–	–	–	–	–		28
29	–	–	.09	tr	.09	.01	–	–	–	tr	–	.31		29
30	.02	✕	–	.69	tr	–	–	–	–	.11	–	.01		30
31	.06	✕	.01	✕	–	✕	–	–	✕	.54	✕	.01		31
TOTAL	2.15	2.07	1.86	3.00	1.39	0.50	3.74	0.18	0.63	3.06	6.49	1.37	Year's Total 26.44	✓
* Days with .01 in. or more.	9	18	15	18	13	3	18	4	10	18	20	18	164	✓
* Days with .04 in. or more.	7	15	6	12	9	2	13	2	6	14	17	10	113	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

1103

Section **A** for the entry of Daily Obs

AIR MINISTRY.—METEO

L ORGANIZATION.

FORM 1090.

REGISTER

1 .

1103 —

BLISWORTH

1931- 1940

780209

Kept at BLISWORTH

in the County of NORTHAN

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft

,, Ground ,, Sea Level 299

THE MORNING MEASUREMENT

An observer who does not conform to this rule sho… reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·02	·02	·02	·05	—	—	—	·14	—	—	—	1
2	·09	·05	—	·67	—	·01	—	—	·70	·02	·01	·02	2
3	·03	·01	—	·22	—	—	·01	·01	·61	—	·46	·13	3
4	—	·04	—	·10	—	—	·21	·37	·12	—	·04	—	4
5	—	·01	—	·08	·04	·00	·02	—	·06	—	·02	·40	5
6	—	·17	—	·03	—	·01	·09	—	—	·16	·21	·01	6
7	—	—	—	·01	—	·06	·02	·27	—	·04	·04	·01	7
8	—	·05	·03	·04	—	·05	—	·38	—	—	·17	—	8
9	—	·25	—	·02	—	·16	—	·03	—	—	·21	·01	9
10	—	·03	·01	—	—	·07	·23	·22	—	—	·04	—	10
11	·16	·11	·01	—	—	·01	—	—	·06	—	·31	—	11
12	·03	·05	—	·01	—	—	·08	—	·28	—	·01	—	12
13	·03	—	·01	—	—	—	·01	·06	—	—	—	—	13
14	—	·08	·01	—	·17	·11	·96	·44	—	—	·03	—	14
15	—	·08	—	·09	·21	—	·07	·36	—	—	·01	·02	15
16	·01	·14	—	·10	·38	·24	—	·22	·16	—	—	—	16
17	·03	·28	—	·55	—	—	·14	—	·02	—	—	—	17
18	·07	·03	—	·37	·01	·04	·02	·20	—	—	·37	—	18
19	·02	·01	—	·25	—	·30	·04	·02	·05	·01	—	—	19
20	—	·02	—	·07	—	—	·10	·10	—	—	—	·02	20
21	·07	—	—	·01	·05	—	—	—	—	—	—	—	21
22	·06	—	—	·02	·02	—	—	—	—	—	—	—	22
23	·11	—	·01	·02	·37	·03	—	·02	·06	—	·13	·05	23
24	—	—	—	·10	·35	—	·05	—	—	—	—	—	24
25	—	·02	—	·53	·03	—	·02	—	—	—	·06	—	25
26	—	—	—	·32	—	—	·21	—	—	—	·14	—	26
27	·08	·66	—	—	·31	—	·06	—	—	—	·33	·01	27
28	·10	·19	—	·02	·07	—	—	—	—	·03	·01	·15	28
29	·01	×	—	—	·02	—	·16	—	—	·20	·01	—	29
30	·10	×	—	—	—	—	·01	—	—	—	—	—	30
31	·17	×	—	×	—	×	—	—	×	—	×	·02	31
													YEAR'S TOTAL
TOTAL	1·17	2·30	·10	3·65	2·08	1·63	3·11	2·40	2·26	·46	2·61	·85	23·52
Days with ·01 in. or more.	17	21	7	23	14	13	20	14	11	6	20	12	178
Days with ·04 in. or more.	10	13	-	14	10	8	14	10	10	3	13	4	109

40-9999

(Signed) C. F. Harlow

P.T.O.

1103

Section **A** **for the entry of Daily Obs**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at BLISWORTH
in the County of NORTHANTS.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 299·57 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·02	·02	·02	·05	—	—	—	·14	—	—	—	1
2	·09	·05	—	·67	—	·01	—	—	·40	·02	·01	·02	2
3	·03	·01	—	·22	—	—	·01	·01	·61	—	·46	·13	3
4	—	·04	—	·10	—	—	·21	·37	·12	—	·04	—	4
5	—	·01	—	·08	·04	·00	·02	—	·06	—	·02	·40	5
6	—	·17	—	·03	—	·01	·09	—	—	·16	·21	·01	6
7	—	—	—	·01	—	·06	·02	·27	—	·04	·04	·01	7
8	—	·05	·03	·04	—	·05	—	·38	—	—	·17	—	8
9	—	·25	—	·02	—	·16	—	·03	—	—	·21	·01	9
10	—	·03	·01	—	—	·07	·23	·22	—	—	·04	—	10
11	·16	·11	·01	—	—	·01	—	—	·06	—	·31	—	11
12	·03	·05	—	·01	—	—	·08	—	·28	—	·01	—	12
13	·03	—	·01	—	—	—	·01	·06	—	—	—	—	13
14	—	·08	·01	—	·17	·11	·90	·44	—	—	·03	—	14
15	—	·08	—	·09	·21	—	·37	·36	—	—	·01	·02	15
16	·01	·14	—	·10	·38	·24	—	·22	·16	—	—	—	16
17	·03	·28	—	·55	—	—	·14	—	·02	—	—	—	17
18	·07	·03	—	·37	·01	·04	·02	·20	—	—	·37	—	18
19	·02	·01	—	·25	—	·30	·04	·02	·05	·01	—	—	19
20	—	·02	—	·07	—	—	·10	·10	—	—	—	·02	20
21	·07	—	—	·01	·05	—	—	—	—	—	—	—	21
22	·06	—	—	·02	·02	—	—	—	—	—	—	—	22
23	·11	—	·01	·02	·37	·03	—	·02	·06	—	·13	·05	23
24	—	—	—	·10	·35	—	·05	—	—	—	—	—	24
25	—	·02	—	·53	·03	—	·02	—	—	—	·06	—	25
26	—	—	—	·32	—	—	·21	—	—	—	·14	—	26
27	·08	·06	—	—	·31	—	·06	—	—	—	·33	·01	27
28	·10	·19	—	·02	·07	—	—	—	—	·03	·01	·15	28
29	·01	×	—	—	·02	—	·16	—	—	·20	·01	—	29
30	·10	×	—	—	—	—	·01	—	—	—	—	—	30
31	·17	×	—	×	—	×	—	—	×	—	×	·02	31
TOTAL	1·17	2·30	·10	3·65	2·08	1·63	3·11	2·40	2·26	·46	2·61	·85	YEAR'S TOTAL 23·52
Days with ·01 in. or more.	17	21	7	23	14	13	20	14	11	6	20	12	178
Days with ·04 in. or more.	10	13	-	14	10	8	14	10	10	3	13	4	109

40-9999

(Signed) C. F. Harlow

[P.T.O.

1103

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at BLISWORTH

in the County of NORTHANTS

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground ONE ft SIX in.

,, Ground ,, Sea Level 299·57· ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·05	—	·07	·51	·05	·05	·13	·04	·60	·01	·01	1
2	·01	—	—	·10	·12	—	—	—	·11	·14	·04	·20	2
3	—	—	—	·21	·04	—	·01	—	·01	—	—	—	3
4	·03	—	—	·14	—	—	—	—	—	—	·23	—	4
5	·27	—	·02	—	·01	·06	·12	—	·08	—	—	—	5
6	·42	—	·05	·15	·01	—	·03	—	·22	—	—	—	6
7	—	—	·16	·19	—	—	—	—	·03	—	—	—	7
8	—	·01	·02	·12	·01	—	—	—	·28	·07	—	—	8
9	·08	—	—	·11	·05	—	—	—	—	·01	—	—	9
10	·09	·02	·03	·10	·09	—	—	—	·13	·02	—	—	10
11	—	·02	—	·06	·07	·08	·03	·09	·02	·04	·01	—	11
12	·18	—	—	—	·20	—	—	—	·02	·65	·04	—	12
13	·09	—	—	·11	—	—	·26	—	·05	·07	·06	·02	13
14	·24	—	—	·04	·04	—	—	—	—	·02	·03	—	14
15	·01	·01	—	·06	·24	—	·01	—	—	·03	—	·02	15
16	·16	—	—	·32	·16	—	—	—	—	—	—	—	16
17	—	—	—	—	—	—	·13	—	—	·06	·01	—	17
18	—	—	—	·01	·02	—	—	—	·02	—	·03	—	18
19	—	·01	—	—	—	—	—	—	·02	·20	—	—	19
20	—	—	—	·19	·25	—	—	·56	—	·29	·06	—	20
21	·01	—	·06	·14	1·24	—	—	1·20	—	·25	—	·01	21
22	·01	—	·30	·05	·07	—	·26	—	·60	·05	·34	—	22
23	—	—	·09	—	·80	—	—	—	·10	·12	·05	·02	23
24	—	—	—	—	—	—	·06	—	·08	·06	·25	—	24
25	—	·02	—	—	—	·01	·32	—	·06	—	·02	—	25
26	—	—	·02	·24	·12	—	·43	—	·06	·01	·04	—	26
27	—	—	·32	·12	·33	—	·03	—	·01	—	·04	—	27
28	—	—	·20	·01	·94	·12	·10	·02	·03	·10	—	—	28
29	—	—	·24	·11	·16	·09	·01	·22	·03	·32	—	—	29
30	—	×	·01	·10	—	·40	·03	·26	·42	·28	·36	·20	30
31	—	×	·14	×	—	×	·12	·01	×	—	×	·04	31
TOTAL	1·68	0·14	1·66	2·81	5·48	0·81	2·00	2·49	2·42	3·39	1·65	0·52	YEAR'S TOTAL 25·05
*Days with ·01 in. or more.	14	7	14	23	22	7	17	8	22	21	14	8	180
*Days with ·04 in. or more.	9	1	9	21	18	6	10	6	13	16	[illegible]		133

per pro GRAND UNION CANAL CO.

40-9999

(Signed) P.T.O.

ASSISTANT MANAGER

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1103

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Blisworth

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 299·57 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·18	·17	–	–	–	–	–	·01	–	·02	–		1
2	·16	–	·32	–	·01	–	–	–	–	–	·02	–		2
3	–	·10	·30	–	·43	–	–	–	–	–	·02	–		3
4	·17	·01	·03	–	·32	–	–	–	–	–	–	–		4
5	·05	·16	·20	–	·07	–	–	–	–	–	–	–		5
6	–	·08	·09	–	·09	–	–	–	–	–	·01	–		6
7	·04	·12	·02	–	·01	–	–	–	–	·03	–	–		7
8	·02	·01	·08	–	·06	–	·17	–	–	·09	–	–		8
9	–	–	–	–	·02	–	·23	–	–	·09	·08	–		9
10	–	·31	–	–	–	·04	·02	·01	–	·46	·01	–		10
11	·06	–	–	–	–	·01	·30	·04	–	–	–	–		11
12	–	–	–	–	–	·02	·05	–	·35	–	–	–		12
13	·02	–	–	–	·07	·04	·19	–	·01	·01	·21	–		13
14	–	–	–	–	·04	–	·01	·02	–	·08	·42	·03		14
15	·39	–	·11	–	–	–	·19	·12	–	·01	·32	–		15
16	·06	–	·59	–	·02	·15	·17	–	–	·02	·05	–		16
17	–	–	·37	–	·01	·08	–	–	·05	–	·05	–		17
18	·04	·05	·02	–	–	·03	–	–	–	–	·03	–		18
19	·01	·02	·36	–	–	·02	–	–	·06	–	·01	·01		19
20	–	·04	·07	–	–	·74	–	–	·01	–	·01	–		20
21	–	·01	–	–	–	·22	–	·08	·04	–	·01	–		21
22	–	·01	–	–	–	·12	–	·45	–	·49	–	–		22
23	–	–	–	·09	·06	·02	–	–	·51	·01	–	–		23
24	–	·26	–	·10	–	·12	–	–	·45	·01	·03	–		24
25	–	·61	–	·26	–	·07	–	–	·09	·02	·05	·06		25
26	–	·37	–	·02	–	·46	–	–	·07	·21	–	–		26
27	–	·01	–	–	·21	–	·01	–	·05	·10	–	·02		27
28	–	·01	–	·03	·01	–	·01	–	·01	·20	–	·08		28
29	·01	✕	–	·20	–	–	·40	–	·01	·09	–	·01		29
30	·20	✕	·12	·01	–	–	·01	–	–	·02	–	·11		30
31	·04	✕	·13	✕	–	✕	·01	·08	✕	·08	✕	–		31
TOTAL	1·35	2·36	2·98	·71	143	2·14	1·77	·80	1·72	2·02	1·35	·32	Year's Total 18·95 ✓	
*Days with ·01 in. or more.	15	18	16	7	15	15	14	7	14	18	17	7	163	
*Days with ·04 in. or more.	11	11	13	4	9	10	8	5	9	10	7	3	100	

40-9999

*See Instruction 2 (*f*) on other side.

9

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

1103

Section **A** **for the entry of Daily Observations.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934 .

Kept at BLISWORTH

in the County of NORTHAMPTONSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 299.57 ft.

[redacted]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	--	--	--	--	--	--	.15	--	--	.01	.32	1
2	.12	--	.04	--	--	--	--	--	.57	.02	--	.26	2
3	.01	.03	--	.04	--	--	--	.19	--	.20	--	.02	3
4	.08	--	.07	.26	.01	--	--	--	--	.08	.22	.36	4
5	--	--	.08	.01	.08	--	--	.09	--	.02	.03	.20	5
6	--	--	.08	.08	.33	.02	--	--	--	.15	--	.62	6
7	.06	--	--	--	--	.14	--	.19	.01	.04	--	.26	7
8	.01	--	--	--	.10	.06	--	.07	--	--	.16	.25)	8
9	--	--	.09	.01	--	--	--	.01	--	--	.78	)	9
10	--	--	.13	.14	--	--	--	--	--	--	.16	.03	10
11	.49	--	.16	.13	--	--	--	.20	--	--	--	.24	11
12	--	.01	.08	.02	--	--	.02	.08	--	--	--	.02	12
13	.38	--	.02	--	--	--	.99	.07	--	--	.01	.44	13
14	.02	--	.26	--	.02	--	--	.23	--	.08	.35	.31	14
15	.02	--	.33	--	.05	--	--	--	.74	.01	.20	.03	15
16	.15	.01	.26	--	.01	--	--	--	--	.22	.02	.02	16
17	.01	--	--	--	--	--	--	--	.08	.03	.03	.27	17
18	.20	--	.02	.31	--	--	.11	--	--	--	--	.07	18
19	--	--	.15	.06	--	.02	--	--	.04	.02	--	.02	19
20	--	--	.01	.04	--	--	--	--	--	--	--	.01	20
21	--	--	--	.02	--	.08	--	.01	--	.08	--	.01	21
22	--	--	.01	--	--	--	--	.11	.20	--	--	.02	22
23	--	--	--	.23	.12	.30	.03	.01	--	--	--	.25	23
24	--	.38	.07	.05	--	.04	.48	--	.23	--	--	.02	24
25	.15	.01	--	.07	--	.93	--	--	--	.07	--	.35	25
26	.01	--	--	.05	--	.43	--	--	.06	.01	--	.02	26
27	--	.05	--	.01	--	.06	--	--	--	.08	--	.17	27
28	--	--	--	.15	--	.02	--	.37	--	--	--	.30	28
29	--	X	--	--	--	--	.17	.02	.25	--	.04	.01	29
30	.03	X	--	---	--	--	--	--	.01	.01	--	.02	30
31	.01	X	--	X	--	X	.02	.07	X	.05	X	.05	31
TOTAL	1.77	0.49	1.86	1.68	0.72	2.10	1.82	1.87	2.19	1.17	2.01	4.97	YEAR'S TOTAL 22.65
Days with ·01 in. or more.	17	6	17	18	8	11	7	16	10	17	12	31	170
Days with ·04 in. or more.	8	2	13	13	5	8	4	12	8	10	7	17	107

40-9999

(Signed) .... [P.T.O.]

COPY FOR OFFICIAL USE. ✗

Section **A** for the entry of Daily Observations. Station No. 1103

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at BLISWORTH

in the County of NORTHAMPTONSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 299.57 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	-	-	.05	.02	.14	.02	-	.05	.14	.10	.04		1
2	-	-	-	.02	-	.06	-	-	-	.12	.01	.04		2
3	-	.33	.01	.06	-	.04	-	-	.14	.43	.16	.01		3
4	-	-	-	.14	-	.06	-	-	.02	.14	.01	.04		4
5	-	.81	.03	.08	-	.21	.06	-	.09	.09	.04	-		5
6	-	.08	-	.39	-	.23	-	-	-	.10	-	-		6
7	-	-	-	.42	-	.15	-	-	-	.11	.31	.18		7
8	-	-	-	.19	-	.02	-	.10	-	.14		.02		8
9	-	-	-	.62	-	.40	-	-	-	.87	.31	.03		9
10	-	-	-	.23	-	.02	-	-	-	-	.01	-		10
11	.15	-	-	-	-	.07	.13	-	.01	-	.35	.02		11
12	.02	.02	-	-	-	.60	-	.01	-	-	.03	-		12
13	.08	.13	-	.04	.18	.10	-	-	-	-	-	.01		13
14	-	-	-	.07	.16	.14	-	-	.29	-	.20	.07		14
15	-	.10	-	.56	.03	.30	-	-	.41	-	.22	.19		15
16	-	.05	.06	.10	-	.25	-	-	.13	.08	.68	.07		16
17	-	-	-	.02	-	.22	-	-	.02	-	.43	-		17
18	-	-	-	.24	.07	.13	.22	-	.23	.05	.01	.03		18
19	-	-	-	.09	.52	.09	-	-	.04	.05	.18	.01		19
20	.02	.13	-	.28	-	.04	.01	-	.03	-	.17	-		20
21	-	.24	.02	.03	-	-	-	-	.60	.02	.21	-		21
22	-	.02	.02	.06	-	-	-	.10	.47	-	-	-		22
23	-	-	-	-	-	-	-	.90	.01	.13	-	.06		23
24	.04	.22	.10	-	-	-	-	.01	1.08	-	-	.28		24
25	.18	.07	-	.22	-	2.80	-	.03	-	-	-	.13		25
26	.01	.02	-	-	-	-	-	.16	.10	.01	-	.48		26
27	.02	.17	-	-	.57	-	-	-	.13	-	.15	.89		27
28	-	.15	-	-	.13	-	-	-	.08	-	.03	.03		28
29	-	X	.03	-	-	-	-	.01	.32	-	-	.17		29
30	.03	X	-	.04	.13	-	-	.50	.05	.08	.30	.18		30
31	-	X	-	X	.01	X	-	.10	X	1.17	X	.15	Year's Total.	31
TOTAL	.76	2.54	.27	3.95	1.82	6.07	.44	1.92	4.30	3.73	3.91	3.13	32.84	
* Days with .01 in. or more.	10	15	7	22	10	21	5	10	21	17	21	23	182	
* Days with .04 in. or more.	5	12	2	19	7	19	3	6	16	15	15	15	134	

40-9999

† Spare column, no entries required.

(*Signed*) C. L. Wilson. Engineer

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1103

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at BLISWORTH,
in the County of NORTHAMPTON.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 299.57 ft.

Latitude 52° 11' 19" N.
Longitude 0° 56' 49" W.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.07	.03	.43	-	.06	.26	.01	-	-	.03	.02		1
2	.02	.04	.16	.02	-	.46	.75	.04	-	-	.17	-		2
3	-	-	-	-	-	.14	-	-	.14	-	.13	.01		3
4	-	.01	.17	-	-	.08	-	.01	.41	-	.01	.07		4
5	.06	-	.01	-	-	.01	.02	.02	.02	-	-	.11		5
6	.35	-	-	-	.26	.10	.06	.24	.13	-	.07	.07		6
7	.15	-	.04	-	-	.01	.04	-	-	-	.01	-		7
8	.40	-	.27	-	-	-	.01	-	.01	-	.29	.09		8
9	.28	-	.01	-	-	.01	.81	-	.01	.14	-	.01		9
10	-	-	-	.02	-	-	.57	-	.15	.01	-	-		10
11	-	-	-	.12	-	-	.18	-	.02	-	.38	-		11
12	-	-	-	-	-	.36	.44	-	.14	-	.28	.10		12
13	-	-	-	.01	.03	.28	.10	-	-	.05	.08	.27		13
14	-	.01	-	.27	-	.06	.53	-	.19	.02	-	.48		14
15	-	-	-	.03	-	-	.23	-	.10	-	.01	.15		15
16	.04	.09	-	-	-	-	.02	-	-	-	.47	-		16
17	.01	.52	-	-	.05	-	.12	-	-	.09	.08	.07		17
18	-	.02	-	-	-	.16	.09	-	-	.10	.03	.02		18
19	.42	.09	-	.08	-	.33	-	.06	-	.13	-	-		19
20	.11	.14	.05	.13	-	.02	.01	-	.51	.01	-	-		20
21	-	-	-	.16	-	.86	.03	-	.39	-	-	-		21
22	.01	.63	.06	-	.31	.01	.21	-	-	-	.01	.07		22
23	.02	-	.03	.12	.01	-	.27	-	-	-	-	-		23
24	.15	.09	-	-	-	-	.06	-	.21	.25	-	-		24
25	.08	-	.16	.28	-	-	.10	-	.23	.04	.06	.01		25
26	-	.13	.34	-	-	.08	.02	-	.01	.07	.05	.01		26
27	.02	-	.02	-	-	-	-	-	.13	.09	-	-		27
28	.44	.02	.06	-	-	-	.07	-	-	.04	-	.07		28
29	.56	.13	.09	-	-	.10	.02	-	-	-	.32	.11		29
30	.03	×	-	-	.16	.29	.08	-	-	.40	.01	-		30
31	.64	×	.10	×	-	×	.08	-	×	.41	×	.13		31
TOTAL	3.80	1.99	1.60	1.67	0.82	3.42	5.18	0.38	2.80	1.85	2.49	1.87	Year's Total. 27.87	
* Days with .01 in. or more.	20	14	16	12	6	19	27	6	17	15	19	19	190	
* Days with .04 in. or more.	13	10	11	8	4	14	20	3	12	12	12	13	132	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE

1103

Section **A** for the entry of Daily Observations

Station No. ....

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at BLISWORTH

in the County of NORTHAMPTONSHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 299·57 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	-	·04	-	-	-	·03	-	-	-	·39	·30		1
2	·01	·09	-	·57	-	-	-	-	·08	-	-	·22		2
3	-	·06	-	-	·05	-	-	-	-	-	-	·06		3
4	·06	·16	-	-	·02	-	·01	-	-	-	-	·68		4
5	·18	-	·12	-	·15	-	·01	-	-	-	-	·02		5
6	·21	-	·32	·01	·02	-	·03	-	-	·09	-	-		6
7	-	·69	·10	·22	·03	-	-	-	·01	-	-	-		7
8	·01	·04	-	-	·33	-	-	-	-	-	·03	-		8
9	-	-	-	·22	-	-	·16	-	·14	-	·17	·20		9
10	-	·06	·65	·66	-	·18	·02		-	-	-	-		10
11	-	-	·20	·02	·65	-	-	·48	-	-	-	·21		11
12	·05	·37	·10	-	·45	·14	-	·90	·13	-	-	·07		12
13	·15	·07	·24	-	-	·49	-	·15	·03	-	-	·02		13
14	-	·01	·27	·01	-	·03	-	·17	·07	-	-	·03		14
15	·30	·11	-	·21	-	-	1·05	-	·13	-	-	-		15
16	·08	·09	·34	·55	-	-	-	-	·19	-	-	-		16
17	·46	·04	·27	·28	-	-	-	-	·21	-	·02	-		17
18	·31	·10	-	·09	-	-	-	-	·27	-	·25	-		18
19	·16	·03	·12	·10	·07	22	·02	-	-	-	·08	-		19
20	·39	-	-	·43	·73	·12	-	-	·04	-	-	-		20
21	·13	·31	·04	·02	-	-	·17	-	-	-	·01	·07		21
22	·16	·01	·10	-	·04	·41	·09	-	-	·39	·33	-		22
23	·27	-	-	-	·18	-	·12	-	03	·70	·02	-		23
24	·18	·31	·06	-	·02	-	·03	-	-	·29	-	·07		24
25	·22	·23	·01	-	1·05	-	-	-	-	·17	-	-		25
26	-	·33	·05	-	·09	-	-	-	-	·09	-	-		26
27	·01	·14	·01	·24	-	-	-	-	-	·74	-	·02		27
28	-	·02	-	-	-	-	-	-	-	·02	-	-		28
29	·04	×	-	-	-	-	-	-	-	·02	·02	·02		29
30	·28	×	-	-	-	·02	-	-	-	-	·11	·01		30
31	·26	×	-	×	-	×	-	-	×	·25	×	·04		31
TOTAL	3·99	3·27	3·04	3·63	3·88	1·61	1·74	1·70	1·33	2·76	1·43	2·04	Year's Total 30·42	
* Days with .01 in. or more.	23	21	18	15	15	8	12	4	12	10	11	16	165	
* Days with .04 in. or more.	20	17	16	11	11	6	5	4	9	8	6	10	123	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. N. Hadlow [P.T.O.

1103

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at BLISWORTH

in the County of NORTHAMPTONSHIRE

ay

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 299·57 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	·01	—	—	·35	—	—	—	·43	—	·23	1
2	—	—	—	—	·19	—	—	—	—		·01	—	2
3	—	—	—	·04	·04	—	·01	—	·01	·65	·01	·15	3
4	·03	—	—	·02	—	—	·05	·15	—	·29	—	—	4
5	—	·01	—	—	—	—	·38	·03	—	·08	—	—	5
6	·04	·01	—	—	—	—	·06	·56	·08	·17	—	—	6
7	·01	—	—	—	—	—	·35	—	·10	·40	—	·14	7
8	·10	—	—	—	—	·23	·03	·04	·05	·24	—	—	8
9	·18	·07	—	—	—	—	·11	·20	—	—	—	·45	9
10	·43	·03	—	—	—	·17	·05	—	—	—	—	—	10
11	—	—	—	—	—	—	—	—	—	—	·14	—	11
12	·14	·14	—	—	·03	—	—	2·05	—	·37	—	—	12
13	·24	—	—	—	—	—	—	—	—	—	·08	·15	13
14	—	—	—	—	·03	—	·38	—	·07	—	—	—	14
15	·32	·05	—	—	—	—	·22	—	—	—	—	·24	15
16		—	·03	—	—	—	·02	—	—	—	—	·14	16
17	—	·03	—	—	·06	—	·01	—	—	·10	—	—	17
18	·03	—	—	—	·11	—	—	·07	·24	—	·20	—	18
19	—	—	—	—	—	—	—	—	·11	—	·41	—	19
20	·01	—	—	—	—	—	—	—	—	—	·58	·20	20
21	—	—	—	—	—	—	—	·01	·02	—	·03	·31	21
22	—	—	—	·01	—	—	—	·02	·03	—	·29	—	22
23	—	—	—	—	—	—	—	—	·04	—	—	—	23
24	—	—	·07	—	·02	—	—	—	·17	—	—	—	24
25	·08	·15	·07	—	·05	—	—	·17	—	·07	·26	—	25
26	·15	·28	·08	—	—	—	—	—	·13	·10	—	—	26
27	·08	—	—	·02	·38	·17	·24	·95	·40	·14	·41	·15	27
28	·12	—	—	—	·41	·20	·03	—	·06	—	·03	·11	28
29	·50	—	—	·01	·18	—	—	—	—	—	·29	·09	29
30		×	—	—	·01	·04	—	—	·10	·06	·17	·12	30
31	·11	×	—	×	·23	×	—	—	×	·23	×	·38	31
TOTAL	2·62	·77	·26	·10	1·74	1·16	1·94	4·25	1·61	3·33	2·91	2·86	YEAR'S TOTAL 23·55
*Days with ·01 in. or more.	20 ~~18~~	9	5	5	13	6	14	11	15	~~14~~ 15	14	14	~~138~~ 141
*Days with ·04 in. or more.	~~14~~ 15	5	3	1	9	6	9	8	12	~~14~~ 15	10	14	~~105~~ 107

40-9999

(Signed) C. N. Ha[illegible] [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1103

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Blisworth.

in the County of Northamptonshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 299.57 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.13		.06			.02		.23		.01		1
2				.36				.31		.02				2
3	.22			.20				.74	.57		.23	.31		3
4				.41			.02	.62		.18		.10		4
5				.43	.24		.02	.70		.22	.25	.22		5
6	.55		.30				.44							6
7		.15					.03	.02				.21		7
8	.02		.18				) .17	.15		.49	.19	.36		8
9	.04	.12					)	.09		.65				9
10	.36					.25		.17	.01		.02	.12		10
11						.35								11
12			.22											12
13				.02		.09				.62				13
14	.38		.01	.14	.48	.04	.17				.10			14
15	.21		.07		.27	.36	)		.17	.85	.14			15
16	.38		.11	.02	.10	.23	) .22			.23	.28			16
17	.14				.09	)	.12			3.10				17
18	.07					) .17	.45							18
19	.26	.04	.06				.43				.55			19
20	.18					.03	.15	1.33						20
21		.19	.21		.03	.60	1.68	.37	.08					21
22	.30	.19	.07				) .03				.20			22
23	.04			.06		.04	) ✓			.12	.69			23
24	.26			.08						.06				24
25	.76							.01		.01	.32			25
26	.55	.12	.16					) .23		.09	.35	.09		26
27	.06	.09	.11	.04			.09	)		.12				27
28	.02		.10	.07							.17	.04		28
29										.20				29
30		☒		.60		.09	.16				.03			30
31		☒		☒		☒	.23	.02	☒		☒			31
TOTAL	4.80	.90	1.73	2.43	1.27	2.25	4.41	4.78	.83	7.19	3.52	1.46	Year's Total 35.57	
* Days with .01 in. or more.	~~19~~	~~7~~	~~13~~	~~12~~	~~7~~	~~11~~ ✓	~~16~~	~~14~~ ✓	~~4~~	~~16~~	~~14~~	~~9~~	~~142~~	✓
* Days with .04 in. or more.	17	7	12	10	6	10 ✓	12	10 ✓	3	14	12	8	121	✓

† Spare column, no entries required.

(*Signed*) C. G. Wilson

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1103

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Blisworth.

in the County of Northants. 4

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 299.57 ft.

Accs.

corrected for snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2				.33						}.15	}1.37			2
3		.35		.04								.05		3
4		.11		.16			.13			.22	.26			4
5										.30	.20	.10		5
6		.21			.07						.70			6
7	.22	.12									.005	}.22		7
8							.01			.12	.02			8
9									.01	.03	.25			9
10							1.30		.025			.19		10
11							.14				.73			11
12			.03				.12		.05		.15			12
13		.05					.01		.04		.35			13
14			.59	.09	.18			.02		.05				14
15			.03	.06	.08		.02			.08	.18			15
16	.07	.20	}.62				.34		.23	1.00	.62	.42		16
17							.02			.01	.005			17
18		.48	.37	.29			.09	.05	.08		.12			18
19		.19		.10			.15			.13	.16			19
20		.01					.14				1.10			20
21	.08			.03	.22				.19	.09				21
22					.44									22
23		.12			.11	.51								23
24				.04			.10		.005					24
25					.03		.03							25
26	.90	.03	.09				.59							26
}(1·11) 27	~~.30~~			.12	.02	.01	.12							27
28	~~.21~~				.04									28
29		.12	.07	.06	.02									29
30		✕		.59						.17				30
31		✕	.61	✕		✕			✕	.64	✕			31
2· TOTAL	2·38 ~~1.78~~	1.99	2.41	1.91	1.21	.52	3.31	.07	.605	3.015	6.22	.98	Year's Total ~~24.02~~	24·62
* Days with .01 in. or more.	6	12	89	12	10	2	16	2	76	14	~~14~~16	5	~~107~~	111
* Days with .04 in. or more.	6	10	~~6~~7	11	7	1	11	1	5	11	13	5	~~87~~	~~88~~ d

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) C. A. Wilson
Engineer

P.T.O.

YARDLEY HASTINGS (THE REC

1103/5

YARDLEY HASTINGS

(THE RECTORY)

1938 - 1940

78 02 09

Section **A** for the entry of Dai

AIR MINISTRY.—

Station No. ~~C 527~~

AINFALL ORGANIZATION

1103/5

FORM 1090

REGIST 1938.

Kept at YARDLEY HASTING

in the County of NORTHAMP

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

Lcht. are een fine RL

79229/26

THE MORNING MEASUREME VIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	–	–	·03	·01	·32	–	–		·16	·02	·18		1
2	·03	–	–	·01	·12	·12	–	–		·24	·03	·01		2
3	·02	–	–	–	·09	·01	–	–	SEE	·68	·02	–		3
4	·09	–	–	·01	–	–	·20	–		·22	–	·13		4
5	·02	–	–	·02	–	·02	–	·03	Aug (·20)	·12	–	–		5
6	·04	·02	–	–	–	·04	·07	2·67	22 +	·14	–	–		6
7	·07	–	–	–	–	–	·77	·75	6 +	·38	·01	·10		7
8	·13	–	–	–	–	·24	·02	·05	31.	·20	–	·10		8
9	·07	·05	–	–	–	–	·02	·37	–	·01	–	·43		9
10	·01	–	·02	–	–	·08	·10	·35	–	–	–	·03		10
11	·44	–	–	–	–	·01	·02	–	–	–	·08	–		11
12	·14	·05	–	–	·06	–	–	2·28	·02	·34	·02	–		12
13	–	·02	–	–	–	–	–	–	–	·02	·04	·09		13
14	·22	–	–	–	·06	–	·09	·02	·08	–	–	–		14
15	·12	·05	–	–	–	–	·18	–	–	·02	·03	·25		15
16	·18	·02	–	·02	·01	–	·05	·01	–	–	·02	·27		16
17	–	·12	–	–	·02	–	·07	–	–	·12	–	–		17
18	·03	–	–	–	·19	–	–	·05	·47	–	·23	–		18
19	–	–	–	–	·01	–	–	·07	·06	–	·15			19
20	–	–	–	–	·03	–	–	·10	–	–	·65	+		20
21	·03	–	–	–	–	–	–	·01	·02	–	·04	✓+		21
22	–	–	–	·01	–	–	–		–	–	·36	✓+		22
23	–	–	·07	·01	·01	–	–		–	–	·02	✓ ·88 +		23
24	–	–	·01	–	–	–	–		·39	–	·03			24
25	·09	·12	·06	–	·10	–	–	+	·02	·08	·30	+		25
26	·14	·38	·01	·02	–	–	–	~~1·35~~ ✓	·20	–	·01	*		26
27	·07	·05	–	–	·20	·13	·23	(1·13)	·22	–	·34		✓	27
28	·07	·01	–	–	·46	·24	–	+	·06	·16	·02	–		28
29	·49		–	·04	·23	–	·04	✓	·10	·10	·11	–		29
30	·03	✕	–	·05	·02	·02	–		·30	·04	·20	·71		30
31	·12	✕	–	✕	·20	✕	–		✕	·17	✕	·02		31
TOTAL	2·66	·89	·17	·22	1·82	1·23	1·86	7·89 ~~8·09~~	2·14 ~~1·94~~	3·20	2·78	3·20	Year's Total 28·06	✓ 23/3/39
* Days with .01 in. or more.	24	11	5	10	17	11	13	17 ~~14~~	15 ~~12~~	18	22	17 ~~16~~	~~173~~	180 ✓
* Days with .04 in. or more.	16	7	2	2	10	7	10	11 ~~10~~	11 ~~9~~	15	11	14 ~~13~~	~~112~~	116

Result of Thaw of SNOW.

✓ = Days on wh. SNOW or Rain fell

Print 90

The Rev. W. F. NEED.

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) W F Need. [P.T.O.

YARDLEY HASTINGS (THE REC

Section **A** for the entry of Daily Observations

Station No. ~~C 527~~ 1103/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at YARDLEY HASTINGS
in the County of NORTHAMPTON /4
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
,, Ground ,, Sea Level 264 ft.

The first 8 days of Sept. are reported to have been fine here.

479229/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	–	–	·03	·01	·32	–	–		·16	·02	·18		1
2	·03	–	–	·01	·12	·12	–	–		·24	·03	·01		2
3	·02	–	–	–	·09	·01	–	–	SEE	·68	·02	–		3
4	·09	–	–	·01	–	–	·20	–		·22	–	·13		4
5	·02	–	–	·02	–	·02	–	·03	~~AUG~~ (·20)	·12	–	–		5
6	·04	·02	–	–	–	·04	·07	2·67	22	·14	–	–		6
7	·07	–	–	–	–	–	·77	·75	6 31.	·38	·01	·10		7
8	·13	–	–	–	–	·24	·02	·05		·20	–	·10		8
9	·07	·05	–	–	–	–	·02	·37	–	·01	–	·43		9
10	·01	–	·02	–	–	·08	·10	·35	–	–	–	·03		10
11	·44	–	–	–	–	·01	·02	–	–	–	·08	–		11
12	·14	·05	–	–	·06	–	–	2·28	·02	·34	·02	–		12
13	–	·02	–	–	–	–	–	–	–	·02	·04	·09		13
14	·22	–	–	–	·06	–	·09	·02	·08	–	–	–		14
15	·12	·05	–	–	–	–	·18	–	–	·02	·03	·25		15
16	·18	·02	–	·02	·01	–	·05	·01	–	–	·02	·27		16
17	–	·12	–	–	·02	–	·07	–	–	·12	–	–		17
18	·03	–	–	–	·19	–	–	·05	·47	–	·28	–		18
19	–	–	–	–	·01	–	–	·07	·06	–	·15			19
20	–	–	–	–	·03	–	–	·10	–	–	·65			20
21	·03	–	–	–	–	–	–	·01	·02	–	·04	✓		21
22	–	–	–	·01	–	–	–		–	–	·36	✓		22
23	–	–	·07	·01	·01	–	–		–	–	·02	·88		23
24	–	–	·01	–	–	–	–		·39	–	·03			24
25	·09	·12	·06	–	·10	–	–		·02	·08	·30			25
26	·14	·38	·01	·02	–	–	–	~~1·33~~	·20	–	·01	*		26
27	·07	·05	–	–	·20	·13	·23	(1·13)	·22	–	·34			27
28	·07	·01	–	–	·46	·24	–		·06	·16	·02	–		28
29	·49		–	·04	·23	–	·04	✓	·10	·10	·11	–		29
30	·03	✕	–	·05	·02	·02	–		·30	·04	·20	·71		30
31	·12	✕	–	✕	·20	✕	–		✕	·17	✕	·02		31
TOTAL	2·66	·89	·17	·22	1·82	1·23	1·86	7·89 ~~8·09~~	2·14 ~~1·94~~	3·20	2·78	3·20	Year's Total 28·06 ✓	23/3/39
* Days with .01 in. or more.	24	11	5	10	17	11	13	17 ~~14~~	15 ~~12~~	18	22	17 ~~16~~	~~173~~	180
* Days with .04 in. or more.	16	4	2	2	10	4	10	11 ~~10~~	11 9	15	11	14 ~~13~~	~~112~~	116

Result of Thaw of SNOW.

✓ = Days on wh. SNOW or Rain fell

Print 90

The Rev. W. F. NEED.

N

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) W F Need. [P.T.O.

1103/5 for Rain

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. C 527 for Thunder

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at YARDLEY HASTINGS

in the County of NORTHAMPTON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level 264 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

S = SNOW, T = THUNDERSTORM. Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08	—	—	·23	·12	—	—	·02	·05	·01	—	·02		1
2	—	—	—	·07	·10	—	—	·39	T ·50	·13	—	·01		2
3	·32 S	—	—	·17	—	—	·01	·38	·02	—	·30	·28		3
4	—	—	·32	·39	—	—	—	·35	—	·05	·06	·07		4
5	—	—	·02	·34	·24	—	—	·81	—	·02	·24	·78		5
6	·63	—	—	·03	—	—	·47	·01	—	·07	·01	—		6
7	—	·09	—	—	—	—	·08	·03	—	·02	—	—		7
8	—	—	·15	—	—	—	·09	·22	—	·17	—	·54		8
9	·15	·12	—	—	—	—	—	·08	·02	1·22	—	·03		9
10	·27	·01	—	—	—	T ·38	—	·16	·03	·04	—	·02		10
11	—	—	·22	—	—	T ·15	—	—	—	·06	—	·07		11
12	—	—	·02	—	·01	·16	—	—	—	—	·02	—		12
13	·02	—	—	·02	—	·03	—	—	·01	·74	·03	—		13
14	·38	—	·03	·01	·56	·08	·18	—	—	—	·11	—		14
15	·22	—	—	·01	·39	·14	—	—	·15	·81	·05	·01		15
16	·28	—	·10	·02	·10	·36	·14	—	—	—	—	—		16
17	·13	·02	·03	·01	·09	—	·06	—	—	·93	·03	—		17
18	·11	—	·06	—	—	·32	·36	—	·02	·05	·54	·02		18
19	·28	·01	—	—	—	—	·47	—	·02	·02	·01	—		19
20	·15	—	—	—	—	·02	·09	T ·30	·02	—	—	—		20
21	·16	·13	·24	—	·08	T ·20	·10	T ·18	·06	—	—	—		21
22	·23	·25	·10	·01	·07	·04	·03	—	·01	—	·14	—		22
23	·05	—	·02	·07	—	·01	·13	·01	—	·11	·64	—		23
24	—	—	·03	·14	—	—	·06	—	—	—	—	—		24
25	1·48 S	·14	·25	·03	—	—	·07	·25	—	·04	·24	·02		25
26	·40	·04	·07	·11	—	—	·04	·10	—	·07	·36	·13		26
27	·07	·04	·12	—	—	—	·09	·02	—	—	·02	—		27
28	·02	·12	·03	·30	—	·08	·07	—	—	·02	·16	·06 S		28
29	·01	✕	—	·49	—	—	·15	—	—	·27	·02	—		29
30	—	✕	—	·26	—	·07	·02	—	—	—	·02	—		30
31	—	✕	—	✕	—	✕	·13	·01	✕	·03	✕	—		31
TOTAL	5·44	·97	1·81	2·71	1·76	2·04	2·84	3·32	·91	4·88	3·00	2·06	Year's Total 31·74	
* Days with .01 in. or more.	21	11	17	19	10	14	21	17	12	21	19	14	196	
* Days with .04 in. or more.	18	8	10	11	9	11	18	11	4	15	12	7	134	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) WHNeed [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1103/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Yardley Hastings

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 264 ft.

Jany corrected for snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

S: Snow. T: Thunderstorm. Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	·01	·03 T	–	–	–	–	–	·06	–		1
2	–	–	–	·06	–	–	·03	–	–	–	·76	·01		2
3	–	·01	–	·21	–	–	–	–	–	·16	·46	·06		3
4	–	·03	–	·17	–	–	·12	–	–	·18	·64	·06		4
5	–	–	–	–	·01	–	·07	–	–	·07	·81	·08		5
6	·14	·24	–	–	·09	–	·08	–	–	–	·26	·01		6
7	–	–	–	–	·06	–	·14 T	–	·02	·06	–	–		7
8	·01	–	–	·05	–	·06 T	·01	–	–	·10	–	·21		8
9	–	·12	·01	–	–	·11 T	·02	–	–	–	·06	·09		9
10	–	–	–	–	–	–	·57 T	·11	·03	·05	·21	·19		10
11	–	–	·02	·04	–	·01	·18	·01	–	–	·64	·17 S		11
12	–	·02 S	·07	·01	–	–	·07	–	·05	·01	·03	–		12
13	–	–	S ·57	–	–	–	·05	·01	·03	–	·56	–		13
14	–	–	S ·06	·07	·26 T	–	·10	·02	·08	·05	–	·26		14
15	–	·61 S	–	·04	·07 T	–	·06	–	·06	·03	·10	·02		15
16	S ·16	–	·37	·02	–	·01	·43	–	·08	·71	·77	–		16
17	–	·21	·26	–	–	–	·01	–	–	·04	·02	–		17
18	–	–	·29	·44	–	–	·09 T	·06	–	·07	·03	·02		18
19	–	·01	·08	·20	–	–	·11	–	·18	·02	·10	·09		19
20	–	·05	·03	·03	–	·01	·12	–	·01	–	·06	–		20
21	S ·06	–	–	–	·20	–	·06 T	·01	–	·08	·71	–		21
22	S ·11	–	·07	–	·34	·34	·01	·01	·18	·01	·02	–		22
23	–	·24	·03	·02	·05 T	·19	–	·01	–	–	·01	·08		23
24	–	–	–	·09	–	·01	·09	–	–	–	·01	·03		24
25	–	–	·09	–	·01	–	·14	–	–	·07	–	–		25
26	–	·06	·01	–	·04	·01	·31 T	–	–	·01	·03	–		26
27	S ~~1·26~~ (2·16)	·06	–	·09 T	·02	–	·19 T	–	–	·02	–	–		27
28	–	·09	–	–	·31 T	–	·06	–	–	–	–	–		28
29	–	–	·08	–	·15 T	·01	–	–	–	–	–	·24		29
30	–	✕	–	·67 T	–	–	–	–	–	·14	–	·03		30
31	–	✕	–	✕	–	✕	–	–	✕	·58	✕	·01		31
TOTAL	2·64 ~~1·74~~	1·75	2·04	2·22	1·64	·76	3·12	·24	·72	2·46	6·35	1·66	Year's Total ~~24·70~~	25·60
* Days with .01 in. or more.	9 ~~6~~	13	15	17	14	10	25	8	10	20	22	18	~~178~~	181
* Days with .04 in. or more.	8 ~~5~~	9	10	12	11	4	20	2	6	14	15	11	~~119~~	122

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W.H. Need

[P.T.O.

1104

Section **A** for the entry of Da

AIR MINISTRY.-

COPY FOR OFFICIAL USE.

AINFALL ORGANIZATION.

FORM 1090.

REGISTE 1931 .

1104

CASTLE ASHBY

1931 ONLY

780209

Kept at Castle Ashb

in the County of Northa

Northants Nat. His. Soc.

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17												1
2	·09	·09											2
3	·02	·01											3
4		·07											4
5													5
6		·15											6
7		·01											7
8		·06											8
9		·24											9
10	·03	·02											10
11	·10	·13											11
12	·02	·04											12
13													13
14	·03	·10											14
15		·09											15
16	·01	·08											16
17	·03	·41											17
18	·04	·05											18
19	·08	·01											19
20	·01	·01											20
21	·12												21
22	·06												22
23	·12	·01											23
24													24
25	·02	·01											25
26													26
27	·10	·62											27
28	·09	·13											28
29	·03												29
30	·18	×											30
31	·16	×		×		×			×		×		31
TOTAL	1·51	2·34											YEAR'S TOTAL
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) a. R. Searle

P.T.O.

1104

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Castle Ashby.

in the County of Northants

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

Copied from Northants Nat. His. Soc

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17												1
2	·09	·09											2
3	·02	·01											3
4		·07											4
5													5
6		·15											6
7		·01											7
8		·06											8
9		·24											9
10	·03	·02											10
11	·10	·13											11
12	·02	·04											12
13													13
14	·03	·10											14
15		·09											15
16	·01	·08											16
17	·03	·41											17
18	·04	·05											18
19	·08	·01											19
20	·01	·01											20
21	·12												21
22	·06												22
23	·12	·01											23
24													24
25	·02	·01											25
26													26
27	·10	·62											27
28	·09	·13											28
29	·03												29
30	·18	×											30
31	·16	×		×		×			×		×		31
TOTAL	1·51	2·34											YEAR'S TOTAL
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

(Signed) A. R. Searle P.T.O.

*See Instruction 2 (*f*) on other side.

1105

1105 —

LITTLE HOUGHTON HSE

1931- 1940

780209

Section **A** for the entry of Daily

AIR MINISTRY.—ME

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGISTER

31 .

Kept at Little Houghton H

in the County of Northamp

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

„ Ground „ Sea Level

THE MORNING MEASUREME **AY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.05		.02	.03	.01			.17				1
2	.09	.06		.66	.01				.77	.01		.03	2
3	.01	.02		.19	.06				.71		.37	.13	3
4		.04		.09			.14	.11	.10		.05		4
5				.09	.06	.62			.05		.12	.42	5
6		.13		.02		.01	.10			.15	.25		6
7						.04		.41		.04	.05	.02	7
8	.01	.06	.05	.04		.10		.58			.17		8
9		.21		.05		.13		.06			.24	.02	9
10	.01	.02					.24	.26	.02		.03		10
11	.08	.13							.09		.34		11
12		.03					.03		.24				12
13	.03						.13	.04					13
14		.08			.03	.42	.67	.40					14
15		.11		.16	.15		.16	.48			.01	.02	15
16	.01	.10		.08	.28	.21		.16	.18				16
17	.02	.37		.34	.36		.12						17
18	.07	.04		.42		.08	.02	.21			.34		18
19	.07			.31		.25	.02	.02	.32		.01		19
20		.01		.09	.66		.01	.17					20
21	.07							.02					21
22	.06			.01	.35				.02				22
23	.11								.04		.14	.04	23
24			.01	.18	.28	.05	.05						24
25				.48	.01		.41				.07	.01	25
26	.02			.34			.20				.15		26
27	.09	.64			.09		.08				.27	.01	27
28	.09	.16		.02	.01					.01	.01	.20	28
29	.02			.02	.01		.17			.19	.05	.03	29
30	.19	×											30
31	.29	×		×		×			×		×	.01	31
TOTAL	1.34	2.26	.06	3.61	2.39	1.92	2.55	2.92	2.71	.40	2.73	.94	YEAR'S TOTAL 23.83
*Days with ·01 in. or more.	19~~7~~	~~5~~18	~~1~~2	~~205~~	~~6~~15	~~R~~11	~~8~~16	~~2~~13	~~8~~12	5~~8~~	~~4~~18	~~8~~12	161
*Days with ·04 in. or more.	11	14	1	15	9	9	12	11	10	3	~~15~~14	4	113

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) * C Smyth

[P.T.O.

1105

Section **A** for the entry of Daily

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Little Houghton House

in the County of Northampton

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

See previous returns

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.05		.02	.03	.01			.17				1
2	.09	.06		.66	.01				.77	.01		.03	2
3	.01	.02		.19	.06				.71		.37	.13	3
4		.04		.09			.14	.11	.10		.05		4
5				.09	.06	.62			.05		.12	.42	5
6		.13		.02		.01	.10			.15	.25		6
7						.04		.41		.04	.05	.02	7
8	.01	.06	.05	.04		.10		.58			.17		8
9		.21		.05		.13		.06			.24	.02	9
10	.01	.02					.24	.26	.02		.03		10
11	.08	.13							.09		.34		11
12		.03					.03		.24				12
13	.03						.13	.04					13
14		.08			.03	.42	.67	.40					14
15		.11		.16	.15		.16	.48			.01	.02	15
16	.01	.10		.08	.28	.21		.16	.18				16
17	.02	.37		.34	.36		.12						17
18	.07	.04		.42		.08	.02	.21			.34		18
19	.07			.31		.25	.02	.02	.32		.01		19
20		.01		.09	.66		.01	.17					20
21	.07							.02					21
22	.06			.01	.35				.02				22
23	.11								.04		.14	.04	23
24			.01	.18	.28	.05	.05						24
25				.48	.01		.41				.07	.01	25
26	.02			.34			.20				.15		26
27	.09	.64			.09		.08				.27	.01	27
28	.09	.16		.02	.01					.01	.01	.20	28
29	.02			.02	.01		.17			.19	.05	.03	29
30	.19	×											30
31	.29	×		×		×			×		×	.01	31
TOTAL	1.34	2.26	.06	3.61	2.39	1.92	2.55	2.92	2.71	.40	2.73	.94	YEAR'S TOTAL 23.83
*Days with ·01 in. or more.	19	~~5~~18	~~1~~2	20~~5~~	~~6~~15	~~8~~11	~~8~~16	~~2~~13	~~8~~12	5~~2~~	~~4~~18	~~8~~12	161
*Days with ·04 in. or more.	11	14	1	15	9	9	12	11	10	3	~~15~~14	4	113

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) * C Smyth

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Little Houghton House

in the County of Northampton

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.04		.08	.74	.07	.03	.44	.04	.23	.01	.03	1
2				.13	.16			.01	.12	.13	.04	.18	2
3				.23	.03								3
4	.04			.15							.23		4
5	.25		.07		.02	.03	.17		.08			.01	5
6	.46		.03	.23	.01				.17				6
7			.18	.16			.02		.05	.01	.01		7
8		.02		.06					.43	.06			8
9	.06	.01		.08									9
10	.10	.05	.01	.12	.08				.11				10
11				.04	.06	.09	.27	.03	.03	.02	.02		11
12	.15				.17				.06	.55	.03		12
13	.09	.02		.11			.59		.02	.04	.07	.01	13
14	.21			.10	.01					.03	.03		14
15	.01			.10	.26					.05		.02	15
16	.16			.39	.16								16
17							.12			.08			17
18					.01				.04		.03		18
19		.01		.01							.01	.01	19
20				.19	.22			.34		.17	.07		20
21	.02		.07	.10	1.18			1.17		.28	.01	.02	21
22			.37	.01	.09				.53	.05	.30		22
23					.03				.08	.16	.03	.04	23
24							.09		.04	.04	.31		24
25		.04					.34		.04	.28	.01	.01	25
26				.38	.19		.07		.05	.01	.02		26
27			.28	.14	.30		.18		.06	.04	.07		27
28			.16		.93	.11	.12			.07	.01		28
29			.20	.30	.13	.11		.22	.03	.34			29
30		X	.01		.15	.24		.21	.93	.22	.33	.19	30
31		X	.14	X		X	.04	[illegible]	X		X	.04	24.60 31
TOTAL	1.58	.19	1.52	3.11	4.93	.65	2.04	2.42	2.91	3.06	1.63	.56	YEAR'S TOTAL ~~3.00~~
*Days with ·01 in. or more.	12	7	11	21	21	6	12	2	19	21	20	11	163
*Days with .04 in. or more.	9	3	7	19	15	5	10	5	17	17	7	4	118

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C Smyth

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Little Houghton House

in the County of Northampton

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.12	.11								.03		1
2	.13		.31		.03						.01		2
3		.11	.30		.06						.03		3
4	.15		.01		.47								4
5	.04	.02	.20		.02								5
6		.05	.08		.16					.01	.01		6
7	.01	.12			.02					.08	.02	.01	7
8	.01		.13		.06		.18						8
9					.04		.19			.03	.11		9
10		.22				.03		.10		.49	.14		10
11	.03				.02	.08	.06	.05				.02	11
12	.01					.07	.06		.39			.03	12
13	.01				.03	.06	.08				.18		13
14					.02					.12	.55	.02	14
15	.38		.08				.24				.42		15
16	.08		.56		.03	.12	.13			.09	.09		16
17		.05	.36			.03			.04		.05		17
18	.06	.05				.04							18
19		.02	.32			.03			.13		.01	.02	19
20		.03	.05			.85		.06	.39		.01		20
21		.11				.10		.06	.05				21
22						.01		.48	.04	.27			22
23				.07		.01			.54				23
24		.15		.08	.06	.15			.34	.01	.01		24
25		.69		.23		.14			.02	.01	.03		25
26		.38		.03		.73			.08	.01			26
27									.05	.07		.02	27
28				.02						.31		.08	28
29	.03			.29			.13			.12			29
30	.26	×					.05					.18	30
31	.03	×	.16	×		×		.10	×	.11	×		31
TOTAL	1.29	2.12	2.67	.72	1.02	2.45	1.12	.76	2.07	1.73	1.70	.38	YEAR'S TOTAL 18.03
*Days with ·01 in. or more.	15	14	13	6	13	15	9	6	11	14	16	8	140
*Days with .04 in. or more.	8	11	12	4	6	10	9	6	10	9	7	2	94

40-9999

*See Instruction 2 (*f*) on other side,

D

(*Signed*) E Smyth

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Little Houghton House

in the County of Northamptonshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level .... ft.

Copy from Duplicate

Northants Natural History Society.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·12	·11	–							·03		1
2	·13		·31		·03						·01		2
3		·11	·30		·06						·03		3
4	·15		·01		·47								4
5	·04	·02	·20		·02								5
6		·05	·08		·16					·01	·01		6
7	·01	·12			·02					·08	·02	·01	7
8	·01		·13		·06		·18						8
9					·04		·19			·03	·11		9
10		·22				·03		·01		·49	·14		10
11	·03				·02	·08	·06	·05				·02	11
12	·01					·07	·06		·39			·03	12
13	·01				·03	·06	·08				·18		13
14					·02					·12	·55	·02	14
15	·38		·08				·24				·42		15
16	·08		·56		·03	·12	·13			·09	·09		16
17		·05	·36			·03			·04		·05		17
18	·06	·05				·04							18
19		·02	·32			·03			·13		·01	·02	19
20		·03	·05			·85		·06	·39		·01		20
21		·11				·10		·06	·05				21
22						·01		·48	·04	·27			22
23				·07		·01			·54				23
24		·15		·08	·06	·15			·34	·01	·01		24
25		·69		·23		·14			·02	·01	·03		25
26		·38		·03		·73			·08	·01			26
27									·05	·07		·02	27
28				·02						·31		·08	28
29	·03			·29			·13			·12			29
30	·26	×					·05					·18	30
31	·03	×	·16	×		×		·10	×	·11	×		31
													YEAR'S TOTAL
TOTAL	1·29	2·12	2·67	·72	1·02	2·45	1·12	·76	2·07	1·73	1·70	·38	18·03
*Days with ·01 in. or more.	15	14	13	6	13	15	9	6	11	14	16	8	140
*Days with .04 in. or more.	8	11	12	4	6	10	9	5	10	9	7	2	93

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) C. Smyth

P.T.O.

File No. 817137/38

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 1105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Little Houghton House
in the County of Northampton
Diameter of Funnel of Gauge 4 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.4	—	—	—	—	—	—	·12	—	—	0·7	·39		1
2	·17	—	0.5	—	—	—	—	—	·50	0.8	—	—		2
3	—	0.4	—	0.9	—	—	—	—	—	·10	—	·21		3
4	[illegible]·7	0.1	0.6	·22	—	—	—	0.8	—	·11	·15	·21		4
5	—	—	0.5	—	0.4	—	—	—	—	—	0.3	·16		5
6	0.1	—	0.6	0.6	·32	0.3	—	0.9	—	·14	—	·53		6
7	0.6	—	—	—	—	44	—	·16	—	0.5	—	·20		7
8	—	—	—	—	0.6	·13	—	0.6	0.1	—	·14	0.4		8
9	—	—	0.9	—	—	—	—	0.5	—	—	·84	·22		9
10	—	—	·10	·15	—	—	—	0.1	—	—	·12	0.1		10
11	·42	—	·21	·14	—	—	—	·20	—	—	—	·23		11
12	—	—	0.5	0.1	—	—	0.3	0.9	—	—	—	0.3		12
13	·32	—	—	0.1	—	—	1.20	·12	—	—	—	·59		13
14	0.7	—	·25	—	0.2	—	—	—	—	·14	·34	·28		14
15	0.2	—	·24	—	0·2	—	—	—	·43	—	·22	0.3		15
16	·12	0.1	·16	—	0.6	—	—	—	—	·24	—	0.2		16
17	—	—	—	—	—	—	—	—	0.9	·13	0.7	·18		17
18	·19	—	—	·24	—	—	·27	—	0.7	—	—	0.6		18
19	—	—	·12	0.4	—	0.3	—	—	—	0.4	—	0.2		19
20	—	—	0.1	0.2	—	0.2	—	—	0.3	—	—	—		20
21	—	—	—	0.1	—	0.5	—	—	—	0.7	—	—		21
22	—	—	—	—	—	—	—	0.9	·14	—	—	—		22
23	—	—	—	·21	·19	·17	—	0.4	—	—	—	·13		23
24	—	·29	0.9	0.2	—	0.2	·15	—	·27	—	—	—		24
25	·13	0.3	—	0.6	—	—	—	—	—	—	—	·33		25
26	0.1	—	—	0.6	—	0.4	—	—	0.3	0.9	—	0.2		26
27	0.2	0.8 Snow	—	—	—	—	—	—	—	0.6	—	·14		27
28	—	—	—	·49	—	·15	—	·44	—	—	0·1	·29		28
29	—	—	—	—	—	—	·19	0.1	·19	0.1	—	0.1		29
30	0.2	X	—	—	—	—	—	—	—	—	—	0.1		30
31	—	X	—	X	—	X	—	0.2	X	—	X	0.8		31
TOTAL	1.67	46	1.54	1.83	71	78	1.84	1.58	2.26	1.26	1.99	4.42	Year's Total. 20.34 ✓	
* Days with .01 in. or more.	15	6	14	16	7	10	5	15	10	13	10	26	147	
* Days with .04 in. or more.	10	3	13	11	5	6	4	12	7	12	8	18	109	

40-9999

* See Instruction 2 (f) on other side. The late C. Smyth Esq

† Spare column, no entries required.

(Signed) (Mrs) U. C. Davidge, exor. C. Smyth decd. P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

817127/28

Kept at Little Houghton House
in the County of Northampton
Diameter of Funnel of Gauge 4 in.
Height of top of Gauge above Ground 1 ft in.
,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	29			.05		.19			.05	.15	.11			1
2						.07			.01	.07	.01	.04		2
3		.28	.07	Rain & Snow .70		.07			.13	.33	.23			3
4				Rain & Snow .74		.04			.02	.11		.01		4
5		71	.02	Rain & Snow .16			.04		.10	.06	.09			5
6		.01		.38		.19				.14				6
7				.45		.28				.09	35	.16		7
8				.19				.16		.75	.10	.09		8
9				.60		.38					.21			9
10				.27							.02			10
11	19					.04	.20				.33	.02		11
12	.02 Snow	.02				.48					.01			12
13	12	.08		.03	.16									13
14				.01	Rain Hail & Snow .27	.12			.27		.22	Snow .06		14
15		.09		.48	.02	.21			.41		.21	Snow & Rain .27		15
16		.01	.08	.07		.20			.17	.08	.55	.09		16
17				.02		.18			.05		.46	.01		17
18				.19	Rain & Hail .03	.12	.35		.06	.03				18
19				.10	.38	.09	.11		.12		.16			19
20	0.2	.10		.12		.10	.01		.05	.01	.07			20
21		.30	.01	.05					Hail .37		.28			21
22		.03	.01	.10					.38					22
23			.09					.87		.14		Snow .06		23
24		.30	.03						1.17			Snow & Rain .24		24
25	22 Rain & Snow	.04		.21		Thunder Rain & Hail 1.77					.01	.14		25
26	.04 Snow	.01						.16	.09			.43		26
27		.16							.05	.03	.16	.83		27
28		.15			.16				.18			.05		28
29			.05						.22		.01	.15		29
30	.05	×		.05	.07			.45	.02	.06	22	.17		30
31		×		×		×		.19	×	1.29	×	.15		31
TOTAL	95	2.29	36	3.77	1.09	4.47	71	1.83	3.89	3.34	3.81	2.97	Year's Total. 29.48	
* Days with .01 in. or more.	8	15	8	21	7	17	5	5	20	15	21	18	160	
* Days with .04 in. or more.	6	10	4	18	5	17	4	5	17	12	16	15	129	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Mrs U. C. Davidge

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 1105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Little Houghton House

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 270 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.1	15	0.3	52	—	10	30	0.1	—	—	0.4	0.2		1
2	0.2	0.2	0.3	0.3	—	26	47	0.5	—	—	20	0.8		2
3	—	Snow & Sleet 0.1	—	—	0.1	13	0.3	—	—	—	16	—		3
4	0.1	—	17	—	—	11	—	—	0.5	—	0.1	0.5		4
5	0.8	—	0.4	—	—	—	0.1	0.4	50	—	—	12		5
6	0.8	—	—	—	1.07	0.8	0.4	—	—	—	0.7	—		6
7	41	—	0.4	—	—	—	0.4	12	—	—	—	—		7
8	13	—	20	—	—	—	—	—	—	0.2	22	13		8
9	38	—	0.3	—	—	01	98	—	—	0.4	—	—		9
10	25	—	—	—	—	—	45	—	50	0.6	—	—		10
11	—	—	—	Snow 0.5	—	—	11	—	—	—	38	0.1		11
12	—	—	—	Snow & Rain 16	—	48	28	—	—	—	0.8	10		12
13	—	—	—	Snow & Rain 0.5	0.5	42	—	—	32	0.5	0.8	22		13
14	—	0.1	—	18	—	0.5	65	—	—	0.4	—	50		14
15	—	0.1	—	0.6	—	0.2	16	—	—	—	—	12		15
16	0.5	0.7	—	—	—	—	0.4	—	28	—	52	—		16
17	0.2	47	—	—	38	—	0.3	—	—	0.6	0.4	0.8		17
18	—	0.3	—	—	—	12	0.5	—	—	11	0.8	—		18
19	39	0.2	—	12	—	0.8	—	0.7	—	12	—	—		19
20	0.6	14	0.4	12	—	24	0.2	—	12	—	—	—		20
21	—	—	—	18	—	68	0.3	—	23	—	—	—		21
22	0.1	65	0.9	Snow 0.1	38	—	22	—	25	—	0.1	0.9		22
23	0.2	—	0.7	0.9	0.2	—	20	—	—	0.1	—	—		23
24	13	12	—	—	0.1	—	13	—	—	25	—	—		24
25	0.9	—	16	25	—	10	0.8	—	15	0.2	0.7	0.3		25
26	—	12	27	—	—	—	0.3	—	—	0.4	0.3	—		26
27	0.4	—	—	—	—	—	—	—	23	15	—	—		27
28	46	0.1	11	—	—	—	0.8	—	—	—	—	0.7		28
29	65	Rain & Snow 21	0.3	—	—	0.5	0.3	—	—	18	29	0.5		29
30	0.2	✕	—	—	24	25	0.6	—	—	20	0.5	—		30
31	73	✕	0.9	✕	—	✕	11	—	✕	41	✕	11		31
TOTAL	4.04	2.04	1.40	1.78	2.16	3.15	4.63	29	2.63	1.76	2.33	1.78	Year's Total 27.99	
* Days with .01 in. or more.	22	15	15	13	8	17	26	5	10	16	17	16	180	
* Days with .04 in. or more.	15	8	11	11	5	15	19	4	10	13	14	13	138	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) U. C. Davidge [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Little Houghton House

in the County of Northampton

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 270 ft.

Corrected by surr. stns 26/4/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·0.8						00	00			03	(.20) ~~02~~		1
2		08	01	48			0.1		01	02	01	(.15)		2
3		02	..								03	04		3
4	.04	17			02				50	01				4
5	17		13				02				.	66		5
6	15		21	01	16				01		01	03		6
7		76		14	02			12		04	02			7
8		07			08		03					07		8
9			03	29	32		(.10)					(.10) ~~07~~		9
10	01		66	68		19	(·05)	05	23			(.15)		10
11			12	03	77	22	03			01	11	(30) ~~03~~		11
12	04	38	08		43	33								12
13	15	05	22	02		49					18	01		13
14	01		24			20	05							14
15	28	08	33	18		08	(.62) ~~02~~	12		02	05	04		15
16	03	11		34		01						05		16
17	34	01	36	22		00	01		01		55			17
18	30	11	04	01		01		01			.	12		18
19	11	04	13	06	01		1.7			03	01	02		19
20	42		01	40	70	00					01			20
21	12	26	09	01			(.20) ~~02~~					03		21
22	20		02		01	08	(·10)		0.4	(.50)	04	01		22
23	24		03		20	01	01			1~~09~~		02		23
24	31	33	03		01	00		03		(.15)	01			24
25	15	20	03		114	01	02			(.72) ~~02~~		07		25
26		30	06		39	02	03			(.10)	02	02		26
27	02	28	02	10	6	20		01		(.60)				27
28		04				33	12			04	03	03		28
29	07					22			03			02		29
30	30	✕				00	03			03	01	08		30
31	23	✕		✕		✕	01		✕	(.14) ~~04~~	✕	02	(28.65)	31
TOTAL	3.77	3.29	2.85	2.97	4.32	2.40	(1.61) ~~.58~~	.34	.83	(2.91) ~~.27~~	1.12	(2.24) ~~1.40~~	Year's Total ~~21.14~~	
* Days with .01 in. or more.	23 ~~4~~	18 ~~2~~	21 ~~8~~	15 ~~5~~	15 ~~5~~	15 ~~5~~	18 ~~12~~	6 ~~3~~	7 ~~4~~	~~8~~ 15	~~11~~ 16	~~13~~ 23	80	192 ~~183~~
* Days with .04 in. or more.	19	16	13	10	10	10	~~3~~ 8	3	3	~~3~~ 9	5	~~8~~ 13	~~103~~	119

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. C. Davidge

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1105/S

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Northampton, Hardingstone

in the County of Northants

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

corrected for arith.

Annual returns are made by N.E.L.P.C.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	tr	.24	–	–	–	.09	tr	.18		1
2	.06	–	–	.02	.06	.14	–	–	–	.33	.01	tr		2
3	–	–	–	–	.05	–	–	–	tr	.59	.01	tr		3
4	.01	–	–	–	–	.01	.02	–	–	.22	–	.12		4
5	–	–	–	–	–	–	.25	.05	–	.05	–	–		5
6	.02	–	–	–	–	–	.13	.12	.15	.13	–	tr		6
7	.07	–	–	–	–	–	.18	.49	.12	.32	–	.12		7
8	.14	–	–	–	–	.22	.04	–	–	.21	–	.03		8
9	.02	.01	–	–	–	–	–	.38	–	tr	–	.36		9
10	–	.03	–	–	–	.05	.16	.05	–	–	–	.06		10
11	.42	–	–	–	–	–	–	~~1.45~~	–	tr	.09	tr		11
12	.13	.01	–	–	.03	–	–	1.45	–	.36	tr	tr		12
13	–	.14	–	–	–	–	–	tr	–	tr	.05	.13		13
14	.16	.02	–	–	.05	–	.27	tr	.06	–	–	tr		14
15	.06	–	–	–	–	–	.11	–	–	–	tr	.24		15
16	.20	–	–	–	–	–	.03	–	–	–	.02	.22		16
17	–	.07	–	–	.03	–	.06	–	.02	.08	.01	tr		17
18	.01	tr	–	–	.15	–	–	.04	.15	tr	.18	–		18
19	–	–	–	–	–	–	–	.04	.14	tr	.05	–		19
20	–	–	–	–	–	–	–	–	.04	tr	.80	.10		20
21	–	–	–	–	–	–	–	tr	–	–	.02	.30		21
22	–	–	–	tr	–	tr	–	.01	–	–	.03	.24		22
23	–	–	–	–	–	–	–	–	.01	tr	tr	.01		23
24	–	–	.02	–	.02	–	–	~~tr~~	.25	tr	.02	.02		24
25	.08	.09	.03	–	.07	–	.01	.09	–	.04	.22	.12		25
26	.13	.26	.09	–	–	–	–	tr	.13	.20	–	.11	90	26
27	.04	.03	–	tr	.19	.14	.21	.01	.33	tr	.39	tr		27
28	.04	–	–	–	.39	.22	.02	.82	.08	tr	.04	.10		28
29	.46	×	–	tr	.19	–	.01	tr	.01	.02	.11	.13		29
30	.02	×	–	.01	tr	.06	–	–	.05	.04	.20	.06		30
31	.12	×	–	×	.22	×	–	–	×	.19	×	.37		31
TOTAL	2·19 ~~2.2"~~	0·66 ~~0.7"~~	(0·14) ~~0.1"~~	(0·03) ✓ ~~0.0"~~	1·45 ~~1.4"~~	1·08 ~~1.1"~~	1.50	3·55 ~~3.6"~~	1.54	2.87	2.25	3.02	Year's Total 20.28	✓
* Days with .01 in. or more.	19✓	9✓	3✓	2✓	12✓	8✓	14✓	12✓	14	15	17	20	145	✓
* Days with .04 in. or more.	14✓	4✓	1✓	0✓	9✓	7✓	9✓	10✓	11	14	10	17	106	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) N.E.L.P.Co., Ltd.
per River Nene Catchment Board.

[P.T.O.

LITTLE HOUGHTON HOUSE

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Little Houghton House

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 300 ft.

Jan total, mar 22nd, Dec 27th est'd from nearby [illegible]

Days

NR 1938

Letter sent 4/3/40 informing observer of Jan. daily entries [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: –

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	·16		·21	–	·04	·10	–	–	–	–		1
2	·12 Snow	–	–	–	·03	–	–	·15	–	·26	–	–		2
3	–	–	–	·23	–	–	–	·35	·29	–	·04	–		3
4	·01	–	–	·05	–	–	–	·10	–	–	·24	·32		4
5	·10 Snow	–	·27	·11	–	–	–	·47	–	·02	·04	·07		5
6	–	–	–	·30	·20	–	·03	·90	–	·18	·23	·47		6
7	–	·10	–	·50	–	–	·38	·01	–	–	·01	–		7
8	–	·04	–	–	–	–	·06	–	–	–	·25	·22		8
9	·02	·08	·15	–	–	–	·10	·15	–	·43	·09	·35		9
10	·04	–	–	–	–	–	–	·09	–	·65	–	·10		10
11	–	–	–	–	–	·30	–	·15	–	·04	–	–		11
12	–	–	·16	–	–	·15	–	–	–	–	–	–		12
13	–	–	–	–	–	·03	–	–	–	–	–	–		13
14	–	–	–	–	–	–	·04	–	·05	·70	–	–		14
15	–	–	·02	·04	·63	·02	·08	–	–	·04	·16	–		15
16	–	–	–	–	·30	·07	·03	–	–	·70	·15	–		16
17	–	–	·07	–	·04	·53	·07	–	–	·05	·25	–		17
18	–	–	·02	·01	–	–	·03	–	–	1·55	·03	–		18
19	–	–	·06	–	–	·31	·29	–	–	·01	·50	–		19
20	·01	–	–	–	–	–	·40	–	·05	·02	–	·02		20
21	·02	–	–	–	·02	–	·02	·22	–	–	–	–		21
22	·01	·14	(·20) ~~·02~~	–	–	·15	1·46	·64	·10	–	–	–		22
23	–	·18	·09	–	–	–	–	–	–	–	–	–		23
24	·02	·02	–	·04	–	–	·06	–	–	·13	·58	–		24
25	–	–	·01	·09	–	–	~~·04~~	–	–	·03	–	–		25
26	–	·10	·13	·01	–	–	·04	·42	–	–	·21	–		26
27	·01	·07	·03	·07	–	–	–	·01	–	·11	·33	(·08)		27
28	·10	·04	·07	–	–	·02	·05	–	–	·10	·02	–		28
29	·11	X ·16	·10	–	–	–	–	·01	–	·02	·15	(Tr) Snow. Tr.		29
30	·01		–	·35 ·21	–	·04	·02	·05	–	·25	=	–		30
31	=		=		=		·10	=	–	=		=	30·14	31
Total	(5·40) ~~·58~~	·93 ~~·77~~	1·38 ~~1·36~~	2·01 ~~[illegible]~~	1·22 ~~1·43~~	1·62 ~~1·58~~	3·26 ~~3·20~~	3·72 ~~3·82~~	·39	5·29	3·29	1·63 ~~1·55~~	Year's Total ~~25·0~~	
* Days with .01 in. or more.	(22) ~~23~~	10	15	12	7	10	18	16	4	19	17	8	(156) ~~146~~	
* Days with .04 in. or more.	19	9	10	10	5	7	13	13	4	14	14	7	(124) ~~108~~	

Paid wt d"

Mrs. U. C. DAVIDGE

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) U. C. Davidge

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at LITTLE HOUGHTON HOUSE

in the County of NORTHAMPTON

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 270 ft.

Nov. 2nd & 21st corrd in accordance with [illegible] stns.
Query sent 11/3/41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·05	–	–	–	–	–	–	–	–	·25	–		1
2	–	·25	–	·29	–	–	·01	–	–	–	(·55) ~~·05~~	✓		2
3	–	·21	–	·08	–	–	–	–	–	·04	·4[illegible]	– ✓		3
4	–	·12	–	·15	–	–	– ✓	–	–	·20	·4[illegible]	·12		4
5	–	–	–	–	·02	–	·13	–	–	·06	·87	·04		5
6	– ✗ ·25	·20	–	–	·07	–	·05	–	–	·18	·25	–		6
7	– ✗	·15	–	·01	·02	–	·25	–	–	–	–	·05		7
8	–	–	–	·03	–	·06	–	–	·05	·13	·02	·15		8
9	–	–	–	–	–	~~·06~~	1·09	·01	–	–	·10	·11		9
10	–	–	–	–	–	–	·14		–	–	·15	·20		10
11	–	·20	– ✓	·02	–	·06	·03	–	–	–	·74	– ✓		11
12	–	·01 snow	·08	–	–	–	·10	–	–	–	– ✓	–		12
13	–	–	·58 snow	–	–	–	·13	–	–	–	·40	·40		13
14	–	–	·14 snow	·05	·12	–	–	–	·06	·03	–	–		14
15	–	–	–	·10	·06	–	·06	–	– ✓	·42	–	–		15
16	–	·15 snow	·33	–	–	–	·45	–	·18	·64	–	–		16
17	Tr snow	–	·40	–	–	–	·14	–	–	–	·75	–		17
18	Tr. snow	·46	·33	·41	–	–	·02	·07	–	– ✓	·05	–		18
19	Tr. snow	·20	·09	– ✓	–	–	·16	–	–	–	– ✓	–		19
20	Tr snow	–	·06	·13	·20	–	·02	–	–	– ✓	·10	–		20
21	·33 snow	–	–	–	·28	–	·10	–	–	·16	(1·04)	–		21
22	[illegible] snow	–	– ✓	–	·29	·48	–	–	·15	–	–	–		22
23	Tr. snow	·21	·07	·03	–	·26	–	–	–	–	–	·12		23
24	Tr. snow	–	–	·02	–	–	·05	–	–	–	–	–		24
25	Tr snow	–	·04	·05	–	–	–	–	–	–	–	–		25
26	Tr. snow	·02	–	–	·04	–	·40	–	–	–	–	–		26
27	·50 snow	·02	–	·24	·22	–	·03	–	–	–	–	–		27
28	·50 snow	·07	–	–	·29	–	·13	–	–	–	–	–		28
29	·50 snow	–	·03	–	·79	–	–	–	–	·05	–	·25		29
30	Tr. snow	✗	·03	·50	–	–	–	–	–	–	–	–		30 26·19
31	Tr. snow	✗	–	✗	–	✗	–	–	✗	·65	✗	–		31 ~~25·94~~
2·08 ~~1·83~~ TOTAL	~~1·83~~	2·32	2·18	2·11	2·40	·86	3·49	·08	·44	2·56	6·23 ~~4·73~~	1·44 ~~1·14~~	Year's Total ~~23·90~~	~~25·64~~ ~~25·40~~
* Days with .01 in. or more.	~~4~~6	15	1~~2~~4	1~~5~~6	12	4	20 1	2	~~4~~5	~~11~~13	1~~5~~7	~~9~~12	~~129~~	Print
* Days with .04 in. or more.	~~4~~6	12	10	10	10	4	15	1	4	10	14	9	10~~3~~5	

137.

† Spare column, no entries required.

(*Signed*) U. C. Dawdge

P.T.O.

* See Instruction 3 (f) on other side.

1106

Section **A** for the entry of Daily Obs

AIR MINISTRY.—METEC

COPY FOR OFFICIAL USE.

L ORGANIZATION.

FORM 1090.

REGISTER

1.

11·06

UPTON

1931- 1940

780209

Kept at Upton (Station No 110

in the County of Northamptox

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft

,, Ground ,, Sea Level 2

THE MORNING MEASUREMENT .

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		2	2	5	2				13				1
2	9	3		65		2			64	2		4	2
3				27					79		39	11	3
4		6×					25	20	8		5		4
5				8	2	69			10		3	34	5
6		19		3			31			14	20		6
7						2		29			4	2	7
8		4	5×	5		6		56			13		8
9		16		4		17		5			17	1	9
10	3						12	21			3		10
11	9	13				4			10		17		11
12	5			2			10		27				12
13							9	4					13
14		9			5	11	75	46					14
15		10		10	16		5	30					15
16	4	10		7	18	22		23	17				16
17		35		62	36		11		2				17
18	6	3		32		6	10	3			33		18
19	4			31		11	1	32	7				19
20		3		8			4			3		4	20
21					60								21
22	11								2				22
23	13			2	35				5		10	5	23
24				8	31								24
25		2		42	3		55				5		25
26				23			23						26
27	7	58		1	31		11				33	5	27
28	9	18×		3						3	1	24×	28
29		×			4		18			21		2	29
30	14	×											30
31	11	×		×		×			×		×	1	31
TOTAL	1·05	2·11	0·07	3·48	2·43	1·50	3·00	2·69	2·44	0·43	2·03	0·93	YEAR'S TOTAL 22.16
*Days with ·01 in. or more.	~~13~~	~~16~~	~~2~~	~~20~~	~~12~~	~~10~~	~~16~~	~~11~~	~~12~~	~~3~~	~~14~~	~~11~~	~~144~~
*Days with ·04 in. or more.	12	11	1	15	9	8	14	10	10	2	11	7	110

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J R Foster

[P.T.O.

× Snow.

1106

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Upton [station No 1106]
in the County of Northampton

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		2	2	5	2				13				1
2	9	3		65		2			64	2		4	2
3				27					79		39	11	3
4		6x					25	20	8		5		4
5				8	2	69			10		3	34	5
6		19		3			31			14	20		6
7						2		29			4	2	7
8		4	5x	5		6		56			13		8
9		16		4		17		5			17	1	9
10	3						12	21			3		10
11	9	13				4			10		17		11
12	5			2			10		27				12
13							9	4					13
14		9			5	11	75	46					14
15		10		10	16		5	30					15
16	4	10		7	18	22		23	17				16
17		35		62	36		11		2				17
18	6	3		32		6	10	3			33		18
19	4			31		11	1	32	7				19
20		3		8			4			3		4	20
21					60								21
22	11								2				22
23	13			2	35				5		10	5	23
24				8	31								24
25		2		42	3		55				5		25
26				23			23						26
27	7	58		1	31		11				33	5	27
28	9	18x		3						3	1	24x	28
29		~~x~~			4		18			21		2	29
30	14	✕											30
31	11	✕		✕		✕			✕		✕	1	31
TOTAL	1·05	2·11	0·07	3·48	2·43	1·50	3·00	2·69	2·44	0·43	2·03	0·93	YEAR'S TOTAL 22.16
*Days with ·01 in. or more.	~~13~~	~~16~~	~~2~~	~~20~~	~~12~~	~~10~~	~~15~~	~~11~~	~~12~~	~~3~~	~~14~~	~~11~~	~~144~~
*Days with ·04 in. or more.	12	11	1	15	9	8	14	10	10	2	11	7	110

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J R Foster

[P.T.O.

x Snow.

1106

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1106

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Upton

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	4	3		8	72	6	4	41	6	33		2	1
2				11	12				9		3	18	2
3				16	7				3				3
4	3			9							26		4
5	24		11		1		12						5
6	49		4	27	1				36				6
7			16	24					2			2	7
8		3	2	8					19	6			8
9	7			6	4								9
10	4	9*		16	6				17				10
11		4*		6	9	9	92⊙	15	1		2	1	11
12	12	1			17				4	28	3		12
13	4			8			59		6	7	8	1	13
14	16			7	3						4		14
15	1			11	25		7			5			15
16	18			35	15								16
17				1			15			6	3		17
18					2								18
19		1								16			19
20				7	23			36		29	7		20
21			6		124			108		23		1	21
22	2		26	2	16		39		68	7	30		22
23					83				10	10	5		23
24					2		5		1	6	30		24
25		5					24						25
26			1	35	15		10			25			26
27			24	11	38		25		1		11		27
28			11	2	48	11	7	9		10			28
29			19	15	19	13	2	9	16	35			29
30		×				18		26	32	22	42	17	30
31		×	5	×		×	17		×		×	3	31
TOTAL	1·44	·26	1·25	2·65	5·42	·57	3·18	2·44	2·31	2·68	1·74	·45	YEAR'S TOTAL 24·39
*Days with ·01 in. or more.	12	7	11	21	22	5	14	7	16	16	13	8	152
*Days with .04 in. or more.	9	3	9	18	17	5	13	7	11	16	9	2	119

× Snow ⊙ 5:15 – 5:40 pm

40-9999

*See Instruction 2 (*f*) on other side, ⊙ 5·15 – 5:40 p.m.

(Signed) J R Foster

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1106

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Upton

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 270 ft.

906 sent 1/6/34 suggesting ·75" on June 26th. Observer agreed to amendments 11/6/34.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	8	15	15								3			1
2	12		27											2
3		8	25		42						6			3
4	21				28									4
5	5	2	15		6									5
6		7	8		12									6
7	2	11			7					14				7
8	2		10		6		17			2				8
9					2		37			2	13			9
10		32				5	1			38				10
11	4						22	7						11
12						8	8		32			5		12
13	4				7	2	26				17			13
14					5					6	39	5		14
15	28						40	15			35			15
16	8×		42			10	5			6	9			16
17			29			7			2		6			17
18	5×	3	1			5								18
19			27			4			13			2		19
20		4	10			78		1	2					20
21		3×				12		8	9					21
22						10		41	4	31				22
23				7		1			44					23
24		20°		7	8	12			42	3	7			24
25		57		20		15			2	2	7	4		25
26		42		2		(·75)			2	18				26
27					20				4	4				27
28				3			2					10		28
29	5	×		17			17			31				29
30	15	×	7	1			3			2		11		30
31	3	×	14	×		×		9	×	29	×		17·82	31
TOTAL	1·22	2·04	2·30	·57	1·43	2·44 ~~1·69~~	1·78	·81	1·56	1·88	1·42	·37	Year's Total ~~17·07~~	
*Days with ·01 in. or more.	~~14~~	~~12~~	~~13~~	~~7~~	~~11~~	~~14~~ ~~13~~	~~11~~	~~6~~	~~11~~	~~14~~	~~10~~	~~6~~	~~128~~	~~129~~
*Days with ·04 in. or more.	11	9	12	4	10	12 ~~11~~	8	5	6	9	9	5	~~100~~	101

40-9999 × snow ° mostly snow.

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) R Foster

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1106

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Upton

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 270. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	3							15	2			32		1
2	13		10						38	4		15		2
3		5		5				5		14				3
4			6	30						8	12	25		4
5			9		4			9		4	4	17		5
6	9		6	8	34	4				13		46		6
7	4					17		16				16		7
8					9	3		7		3	10			8
9			8					4	1		71	15		9
10			10	15				1			10	2		10
11	37		17	13				15				19		11
12			8				3	14				1		12
13	31				2		117	9		1		31		13
14	4				3					13	27	27		14
15	3		34		4				89◎		20	2		15
16	11		10		3					19	2	2		16
17								9	6	12	3	12		17
18	16		2	27			13					8		18
19			11	2		4				3		3		19
20			3	4					1					20
21				5		6		1		5				21
22								8	16			7		22
23				18	17	25	1					18		23
24		28	8	3		3	25		22					24
25	12			5		6				5		29		25
26		4×		13		6	5		4			1		26
27										5				27
28				46		8		31				28		28
29							19	6	27			2		29
30	5	×							1					30
31	3	×		×		×		3	×	7	×	6		31
TOTAL	1·51	·37	1·42	1·94	·76	·82	1·83	1·53	2·07	1·16	1·59	3·64	Year's Total. 18·64 ✓	
* Days with .01 in. or more.	13	3	14	14	8	10	7	16	11	15	9	24	144	
* Days with .04 in. or more.	10	3	12	12	5	8	5	13	7	12	7	17	111	

40-9999 × fell as snow.

† Spare column, no entries required. ◎ Thunderstorm 6pm.

* See Instruction 2 (f) on other side.

(Signed) J R Foster.

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1106

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Upton

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	28			5		17	2		17	3	7			1
2				1		3			8	8		7		2
3		29	4	6		7			15	34	16	2		3
4				11		5			4	18				4
69 5		69	3	17		3	1		15		3			5
6		10		30		12								6
7				38		15				11	36	18		7
8				17		5		33		15	10	5		8
9				59		35				85	28			9
10				18		6								10
11	19					·	13				28			11
12	3	1				46		tr.			4			12
13	8	7		2	20	3						2		13
14					14	18			15		15	4		14
15		9		50	2	32			21		23	26		15
16		2	5	8		23			34	9	63			16
17				2		15			10		51			17
18				26	4	18	18	tr	17	3				18
19				5	35	13	19		2	7	17			19
20	3			21		5	4		2	·	11			20
21		12	2	2					155*	3	23			21
22		2	3	2				17	37					22
23		2	8					76		14		19		23
24	4	22	3						117			18		24
25	14	3		18		2·17⁰		1				29		25
26		1			16			12	8			27		26
27	2	14			24				6		15	75		27
28		26			3				8	2		3		28
29		×	2		10				24	[illegible]·	3	12		29
30	5	×		4				35	7	38	19	18		30
31		×		×		×		15	×	64	×	12		31
													Year's Total	
TOTAL	·86	2·09	·30	3·42	1·28	4·98	·57	1·89	5·22	3·14	3·72	2·77	30·~~4~~24	
* Days with .01 in. or more.	9	15	8	21	9	20	6	7	20	15	18	16	164	
* Days with .04 in. or more.	6	9	3	16	7	17	4	6	18	11	16	13	126	

40-9999.

* See Instruction 2 (f) on other side. ⁰ * See notes other side

† Spare column, no entries required.

(*Signed*) J R Foster

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1106

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Upton

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	2	6	3	35		3	33				5	3		1
2	4	5	18			38	52	9			14	2		2
3		1	.	3			6		14		17	2		3
4			14			8	.	6	41		2	5		4
5	5						3	3	11		.	20x		5
6	7				21	8	7	6	4		6	.		6
7	40		3				9		3	5	.	3		7
8	10		23				5				23	9		8
9	29		1				87		11			.		9
10	14						48		5	3		.		10
11				3			16		3		34	.		11
12				12		41	22		16		15	10		12
13					11	32	.		.	6	6	21		13
14				21		4	41		36	3	.	47		14
15		3		3			32		9		2	12		15
16	15	6					3				48	3		16
17		46			5		10			7	5	3		17
18		2				15	7			12	2	1		18
19	35	13		8		14	.	8		22				19
20		13	4	10		5	.		37					20
21				13		64	4		25					21
22		58	7		22		19					10		22
23			3	8	2		13			1				23
24	18	11					7		13	21				24
25	7		13	23		5	13		31	2	4			25
26		8	25			4				4	2			26
27	2								12	16		2		27
28	45	3	7				9					4		28
29	59	18	2			21	1			7	32	7		29
30	!	✕			20	29	7			37	1			30
31	87	✕	13	✕		✕	10		✕	33	✕	10		31
													Year's Total	
TOTAL	3·79	1·83	1·36	1·39	·81	2·91	4·64	·32	2·71	1·79	2·18	1·74	25·47	
* Days with .01 in. or more.	16	14	14	11	6	15	25	5	16	15	17	19	173	
* Days with .04 in. or more.	14	9	9	8	5	14	22	4	14	11	12	11	133	

? [illegible]

40-9999. ⊙ Snow

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J R Forke [P.T.O.

x fell as snow.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations 39822/30 **Station No.** 1106

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Upton

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	10		2						3		35	29		1
2		6		57								21		2
3		11			17							6		3
4	5	9			2							59ˣ		4
5	19		14				2	1						5
6	20		35	5	11		5			6	2			6
7		71	2	14	2				1					7
8		5									19	3		8
9				24	34		12		13			9		9
10	1	2	69ˣ	29		21	6	10				15		10
11			13		65	2		2				18		11
12	2	37	7		52	17		49	13			13		12
13	15	7	32			48		15	5					13
14			16	2			103*	26	5			2		14
15	27	8		15					13					15
16	5	12	34	37				2						16
17	36	3	29	28										17
18	27	10	7	3					80		26			18
19	10	4	11	5	8	19					7	2		19
20	29			39	64	7								20
21	10	28	4	2			19							21
22	13	1	4		3	15	10			30	34			22
23	27		3		16		14			82	3			23
24	15	28	2				2		5	26				24
25	21	20	1		89⊙				2	18				25
26		18	6		8					11				26
27		19ˣ		22						62		3		27
28		9ˣ								2		2		28
29	8ˣ	✕				4				2	2	8		29
30	28	✕									8	1		30
31	24	✕		✕		✕			✕	17	✕	4		31
TOTAL	3·52	3·08	2·91	2·82	3·71	1·33	1·73	1·05	1·40	2·56	1·36	1·95	Year's Total 27·42	✓
* Days with .01 in. or more.	21	20	19	14	13	8	9	7	10	10	9	16	156	✓
* Days with .04 in. or more.	19	17	14	11	10	7	7	4	7	8	6	10	120	✓

ˣsnow ˣsnow. ˣsnow ⊙ Thunder storm ˣsnow

* See Instruction 3 (f) on other side.

† Spare column, no entries required

* ·77 fell between 3·20 & 4·5

(Signed) J. R. Foster [P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 1106

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Upton

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 270 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						33				7		19		1
2	5			3						31				2
3					7					47	1			3
4	5			1		7	3	3		19		11		4
5							23	14	1	7				5
6	3	1					7	20	22	11				6
7	18						42	58	10	25		14		7
8	15					26	1	5		19		1		8
9	2	4					17	19				31		9
10						7		4				3		10
11	40	5									10			11
12	10	3			3			138 x		36				12
13		10 x									4	13		13
14	14	9 x			5		42		8					14
15	6						15					19		15
16	19							2				13		16
17		9					5			8	2			17
18	2				12				44		13			18
19								3	11		15			19
20									1		79	5 x		20
21											4	35 x		21
22								2			28	17		22
23									3			2		23
24			3		1				15		2	2		24
25	9	11	6		14		1	13		5	20	11 x		25
26	14	24	14		1				10	24				26
27	5	2			31	13	21	1	51	1	40			27
28	4				46	13		84	6		3	18		28
29	48	×		2	16		2			2	12	11		29
30	3			1	·	10			8	4	21	3		30
31	10				23					17		35		31
TOTAL	2·32	0·78	0·23	0·07	1·59	1·09	1·79	3·66	1·90	2·63	2·58	2·63	Year's Total 21·27	✓
* Days with .01 in. or more.	19	10	3	4	11	7	12	14	13	16	15	19	143	✓
* Days with .04 in. or more.	15	7	2	0	8	7	8	9	10	14	11	15	106	✓

x melted snow

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) J R Foster.

X 12/8/38 Thunderstorm 6-9 p.m. X

x snow

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations 39822/30 Station No. 1106

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Upton

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				26	5			7		23				1
2				4				32	50	2	4	5		2
3	24×			19				87			19	23		3
4			51	39			1	40		13	4	8		4
5				44	20		3	63		16	14	20		5
6	58		1				38	1			2			6
7	4	9					3				11	19		7
8		4	17				11	14		32	4	36		8
9	2	8						8		71		10		9
10	36					22		14	2	3				10
11			10			22								11
12			2											12
13						2			3	60	1			13
14	30		1	3	67	9	15			3	16	1		14
15	33		5		14	34	10		10	73	3			15
16	30		11	1	5	25	6			8	36			16
17	13				7		1			2·30	3			17
18	4	2	4			15	38				52			18
19	23						43			1				19
20	18						1	94						20
21	7	13	19		2	18	⊙	95	5					21
22	15	17	11						2		19			22
23	4			6		2	10			17	62			23
24	25×			3		1				5				24
25	82	9	15				8	2			20			25
26	58	4	2	8				6		11	31			26
27	2	3	6	1		2	2	1		14		6		27
28		9	9	8			7			1	16	6×		28
29		×		29			14			21	2			29
30		×		23							3			30
31		×		×		×	7	2	×		×			31
TOTAL	4·68	·78	1·64	2·14	1·20	1·52	2·18	4·66	0·72	6·04	3·22	1·34	Year's Total 30·12	
* Days with .01 in. or more.	19	10	15	14	7	11	18	15	6	19	20	10	164	
* Days with .04 in. or more.	17	8	11	10	6	7	12	11	3	14	14	9	122	

× snow

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

× snow

⊙ Heavy rain in Northampton

(Signed) J R Foster

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1106

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Upton

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				2							7			1
2				27						2	73			2
3				7						8	68	4		3
4		53		24			18			14	15	3		4
5		1			4		4			7	72	7		5
6	6	19			3		2			22	33			6
7	12				3		7				1	4		7
8				3		[x]	2			10		19		8
9				2			2	3	2		5	7		9
10							{1·34° 20	6		4	8	15		10
11			2	5			19				73	14		11
12			2				10		2		4			12
13		16	41				5		3		29			13
14			13	8	17				8	4		20		14
15			4	6	2	3	1		1	8	15			15
16	6*	19*	44				31		12	108	66	3		16
17			25				6				9			17
18	2*	53	27	36			4	5	2	7		5		18
19		15	1	9			18		5		14	2		19
20			5	6			2			6				20
21	7*				18		3			10	125			21
22			6		35	38		2	21					22
23		19	4		30	21				3		4		23
24				5			13							24
25							3			4				25
26	99*	2			3		37							26
27	44*	6		15	7		17							27
28	37*	5			3									28
29			7		9	1						24		29
30		✖		58						7		2		30
31		✖		✖		✖			✖	54	✖	1		31
TOTAL	2·12	2·08	1·81	2·13	1·34	·63	3·58	·16	·56	2·78	6·17	1·34	Year's Total 24·70	✓
* Days with .01 in. or more.	8	11	13	15	12	4	21	4	9	17	17	16	147	✓
* Days with .04 in. or more.	7	9	10	12	7	2	14	2	4	15	16	11	109	

× snow

* See Instruction 3 (f) on other side.

[x] Heavy rain Northampton 4 p.m.

† Spare column, no entries required.

° over

(Signed) J R Foster

[P.T.O.

629/32

Section A **for the entry of**
AIR MINISTRY

1106/5
NORTHAMPTON
STH BRIDGE
1933 - 1934

468209

Station No. 1106/5

RAINFALL ORGANIZATION.

FORM 1090.

REGIST

1933.

Northants/4

Kept at ~~Nene Toll House~~ (So

1106/10

in the County of Borough

[illegible]

Diameter of Funnel of Gauge 5

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14			·14							·14			1
2	·09	·15	·15											2
3	·14		·29		·06									3
4		·06	·25		·38						·05			4
5														5
6	·07		·03		·34							·02		6
7		·10	·17		·14									7
8		·07								·14				8
9	·34		·14				·17							9
10							·25				·05			10
11		·30				·10				·41	·19			11
12						·05						·03		12
13						·07	·15		·33					13
14	·11						·22				·14			14
15								·15			·40			15
16						·12	·28							16
17			·45			·18				·13	·44			17
18	·08		·32	·05					·03			·06		18
19						·03								19
20			·34			·82								20
21		·05				·34								21
22		·07						·05	·02					22
23					·09			·47		·33				23
24						·35			·38		·05			24
25		·48		·04	·03				·35					25
26		·83		·10								·04		26
27		·27				·78								27
28					·30									28
29										·44		·11		29
30	·09	×		·38			·10							30
31		×	·05	×		×		·08	×		×	·05		31
TOTAL	1·06	2·38	2·19	·71	1·34	2·84	1·17	·75	1·11	1·45	1·46	·31	Year's Total 16·77	Print ✓
*Days with ·01 in. or more.	~~8~~	~~10~~	~~10~~	~~5~~	~~7~~	~~10~~	~~6~~	~~4~~	~~5~~	~~5~~	~~8~~	~~6~~	84	
*Days with .04 in. or more.	~~8~~	~~10~~	~~9~~	~~5~~	~~6~~	~~9~~	~~6~~	~~4~~	~~3~~	~~5~~	~~8~~	~~4~~	77	

Print with "d"

40-9999

*See Instruction 2 (*f*) on other side.

D N

† Spare column, no entries required.

(*Signed*) ~~[illegible]~~ RIVER NENE CATCHMENT BD.

P.T.O.

629/32

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 1106/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Northants /4

Kept at ~~Nene Toll House~~ (South Bridge) Northampton.

cf 1106/10

in the County Borough of Northampton.

Agreement satisfactory but not read daily.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 7 ft 0 in.

,, Ground ,, Sea Level 190 ft (Approx.)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14			·14							·14			1
2	·09	·15	·15											2
3	·14		·29		·06									3
4		·06	·25		·38						·05			4
5														5
6	·07		·03		·34							·02		6
7		·10	·17		·14									7
8		·07								·14				8
9	·34		·14				·17							9
10							·25				·05			10
11		·30				·10				·41	·19			11
12						·05						·03		12
13						·07	·15		·33					13
14	·11						·22				·14			14
15								·15			·40			15
16						·12	·28							16
17			·45			·18				·13	·44			17
18	·08		·32	·05					·03			·06		18
19						·03								19
20			·34			·82								20
21		·05				·34								21
22		·07						·05	·02					22
23					·09			·47		·33				23
24						·35			·38		·05			24
25		·48		·04	·03				·35					25
26		·83		·10								·04		26
27		·27				·78								27
28					·30									28
29										·44		·11		29
30	·09	×		·38			·10							30
31		×	·05	×		×		·08	×		×	·05		31
TOTAL	1·06	2·38	2·19	·71	1·34	2·84	1·17	·75	1·11	1·45	1·46	·31	Year's Total 16·77	Print A
*Days with ·01 in. or more.	~~8~~	~~10~~	~~10~~	~~5~~	~~7~~	~~10~~	~~6~~	~~4~~	~~5~~	~~5~~	~~8~~	~~6~~	~~84~~	
*Days with .04 in. or more.	~~8~~	~~10~~	~~9~~	~~5~~	~~6~~	~~9~~	~~6~~	~~4~~	~~3~~	~~5~~	~~8~~	~~4~~	~~77~~	

Print with 'A'

40-9999

*See Instruction 2 (*f*) on other side.

D

N

† Spare column, no entries required.

(*Signed*)

RIVER NENE CATCHMENT BD.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1106/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at SOUTH BRIDGE

in the County Borough *of* NORTHAMPTON

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 7' ft 0" in.

,, Ground ,, Sea Level 190 ft. approx

Days ✓ alf

Examined

appears 3" low

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									✓	✓	✓			1
2	·05							✓	✓		✓	·26		2
3	·12		✓						✓	✓	✓	·14		3
4	✓	✓		✓				·10	·50	✓		·06		4
5	·05		·08 ✓	·20	✓				✓	·12	·16	·30		5
6			·05	✓	✓			·05		✓	·04	·15		6
7				·05	+·25 ·10	·03				·10		·41		7
8	✓					·03		·16		✓	·02	·16		8
9					✓	·09		✓			✓	·02		9
10	✓		·14	✓				·04	✓		·83	·04		10
11			·15	·15				✓			·04	✓		11
12	·40		·17	·04				·12				·21 ✓		12
13			✓	✓			·03	✓				·02		13
14	·25	✓	·03	✓	✓		1·22			✓	✓	·40		14
15	✓		·19		✓			✓ ·02		·15	33	·22		15
16	·08 ✓		·18		✓				·72	✓	·20	·02		16
17	·11		·12		✓			·04		·10		·02		17
18									·05	·07	·04	·13		18
19	·19		·05	·30			·12	·02	✓		✓	✓		19
20			✓	✓	✓	✓			✓	✓				20
21			✓	·02		✓			✓		✓	✓		21
22			✓	✓		·03		✓		·07		·02		22
23						·02		·19	·05			✓		23
24				·20	·23	·23	✓				✓	·22		24
25	✓	·30	✓	✓		✓	·12		·22			·15		25
26	·12 ✓			·03		·01				✓		·05		26
27		·04	✓	·07		✓	✓		✓	✓		·02		27
28				✓		·03			✓	·05		·05		28
29				·35				·40		✓		·24		29
30	✓	✕					·10	·04	·23	✓	✓	·02		30
31	✓	✕		✕		✕			✕		✕	·03		31
TOTAL	1·37	~~·14~~ 3	1·16	1·41	·33	·47	1·59	1·18	1·77	·66	1·66	3·36	Year's Total. 15·~~7~~ 30	
* Days with .01 in. or more.	~~9~~	~~2~~	~~10~~	~~10~~	~~2~~	~~8~~	~~5~~	~~11~~	~~6~~	~~7~~	~~8~~	~~25~~	~~103~~	✓
* Days with .04 in. or more.	~~9~~	~~2~~	~~9~~	~~8~~	~~2~~	~~2~~	~~4~~	~~9~~	~~6~~	~~7~~	~~7~~	~~17~~	~~82~~	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. Clark

[P.T.O.

Northampton (Hard

24162/35

1105/5

NORTHAMPTON

HARDINGSTONE G. STN.

193 1940

1938 MISSING

480209

Section **A** for the entry of Daily

AIR MINISTRY.—ME FALL ORGANIZATION.

Station No. 1105/5

FORM 1090.

REGISTE 1935.

Kept at ~~Hardingstone Genera~~

in the County of Northampto

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.25	-	-	.04	.01	.17	-	-	.02	.11	.09	-		1
2	-	-	-	-	-	.08	-	-	.07	.07	.01	.03		2
3	-	.26	.015	.06	-	.05	-	.01	.15	.32	.21	-		3
4	-	-	-	.14	-	.05	-	-	.03	.13	-	-		4
5	-	.73	.02	.12	-	.01	.035	-	.105	.03	.05	-		5
6	-	.05	-	.34	-	.14	-	-	-	-	-	-		6
7	-	-	-	.40	-	.18	-	-	-	.13	.30	.16		7
8	-	-	-	.17	-	.01	-	.02	-	.11	.08	.05		8
9	-	-	-	.57	-	.40	-	-	-	.75	.28	.02		9
10	-	-	-	.15	-	.01	-	-	-	-	.02	.003		10
11	.13	-	-	-	-	.04	.16	-	-	-	.31	-		11
12	.01	-	-	-	-	.50	-	-	.01	-	.02	-		12
13	.07	.06	-	.03	.16	.05	-	-	-	-	-	.01		13
14	-	-	-	.03	.22	.16	-	-	.17	-	.14	.04		14
15	-	.07	-	.53	.01	.29	-	-	.30	-	.21	.25		15
16	-	.015	.05	.05	-	.42	-	-	.13	.08	.506	.095		16
17	-	-	-	.02	-	.14	-	-	.105	-	.40	-		17
18	-	-	-	.21	-	.12	.34	-	.185	.02	-	-		18
19	-	-	-	.05	.43	.12	.15	-	.03	-	.14	-		19
20	.03	.10	-	.26	-	.045	.02	-	.03	-	.09	-		20
21	-	.25	.01	.02	-	-	-	-	.55	.015	.23	-		21
22	-	.01	-	.01	-	-	-	.15	.31	-	-	-		22
23	-	-	.06	-	-	-	-	.96	.01	.15	-	.06		23
24	-	.24	.02	-	-	-	-	.01	1.18	-	-	.26		24
25	.12	.03	-	.17	-	1.87	-	-	-	-	-	.11		25
26	.02	-	-	-	-	-	-	.11	.09	-	-	.45		26
27	-	.16	-	-	.11	-	-	-	.09	.03	.15	.79		27
28	-	.12	-	-	.04	-	-	-	.03	.01	.02	.02		28
29	-	-	.03	-	-	-	-	--	.30	-	-	.12		29
30	.03	×	-	.03	.05	-	-	.35	.02	.07	.21	.16		30
31	-	×	-	×	-	×	-	.18	×	1.10	×	.12		31 O.K.
TOTAL	.66	2.095	~~.205~~ .21	3.40	1.03	4.86	~~.705~~ .71	1.79	3.915	~~3.125~~ 3.13	~~3.466~~ 3.47	~~2.748~~ 2.75	Year's Total. ~~28.005~~	28.01
* Days with .01 in. or more.	8	13	7	21	8	21	5	8	22	16	20	18	167	
* Days with .04 in. or more.	4	10	1	14	6	18	3	5	14	11	16	12	114	

40-9999 ~~Northampton Elec. L. Co.~~ † Spare column, no entries required.

* See Instruction 2 (f) on other side. Electric Light & Power Co. Ltd. (Signed) ~~[illegible]~~ P.T.O.

Northampton (Hard 24/62/35

~~COPY FOR~~

Section A for the entry of Daily Observations. **Station No.** 1105/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ~~Hardingstone Generating Station, Stn.~~

in the County of Northamptonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 189 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	-	-	.04	.01	.17	-	-	.02	.11	.09	-		1
2	-	-	-	-	-	.08	-	-	.07	.07	.01	.03		2
3	-	.26	.015	.06	-	.05	-	.01	.15	.32	.21	-		3
4	-	-	-	.14	-	.05	-	-	.03	.13	-	-		4
5	-	.73	.02	.12	-	.01	.035	-	.105	.03	.05	-		5
6	-	.05	-	.34	-	.14	-	-	-	-	-	-		6
7	-	-	-	.40	-	.18	-	-	-	.13	.30	.16		7
8	-	-	-	.17	-	.01	-	.02	-	.11	.08	.05		8
9	-	-	-	.57	-	.40	-	-	-	.75	.28	.02		9
10	-	-	-	.15	-	.01	-	-	-	-	.02	.003		10
11	.13	-	-	-	-	.04	.16	-	-	-	.31	-		11
12	.01	-	-	-	-	.50	-	-	.01	-	.02	-		12
13	.07	.06	-	.03	.16	.05	-	-	-	-	-	.01		13
14	-	-	-	.03	.22	.16	-	-	.17	-	.14	.04		14
15	-	.07	-	.53	.01	.29	-	-	.30	-	.21	.25		15
16	-	.015	.05	.05	-	.42	-	-	.13	.08	.506	.095		16
17	-	-	-	.02	-	.14	-	-	.105	-	.40	-		17
18	-	-	-	.21	-	.12	.34	-	.185	.02	-	-		18
19	-	-	-	.05	.43	.12	.15	-	.03	-	.14	-		19
20	.03	.10	-	.26	-	.045	.02	-	.03	-	.09	-		20
21	-	.25	.01	.02	-	-	-	-	.55	.015	.23	-		21
22	-	.01	-	.01	-	-	-	.15	.31	-	-	-		22
23	-	-	.06	-	-	-	-	.96	.01	.15	-	.06		23
24	-	.24	.02	-	-	-	-	.01	1.18	-	-	.26		24
25	.12	.03	-	.17	-	1.87	-	-	-	-	-	.11		25
26	.02	-	-	-	-	-	-	.11	.09	-	-	.45		26
27	-	.16	-	-	.11	-	-	-	.09	.03	.15	.79		27
28	-	.12	-	-	.04	-	-	-	.03	.01	.02	.02		28
29	-	-	.03	-	-	-	-	-	.30	-	-	.12		29
30	.03	X	-	.03	.05	-	-	.35	.02	.07	.21	.16		30
31	-	X	-	X	-	X	-	.18	X	1.10	X	.12		31
TOTAL	.66	2.095	~~.205~~ .21	3.40	1.03	4.86	~~.705~~ .71	1.79	3.915	~~3.125~~ 3.13	~~3.466~~ 3.47	~~2.748~~ 2.75	Year's Total. ~~28.005~~	28.01
* Days with .01 in. or more.	8	13	7	21	8	21	5	8	22	16	20	18	167	
* Days with .04 in. or more.	4	10	1	14	6	18	3	5	14	11	16	12	114	

O.K. proved

40-9999 ~~N'hampton Elec. L. Co.~~ † Spare column, no entries required.

* See Instruction 2 (f) on other side. Electric Light & Power Co. Ltd. (Signed) ......

[P.T.O.

1105/5. L10A

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 160204

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1934.

Kept at Hardingstone Generating Station

in the County of Northampton

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 4 ft 10 in.

,, Ground ,, Sea Level 189 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.05							.12			.02	.31		1
2	.14		.04						.47	.06		.18		2
3	.01			.05				.065		.14		.05		3
4	.07	.02	.05	.25						.08	;11	.26		4
5			.05		.05			.08		.02	.03	.14		5
6			.06	.065	.28	.05				.14		.50		6
7	.025					.20		.12		.03		.185		7
8					.05	.02		.06	.01		.085	.01		8
9			.095								.74	.20		9
10			.13	.14				.008			.10	.015		10
11	.33		.22	.105				.13				.14		11
12			.04				.01	.12				.02		12
13	.30			.025			1.35	.07				.49		13
14	.04		.22		.02			.01		.11	.28	.27		14
15	.01		.30		.025				.81		.16	.02		15
16	.115		.12		.03					.15	.02	.01		16
17								.035	.08	.11	.02	.14		17
18	.16			.27			.12					.06		18
19			.13			.03			.01	.03		.035		19
20			.01	.03		.02			.01					20
21				.03		.02				.03				21
22								.175	.14					22
23				.19	.22	.16	.02					.19		23
24			.09	.01		.045	.115		.21					24
25	.13	.28		.05		.01				.05		.34		25
26	.015	.02		.045		.04	.03			.01		.01		26
27				.015								.13		27
28		.09		.485		.07		.41		.04		.29		28
29							.20	.02	.22					29
30	.025	×					.01		.015			.01		30
31	.02	×		×		×	.01	.03	×	.02	×	.05		31
TOTAL	1.44	.41	1.555	1.76	.675	.665	1.865	1.453	1.975	1.02	1.565	4.055	Year's Total. 18.438	
* Days with .01 in. or more.	15	4	14	15	7	11	9	15	10	~~15~~ 11	10	26	~~151~~ 150	
* Days with .04 in. or more.	9	2	13	10	4	6	4	9	6	~~9~~ 10	6	18	~~95~~ 97	

[illegible]

40-9999

e Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) The Northampton Electric Light & Power Co. Ltd: Sec:- [illegible]

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1105/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Hardingstone Generating Station

in the County of Northamptonshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 189 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·09	·04	·40	-	·03	·26	·005	-	-	·04	·02		1
2	·02	·04	·08	·03	-	·29	·41	·075	-	-	·22	·04		2
3	-	·01	-	-	-	·01	·04	·07	·09	-	·15	·02		3
4	-	-	·14	-	-	·10	-	·02	·37	-	·01	·05		4
5	·05	-	·03	-	-	-	·01	·02	·23	-	-	·16		5
6	·07	-	-	-	·48	·08	·04	·08	·06	-	·08	-		6
7	·375	-	·02	-	-	-	·06	-	·05	-	-	·02		7
8	·11	-	·22	-	-	-	·20	-	·02	-	·21	·11		8
9	·31	-	·01	-	-	·005	·85	-	·005	·05	-	·01		9
10	·235	-	-	-	-	-	·38	-	·07	·01	-	-		10
11	-	-	-	·05	-	-	·13	-	·01	-	·37	-		11
12	-	-	-	·13	-	·43	·25	-	·26	-	·27	·10		12
13	-	-	-	·05	·01	·31	-	-	-	·07	·08	·18		13
14	-	·015	-	·11	-	·04	·46	-	·59	·025	-	·45		14
15	-	·03	-	·15	-	·04	·22	-	·15	-	·005	·10		15
16	·05	·07	-	-	-	-	·04	-	-	-	·50	-		16
17	-	·49	-	-	·01	-	·05	-	-	·07	·04	·05		17
18	-	·03	-	-	-	·15	·09	-	-	·11	·02	·01		18
19	·40	·05	-	·06	-	·08	-	·09	-	·13	-	-		19
20	·11	·12	·015	·12	-	·18	-	-	·50	·005	-	-		20
21	-	·01	-	·17	·02	·73	·09	-	·17	-	-	-		21
22	-	·58	·08	·01	·26	-	·19	-	-	-	-	·08		22
23	·01	-	·05	·09	·02	-	·21	-	-	·005	-	-		23
24	·13	·10	-	-	-	-	·02	-	·15	·25	-	-		24
25	·10	-	·13	·23	-	·01	·10	-	·26	·03	·04	-		25
26	-	·10	·24	-	-	·03	·02	-	-	·05	·01	·015		26
27	·01	-	·02	-	-	-	-	-	·20	·16	-	-		27
28	·42	·01	·06	-	-	-	·06	-	·015	-	-	·04		28
29	·45	·18	·04	-	-	·13	·07	-	-	·09	·30	·09		29
30	·02	×	-	-	·16	·30	·06	-	-	·29	·06	·01		30
31	·76	×	·08	×	-	×	·12	-	×	·32	×	·09		31
Total	3·64	1·925	1·255	1·6	·96	2·675	4·37	0·3	3·2	1·665	2·405	1·645	Year's Total 25·64	
* Days with .01 in. or more.	19	16	16	13	7	17	26	6	17	14	16	20	187	
* Days with .04 in. or more.	14	10	11	11	3	10	23	3	14	11	13	13	136	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

Section A for the entry of Daily Observations

TRAVELLING FORM
FORWARDED MONTHLY

Station No. 1105/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Hardingstone. Northampton.
in the County of Northants.
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 159 ft.

Travelling form only!
see note on back.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11	.01	.01	-	-	-	-	-	.05	-	.37	.19		1
2	.01	.06	.01	.47	-	-	.02	-	-	-	-	.26		2
3	-	.12	-	-	.22	-	-	-	-	-	-	.07		3
4	.04	.12	-	-	.02	-	-	-	-	-	-	.65		4
5	.19	-	.13	-	-	-	.01	-	-	-	-	.01		5
6	.16	-	.31	-	.09	-	.03	-	-	.05	tr	-		6
7	-	.72	.06	.16	.02	-	-	-	-	-	-	-		7
8	-	.06	-	-	-	-	-	-	-	-	.15	.01		8
9	-	-	.01	.19	.40	-	.04	.01	.26	-	-	.19		9
10	-	-	.49	.32	-	.25	.06	-	-	-	-	.14		10
11	-	-	.20	.02	.72	-	-	-	-	-	-	.10		11
12	.02	.37	.09	-	.41	.08	-	.27	.13	-	-	.14		12
13	.13	.05	.28	-	-	.47	-	.13	.06	-	-	.01		13
14	-	-	.28	-	-	-	-	.25	.03	-	-	.02		14
15	.23	.11	-	.17	-	-	.73	.03	.10	-	-	.06		15
16	.03	.11	.33	.37	-	-	-	-	.25	-	-	.02		16
17	.35	-	.21	.21	-	-	-	-	.05	-	-	-		17
18	.35	.11	-	.02	-	-	-	-	.22	tr	.21	-		18
19	.13	.06	.02	.04	.03	.21	-	-	tr	.02	.06	.01		19
20	.36	-	-	.38	.66	.19	-	-	.09	-	-	.01		20
21	.11	.26	.06	.01	-	-	.18	-	-	.01	-	.01		21
22	.13	-	.01	-	.01	.10	.07	-	-	.43	.33	-		22
23	.24	-	.02	-	.22	-	.14	-	-	.90	.03	-		23
24	.20	.30	.02	-	.02	-	.01	-	.01	.22	-	-		24
25	.13	.21	.02	-	1.28	-	-	-	.01	.28	-	-		25
26	-	.29	.08	-	.15	-	-	-	-	.05	-	-		26
27	-	.40	-	.18	-	-	-	-	-	.64	-	-		27
28	-	.02	-	.01	-	-	-	-	-	.03	-	.01		28
29	.05	✕	-	-	-	.11	-	-	-	.02	.01	.04		29
30	.27	✕	-	-	-	-	-	-	-	-	.10	.01		30
31	.23	✕	-	✕	-	✕	-	-	✕	.15	✕	.03		31
TOTAL	3.47	3.38	2.64	2.55	4.25	1.41	1.29	0.69	1.26	2.79	1.26	1.99	Year's Total [illegible]	26.98
* Days with .01 in. or more.	21	18	20	14	14	7	10	5	12	11	8	21	161	
* Days with .04 in. or more.	18	16	12	10	9	7	6	3	9	8	6	10	114	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) N.E.L. & P. Co,Ltd.,* [P.T.O.

* per River Nene Catchment Bd.

70

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1105/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Northampton, Hardingstone S. Stn.
in the County of Northamptonshire
Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground......ft......in.
,, Ground ,, Sea Level ......189....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

Feb. 7 corr'd from original return

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr	–	tr	.22	.02	–	–	.04	tr	.30	–	.03		1
2	.01	–	tr	.05	–	–	–	.33	.31	.06	.02	.01		2
3	.19	–	–	.15	–	–	–	.72	–	.02	.18	.28		3
4	.04	–	.30	.26	tr	–	.01	.58	–	.03	.05	.07		4
5	–	–	–	.54	.17	–	tr	.82	–	.15	.19	.25		5
6	.54	–	tr	tr	–	–	.35	.02	–	.01	tr	tr		6
7	.07	~~.01~~ 16	tr	–	tr	–	.03	–	–	–	.15	.15		7
8	tr	.04	.15	–	–	–	.11	.10	–	.34	.02	.39		8
9	.03	.09	tr	–	–	–	–	.06	–	.65	–	.11		9
10	.31	tr	–	–	–	.25	–	.19	.01	.05	–	–		10
11	tr	–	.15	–	tr	.20	–	–	tr	.01	–	–		11
12	–	–	.03	–	tr	.02	–	–	–	–	.01	–		12
13	–	–	tr	tr	–	.01	.02	–	.03	.65	.01	–		13
14	.33	–	.01	.08	.71	.05	.10	–	–	.09	.18	–		14
15	.19	–	.03	–	.22	.32	.09	–	.17	.67	.10	–		15
16	.39	–	.09	tr	.03	.25	.04	–	–	.07	.29	–		16
17	.12	tr	.01	–	.05	–	.03	–	–	2.17	.01	–		17
18	.05	.02	.03	–	tr	.21	.32	–	tr	.01	.53	–		18
19	.21	–	–	–	–	–	.49	–	–	.01	–	–		19
20	.11	–	–	–	–	tr	.05	.50	–	tr	–	–		20
21	.11	.14	.22	tr	.01	.16	.42	.61	.05	–	–	–		21
22	.20	.17	.13	tr	–	tr	tr	tr	tr	–	.16	–		22
23	.05	–	–	.04	–	tr	.07	–	–	.15	.61	–		23
24	.14	–	tr	.06	–	–	.01	–	–	.04	–	–		24
25	1.09	.10	.11	–	–	tr	.08	.03	–	.03	.22	tr		25
26	.64	.09	.02	.02	–	–	–	.11	–	.07	.32	.08		26
27	.05	.06	.06	.05	–	.01	.04	–	–	.11	.01	–		27
28	.02	.11	.07	.04	tr	–	.01	tr	–	.01	.17	.01		28
29	–	×	tr	.30	tr	–	.15	.01	–	.23	tr	–		29
30	–	×	–	.21	tr	.09	–	–	–	.01	.01	.01		30
31	–	×	–	×	–	×	.09	–	×	–	×	–		31
TOTAL	4.89	0~~.85~~ .92	1.41	2.02	1.21	1.57	2.51	4.12	0.57	5.94	3.24	1.39	Year's Total 29.70	
* Days with .01 in. or more.	22	10	15	13	7	11	20	14	5	25	20	11	173	
* Days with .04 in. or more.	19	~~8~~ 9	9	12	4	8	14	11	3	16	13	7	124 5	

† Spare column, no entries required.

(*Signed*) N.E.L.P. Co. Ltd., per River Nene Catchment Board

P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1105/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Hardingstone G. Station

in the County of Northamptonshire

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	~~.06~~	–	tr	tr	–	–	–	–	–	.07	–		1
2	–	.06	–	.20	–	–	.01	–	–	.01	.77	.01		2
3	–	.22	–	.13	–	–	–	–	–	.07	.48	.04		3
4	–	.13	–	.23	–	–	.05	–	–	.15	.37	.02		4
5	–	.01	–	–	.03	–	.06	–	–	.06	.82	.07		5
6	.06	.19	–	–	.05	–	.02	–	–	.17	.26	tr		6
7	.20	.15	–	.01	.02	–	.47	–	–	tr	–	.03		7
8	tr	tr	–	.05	–	.35	–	–	tr	.10	.01	.18		8
9	–	–	–	.01	–	~~.35~~	.01	.02	.02	.03	.07	.65	(.15)	9
10	–	–	–	–	–	–	1.92	.06	–	.02	.18	.17		10
11	–	–	.01	.02	–	–	.11	–	–	–	.69	.16		11
12	–	–	.01	–	–	–	.10	–	.03	tr	.03	–		12
13	–	.02	.46	.01	–	–	.02	–	.03	–	.33	–		13
14	–	–	.11	.04	.19	–	–	–	.07	.04	tr	.23		14
15	–	–	.04	.08	.06	.10	.02	–	.07	.12	.11	.01		15
16	–	.21	.27	tr	–	–	.29	–	.11	.82	.65	.02		16
17	–	.03	.38	–	–	–	.06	–	tr	tr	.01	–		17
18	–	.52	.31	.33	–	–	.05	.05	–	.04	.07	.06		18
19	–	.14	.01	.08	–	–	.11	–	.06	tr	.12	.02		19
20	–	.01	.06	.05	–	–	.04	–	tr	.10	.03	.01		20
21	–	.01	.01	–	.21	–	.02	–	–	.11	1.16	–		21
22	–	–	.02	tr	.29	.36	–	–	.43	.01	–	–		22
23	–	.19	.02	.01	.14	.27	–	–	–	–	–	.02		23
24	–	–	–	.06	–	–	.11	–	–	.01	tr	–		24
25	–	–	.01	tr	–	–	.17	–	–	.02	–	.03		25
26	.90	.02	–	–	.04	–	.39	–	–	–	tr	–		26
27	.51	.05	–	.12	.01	–	.01	–	–	tr	tr	–		27
28	.11	.05	–	–	.13	–	.01	–	–	–	–	–		28
29	–	–	.06	–	.52	.01	–	–	–	–	–	.25		29
30	.17	✕	tr	.79	–	–	–	–	–	.12	–	.01		30
31	.06	✕	–	✕	–	✕	–	–	✕	.61	✕	.01		31
TOTAL	2.01	2.01	1.78	2.22	1.69	1.09	4.05	0.13	0.82	2.61	6.23	2.00	Year's Total 26.64	
* Days with .01 in. or more.	7	17	15	17	12	5	22	3	8	19	19	20	164	
* Days with .04 in. or more.	7	11	8	12	9	4	14	2	5	13	15	9	109	

1.75

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

1106/8

NORTHAMPTON
(ST ANDREWS HOSP.
1933 . 1940

Section **A** **for the entry of**
AIR MINISTRY

Station No. 1106/8
AINFALL ORGANIZATION.

FORM 1090.
REGIST
1933 . Northants /[illegible]

Kept at St Andrus Hosp
ement with other
in the County of Northa
ampton .

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Le

THE MORNING MEASU S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										—	0.03	—		1
2										—	0.2	—		2
3										—	0.03	—		3
4										—	—	—		4
5										—	—	—		5
6										—	.02	—		6
7										0.10	.01	—		7
8										—	—	—		8
9										0.08	.09	—		9
10										0.41	.011	—		10
11										—	02	—		11
12									0.34	—	—	0.03		12
13									—	0.05	0.15	0.03		13
14									—	0.05	0.41	003		14
15									—	—	0.44	—		15
16									—	0.08	0.08	—		16
17									0.04	—	0.05	—		17
18									—	—	0.02	—		18
19									0.05	—	—	—		19
20									0.03	—	—	—		20
21									0.06	—	—	—		21
22									0.13	045	—	—		22
23									0.34	—	—	—		23
24									0.34	0.05	0.02	—		24
25									.02	—	0.06	0.05		25
26									.02	0.14	—	—		26
27									.07	—	—	0.02		27
28									—	0.28	—	0.08		28
29									—	0.10	—	—		29
30		✕							—	0.2	—	—		30
31		✕		✕		✕			✕	0 10	✕	0.15		31
TOTAL									1.44	1.91 1½.41	1.56 1½.06	0.39	Year's Total [illegible]	
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

† Spare column, no entries required.

(*Signed*) David F. Rambaut MD [P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1106/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933. Northants/14

Kept at St Andrews Hospital

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 250 ft.

In excellent agreement with other stations in Northampton.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1										—	0.03	—		1
2										—	0.02	—		2
3										—	0.03	—		3
4										—	—	—		4
5										—	—	—		5
6										—	.02	—		6
7										0.10	.01	—		7
8										—	—	—		8
9										0.08	.09	—		9
10										0.41	.011	—		10
11										—	02	—		11
12									0.34	—	—	0.03		12
13									—	0.05	0.15	0.03		13
14									—	0.05	0.41	003		14
15									—	—	0.44	—		15
16									—	0.08	0.08	—		16
17									0.04	—	0.05	—		17
18									—	—	0.02	—		18
19									0.05	—	—	—		19
20									0.03	—	—	—		20
21									0.06	—	—	—		21
22									0.13	045	—	—		22
23									0.34	—	—	—		23
24									0.34	0.05	0.02	—		24
25									.02	—	0.06	0.05		25
26									.02	0.14	—	—		26
27									.07	—	—	0.02		27
28									—	0.28	—	0.08		28
29									—	0.10	—	—		29
30		×							—	0.2	—	—		30
31		×		×		×			×	0.10	×	0.15		31
TOTAL									1.44	1.91 ~~1½.41~~	1.56 ~~1½.06~~	0.39	Year's Total [illegible]	
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) David F. Rambaut M.D.

[P.T.O.

X NORTHAMPTON (ST ANDREW'S HOSP) X

no file!

1106/8

" / Northants/4

c inp 1933

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934.

At St Andrews Hospital

In the County of Northampton

Rain Gauge

Diameter of Funnel ~~5½~~ 5 in.

Height of Top above Ground ft ~~8½~~ 9 *in.*

Height of Ground above Sea Level c 250 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1.41			11	8
FEB.	0.44			5	2
MAR.	1.80			14	13
APRIL	1.92			16	12
MAY	0.67			7	5
JUNE	0.78			9	8
JULY	1.72	1.25	13th	8	6
AUG.	1.26			14	12
SEPT.	2.20			11	6
OCT.	1.22			16	11
NOV.	1.66			13	8
DEC.	4.05			28	18
Total	19.13			162	109

Print ✓

OK print

Signature T. H. Allen

X D. F. RAMBOUT ESQ., M.D., X

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Dr Rambout Esq. M.D.
St Andrews Hospital

Hour of observation by the clock—in Winter 10 clock in Summer 9 clock

Nearest Railway Station L. M. S. Distance 1 mile Direction from gauge West

Nearest Parish Church at Christ Church Distance ½ mile Direction from gauge N. E.

Nature of objects nearest to gauge	Potting Shead		Greenhouse	
Height of objects	12 feet		10 feet	
Distances	15 feet		21 feet	
Directions from gauge	North		West	

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

M.O. 7
25 MAR 1935

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1106/8

Form 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1935

At St Andrews Hospital

In the County of Northampton

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground ft. 9 in.
Height of Ground above Sea Level ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
Jan.	0.91	0.33	1	10	6
Feb.	2.40	0.80	5	13	11
Mar.	0.32	0.09	23	7	4
April	3.85	0.49	15	20	20
May	1.15	0.39	19	8	6
June	5.20	2.11	25	20	17
July	0.64	0.23	11	5	4
Aug.	1.70	0.38	30	7	6
Sept.	4.08	1.32	24	18	14
Oct.	3.31	1.16	31	16	12
Nov.	3.94	0.65	16	18	17
Dec.	2.08	0.84	27	16	14
Total	29.58			158	111

Signature J. H. Allen

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
The Medical Superintendent
St Andrews Hospital Northampton

Hour of observation by the clock—in Winter 9 o'clock in Summer 10 o'clock

Nearest Railway Station L.M.S. Distance 1 mile Direction from gauge S.W.

Nearest Parish Church at Christ Church Distance ½ mile Direction from gauge N.E.

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move May 23rd Distance 250 yd. Direction North

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
8 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}$ ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1106/8

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At St Andrews Hospital

In the County of Northampton

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* *ft.* 9 *in.*
- *Height of Ground above Sea Level* 250 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3.90	0.76	31	16	15
FEB.	2.18	0.62	22	12	10
MAR.	1.21	0.23	26	~~2~~ 15	13
APRIL	2.02	0.45	1	13	12
MAY	1.52	0.84	6	6	5
JUNE	3.07	0.59	21	~~4~~ 18	14
JULY	4.36	0.90	9	~~1~~ 23	22
AUG.	0.27	0.10	19	~~3~~ 6	3
SEPT.	3.63	0.77	14	15	14
OCT.	1.75	0.36	31	~~3~~ 14	11
NOV.	2.48	0.54	16	~~4~~ 17	13
DEC.	1.76	0.48	14	~~9~~ 21	12
TOTAL	28.15 ✓			176 ~~32~~ ✓	144 ✓

Signature G. Griffin

Head Gardener ST. ANDREW'S HOSPITAL, NORTHAMPTON.

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
Dr D. J. Rambaut. ST. ANDREW'S HOSPITAL.
Medical Superintendent NORTHAMPTON.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station L M S Distance 1 mile Direction from gauge West

Nearest Parish Church at Northampton Distance ¼ mile Direction from gauge North

Nature of objects nearest to gauge	Quick hedge			
Height of objects	5 ft.			
Distances ...	21 ft.			
Directions from gauge ...	North			

If gauge has been moved during the year state –

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

- (a) It is known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

M.O. 7
1937

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

Form 1090.

1106/8

B Monthly Summary.

⁎ **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1937

At St Andrews Hospital

In the County of Northampton

Rain Gauge:
Diameter of Funnel 5 in.
Height of Top above Ground ..... *ft.* 9 *in.*
Height of Ground above Sea Level ..... *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
Jan.	3.51	0.40	17	2	17
Feb.	3.42	0.77	7	2	17
Mar.	2.95	0.61	11	5	15
April	2.72	0.65	2	7	10
May	3.13	0.71	11	5	9
June	1.51	0.54	13	1	6
July	1.50	0.89	15	4	6
Aug.	0.72	0.31	14	3	3
Sept.	1.46	0.32	18	4	9
Oct.	2.90	0.92	23	2	9
Nov.	1.62	0.62	1	4	6
Dec.	2.20	0.51	4	11	11
Total	27.64 ✓			50 ✓	118 ✓

168

Signature G. Griffin

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
The Medical Superintendent,
St. Andrew's Hospital, Northampton.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station L.M.S. Distance 1 mile Direction from gauge West

Nearest Parish Church at Northampton Distance ½ mile Direction from gauge North

Nature of objects nearest to gauge	Quick hedge			
Height of objects	5 ft.			
Distances ...	21 ft.			
Directions from gauge ...	North.			

If gauge has been moved during the year state—

Date of move ..... Distance ..... Direction .....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
5 JAN. 1938

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

FORM 1090.

1106/8

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At St Andrews Hospital

In the County of Northampton

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground ...... ft. 9 in.*
- *Height of Ground above Sea Level ...... ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date		*
JAN.	2.50	0.45	29	~~8~~ 22	14
FEB.	0.90	0.30	26	~~4~~ 12	8
MAR.	0.16	0.09	26	X 3	2
APRIL	0.04	0.03	2	2	—
MAY	1.49	0.39	28	~~5~~ 12	9
JUNE	1.10	0.23	1	9 ~~8~~	7
JULY	1.52	0.25	5	~~2~~ 14	12
AUG.	3.94	1.57	12	14	10
SEPT.	1.90	0.43	27	13 ~~2~~	11
OCT.	2.95	0.66	3	18 ~~4~~	14
NOV.	2.69	0.74	20	~~8~~ 17	11
DEC.	3.46	0.51	21	~~2~~ 19	17
TOTAL	22.63 ✓ *			~~40~~ 155 ✓	115 ✓ *

Signature G. Griffin.

X Print X Medical Superintendent X

w.j.7.

Days

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

The Medical Superintendent,
ST. ANDREW'S HOSPITAL
NORTHAMPTON.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station L.M.S. Distance 1 mile Direction from gauge West

Nearest Parish Church at Northampton Distance ¼ mile Direction from gauge North

Nature of objects nearest to gauge	Quick hedge			
Height of objects	5 ft.			
Distances ...	21 ft.			
Directions from gauge ...	North			

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
10 JAN. 1939

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1106/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at St. Andrew's Hospital (Gardens)

in the County of Northampton

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	—	—	0.23	0.04	—	—	0.04	—	0.33	—	0.03		1
2	0.03	—	—	0.06	—	—	—	0.34	0.28	0.04	0.04	0.02		2
3	0.20	—	—	0.15	—	—	—	0.83	—	0.02	0.20	0.30		3
4	0.06	—	0.28	0.28	—	—	—	0.70	—	0.03	0.04	0.08		4
5	—	—	0.02	0.55	0.18	—	0.01	0.80	—	0.16	0.21	0.30		5
6	0.56	—	0.01	—	—	—	0.36	—	—	0.02	0.01	—		6
7	0.08	0.10	—	—	0.01	—	0.05	0.02	—	—	0.16	0.10		7
8	—	0.05	0.16	—	—	—	0.11	0.10	—	0.34	—	0.44		8
9	—	0.09	—	—	—	—	—	0.07	—	0.71	—	0.11		9
10	0.36	—	—	—	—	0.37	—	0.19	0.02	0.04	—	—		10
11	—	—	0.18	—	—	0.16	—	—	0.01	—	0.03	0.02		11
12	—	—	0.05	—	—	0.04	—	—	—	—	0.03	—		12
13	—	—	—	—	—	0.01	0.02	—	0.02	0.64	0.02	—		13
14	0.31	—	0.02	0.06	0.79	0.06	0.15	—	—	0.12	—	—		14
15	0.24	—	0.04	—	0.25	0.35	0.02	—	0.13	0.42	0.17	—		15
16	0.41	—	0.09	0.02	0.05	0.25	0.16	—	0.01	0.07	0.26	—		16
17	0.15	0.02	0.02	—	0.07	—	0.03	—	—	1.95	0.02	—		17
18	0.09	—	0.05	—	—	0.25	0.32	—	—	0.01	0.51	—		18
19	0.22	—	—	—	—	—	0.53	—	—	0.03	—	—		19
20	0.10	—	0.01	—	—	—	0.05	0.37	—	—	—	—		20
21	0.13	0.15	0.22	—	—	0.21	0.87	0.93	0.06	—	—	—		21
22	0.19	0.20	0.13	0.01	—	—	0.02	—	0.01	—	0.19	—		22
23	0.06	—	—	0.05	—	—	0.08	—	—	0.15	0.59	—		23
24	0.20	—	—	0.11	—	0.01	0.04	—	—	0.03	—	—		24
25	1.23	0.11	0.13	—	—	—	0.08	0.03	—	0.02	0.20	—		25
26	0.70	0.07	0.04	0.04	—	—	—	0.05	—	0.08	0.34	0.09		26
27	0.07	0.06	0.08	0.04	—	0.02	0.05	—	—	0.12	0.02	—		27
28	0.02	0.14	0.08	0.07	—	—	—	—	—	0.02	0.17	0.10		28
29	—		—	0.35	—	—	0.15	0.10	—	0.23	—	—		29
30	—	×	—	0.23	—	0.05	—	—	—	—	0.04	—		30
31	—	×	—	×	—	×	0.12	—	×	—	×	—		31
TOTAL	5.43	0.99	1.61	2.25	1.19	1.78	3.22	4.57	0.54	5.91	3.25	1.59	Year's Total. 32.33	
* Days with .01 in. or more.	22	10	18	15	7	12	20	14	8	23	20	11	180	
* Days with .04 in. or more.	19	9	13	13	6	9	15	12	3	15	14	8	136	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) S. M. Gault

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1106/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

Kept at The Gardens, St. Andrew's Hospital
in the County of Northamptonshire
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground ft. 9 in.
,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	0.01	—	—	—	—	—	—	0.07	—		1
2	—	0.09	—	0.22	—	—	—	—	—	—	0.73	0.02		2
3	—	0.26	—	0.11	—	—	—	—	—	0.10	0.65	0.05		3
4	—	0.17	—	0.19	—	—	0.03	—	—	0.15	0.24	0.03		4
5	—	0.02	—	—	0.05	—	0.06	—	—	0.07	0.83	0.06		5
6	—	0.20	—	—	0.06	—	0.03	—	—	0.21	0.29	—		6
7	0.23	0.17	—	0.01	0.03	—	0.30	—	0.01	—	—	0.05		7
8	—	—	—	0.07	—	1.10	—	—	—	0.18	0.02	0.21		8
9	—	—	0.01	0.02	—	—	—	0.02	0.02	0.03	0.06	0.09		9
10	—	—	—	—	—	—	1.64	0.04	—	0.02	0.19	0.21		10
11	—	—	0.02	0.01	—	—	0.22	—	—	—	0.70	0.15		11
12	—	—	0.01	—	—	—	0.11	—	0.04	—	0.03	—		12
13	—	0.01	0.55 m.s	0.02	—	—	0.04	—	0.03	—	0.36	—		13
14	—	—	0.06 m.s	0.05	0.13	—	—	—	0.05	0.04	—	0.21		14
15	—	—	0.04	0.08	0.07	0.07	0.02	—	0.14	0.15	0.10	0.02		15
16	0.08 m.s	0.22 m.s	0.36	—	—	—	0.36	—	0.10	0.77	0.67	0.03		16
17	—	0.02 m.s	0.31	—	—	—	0.11	—	—	—	0.01	—		17
18	—	0.48	0.30	0.40	—	—	0.07	0.04	—	0.05	0.06	0.06		18
19	—	0.17	0.02	0.10	—	—	0.09	—	0.06	—	0.13	0.04		19
20	—	0.07	0.04	0.04	—	0.01	0.03	—	—	0.10	0.04	—		20
21	0.12 m.s	0.03	—	—	0.24	—	0.05	—	—	0.09	1.15	—		21
22	0.06 m.s	—	0.03	—	0.29	0.41	—	—	0.45	0.01	—	—		22
23	—	0.20	0.03	0.01	0.05	0.28	—	—	—	—	—	0.03		23
24	—	—	—	0.08	—	—	0.10	—	—	0.01	0.01	0.03		24
25	—	—	0.01	—	—	—	0.50	—	—	0.03	—	—		25
26	0.86 m.s	0.03	—	—	0.04	—	0.36	—	—	—	—	—		26
27	0.59 m.s	0.05	—	0.03	—	—	0.04	—	—	—	—	—		27
28	0.60 m.s	0.07	—	—	0.22	—	0.02	—	—	—	—	—		28
29	—	—	0.07	—	0.67	0.02	—	—	—	—	—	0.24		29
30	0.10 m.s	✕	—	0.89	—	—	—	—	—	0.12	—	0.04		30
31	0.04 m.s	✕	—	✕	—	✕	—	—	✕	0.60	✕	0.01		31
TOTAL	2.68	2.26	1.86	2.34	1.85	1.89	4.18	0.10	0.90	2.73	6.34	1.58	Year's Total 28.71	
* Days with .01 in. or more.	9	17	15	18	11	6	20	3	9	18	20	19	165	
* Days with .04 in. or more.	9	12	8	11	10	4	15	2	6	13	16	12	118	

† Spare column, no entries required.

(*Signed*) S. M. Gault

* See Instruction 3 (f) on other side.

[P.T.O.